

TABLE B.4

MUD SUMMARY

BIT SIZE (inc)	DEPTH (m)	MUD DENSITY (rd)	FV (sec)	PV (mPa·S)	YP (Pa)	GEL STRENGTH (Pa)	FILTRATE ml/30 min.	CAKE mm	CL (ppm)	CALCIUM (ppm)	pH	REMARKS
8 3/8	-	1,92	60	35	10	3/8	7,5	2	450	TR	11	Drig. cnta
6	-	1,92	60	44	9	2/15	8	2	5800	75	10,5	" "
6	3715	1,92	60	42	9	2/16	8	2	6300	60	10,5	
6	3734	1,98	62	50	4	2/12	7,2	2	7200	TR	10,5	
6	3790	1,99	58	40	3	2/10	5,5	2	7200	40	11	
6	3810	2,04	64	45	6	2/12	4	2	7000	TR	10,5	
6	3826	2,09	60	45	5	2/10	4,2	2	6500	TR	10,5	
6	3968	2,10	46	40	3	1/6	1,6	1	6500	TR	10	
6	3971	2,08	50	40	5	1/6	1,8	1	6500	100	10	
6	4062	2,07	58	40	6	1/6	2	1	6500	50	10,5	
6	4078	2,06	58	40	5	1/6	2	1	5500	50	10,5	
5 ^{31/32}	4097	2,06	58	40	6	1/6	1,8	1	5500	100	10,5	
5 ^{31/32}	4115	2,06	60	40	5	1/6	2,2	1	6000	160	10,5	T.D.