

**SCHLUMBERGER**

FOUR-ARM  
HIGH RESOLUTION  
**CONTINUOUS DIPMETER**

COUNTRY NORWAY NORTH SEA  
FIELD C.O.D.  
WELL 7/11 - 2 X  
COMPANY PHILLIPS  
PETROLEUM COMPANY

COMPANY PHILLIPS  
Pet. Oslo PETROLEUM COMPANY  
WELL 7/11 - 2 X  
FIELD C.O.D.  
LOCATION \_\_\_\_\_  
STATE NORWAY  
COUNTRY NORTH SEA

Location of Well  
54° 04' 15,2" N  
02° 04' 26,5" E  
Elevation : R.T. : \_\_\_\_\_  
D.F. : \_\_\_\_\_  
K.B. : \_\_\_\_\_  
or G.L. : \_\_\_\_\_  
FILING No. \_\_\_\_\_

RUN No.	ONE	TWO	THREE
DATE	SEPT. 5, 1968		
Casing Depth Schlumberger	6384'		
" " Driller	6385'		
Total Depth Schlumberger	10816'		
" " Driller	10810'		
" " Reached	10816'		
Bit Size	17" 1/2 to 6500	12" 1/4 to 9700	to
	8" 1/2 to T.D.	to T.D.	to T.D.
Mud Nature	SALT. SAT.		
" Density   viscosity	13.1   54		
" Resistivity	.097 at 68°F.	at °F.	at °F.
B. H. T.	250 °F	°F	°F
Logging Speed	60 F/MN		
First Reading	10805'		
Last Reading	6384'		
Interval measured	4421'		
Equipment	C/4		
Truck number	2105		
Observer	DILLEHAY		
Correlated by	FMR 6050		
Computed by	"		
Plotted by	565		
Magnetic Declination	8° WEST		
Reference	241		

Normal exploitation = 2° X 35'      Correlation interval = 3' X 3'

digital recording.



HIGH RESOLUTION

DIPMETER

\*\*\*\*\*

COMPANY	PHILLIPS PETROLEUM
FIELD	C.O.D
WELL	7/11-2X
DATE	SEPTEMBER 5 1968
RUN	*1

NORMAL EXPLOITATION 35 DEGREES X 2  
CORRELATION INTERVAL 3 FEET X 3 FEET  
REFERENCE 0241

PL0T 241 STANDARD PL0T INCLUDING ALL RESULTS

PL0T 2411 SCHLUMBERGER SORTED PL0T

LOW QUALITY RESULTS ARE NOT PLOTTED

EXPLANATION OF THE LAST FIVE COLUMNS OF THE LISTING  
-----

LBGI = \*\* = MEAN DIP DETERMINATION USING 4 CURVES

BLANK = DIP DETERMINATION USING 3 CURVES

Q = RATING OF RESULT

A-B-C-D = COHERENCE FACTOR (FROM VERY GOOD TO POSSIBLE)

\* = DIAGONAL CORRELATION AND/OR SPEED CORRECTION  
COULD NOT BE MADE (COHERENCE FACTOR COULD NOT  
BE COMPUTED)

PLA = COPLANEITY INDEX (0 TO 100)

IF NO PLANEITY AND WHEN QUALITY IS HIGH 4 DIPS ARE  
GIVEN IN ADDITION TO THE MEAN DIP

CLB = CLOSURE OF THE PAD-CORRELATIONS RETAINED FOR COMPUTATION  
(0 TO 100)

MAX = LIKENESS FACTOR (MAXIMUM OF THE WORST CORRELATION CURVE RETAINED)

04-835-7/11-2X10

**SCHLUMBERGER**

FOUR-ARM  
HIGH RESOLUTION  
**CONTINUOUS DIPMETER**

COUNTRY NORWAY NORTH SEA FIELD C.O.D. WELL 7/11-2 X COMPANY PHILLIPS PETROLEUM COMPANY	COMPANY PHILLIPS PETROLEUM COMPANY	<b>Location of Well</b> 54° 04' 15,2"N 02° 04' 26,5"E
	WELL 7/11 - 2 X FIELD C.O.D. LOCATION STATE NORWAY COUNTRY NORTH SEA	Elevation : R.T. : D.F. : K.B. : or G.L. :

RUN No.	ONE	TWO	THREE
DATE	SEPT. 5, 1968		
Casing Depth Schlumberger	6384'		
" " Driller	6385'		
Total Depth Schlumberger	10816'		
" " Driller	10810'		
" " Reached	10816'		
Bit Size	17 1/2" to 6500 & 8 1/2" to T.D.	12 1/4" to 9700 to T.D.	to T.D.
Mud Nature	SALT. SAT.		
" Density	13.1	54	
" Resistivity	.097 at 68 °F.	at °F.	at °F.
B. H. T.	250		
Logging Speed	60 F/MN		
First Reading	10805'		
Last Reading	6384'		
Interval measured	4421'		
Equipment	C/4		
Truck number	2105		
Observer	DILLEHAY		
Correlated by	05-33-01		
Computed by	EMR 6050		
Plotted by	565		
Magnetic Declination	8° WEST		
Results			
Reference	241-		

Search angle 2° X 35  
 Step distance 3'  
 Correlation interval 3'  
 DIGITAL RECORDING



POINT NUMBER PER SECTOR - DEPTH 10205.0 TO 10080.0

0	10	20	30	40	50	60	70	80	90	100	110	120
0	3	0	1	0	0	0	1	1	1	0	0	1
120	130	140	150	160	170	180	190	200	210	220	230	240
0	0	0	0	0	0	0	1	2	0	0	0	1
240	250	260	270	280	290	300	310	320	330	340	350	360
0	3	2	4	2	5	4	5	1	0	2	1	

POINT NUMBER PER SECTOR - DEPTH 10080.0 TO 9935.0

0	10	20	30	40	50	60	70	80	90	100	110	120
0	1	0	0	0	0	0	0	0	0	0	0	0
120	130	140	150	160	170	180	190	200	210	220	230	240
1	1	0	1	0	0	2	2	3	5	7	5	
240	250	260	270	280	290	300	310	320	330	340	350	360
3	5	2	2	4	1	1	1	0	0	2	0	

POINT NUMBER PER SECTOR - DEPTH 9935.0 TO 9830.0

0	10	20	30	40	50	60	70	80	90	100	110	120
0	0	0	0	0	0	0	0	0	0	0	0	0
120	130	140	150	160	170	180	190	200	210	220	230	240
1	1	0	0	0	0	0	0	0	2	3	3	1
240	250	260	270	280	290	300	310	320	330	340	350	360
7	11	1	2	0	2	1	0	0	0	0	0	0





```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CL0   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   10789   9.6   247   3.0   41   8.5   8.5   *   0   35   96   *
*   10786  10.8   261   3.0   43   8.5   8.5  **  B   100  100  78   *
*   10783  11.8   257   3.1   43   8.5   8.5   C   0   100  82   *
*   10780  10.2   263   3.0   43   8.5   8.5   B   0   100  83   *
*   10777   7.6   261   3.0   43   8.3   8.4   A   0   100  75   *
*   10774  10.0   272   3.0   44   8.3   8.4   B  100  100  58   *
*   10768  10.6   246   2.9   44   8.4   8.4   A  100  100  75   *
*   10765  25.3   259   3.0   43   8.4   8.4   D   0   100  69   *
*   10762  12.8   254   3.1   45   8.3   8.4  **  C   58   68  78   *
*   10759   9.1    31   3.0   45   8.3   8.4  **  *   10  100  84   *
*   10759           4 DIPS  27.3  70  28.3   4  19.4 286  16.7 155 *
*   10756  31.4    16   3.0   43   8.3   8.4   *   0   15   59   *
*   10753  13.6   267   3.0   43   8.3   8.4  **  B  100   88  81   *
*   10750  18.1   276   3.0   42   8.4   8.5  **  C   15  100  96   *
*   10750           4 DIPS  16.5 279  19.0 281  19.7 273  17.3 270 *
*   10744  14.0   257   2.9   41   8.4   8.4  **  B   38  100  96   *
*   10744           4 DIPS  12.6 258  14.5 262  15.4 255  13.7 250 *
*   10741   3.1    40   3.0   43   8.4   8.4   *   0   10   79   *
*   10735   9.2   287   3.0   43   8.3   8.4   C   0  100   71   *
*   10732  10.4   267   2.9   42   8.3   8.3  **  C  100  100  75   *
*   10726  12.1   263   3.0   42   8.4   8.5  **  C  100  100  94   *
*   10723   9.3   286   3.0   41   8.5   8.6   *   0   47   79   *
*   10717  11.1   259   3.0   40   8.6   8.6   A   0   77   55   *
*   10714   8.2   252   3.0   39   8.6   8.6   *   10  100  65   *
*   10708  16.4    98   2.9   40   8.6   8.6   *   0   30   48   *
*   10705   6.0   247   2.9   40   8.6   8.6  **  A  100  100  75   *
*   10699  10.1   299   3.0   40   8.6   8.6   C   0   75   42   *
*   10696   9.8   271   3.0   41   8.6   8.6  **  A  100  100  88   *
*   10690  31.1   216   2.8   38   8.6   8.6   *   0   10   18   *
*   10687  21.7   125   3.1   40   8.5   8.6   *   0   13   19   *
*   10681   8.3   301   3.0   37   8.5   8.6   B   0   81   77   *
*   10678  17.9   327   2.9   38   8.5   8.6  **  A   44  100  63   *
*   10678           4 DIPS  18.5 342  22.3 327  18.6 311  13.2 327 *
*   10672  20.3   130   3.0   35   8.6   8.6   *   0   0   18   *
*   10669  55.0    40   3.0   31   8.6   8.6   *   0   30   20   *
*   10663  30.6   212   2.8   26   8.5   8.5   *   0   12   49   *
*   10660   4.7   295   2.8   26   8.6   8.6  **  B   10   60  54   *
*   10660           4 DIPS   4.3  7   9.4 315   9.0 267   3.4 213 *
*   10654   9.3   249   2.8   28   8.5   8.6  **  B  100  100  78   *
*   10651   7.2   243   2.7   26   8.5   8.5  **  A   13  100  96   *
*****

```

*****													
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L0	Q	PLA	CL0	MAX	*	
*		AZM		AZM	1-3	2-4	GI					*	
*****													
* 10651			4 DIPS		4.3	240	7.5	265	10.0	244	7.9	221	*
* 10645	42.1	357	3.0	28	8.5	8.6		*	42	10	65	*	
* 10642	17.4	152	2.7	27	8.6	8.6		*	0	0	16	*	
* 10639	28.0	277	3.0	30	8.4	8.5		*	0	0	64	*	
* 10636	15.5	280	2.8	26	8.5	8.5	**	D	100	100	92	*	
* 10633	12.0	280	3.0	23	8.5	8.6	**	A	12	100	87	*	
* 10633			4 DIPS		14.6	276	11.5	267	9.5	285	13.2	291	*
* 10630	10.8	235	2.7	21	8.5	8.6		B	0	100	57	*	
* 10627	16.4	263	2.7	21	8.5	8.5	**	C	100	100	63	*	
* 10624	6.8	253	2.9	22	8.6	8.6		*	0	24	72	*	
* 10621	19.8	179	2.8	21	8.5	8.6		*	10	59	91	*	
* 10618	11.0	241	2.7	21	8.5	8.6	**	C	27	100	87	*	
* 10618			4 DIPS		7.5	227	9.9	262	14.6	247	13.1	224	*
* 10615	24.4	113	2.9	20	8.6	8.6		*	0	44	80	*	
* 10612	13.0	263	2.9	20	8.5	8.6		A	37	100	75	*	
* 10609	5.0	182	2.9	20	8.5	8.6		B	0	100	62	*	
* 10606	36.3	76	2.9	20	8.6	8.6		*	0	0	5	*	
* 10603	13.4	255	3.0	19	8.5	8.6		*	0	0	70	*	
* 10600	11.8	284	2.7	18	8.5	8.6		*	0	0	55	*	
* 10597	8.8	294	2.7	20	8.5	8.5	**	B	10	54	88	*	
* 10597			4 DIPS		11.6	286	7.9	273	6.2	307	10.5	309	*
* 10594	42.1	225	2.9	18	8.3	8.3		*	0	100	69	*	
* 10591	11.1	245	2.7	17	8.5	8.6	**	C	100	100	75	*	
* 10588	13.6	220	2.7	18	8.5	8.5	**	B	28	100	88	*	
* 10588			4 DIPS		17.7	232	17.8	207	10.5	197	10.4	241	*
* 10585	5.9	82	2.9	16	8.5	8.6	**	A	25	100	65	*	
* 10585			4 DIPS		9.8	83	7.3	49	1.9	73	6.9	117	*
* 10582	65.3	145	2.7	17	8.5	8.6		*	0	13	28	*	
* 10579	27.0	223	2.7	17	8.5	8.6		*	0	11	50	*	
* 10576	28.8	4	2.8	17	8.5	8.6		C	0	54	14	*	
* 10573	41.0	235	2.9	15	8.5	8.4		*	0	10	49	*	
* 10570	8.6	5	2.7	12	8.5	8.6		*	0	0	56	*	
* 10567	26.1	42	2.6	9	8.5	8.5		B	0	66	39	*	
* 10564	23.4	260	2.9	8	8.4	8.5		B	35	100	73	*	
* 10561	17.5	251	2.5	8	8.5	8.5		A	100	100	74	*	
* 10558	30.0	269	2.6	7	8.2	8.3		*	0	0	38	*	
* 10555	29.0	232	2.6	9	8.2	8.3		B	16	100	88	*	
* 10552	19.4	224	2.7	4	8.4	8.4		B	100	100	90	*	
* 10549	22.8	190	2.5	3	8.5	8.5		*	0	0	61	*	
* 10546	34.4	243	2.6	4	8.5	8.5		A	36	100	75	*	
*****													

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CL0   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   10543   30.7   231   2.7   5     8.5   8.5   A    0   100   38    *
*   10540   25.3   360   2.6   8     8.5   8.5   B    0   100   71    *
*   10537   41.3   166   2.5   8     8.4   8.4   *    0   13    77    *
*   10534   57.1   170   2.8   10    8.4   8.5   C    0   100   76    *
*   10531   23.9   232   2.5   12    8.5   8.7   **   C   100   100   75    *
*   10528   20.1   278   2.7   9     8.5   8.5   **   C   25   100   54    *
*   10528           4 DIPS  28.2 284  24.9 256  11.8 261  19.0 307 *
*   10525   41.6   151   2.7   11    8.5   8.4   C    0   100   24    *
*   10522   18.3   244   2.7   8     8.5   8.6   **   B   100   100   57    *
*   10519   14.1   232   2.6   7     8.6   8.6   B    63   100   76    *
*   10516   26.1   230   2.2   6     8.4   8.5   **   C   100   100   21    *
*   10513   11.0   216   2.3   7     8.4   8.4   D    0   100   83    *
*   10510   9.2     233   2.1   2     8.6   8.6   B   100   100   61    *
*   10507   24.3   128   2.2   359   8.5   8.6   *    0    0    63    *
*   10504   60.1   161   2.5   0     8.5   8.6   *   10    0    65    *
*   10501   25.1    7     2.1   360   8.5   8.6   *    0    0    25    *
*   10498   10.8   259   2.3   3     8.5   8.5   *    0   13    58    *
*   10495   15.1   277   2.3   360   8.5   8.6   *    0   30    43    *
*   10492   52.5   189   2.1   6     8.5   8.5   B    0   100   47    *
*   10489   48.3   173   2.4   1     8.5   8.5   B    0   100   15    *
*   10486   71.8   310   2.1   0     8.5   8.6   *    0    0    33    *
*   10483    6.5    52   2.2   4     8.3   8.5   C    0   100   41    *
*   10480   12.1   177   2.0   2     8.5   8.5   C    0   100   32    *
*   10477   48.9   188   2.8   4     8.4   8.8   *    0    0    25    *
*   10474   14.1   232   2.9   4     8.4   8.5   **   C   24   74   46    *
*   10474           4 DIPS  16.6 254  20.3 227  14.4 204   7.9 241 *
*   10471   22.0   295   2.8   3     8.5   8.5   **   C   100   100   81    *
*   10468   16.1    27   2.2   4     8.5   8.5   *    0   27   44    *
*   10465   27.2   216   2.3   3     8.5   8.4   **   C   79   100   79    *
*   10462   19.3   229   2.3   6     8.7   8.5   **   *   35   100   68    *
*   10462           4 DIPS  20.0 213  14.1 228  20.0 244  24.2 228 *
*   10459    9.8   256   2.2   4     8.4   8.3   A   40   100   84    *
*   10456    7.3    87   2.2   6     8.3   8.3   *    0   11   37    *
*   10453   14.8   153   2.0   2     8.3   8.2   **   D   10   55   31    *
*   10453           4 DIPS   8.2 280  27.9 196  32.4 142  21.1 85 *
*   10450    6.7   334   2.2   4     8.4   8.3   *    0   27   27    *
*   10447   13.7   232   2.3   4     8.4   8.3   **   B   100   62   77    *
*   10444   68.9   126   2.5   6     8.2   8.1   **   D   22   100   78    *
*   10444           4 DIPS  76.5 131  72.2 100  49.8 110  70.2 158 *
*   10441    1.2   177   2.4   7     8.3   8.2   *    0    0   43    *
*****

```

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  L8  Q  PLA  CL8  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 10438  17.0  265  2.2   9   8.3   8.4   *   0  19  48  *
* 10435  23.2  297  2.5  11   8.5   8.6  **  B  29  84  54  *
* 10435          4 DIPS  31.3 307  29.5 279  15.5 274  19.9 325  *
* 10432  10.1  262  2.3  10   8.6   8.6   C   0  50  55  *
* 10429  10.5  263  2.2   7   8.5   8.3   *   0  10  74  *
* 10426  34.2  280  2.2   6   8.6   9.0  **  C  41  100  80  *
* 10426          4 DIPS  40.0 292  41.3 270  29.9 260  27.2 295  *
* 10423   9.2  203  3.5   8   9.3   9.5   *  13  41  77  *
* 10420  15.5   16  2.2   4   9.9   9.9  **  *  10  100  85  *
* 10420          4 DIPS  13.8 23  17.2 22  17.4  9  13.9  7  *
* 10417  19.6   24  2.4   2   8.5   8.6   *   0  31  32  *
* 10414  14.7  271  2.2   4   8.5   8.6   C   0  80  45  *
* 10411   9.2  127  2.1   2   8.6   8.5   *   0   0  57  *
* 10408   8.9   10  2.3  357   8.6   8.6   B   0  100  28  *
* 10405  26.9  283  2.2  359   8.6   8.6   *   0  11  54  *
* 10402  36.4  245  2.1   2   8.6   8.8   C  13  67  68  *
* 10399  33.0  211  2.6  357   8.8   8.7  **  C  100  100  56  *
* 10396  61.5  264  2.2  356   8.5   8.6   *   0  15  36  *
* 10393  33.8  336  2.1  359   8.7   8.6   *   0   0  10  *
* 10390   8.0  194  2.3   1   8.6   8.8   D  10  50  59  *
* 10387  23.0  358  2.5   6   9.3   9.6   C   0  100  82  *
* 10384  17.8   24  2.2   2   8.6   8.5   B   0  82  60  *
* 10381  18.5  227  2.1   1   9.0   8.7  **  D  10  100  77  *
* 10381          4 DIPS  14.9 263  27.4 240  26.0 207  11.8 189  *
* 10378   2.7  113  2.2  357   8.7   8.7  **  D  10  51  66  *
* 10378          4 DIPS  33.8 357  33.7 261  37.0 170  36.8  85  *
* 10375  14.6  274  2.0  357   8.6   8.6   *   0  24  16  *
* 10372  59.4  305  2.5  355   8.7   8.5   *   0   0  52  *
* 10369  66.7  279  2.2  354   8.6   8.6   *   0  10  41  *
* 10366  N8-CORR  1.9  355   8.6   8.6   *   0   0  11  *
* 10363  39.0  219  2.1  356   8.6   8.6   *   0  11  13  *
* 10360   9.5  208  2.0  356   8.5   8.6  **  C  10  100  68  *
* 10360          4 DIPS  15.2 197  8.8 168  4.7 243  13.3 232  *
* 10357  11.7  223  1.8  359   8.7   8.6   *   0  33  41  *
* 10354  22.4  227  2.1   1   8.6   8.5   *   0   0  39  *
* 10351  34.1  228  2.1  358   8.5   8.6   B  100  100  58  *
* 10348  12.7  155  2.1  358   8.6   8.5   *   0  24  26  *
* 10345  11.1  250  1.9  355   8.6   8.6   B   0  71  36  *
* 10342  10.2   89  2.1  356   8.5   8.5   *   0  37  71  *
* 10339  30.3  258  1.9  355   8.5   8.4   *  52   0  85  *
*****

```

*****													
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L0	Q	PLA	CL0	MAX	*	
*		AZM		AZM	1-3	2-4	GI					*	
*****													
* 10336	24.2	174	2.1	352	8.4	8.3		*	0	87	67	*	
* 10333	21.2	223	2.0	353	8.6	8.4		A	0	58	50	*	
* 10330	38.6	24	2.0	353	8.7	8.3		*	0	0	24	*	
* 10327	16.5	294	2.0	0	8.8	8.5		C	0	81	44	*	
* 10324	22.1	209	1.9	356	8.6	8.6	**	C	23	100	52	*	
* 10324			4 DIPS		28.2	207	22.2	190	15.5	213	23.9	226	*
* 10321	6.9	92	1.9	355	8.5	8.5		A	0	100	78	*	
* 10318	31.8	255	2.0	353	8.6	8.5		*	0	0	27	*	
* 10315	16.8	200	1.9	354	8.5	8.5		*	0	28	81	*	
* 10312	10.3	38	1.9	355	8.5	8.6	**	C	34	76	57	*	
* 10312			4 DIPS		7.8	44	11.4	51	12.9	34	9.9	22	*
* 10309	25.3	266	2.0	353	8.6	8.5	**	C	82	52	52	*	
* 10306	14.4	280	2.4	353	8.6	8.6		B	78	100	43	*	
* 10303	15.5	233	2.1	354	8.5	8.5		*	0	0	47	*	
* 10300	15.4	116	2.3	352	8.6	8.5		B	0	100	53	*	
* 10297	17.8	250	2.2	352	8.6	8.6		*	0	0	23	*	
* 10294	56.0	325	1.8	350	8.5	8.6	**	B	36	51	35	*	
* 10294			4 DIPS		54.0	303	45.4	338	60.5	342	63.2	318	*
* 10291	39.0	20	2.0	351	8.6	8.5		*	0	68	34	*	
* 10288	26.1	291	2.2	352	8.7	8.4		C	0	91	24	*	
* 10285	27.3	93	2.1	351	8.5	8.6		*	0	40	30	*	
* 10282	31.4	22	2.2	349	8.6	8.6		D	0	69	54	*	
* 10279	57.9	138	2.0	352	8.6	8.5		C	0	100	44	*	
* 10276	20.6	130	1.9	352	8.6	8.5		*	0	35	3	*	
* 10273	NO-CORR		1.9	348	8.5	8.6						*	
* 10270	78.0	324	1.9	350	8.6	8.6		*	0	42	32	*	
* 10267	23.2	320	2.1	349	8.6	8.6		*	0	0	44	*	
* 10264	40.5	178	1.8	351	8.6	8.5		*	0	10	27	*	
* 10261	34.3	113	2.0	352	8.5	8.5		C	0	100	15	*	
* 10258	28.7	324	2.1	350	8.6	8.6		C	59	100	43	*	
* 10255	30.4	309	2.0	349	8.6	8.5		*	0	79	79	*	
* 10252	48.9	342	2.0	350	8.6	8.6		*	0	22	38	*	
* 10249	26.7	315	1.9	349	8.6	8.6	**	C	54	52	14	*	
* 10246	46.2	353	1.9	350	8.6	8.5		*	0	12	20	*	
* 10243	25.5	212	1.9	348	8.5	8.6		*	0	17	41	*	
* 10240	17.4	28	1.9	347	8.6	8.6		*	0	22	21	*	
* 10237	26.2	267	2.1	346	8.7	8.6		*	0	0	20	*	
* 10234	18.9	295	2.1	346	8.7	8.7		*	0	17	25	*	
* 10231	6.4	238	2.0	346	8.7	8.7	**	B	10	88	15	*	
* 10231			4 DIPS		5.5	35	14.0	291	17.6	231	12.2	168	*
*****													

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CL0	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
*****												
* 10228	17.6	46	2.1	345	8.6	8.7		*	0	31	54	*
* 10225	26.4	330	2.1	345	8.6	8.6		*	0	0	23	*
* 10222	60.1	86	2.2	336	9.9	8.8		B	0	100	42	*
* 10219	35.4	306	2.8	337	8.9	8.8	**	C	18	50	50	*
* 10219			4 DIPS 40.2 287		24.1	295		34.3	330	44.4	311	*
* 10216	16.6	100	1.9	340	8.8	8.7		B	0	100	20	*
* 10213	72.3	257	2.0	339	8.7	8.9		*	0	0	18	*
* 10210	28.3	156	2.6	339	9.0	9.0	**	C	97	100	65	*
* 10207	54.0	175	2.5	341	8.8	8.7		D	42	100	83	*
* 10204	38.9	17	1.7	341	9.0	8.7		*	0	43	54	*
* 10201	43.1	314	1.9	344	8.7	8.9		*	0	0	26	*
* 10198	67.9	302	1.8	344	8.5	8.6		*	10	24	63	*
* 10195	17.1	294	1.8	342	8.6	8.7		C	10	100	57	*
* 10192	18.5	311	1.7	344	8.6	8.6	**	B	40	100	40	*
* 10192			4 DIPS 19.7 305		16.5	307		17.6	318	20.5	314	*
* 10189	18.3	311	1.7	344	8.5	8.5	**	A	100	63	44	*
* 10186	21.5	18	1.7	341	8.6	8.7		*	0	0	24	*
* 10183	52.6	87	1.8	342	8.5	8.6		*	0	25	56	*
* 10180	16.6	197	1.6	342	8.6	8.6		*	0	0	81	*
* 10177	36.7	259	1.7	341	8.5	8.4		A	0	100	60	*
* 10174	62.1	110	1.5	339	8.5	8.4		D	0	54	59	*
* 10171	38.8	316	1.7	339	8.4	8.3		*	0	100	65	*
* 10168	26.4	317	1.7	342	8.3	8.3		*	0	0	35	*
* 10165	21.4	262	1.6	340	8.3	8.4	**	D	11	73	82	*
* 10165			4 DIPS 30.9 256		21.5	230		11.1	279	26.1	286	*
* 10162	45.8	353	1.6	339	8.4	8.4		*	0	14	83	*
* 10159	16.6	293	1.7	341	8.4	8.4	**	C	10	100	90	*
* 10159			4 DIPS 19.8 281		13.0	279		14.3	310	20.6	301	*
* 10156	11.7	304	1.6	338	8.3	8.4	**	B	27	52	71	*
* 10156			4 DIPS 13.2 286		7.8	297		11.5	324	15.5	307	*
* 10153	16.8	281	1.7	340	8.3	8.4		*	0	0	55	*
* 10150	21.0	284	1.6	340	8.3	8.4		D	100	100	86	*
* 10147	12.0	306	1.7	340	8.1	8.4	**	D	100	75	74	*
* 10144	23.5	345	1.6	337	7.9	8.4		B	100	100	60	*
* 10141	30.4	329	1.8	335	8.5	8.5		C	100	85	63	*
* 10138	9.2	292	1.7	331	8.6	8.6		*	59	10	24	*
* 10135	7.0	279	1.7	330	8.5	8.5		*	0	84	50	*
* 10132	17.6	61	1.6	329	8.5	8.5		*	0	0	56	*
* 10129	18.1	13	1.8	330	8.7	8.6		*	0	16	28	*
* 10126	73.6	342	1.5	332	8.6	8.6		C	0	100	43	*
*****												

*****													
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CL0	MAX	*	
*		AZM		AZM	1-3	2-4	GI					*	
*****													
* 10123	60.4	254	1.4	329	8.7	8.8		*	14	0	61	*	
* 10120	35.9	17	1.7	332	8.7	8.7		A	0	100	12	*	
* 10117	21.1	34	1.9	330	8.7	8.7		*	0	0	3	*	
* 10114	76.7	78	1.6	329	8.6	8.7		*	0	44	38	*	
* 10111	28.2	230	1.5	327	8.5	8.6		*	0	44	51	*	
* 10108	19.1	294	1.5	329	8.4	8.4	**	D	25	72	52	*	
* 10108			4 DIPS		19.8	316	25.7	295	21.1	272	11.8	290	*
* 10105	43.3	184	1.5	328	8.5	8.5		C	41	100	75	*	
* 10102	18.8	305	1.3	328	8.6	8.8		*	0	36	0	*	
* 10099	10.7	260	1.4	328	8.5	8.6		C	0	100	54	*	
* 10096	7.7	278	1.4	331	8.5	8.6		*	0	27	40	*	
* 10093	12.8	274	1.4	326	8.5	8.5		C	0	100	50	*	
* 10090	20.6	272	1.4	326	8.5	8.5		B	29	100	81	*	
* 10087	27.4	292	1.5	323	8.5	8.6		D	0	100	65	*	
* 10084	20.4	255	1.3	320	8.5	8.6		C	0	58	66	*	
* 10081	25.4	193	1.2	325	8.5	8.6		C	0	100	76	*	
* 10078	12.8	223	1.5	319	8.5	8.4		C	0	100	69	*	
* 10075	67.3	349	1.4	323	8.4	8.4		A	16	100	65	*	
* 10072	17.2	271	1.4	325	8.4	8.5		B	100	100	73	*	
* 10069	11.3	210	1.2	321	8.4	8.4		*	0	40	74	*	
* 10066	22.2	253	1.4	323	8.5	8.6	**	C	100	92	68	*	
* 10063	17.0	254	1.5	326	8.5	8.6		*	10	0	84	*	
* 10060	9.8	239	1.4	323	8.3	8.4		*	0	36	37	*	
* 10057	10.7	223	1.3	323	8.4	8.5		B	0	08	84	*	
* 10054	7.0	223	1.5	318	8.4	8.4		C	0	100	54	*	
* 10051	18.6	206	1.3	317	8.4	8.4	**	C	50	100	83	*	
* 10048	11.3	212	1.3	324	8.6	8.6	**	C	27	100	85	*	
* 10048			4 DIPS		7.3	208	11.6	232	15.2	213	12.4	192	*
* 10045	30.2	133	1.4	318	8.4	8.5		*	100	0	56	*	
* 10042	12.7	192	1.3	319	8.4	8.5	**	A	52	79	36	*	
* 10039	9.2	250	1.4	321	8.4	8.4		B	0	83	58	*	
* 10036	10.3	249	1.5	318	8.4	8.5		C	10	84	80	*	
* 10033	14.6	231	1.4	322	8.4	8.4	**	B	13	100	68	*	
* 10033			4 DIPS		11.0	240	16.7	244	18.4	225	13.6	214	*
* 10030	6.5	283	1.4	323	8.4	8.4		*	0	13	75	*	
* 10027	8.0	240	1.6	322	8.4	8.4		B	10	100	87	*	
* 10024	42.7	296	1.4	322	8.5	8.6		*	0	0	88	*	
* 10021	16.7	240	1.4	321	8.6	8.6		D	0	56	71	*	
* 10018	10.0	230	1.3	319	8.5	8.6	**	*	100	68	65	*	
* 10015	.4	189	1.5	322	8.6	8.6		*	0	13	56	*	
*****													

*****													
DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L6	Q	PLA	CL6	MAX	*	
		AZM		AZM	1-3	2-4	GI					*	
*****													
* 10012	3.6	281	1.3	318	8.5	8.5		C	0	100	74	*	
* 10009	15.1	251	1.7	315	8.5	8.5	**	B	43	100	52	*	
* 10009			4 DIPS		16.2	242	13.0	246	14.4	259	17.2	253	*
* 10006	3.0	121	1.4	317	8.6	8.6		*	0	12	82	*	
* 10003	52.2	219	1.2	318	8.4	8.6		*	0	30	73	*	
* 10000	35.1	270	1.4	317	8.6	8.6		*	0	27	17	*	
* 9997	13.5	281	1.2	317	8.5	8.6		*	0	29	64	*	
* 9994	44.5	18	1.2	322	8.3	8.5		*	0	10	51	*	
* 9991	6.1	261	1.3	321	8.3	8.4	**	C	15	100	67	*	
* 9991			4 DIPS		7.5	302	10.9	263	8.2	224	1.4	241	*
* 9988	12.4	225	1.1	321	8.3	8.3	**	B	10	100	20	*	
* 9988			4 DIPS		9.7	260	18.2	239	17.7	206	8.3	191	*
* 9985	6.7	223	1.2	319	8.3	8.3		B	0	100	80	*	
* 9982	11.2	267	1.3	319	8.0	8.3		*	0	37	61	*	
* 9979	11.1	312	1.3	322	8.3	8.4		*	0	68	68	*	
* 9976	14.5	345	1.2	324	8.2	8.4		*	0	19	28	*	
* 9973	20.9	207	1.2	313	8.3	8.4		C	0	100	50	*	
* 9970	8.4	214	1.4	314	8.3	8.4		C	0	100	41	*	
* 9967	8.7	180	1.2	315	8.3	8.3		*	14	33	56	*	
* 9964	39.1	300	1.3	316	8.3	8.4		*	0	14	34	*	
* 9961	17.3	202	1.6	317	8.3	8.4		C	0	75	50	*	
* 9958	19.5	228	1.3	317	8.3	8.4	**	C	10	100	76	*	
* 9958			4 DIPS		17.7	233	21.2	232	21.4	222	17.9	221	*
* 9955	7.9	195	1.2	316	8.3	8.3		A	37	63	50	*	
* 9952	5.8	154	1.2	316	8.3	8.3		*	100	29	71	*	
* 9949	14.0	230	1.4	315	8.5	8.4		C	10	100	56	*	
* 9946	6.4	258	1.2	317	8.6	8.6		*	0	29	75	*	
* 9943	36.8	210	1.4	317	8.7	8.7		B	0	100	66	*	
* 9940	11.5	231	1.3	316	8.8	8.7		A	100	100	61	*	
* 9937	70.9	283	1.4	318	8.9	8.7		*	0	100	70	*	
* 9934	6.7	220	1.4	318	8.8	8.7	**	A	100	100	73	*	
* 9931	6.4	224	1.5	318	8.8	8.7		A	0	100	89	*	
* 9928	6.5	226	1.3	317	8.7	8.7	**	B	100	100	20	*	
* 9925	58.3	272	1.1	318	8.7	8.7		B	0	100	44	*	
* 9922	7.8	219	1.5	316	8.7	8.6		A	0	100	72	*	
* 9919	14.4	240	1.3	316	8.7	8.6		C	0	100	45	*	
* 9916	11.2	253	1.3	311	8.7	8.7	**	B	14	55	9	*	
* 9916			4 DIPS		10.1	260	12.7	258	12.5	245	9.9	245	*
* 9913	34.7	293	1.2	312	8.7	8.6		*	0	57	24	*	
* 9910	7.7	245	1.3	311	8.7	8.6		A	100	100	70	*	
*****													



*****													
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	Q	PLA	CLB	MAX	*	
*		AZH		AZH	1-3	2-4	GI					*	
*****													
* — 9907	6.7	244	1.3	310	8.7	8.6		A	100	100	67	*	
* 9904	37.2	216	1.1	311	8.7	8.7		*	0	100	24	*	
* 9901	7.6	249	1.1	312	8.7	8.7	**	*	100	100	68	*	
* 9898	46.5	129	1.2	314	8.7	8.6		*	0	34	24	*	
* 9895	9.3	207	1.2	314	8.7	8.6		*	0	0	19	*	
* — 9892	10.2	256	1.2	314	8.7	8.6		A	0	64	50	*	
* 9889	7.7	135	1.3	314	8.7	8.7		*	0	0	25	*	
* — 9886	9.9	212	1.2	311	8.7	8.7		A	0	100	89	*	
* — 9883	15.3	207	1.2	311	8.7	8.7		A	100	100	81	*	
* — 9880	5.9	309	1.4	308	8.7	8.6		A	0	100	39	*	
* — 9877	4.9	298	1.3	305	8.7	8.7		A	100	100	57	*	
* — 9874	5.3	276	1.3	304	8.7	8.7		A	100	100	63	*	
* — 9871	6.5	258	1.3	304	8.7	8.6	**	A	100	100	79	*	
* — 9868	6.6	254	1.3	302	8.7	8.6		A	100	100	58	*	
* — 9865	6.1	238	1.1	302	8.7	8.6	**	A	100	100	72	*	
* — 9862	7.4	250	1.2	302	8.7	8.6	**	A	100	100	85	*	
* — 9859	10.7	227	1.2	302	8.6	8.6		A	100	100	91	*	
* — 9856	7.2	253	1.2	304	8.6	8.7		A	100	100	55	*	
* 9853	4.2	247	1.3	304	8.7	8.7		*	0	0	51	*	
* — 9850	7.3	260	1.3	304	8.7	8.7		A	22	100	38	*	
* — 9847	6.1	247	1.4	303	8.7	8.7	**	A	100	100	74	*	
* — 9844	7.1	243	1.3	302	8.7	8.8	**	A	100	100	87	*	
* — 9841	7.3	251	1.2	298	8.7	8.7	**	A	100	100	86	*	
* — 9838	8.5	250	1.3	302	8.7	8.7		A	100	100	85	*	
* — 9835	7.8	252	1.3	302	8.7	8.7	**	A	100	100	91	*	
* — 9832	7.0	250	1.3	301	8.7	8.7	**	A	100	100	86	*	
* — 9829	5.9	250	1.4	304	8.7	8.8	**	A	100	100	89	*	
* 9826	11.9	245	1.3	303	8.7	8.7	**	C	100	100	67	*	
* — 9823	12.6	249	1.4	300	8.7	8.7	**	A	100	100	80	*	
* — 9820	10.1	253	1.3	300	8.7	8.8		A	100	100	55	*	
* 9817	7.3	256	1.3	300	8.7	8.8		C	13	100	74	*	
* — 9814	11.9	251	1.3	299	8.7	8.7		A	100	100	58	*	
* — 9811	9.4	251	1.3	296	8.7	8.7		B	0	100	39	*	
* — 9808	11.9	248	1.3	298	8.7	8.7	**	A	100	100	50	*	
* — 9805	8.2	133	1.4	298	8.7	8.7		C	0	100	63	*	
* — 9802	7.6	246	1.3	297	8.7	8.7		A	0	100	56	*	
* — 9799	12.9	245	1.3	296	8.7	8.6	**	A	21	78	64	*	
* 9799			4 DIPS		8.6	251	14.4	262	17.0	242	12.7	224	*
* — 9796	8.5	252	1.3	295	8.7	8.6		A	100	100	79	*	
* — 9793	9.5	238	1.2	295	8.6	8.7	**	B	100	100	63	*	
*****													

```

*****
*   DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CL0  MAX  *
*           AZM      AZM    1-3  2-4  GI          *
*****
*
*   9787  78.9  169  1.8  292  8.7  8.8  *   0  43  78  *
*   9784  18.9  215  5.3  290  8.9  8.9  **  *  10  100  58  *
*   9784           4 DIPS  34.6 222  29.9 175  5.3 116  22.8 269  *
*   9781   4.1  150  2.4  299  9.7  9.4  **  *  19  100  62  *
*   9781           4 DIPS  4.8 170  5.9 146  4.1 125  2.4 160  *
*   -9778   9.7  172  1.4  298  9.3  9.0  **  C  66  100  73  *
*   -9775   7.2  177  1.1  302  9.2  8.7  **  C  100  100  85  *
*   -9772   5.9  163  1.0  298  9.5  8.6  **  A  100  100  80  *
*   9769   9.9  160  2.3  299  9.4  8.1  *   0  42  55  *
*   -9766   6.3  167  1.6  293  9.7  8.8  **  A  100  100  78  *
*   -9763   4.7  154  1.2  290  9.8  8.9  *   0  100  67  *
*   -9760   9.0  180  1.3  290  10.0  8.9  *   55  100  67  *
*   -9757   6.4  181  1.1  288  10.0  9.0  *   0  100  67  *
*   -9754   7.2  172  1.3  281  10.0  9.2  **  B  10  89  68  *
*   9754           4 DIPS  1.2 134  9.3 218  13.3 175  10.4 131  *
*   -9751   7.8  162  1.3  277  10.0  8.9  **  A  61  54  71  *
*   -9748  12.8  164  1.1  281  10.0  9.0  *   89  100  66  *
*   -9745   6.9  233  1.8  277  9.9  8.7  **  B  10  69  63  *
*   9745           4 DIPS  5.7 264  10.4 245  9.3 214  4.2 200  *
*   -9742  29.6  136  1.3  274  9.9  8.8  *   0  100  14  *
*   9739   7.5  258  1.6  273  9.9  8.8  *   0  21  41  *
*   -9736  16.2  253  1.3  272  9.9  8.6  *   0  100  57  *
*   9733  15.6  259  .9  268  10.0  8.7  *   0  0  46  *
*   9730   9.9  193  1.1  267  9.8  8.9  *   0  14  30  *
*   -9727  36.0  266  1.5  259  9.9  8.9  *   0  100  48  *
*   -9724   8.7  260  2.1  263  10.3  8.8  **  A  100  59  81  *
*   9721  28.4  61  1.9  273  10.9  9.0  *   0  15  66  *
*   -9718   9.5  179  2.4  271  10.8  8.7  **  A  18  100  10  *
*   9718           4 DIPS  5.8 181  10.8 204  13.2 178  10.4 152  *
*   9715  11.9  275  1.4  266  10.9  9.0  *   0  22  16  *
*   9712   7.0  254  1.3  270  11.0  9.3  *   57  45  66  *
*   -9709  12.3  188  2.6  265  11.2  9.1  *   100  100  48  *
*   9706  32.1  142  2.6  257  12.3  10.5  *   0  0  27  *
*   -9703  15.7  257  1.7  240  13.6  12.3  *   32  100  56  *
*   -9700  16.0  250  1.3  238  13.3  12.2  *   10  61  49  *
*   -9694  15.5  230  2.1  234  13.3  12.6  *   0  100  38  *
*   -9691  28.4  188  1.5  233  13.5  12.5  **  A  14  100  44  *
*   9691           4 DIPS  20.5 200  33.0 205  35.7 181  26.3 165  *
*   9688   7.3  220  .8  234  13.4  12.5  *   0  100  39  *
*   9685  23.8  214  1.4  233  13.2  12.5  *   0  19  48  *
*****

```

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LG	Q	PLA	CLG	MAX
9682	7.6	271	.9	229	13.2	12.5		B	0	100	33
9679	10.0	224	1.2	236	13.3	12.6		*	0	22	72
9676	1.7	320	1.0	228	13.4	12.8		*	0	10	42
9673	18.4	271	1.1	228	13.5	12.8		A	0	100	73
9670	19.2	351	.9	227	13.4	12.8		C	0	64	41
9667	14.6	260	1.2	225	13.4	12.8		B	0	100	19
9664	5.1	257	1.5	229	13.1	12.7		*	0	12	17
9661	23.3	328	1.5	230	13.1	12.7		B	0	100	60
9658	57.1	247	1.7	231	13.5	12.8		*	0	0	38
9655	32.2	159	1.3	230	13.5	12.4		*	0	13	22
9652	12.4	221	1.6	231	13.4	12.7		B	0	100	54
9649	14.6	159	1.3	226	13.4	12.6		*	0	43	51
9646	40.1	52	.9	224	13.6	12.6		A	0	61	51
9643	11.9	196	1.6	227	13.4	12.7	**	A	16	81	67
9643			4 DIPS	8.7	205	13.9	210	15.2	190	10.9	176
9640	11.4	268	1.1	229	13.4	12.8		A	0	100	53
9637	9.3	190	1.0	223	13.4	12.6		*	0	31	61
9634	6.8	199	.9	222	13.5	12.6		A	0	100	32
9631	20.3	315	1.3	226	13.5	12.6		A	0	100	33
9628	30.9	57	1.1	226	13.6	12.9		*	0	10	43
9625	10.5	212	.9	223	13.7	12.9		A	10	80	52
9622	6.1	252	1.4	224	13.6	12.7		*	0	17	22
9619	13.4	222	1.2	226	13.4	12.6		*	0	23	40
9616	9.0	217	1.3	227	13.4	12.8		A	10	100	52
9613	15.9	174	1.1	222	13.5	12.6		A	100	100	62
9610	20.4	161	1.2	228	13.4	12.4		*	0	22	34
9607	12.9	163	1.0	234	13.4	12.6		*	0	17	41
9604	62.6	289	1.3	219	13.5	12.8		D	0	72	58
9601	27.6	165	1.8	223	13.3	12.5		C	0	64	62
9598	12.4	243	1.4	229	13.1	12.4		B	0	100	48
9592	7.7	210	.9	215	13.3	12.4		*	0	20	39
9589	25.4	175	.9	228	12.8	12.5		D	0	100	59
9586	12.8	249	1.1	235	12.6	12.6		C	13	88	52
9583	12.4	239	1.5	226	13.0	12.7		A	10	100	61
9580	53.2	71	1.0	217	13.3	12.5		*	0	10	53
9577	29.2	355	1.1	230	12.8	12.6	**	A	11	100	45
9577			4 DIPS	50.7	5	44.9	315	12.6	246	36.1	56
9574	10.6	255	1.3	226	12.9	12.8		A	58	100	53
9571	20.4	31	1.3	215	13.3	12.7	**	A	10	60	14
9571			4 DIPS	54.2	22	45.6	310	31.8	192	49.8	91

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  G  PLA  CL0  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 9568   8.7  251   .9  220  12.8  12.2      A   0  100  41  *
* 9565  21.0  235   1.8  232  12.4  12.0      D   0  100  68  *
* 9562  26.0  305   1.4  223  12.3  12.7      *   0   17  27  *
* 9559  24.2   60   1.1  215  12.8  12.5      *   0  100  54  *
* 9556  68.7  332   1.1  226  13.1  12.9      **  B  27  66   5  *
* 9556          4 DIPS  74.9 346  74.5 316  61.5 300  61.9  2  *
* 9553   8.8  164   1.3  227  13.0  12.8      B  29  100  62  *
* 9550  15.3  130   1.3  218  13.4  12.5      *   0   28  78  *
* 9547  10.7  190   1.1  222  12.9  12.4      *   0   18  68  *
* 9544   2.9   45   2.6  231  13.2  12.3      *   0   11  31  *
* 9541   7.6  305   1.7  221  13.3  12.6      *   0    0  21  *
* 9538   7.3  205   1.2  220  13.2  12.5      **  C  52  100  63  *
* 9535  63.9  328   1.3  224  12.7  12.5      B   0  100  65  *
* 9532  37.8  246   1.4  223  12.8  12.6      *   0   11  60  *
* 9529  48.1  211   1.4  220  13.3  12.5      *   0  100  65  *
* 9526  40.6   74   1.6  221  13.1  12.5      *   0   11  57  *
* 9523  11.7  215   1.1  225  13.1  12.7      A   0  100  42  *
* 9520  12.0  220   1.4  223  13.3  12.7      A  53  100  63  *
* 9517   3.8  174   1.5  221  13.4  12.5      *  16  40  56  *
* 9514  22.1  172   1.3  222  13.4  12.4      **  A  100  92  31  *
* 9511  13.1  319   1.6  227  13.0  12.3      *   0   16  52  *
* 9508  10.3  197   1.3  225  13.5  12.3      *   0    0  40  *
* 9505   2.9  125   1.3  218  13.4  12.4      *   0    0  46  *
* 9499  34.1  340   1.2  225  13.3  12.4      A   0  53  20  *
* 9496  27.0  246   1.5  221  13.9  12.2      *   0   10  30  *
*****

```

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LB  Q  PLA  CLS  MAX  *
*          AZM          AZM  1-3  2-4  6I          *
*****
*
* 9722  11.1  236  2.1  276  9.0  10.7  **  B  67  100  46  *
* 9719  6.7  219  2.1  284  8.7  10.9  *   *   0  10  68  *
* 9716  33.9  268  1.2  275  8.8  10.9  **  A  17  100  29  *
* 9716  4 DIPS  14.7  267  36.8  294  47.1  268  37.0  241  *
* 9713  9.3  240  1.5  275  9.1  11.0  A   0  100  69  *
* 9710  5.3  204  1.2  277  9.2  11.1  B   0  100  45  *
* 9707  17.6  160  2.1  274  9.0  11.3  *   0  31  45  *
* 9704  9.2  254  1.8  250  12.2  13.6  *   0  0  50  *
* 9701  9.4  263  1.4  249  12.2  13.5  **  A  13  53  29  *
* 9701  4 DIPS  16.6  260  11.0  224  2.1  284  12.1  296  *
* 9698  11.6  206  .7  246  12.4  13.0  A   0  100  40  *
* 9695  32.5  213  1.6  246  12.6  13.3  A   0  100  45  *
* 9692  14.8  228  1.5  243  12.6  13.5  B   0  57  36  *
* 9686  9.3  214  .4  243  12.5  13.3  **  A  100  85  28  *
* 9683  13.9  220  1.5  236  12.5  13.2  **  A  50  100  42  *
* 9680  13.3  223  .5  236  12.4  13.3  *   0  38  53  *
* 9677  34.6  16  .7  239  12.7  13.3  **  A  41  100  43  *
* 9677  4 DIPS  39.8  29  41.6  8  31.2  356  27.1  28  *
* 9674  18.3  268  .7  233  12.7  13.4  A   0  100  78  *
* 9671  22.1  283  .6  235  12.8  13.5  *   0  0  68  *
* 9668  15.5  14  .8  229  12.8  13.4  *   0  18  52  *
* 9665  15.9  268  .9  233  12.7  13.5  *   0  0  42  *
* 9662  35.0  129  .9  232  12.7  13.1  *   0  11  27  *
* 9659  14.4  160  1.1  233  12.7  13.6  *   0  23  31  *
* 9656  18.1  183  .5  230  12.5  13.6  A   0  100  46  *
* 9653  19.8  168  1.1  238  12.6  13.5  A   0  80  58  *
* 9650  12.2  220  .9  235  12.5  13.5  *   0  35  33  *
* 9647  13.0  168  .7  226  12.6  13.5  *   0  38  60  *
* 9644  32.3  220  .6  230  12.6  13.5  A   0  100  44  *
* 9641  5.9  209  .8  234  12.7  13.4  A   0  100  72  *
* 9638  6.1  268  1.5  228  12.8  13.4  **  B  12  61  46  *
* 9638  4 DIPS  12.7  265  8.5  219  .8  56  9.1  312  *
* 9635  4.8  153  1.0  217  12.5  13.4  B   0  100  37  *
* 9632  31.0  249  .6  226  12.7  13.7  B   0  82  8  *
* 9629  33.5  61  1.1  229  12.7  13.7  *   0  10  30  *
* 9626  12.7  222  .7  220  13.0  13.8  *   0  41  50  *
* 9623  8.2  206  .8  218  12.8  14.0  A   0  69  40  *
* 9620  8.0  214  .8  227  12.7  13.6  A   0  77  37  *
* 9617  6.8  346  1.3  227  12.7  13.4  **  B  10  86  32  *
* 9617  4 DIPS  14.2  296  4.4  200  11.7  55  17.0  354  *
*****

```

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX		
		AZM		AZM	1-3	2-4	GI						
* 9614	10.1	223	.8	216	12.7	13.6	*	0	10	46	*		
* 9611	20.2	163	.6	216	12.5	13.5	*	0	30	47	*		
* 9605	6.5	193	1.1	217	12.7	13.4	**	A	15	77	37	*	
* 9605			4 DIPS		8.1	144	1.3	250	9.7	232	12.2	188	*
* 9602	38.4	190	.7	208	12.5	13.7	C	0	55	58	*		
* 9599	13.9	236	.9	215	12.5	13.2	A	36	100	49	*		
* 9596	15.5	179	.9	220	12.4	13.1	*	0	24	63	*		
* 9593	28.2	123	.8	204	12.5	13.3	C	0	100	54	*		
* 9590	28.0	180	.8	207	12.4	13.1	*	0	20	20	*		
* 9587	24.9	142	.6	221	12.4	12.8	*	0	0	45	*		
* 9584	11.9	232	1.1	221	12.8	13.0	*	29	47	65	*		
* 9581	12.7	226	.9	205	12.5	13.4	D	0	100	77	*		
* 9578	10.4	229	.7	213	12.6	13.1	C	0	100	40	*		
* 9575	12.8	239	.8	220	12.7	12.8	A	100	100	75	*		
* 9572	28.1	248	1.3	209	12.7	13.2	C	0	68	38	*		
* 9569	7.8	252	.8	208	12.6	13.2	*	0	16	44	*		
* 9566	25.8	242	.7	217	12.1	12.8	*	0	11	43	*		
* 9563	24.2	239	1.1	218	12.7	12.4	**	B	89	100	23	*	
* 9560	57.4	159	1.1	209	12.4	12.5	*	0	31	6	*		
* 9557	16.9	85	.9	205	12.7	12.9	*	0	25	61	*		
* 9554	38.8	213	.9	220	12.9	13.2	**	A	33	100	23	*	
* 9554			4 DIPS		43.7	231	47.7	207	37.3	189	27.5	224	*
* 9551	10.8	172	1.9	212	12.5	13.2	A	0	76	60	*		
* 9548	8.1	146	1.3	212	12.4	13.2	*	0	29	80	*		
* 9545	63.4	2	1.1	218	12.4	13.1	*	0	44	18	*		
* 9542	9.0	62	1.1	218	12.5	13.2	*	0	15	49	*		
* 9539	37.2	122	1.1	212	12.5	13.3	*	0	0	38	*		
* 9536	11.9	205	1.0	214	12.4	13.0	*	0	100	85	*		
* 9533	37.6	307	1.1	218	12.4	12.8	B	0	100	67	*		
* 9530	44.9	287	1.2	215	12.4	13.2	*	0	37	77	*		
* 9527	8.7	249	1.0	214	12.4	13.2	A	0	97	27	*		
* 9524	4.6	158	1.1	217	12.6	13.2	*	0	25	64	*		
* 9521	15.8	228	1.0	219	12.7	13.3	*	100	32	50	*		
* 9518	5.1	226	1.1	216	12.5	13.4	*	0	0	45	*		
* 9515	4.1	133	1.5	214	12.4	13.5	*	0	19	49	*		
* 9512	56.3	234	1.5	219	12.4	13.3	*	0	18	52	*		
* 9509	12.2	325	1.1	219	12.3	13.3	C	0	100	73	*		
* 9506	10.3	256	1.2	211	12.3	13.6	D	10	100	51	*		
* 9503	28.1	343	1.1	214	12.4	13.3	C	0	100	52	*		
* 9500	47.4	22	.9	217	12.5	13.2	C	10	100	52	*		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	L0	Q	PLA	CL0	MAX	
9497	12.2	340	1.1	217	12.3	13.7	*	0	27	26	*	
9494	29.7	154	1.2	212	12.2	14.1	*	0	0	18	*	
9491	40.0	258	1.8	213	12.3	13.3	**	A	100	100	28	*
9488	5.5	183	1.2	216	12.3	13.3		C	0	100	58	*
9485	5.6	197	1.1	216	12.3	13.9	*	0	0	48	*	
9482	11.1	235	1.4	211	12.2	13.6		A	76	100	50	*
9479	5.0	199	2.2	212	12.6	13.2	*	0	18	57	*	
9476	17.4	240	1.4	218	12.3	13.4	*	10	0	54	*	
9473	32.4	237	1.2	210	12.1	13.5		A	0	82	40	*
9470	66.7	140	1.1	211	12.1	13.5		B	0	100	42	*
9467	13.2	270	.9	214	12.2	13.4	*	10	0	56	*	
9464	5.6	341	1.2	217	12.3	13.7		A	0	100	49	*
9461	25.4	74	1.3	210	12.2	14.2		B	0	60	30	*
9458	6.3	334	1.6	210	12.2	13.6		A	0	100	48	*
9455	11.7	248	1.8	219	12.4	13.3		D	0	85	84	*
9452	30.1	324	1.8	215	12.3	13.9	*	0	17	44	*	
9449	23.1	218	1.2	213	12.3	14.3	*	0	21	64	*	
9446	35.5	240	1.2	214	12.3	13.8	*	0	0	73	*	
9443	74.8	170	1.1	218	12.5	13.5	*	20	0	59	*	
9440	39.9	283	1.4	214	12.5	13.9	*	0	10	42	*	
9437	36.8	143	1.3	207	12.2	14.1	*	0	0	40	*	
9434	38.1	316	1.0	211	12.5	13.6	*	0	100	37	*	
9428	3.6	174	1.4	208	12.3	13.6	*	0	16	53	*	
9425	41.6	134	1.3	209	12.3	13.4	*	0	43	32	*	
9422	7.2	160	1.3	216	12.3	13.3	**	*	10	64	45	*
9422			4 DIPS		9.5 150	6.0 140		5.3 178		8.9 173	*	*
9419	3.6	302	1.5	214	12.4	13.3	*	0	0	56	*	
9416	11.4	205	1.6	214	12.4	13.0	**	C	100	100	64	*
9413	18.5	145	1.5	216	12.2	13.4	*	0	14	25	*	
9410	3.7	156	1.4	215	12.3	13.1		A	10	100	79	*
9407	.3	117	1.3	217	12.3	13.2		A	0	100	60	*
9404	18.9	307	1.3	214	12.3	13.4	*	0	0	20	*	
9401	5.0	186	1.7	214	12.3	13.1		A	25	100	68	*
9398	8.0	214	1.3	216	12.3	13.4	*	0	10	30	*	
9395	5.5	98	1.3	217	12.3	13.5		C	0	63	21	*
9392	17.4	201	1.3	213	12.3	13.5	*	0	16	13	*	
9389	58.9	302	1.3	216	12.2	13.3		A	0	70	28	*
9386	8.8	94	1.8	216	12.3	13.1	*	0	10	42	*	
9383	29.4	179	1.5	212	12.2	13.4		A	0	100	30	*
9380	78.2	289	1.9	213	12.2	13.1		B	0	69	31	*

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   L6   Q   PLA   CL6   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   9377   16.2   109   1.8   215   12.3   13.2           C   10   100   49   *
*   9374   66.1    67   1.3   214   12.3   13.3           *   0   10   23   *
*   9371   11.9   343   1.4   211   12.3   13.3           *   0   19    8   *
*   9368   N8-CBRR           1.5   212   12.2   13.2           *
*   9365   10.7   182   1.4   214   12.3   13.0   **   C   100  100   76   *
*   9362   50.1    78   1.2   213   12.3   13.4           *   22   0   66   *
*   9359   24.5   303   1.4   212   12.2   13.4           *   0   10    0   *
*   9356   67.9   127   1.3   212   12.3   13.3           *   0   10   42   *
*   9353   44.5   244   1.6   214   12.3   13.0           B   0   100   68   *
*   9350   32.7    94   1.3   210   12.2   13.2           A   0   100   47   *
*   9347   34.0    64   1.6   210   12.4   13.3           *   0    0   17   *
*   9344   24.7   178   1.5   213   12.3   13.4           A   0   100   29   *
*   9341   67.5   146   1.5   212   12.3   13.6           *   0   15   37   *
*   9338   34.1   359   1.5   208   12.3   13.5           *   0    0   43   *
*   9335   31.6    89   1.5   209   12.3   13.4           *   0   100   21   *
*   9332   12.0   187   1.4   213   12.1   13.6           *   0    0   27   *
*   9329    3.2    89   1.4   213   12.2   13.6           *   0    0   29   *
*   9326   25.6    37   1.4   210   12.1   13.6           *   0   42    9   *
*   9323   39.8   186   1.6   214   12.2   13.4           B   0   100   71   *
*   9320    3.4   227   1.3   215   12.2   13.8           C   0   51   44   *
*   9317   40.5   360   1.4   214   12.1   13.7           *   0   29   33   *
*   9314   26.7   292   1.4   211   12.1   13.6           A   0   100   43   *
*   9311   19.4   187   1.6   213   12.1   13.5   **   C   10   100   78   *
*   9311           4 DIPS  27.4 157   8.7 151  19.8 231  30.3 195 *
*   9308   15.4   189   1.4   211   12.0   13.4   **   A  100   76   44   *
*   9305   21.9   230   1.7   212   12.2   13.3   **   B   87  100   45   *
*   9302   19.5   222   1.5   211   12.2   13.6   **   B  100  100   46   *
*   9296   40.2   162   1.7   208   12.3   13.6   **   A   10  100   17   *
*   9296           4 DIPS  45.7 152  35.7 149  34.8 175  44.8 170 *
*   9293   29.3   288   2.0   210   12.3   13.7           *   0    0   61   *
*   9290    8.7   264   1.5   209   12.0   13.7           *   0   10   52   *
*   9287   17.2   220   1.6   212   11.8   13.7           *   14   19   53   *
*   9284   37.1   168   1.7   212   11.9   13.9           C   0   100   26   *
*   9281   15.6   195   1.6   212   11.9   13.9           C   0   53   62   *
*   9278   34.1   117   1.6   212   12.1   13.8           A   13   68   57   *
*   9275    3.0   142   1.6   213   12.1   13.8           *   0   23   78   *
*   9272   19.1   164   1.7   212   12.2   13.9           C   0   100   53   *
*   9269   74.3   288   1.6   212   12.4   13.6           *   0    0   48   *
*   9266   34.3    73   1.6   213   12.6   13.6           A   0   100    1   *
*   9263   36.6   112   1.8   210   12.7   13.6           *   0    0    0   *
*****

```



```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LØ  Q  PLA  CLØ  MAX  *
*          AZM      AZM    1-3  2-4  GI          *
*****
*
* 9260  14.9  227  2.1  213  12.6  13.5      A   0  100  71  *
* 9257  63.0  311  1.6  214  12.4  13.4     **  C  10  100  61  *
* 9257          4 DIPS  74.0 303  63.7 269  31.7 353  70.7 341  *
* 9254   4.6  252  2.3  214  12.3  13.2      D  34  84  79  *
* 9251  46.3  241  1.7  210  12.3  13.4      *  0   0  71  *
* 9248  47.5  212  1.8  212  12.3  13.4     **  * 100  51   0  *
* 9245  28.1   50  1.8  213  12.3  13.4      *  0   0  34  *
* 9242  48.9  119  1.6  213  12.4  13.5      *  0   0  30  *
* 9239  26.8  173  1.7  211  12.0  13.6      *  0  16  43  *
* 9236  68.9  212  2.1  209  11.9  13.4     **  C  21  90  65  *
* 9236          4 DIPS  73.6 239  75.5 206  69.9 174  52.2 231  *
* 9233  22.9  154  1.7  209  11.2  13.3      C   0  100  48  *
* 9230  15.6  146  1.7  210  11.9  13.6      *  0  30  53  *
* 9227   8.8  111  1.7  209  12.0  13.6      *  0  36  29  *
* 9224  50.0  338  1.7  209  12.1  13.4      *  0   0  42  *
* 9221  43.2  219  1.8  208  12.1  13.3      A   0  100  71  *
* 9218  27.3  221  2.1  207  12.1  13.3      *  0   0  23  *
* 9215  27.3   59  1.8  205  12.1  13.4     **  A  24  74  20  *
* 9215          4 DIPS  37.7  74  36.4  43  19.5  23  21.1  91  *
* 9212  15.3   28  1.6  208  12.2  13.4      A   0  67  18  *
* 9209   6.8   46  1.8  207  12.2  13.3      *  0  10  12  *
* 9206  N8-CØRR  1.7  205  12.2  13.3      *          *
* 9203  27.5  234  1.8  206  12.2  13.4      A   0  100  23  *
* 9200  15.0  159  1.7  207  12.3  13.4      *  0   0  41  *
* 9197   4.0  169  1.6  208  12.2  13.1     **  B  40  64  20  *
* 9197          4 DIPS  4.5 153   2.9 162   3.8 187   5.2 173  *
* 9191   6.8  333  1.7  206  12.1  13.3      *  0  40  30  *
* 9188  28.0  233  1.7  211  12.3  13.5      *  0  27  24  *
* 9182  15.9  269  1.9  200  12.3  13.6      *  0  31  43  *
* 9179  17.0  180  1.7  203  12.3  13.6     **  B  28  100  29  *
* 9179          4 DIPS  18.8 158  11.0 177  17.8 202  22.7 181  *
* 9176  49.8  271  1.9  204  12.2  13.5      A   0  100  48  *
* 9173  27.2   76  1.7  203  12.0  13.4      *  0   0  26  *
* 9170  26.2  274  1.7  204  11.8  13.3      *  0   0  44  *
* 9167  18.0   82  1.6  206  12.0  13.4      *  0   0  21  *
* 9164   7.3  325  1.8  202  12.2  13.5      *  0  17  38  *
* 9161  14.7  284  1.7  201  12.3  13.3      A  33  59  63  *
* 9158  18.0   70  1.5  202  12.2  13.3      *  0   0  49  *
* 9155   8.4  232  1.8  207  12.2  13.3      A   0  100  44  *
* 9152  32.1  303  1.7  208  12.1  13.5      A   0  82  36  *
*****

```

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LG GI	Q	PLA	CL0	MAX
9149	23.0	292	2.3	208	12.2	13.7		C	10	100	44
9146	34.5	230	1.9	205	12.3	13.5	**	*	100	100	10
9143	4.3	103	1.9	208	12.5	13.5		*	0	10	26
9140	7.0	250	1.9	206	12.6	13.5		C	0	100	35
9137	9.0	182	1.8	201	12.4	13.4	**	A	75	100	55
9134	41.3	38	1.9	202	12.7	13.6		C	0	100	51
9131	2.5	143	1.9	203	12.6	13.5		*	0	0	61
9128	15.7	4	1.8	200	12.6	13.6	**	*	10	100	30
9128			4 DIPS 22.1 314			1.0	122	23.3	49	29.8	2
9125	21.9	51	1.7	203	12.4	13.6		*	0	11	7
9122	25.5	6	1.7	203	12.5	13.8		A	0	100	40
9119	36.6	6	1.8	206	12.4	13.9		C	0	100	35
9116	10.0	158	1.8	203	12.7	13.7	**	D	10	56	4
9116			4 DIPS 24.7 111			10.5	21	18.7	241	26.5	172
9113	12.0	233	1.7	207	12.4	13.9		*	0	0	39
9110	34.6	314	1.7	209	12.4	13.9		C	0	100	30
9107	34.6	251	1.8	209	12.2	14.0		*	0	16	34
9104	25.9	224	1.9	206	12.2	13.9		B	0	91	44
9101	14.7	70	1.7	207	12.3	13.7		*	0	29	44
9098	28.7	226	1.8	205	12.3	13.6		A	0	85	28
9095	17.1	165	1.6	205	12.1	13.6		*	31	34	70
9092	34.5	134	1.7	204	12.3	13.6		*	0	29	27
9089	11.7	171	1.9	205	12.3	13.5	**	C	93	59	73
9086	4.5	135	1.9	205	13.0	13.9		*	0	38	41
9083	20.4	120	1.9	204	12.8	13.9		*	0	23	8
9080	24.9	167	1.9	205	12.6	14.0	**	A	33	100	10
9080			4 DIPS 24.9 185			30.8	169	27.0	150	18.5	163
9077	22.8	197	1.7	204	13.0	14.3		*	0	23	17
9074	15.0	165	1.9	200	12.7	14.0	**	A	34	100	75
9074			4 DIPS 16.6 149			11.1	160	14.8	182	18.9	167
9071	17.9	132	1.8	199	12.4	13.7	**	A	33	100	66
9071			4 DIPS 18.7 129			17.3	129	17.2	133	18.6	133
9068	13.9	130	1.6	206	12.2	13.8		*	0	13	61
9065	17.4	157	1.7	207	12.2	13.7		B	49	100	61
9062	5.8	177	1.9	207	12.3	13.6		B	0	53	36
9059	20.5	142	1.7	206	12.3	13.2	**	C	10	100	46
9059			4 DIPS 18.3 156			24.4	148	23.5	131	16.8	132
9056	20.9	77	1.6	203	12.0	13.1		A	0	100	20
9053	63.5	168	1.7	207	12.4	13.4		*	0	17	43
9050	7.2	254	1.7	203	12.5	13.5		*	0	29	38

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  L0  0  PLA  CL0  MAX  *
*          AZM    AZM    1-3  2-4  GI          *
*****
*
* 9047  38.2  168  1.7  203  12.6  13.8  *  0  28  29  *
* 9044  15.1  223  2.0  200  12.5  13.9  *  0  24  37  *
* 9041  48.6  214  1.7  202  12.5  13.7  *  0  0  32  *
* 9038  67.7   58  1.7  201  12.2  14.0  B  0  100  56  *
* 9035  28.4  181  1.8  203  12.1  13.6  C  0  100  66  *
* 9032   9.0  228  1.9  201  12.3  14.0  *  0  0  69  *
* 9029  27.9  284  1.8  199  12.5  14.1  ** D  11  100  25  *
* 9029  4 DIPS  40.2  276  27.1  251  13.8  309  34.5  307  *
* 9026  28.8  169  1.7  201  12.5  14.1  ** *  11  100  22  *
* 9026  4 DIPS  39.2  127   5.4  133  35.6  216  45.3  171  *
* 9023  24.3  220  2.2  198  12.1  14.0  B  0  100  37  *
* 9020  35.5  256  1.8  205  12.7  13.9  *  0  0  34  *
* 9017  11.1  304  1.8  208  12.4  14.1  ** B  10  100  38  *
* 9017  4 DIPS  29.1  276  14.8  206  16.0  55  26.9  336  *
* 9014  25.9  326  2.1  203  12.5  13.8  *  0  0  17  *
* 9011  11.9   3  1.9  203  13.0  14.5  A  0  100  44  *
* 9008  28.9   68  2.6  201  12.5  14.4  *  0  10  50  *
* 9005  42.1  215  2.0  200  12.4  14.6  *  0  0  37  *
* 9002  37.0  149  2.0  196  13.3  16.3  C  21  100  75  *
* 8999  66.1  346  2.3  199  12.3  17.1  *  0  20  71  *
* 8996  7.2  165  2.0  200  10.7  13.9  *  0  24  63  *
* 8993  14.4  293  1.7  197  9.4  12.3  *  0  10  2  *
* 8990  16.6  331  2.9  206  11.4  12.2  *  0  0  22  *
* 8987  69.1   74  2.3  203  12.7  11.3  C  0  100  27  *
* 8984  43.9  146  2.0  190  13.4  12.3  *  0  100  25  *
* 8981  31.4  251  2.7  186  13.2  15.6  *  0  0  56  *
* 8978  16.0  218  2.2  199  13.7  14.8  B  0  100  80  *
* 8975  30.2  177  2.7  203  13.1  12.7  C  0  100  55  *
* 8972  12.8  122  2.2  213  11.4  10.4  D  0  50  70  *
* 8969  63.6  156  2.5  204  11.6  10.8  *  0  59  63  *
* 8966  3.4   10  2.0  202  12.2  11.8  ** B  10  81  20  *
* 8966  4 DIPS  43.9  28  43.0  302  38.5  210  41.6  115  *
* 8963  27.9  113  1.9  199  14.3  11.2  *  0  19  23  *
* 8960  13.9  259  2.2  200  13.7  11.4  *  0  0  31  *
* 8957  42.6  122  2.4  199  12.6  11.7  *  0  18  45  *
* 8954  74.7  108  2.4  194  12.2  10.5  C  0  100  31  *
* 8951  NO-CORR  1.6  194  13.6  10.6  *
* 8948  15.6   4  1.5  194  13.9  11.4  B  0  100  35  *
* 8945  70.8  166  1.8  196  14.1  11.5  D  0  100  38  *
* 8942  29.9  182  1.8  194  15.1  12.6  B  31  100  70  *
*****

```

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	G	PLA	CLB	MAX
		AZM		AZM	1-3	2-4	GI				
8939	49.8	328	1.7	201	15.2	10.7		C	0	60	65
8936	62.1	284	1.7	192	14.7	10.3		*	0	0	51
8933	2.5	82	2.0	190	13.8	10.4		*	0	10	43
8930	20.3	199	2.7	195	15.8	13.3		B	0	83	45
8927	7.0	203	1.7	196	15.6	13.2	**	B	10	100	64
8927			4 DIPS 27.7 181			24.3	99		17.7	344	29.2 254
8924	21.6	181	2.5	193	15.6	14.4		*	0	42	64
8921	41.4	209	2.2	195	14.5	12.3		*	0	10	51
8918	60.9	103	2.3	197	13.9	12.2		B	0	100	41
8915	67.9	249	1.5	198	14.0	11.5		C	10	100	52
8912	61.9	148	3.1	191	14.4	12.4		D	0	100	54
8909	41.3	237	2.4	204	13.8	13.0		*	0	0	60
8906	9.3	253	1.8	197	14.2	12.6		A	0	100	49
8903	14.5	154	1.8	201	14.9	12.6		*	0	0	20
8900	19.4	300	1.6	202	15.1	13.0		*	0	11	27
8897	45.9	304	2.0	200	14.3	12.8		*	0	0	53
8894	34.0	177	1.8	202	13.8	12.8		*	0	21	26
8891	21.2	80	1.7	199	13.9	13.0		B	0	100	51
8888	24.0	23	1.8	201	14.3	12.9		C	0	100	41
8885	32.8	168	1.7	202	14.3	12.8		D	0	100	1
8882	16.8	211	2.0	198	13.8	12.8		*	0	0	45
8879	15.2	212	1.7	207	14.0	12.6		B	0	54	45
8876	10.6	156	1.5	203	14.3	12.3		*	0	20	43
8873	33.2	223	1.7	200	14.4	12.2		*	0	31	29
8870	12.6	169	1.7	200	14.1	12.6	**	A	100	100	55
8867	24.6	239	1.6	202	14.3	12.4	**	A	10	100	32
8867			4 DIPS 30.1 216			12.0	214		24.2	270	36.0 246
8864	30.9	111	1.6	201	14.5	12.0		*	0	0	35
8861	26.2	239	1.6	200	14.5	12.3		*	10	16	53
8858	29.3	48	1.8	199	14.3	12.1		A	0	100	48
8855	12.1	157	1.5	201	14.3	12.1		*	0	20	36
8852	53.9	65	2.3	200	14.6	12.0		*	0	18	52
8849	18.6	197	1.9	190	13.9	11.1		*	0	0	51
8846	36.3	71	1.5	199	14.3	11.7		*	0	10	44
8843	13.3	357	1.6	194	14.4	12.2		*	0	19	57
8840	8.2	209	1.6	196	14.2	12.2		*	0	14	35
8837	13.3	75	1.7	197	14.7	12.1		*	0	41	64
8834	58.9	331	1.6	198	14.7	12.3		*	0	37	32
8831	11.9	195	1.5	196	14.9	12.2		B	0	65	33
8828	5.3	301	1.7	197	14.6	12.2		*	0	15	46

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LØ  Ø  PLA  CLØ  MAX  *
*          AZM      AZM  1-3  2-4  GI          *
*****
*
* 8825  15.6  243  2.5  196  14.6  12.1  A   0  100  70  *
* 8822  16.0  191  2.7  193  14.4  12.3  A  31  61  53  *
* 8819  26.9   87  2.6  191  14.7  12.4  *   0   0  15  *
* 8816  34.9  236  2.1  194  14.7  12.2  *  10   0  52  *
* 8813  45.2   38  2.1  192  14.4  12.5  A  12  100  57  *
* 8810  11.2  237  1.8  194  14.4  12.2  *   0  100  32  *
* 8807  64.1  227  2.0  193  14.7  12.1  *   0  10  55  *
* 8804  49.8  227  1.9  193  14.6  12.2  *   0   0  46  *
* 8801  34.4  117  3.5  191  12.5  11.5  *   0  35  72  *
* 8798  17.3  179  2.0  191  14.5  12.3  A   0  100  58  *
* 8795  10.0  174  2.0  194  14.5  12.1  *   0   0  31  *
* 8792  12.9  160  2.0  192  14.5  12.3  A  46  100  73  *
* 8789   5.1  210  2.1  193  14.6  12.3  *   0  40  22  *
* 8786  43.8  287  1.9  191  14.5  12.3  *   0  16  55  *
* 8783   9.8  169  1.9  190  14.5  12.9  B  43  100  52  *
* 8777  30.4  217  1.8  190  14.7  13.4  *   0   0  33  *
* 8774   7.5  154  2.0  188  14.6  13.3  *   0  29  33  *
* 8771  35.1  290  2.0  190  14.5  13.3  A   0  100  28  *
* 8768  15.9  232  1.9  189  14.4  13.2  A   0  64  33  *
* 8765  26.6  174  2.2  189  14.5  13.0  **  A  19  100  51  *
* 8765          4 DIPS  37.1 173  29.4 143  13.7 178  30.8 203  *
* 8762  34.4  230  2.1  188  14.4  12.5  *   0  10  42  *
* 8759  17.0   86  2.0  189  14.4  12.6  *   0   0  25  *
* 8756  12.2  143  2.1  189  14.4  13.0  **  D  30  52  24  *
* 8756          4 DIPS  17.2 152  16.2 122  7.7 121  10.8 175  *
* 8753  31.7  111  2.0  190  14.4  13.0  *   0  21  33  *
* 8750  16.7  185  2.4  188  14.4  13.0  *   0   0  18  *
* 8747  14.4  165  2.3  190  14.3  12.8  **  B  100  99  46  *
* 8744  14.9  166  1.9  188  14.2  12.7  C  100  100  58  *
* 8741   8.4  195  1.9  188  14.2  12.4  A  100  100  62  *
* 8738   8.5  269  1.9  188  14.3  12.5  *   0  24  31  *
* 8735   6.5  243  2.0  188  14.2  12.5  *   0  15  51  *
* 8732  19.7  123  2.0  187  14.1  12.5  *   0  23   9  *
* 8729  12.0  122  2.1  187  14.1  12.5  *   0  21  64  *
* 8726  31.1   51  2.1  187  14.0  12.5  *   0   0  44  *
* 8723  30.2  294  2.1  187  14.1  12.4  *   0   0  17  *
* 8720  81.5   82  2.1  187  14.0  12.4  *   0  21  39  *
* 8717  12.3  186  2.2  187  14.1  12.5  *  10  19  68  *
* 8714   1.1  330  2.2  186  14.3  12.6  *   0   0  43  *
* 8711  31.6  214  2.2  186  14.2  12.6  *   0   0  38  *
*****

```

*****													
DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L6	Q	PLA	CL6	MAX	*	
		AZM		AZM	1-3	2-4	GI					*	
*****													
8708	68.4	60	2.1	187	14.1	12.7	**	A	10	52	18	*	
8708			4 DIPS		78.0	25	47.3	321	69.2	117	79.7	72	*
8705	44.5	197	2.2	186	14.0	12.6		A	0	59	19	*	
8702	33.4	269	2.1	188	14.4	12.5	**	B	17	100	30	*	
8702			4 DIPS		38.8	296	47.0	266	35.1	238	14.0	281	*
8699	44.2	47	2.3	186	14.6	12.3		*	0	0	44	*	
8696	8.1	65	2.0	186	14.6	12.4		*	0	0	51	*	
8693	29.9	329	2.2	186	14.4	12.7		*	0	29	36	*	
8690	3.3	97	2.2	186	14.4	12.6		*	0	0	43	*	
8687	37.2	295	2.1	186	14.2	12.2		*	0	0	41	*	
8684	40.0	216	2.6	186	14.3	12.5		*	0	0	52	*	
8681	12.6	195	2.3	186	14.3	12.6		A	0	100	30	*	
8678	7.9	227	2.2	183	14.5	12.4		A	0	100	34	*	
8675	21.5	147	2.4	184	14.4	12.4		*	0	0	31	*	
8672	13.2	111	2.4	186	14.4	12.3		*	0	11	22	*	
8669	26.7	50	2.4	186	14.5	12.3		*	0	0	30	*	
8666	42.4	262	2.3	183	14.6	12.4		*	0	13	44	*	
8663	10.8	210	2.2	187	14.6	12.6	**	C	10	100	53	*	
8663			4 DIPS		6.5	249	16.7	233	16.8	196	9.2	161	*
8660	53.1	65	2.2	184	14.9	12.3		B	0	100	37	*	
8657	9.3	67	2.2	186	15.0	12.1		*	0	13	23	*	
8654	18.9	99	2.3	187	15.5	12.4		*	0	0	29	*	
8651	78.4	99	2.4	184	15.5	12.4		*	0	10	39	*	
8648	35.4	210	2.1	178	15.1	12.4		B	0	100	47	*	
8645	22.8	52	2.3	184	14.6	12.4	**	A	10	60	33	*	
8645			4 DIPS		47.6	14	31.1	288	31.8	142	52.2	75	*
8642	19.9	307	2.4	184	14.7	12.5		B	12	100	60	*	
8639	9.6	181	2.2	184	14.7	12.2		A	0	100	34	*	
8636	27.2	217	2.4	182	14.7	12.3		*	0	14	31	*	
8633	31.7	116	2.1	182	15.0	12.4		*	0	0	51	*	
8630	16.4	197	2.6	180	15.4	12.2		B	0	78	19	*	
8627	77.3	112	2.6	185	15.4	12.4		*	13	34	68	*	
8624	50.8	47	2.2	182	15.3	12.3		*	0	21	9	*	
8621	11.9	79	2.3	179	15.3	12.4		B	0	100	48	*	
8618	27.3	285	2.1	179	14.8	12.2		*	0	40	41	*	
8609	33.2	357	2.5	181	15.2	12.2		A	0	99	66	*	
8606	28.6	297	2.3	180	15.2	12.1		A	0	100	37	*	
8603	17.3	147	2.2	180	15.3	12.1		B	0	77	20	*	
8600	31.4	190	2.3	181	14.9	11.9		*	0	0	37	*	
8597	53.4	255	2.3	177	14.9	10.9		*	0	45	34	*	
*****													

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
*****												
* 8594	44.6	158	2.7	180	14.7	9.8		*	0	0	21	*
* 8591	19.9	102	2.3	180	15.3	11.7		*	0	0	58	*
* 8588	28.5	166	2.2	179	15.4	11.2		B	0	100	49	*
* 8585	80.3	123	2.4	179	15.6	9.5		C	0	100	60	*
* 8582	73.1	106	2.5	181	15.5	9.0		*	0	49	32	*
* 8579	17.3	78	2.3	183	15.7	11.0		*	0	0	21	*
* 8576	31.7	274	2.3	185	16.0	10.8		C	10	61	52	*
* 8573	83.2	285	2.3	183	16.2	10.1		*	0	10	17	*
* 8570	20.5	36	2.4	184	15.9	11.3		*	0	100	51	*
* 8567	9.2	271	2.4	182	16.2	11.9		A	16	66	62	*
* 8564	13.4	205	2.5	180	16.2	12.1		*	0	20	58	*
* 8561	37.7	186	2.7	180	15.9	10.9		*	0	0	45	*
* 8558	28.9	120	2.7	180	15.7	11.5		A	0	100	1	*
* 8555	49.9	112	2.5	184	15.6	12.3		A	12	50	65	*
* 8552	80.8	35	2.7	182	15.7	10.9		A	10	79	45	*
* 8549	12.0	239	2.4	185	15.7	9.6		*	0	0	39	*
* 8546	20.9	11	2.7	182	15.8	8.6		A	0	83	27	*
* 8543	35.9	222	2.6	181	15.6	8.8		*	0	0	25	*
* 8540	17.0	62	2.7	182	16.0	8.9		*	0	18	49	*
* 8537	40.6	140	2.7	179	16.0	9.6	**	C	19	100	33	*
* 8537			4 DIPS	49.2	161	58.0	125	37.2	105	24.0	210	*
* 8534	1.4	115	2.5	183	16.0	10.1		*	0	15	24	*
* 8531	48.9	188	2.3	182	15.9	10.0		*	0	0	27	*
* 8528	34.0	113	2.8	183	16.3	10.6		*	0	100	6	*
* 8525	34.0	217	2.6	177	16.8	11.8		*	0	36	9	*
* 8522	67.5	83	2.9	177	16.1	11.3		*	0	10	44	*
* 8519	36.2	351	2.8	177	15.8	12.5		*	0	14	21	*
* 8516	44.5	41	3.7	178	15.7	11.5		*	0	29	5	*
* 8513	32.0	167	4.0	179	15.2	11.2		*	0	0	10	*
* 8510	34.3	21	3.5	180	15.4	10.5		*	0	10	32	*
* 8507	74.5	192	2.8	182	15.2	10.6		A	0	100	42	*
* 8504	18.2	339	3.3	180	15.7	10.1		*	0	11	42	*
* 8501	76.2	46	3.1	182	15.8	10.7		*	0	0	46	*
* 8498	72.2	135	3.1	186	16.0	10.7	**	A	32	100	28	*
* 8498			4 DIPS	73.8	149	77.3	127	71.8	115	61.8	153	*
* 8495	23.7	195	2.9	184	16.3	10.5		*	0	37	16	*
* 8492	34.2	46	2.5	183	16.0	10.1		A	0	100	58	*
* 8489	10.1	72	2.8	184	15.7	11.1		*	0	37	66	*
* 8486	22.8	111	2.5	180	15.6	10.0		*	0	17	19	*
* 8483	18.2	104	2.7	183	15.5	10.8		*	0	100	35	*
*****												

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX		
		AZM		AZM	1-3	2-4	GI						
*											*		
*	8480	68.3	210	3.1	176	15.5	10.8	*	0	0	54	*	
*	8477	23.3	206	2.9	183	15.5	11.0	*	0	10	37	*	
*	8474	48.2	211	3.0	180	15.3	10.4	*	0	100	24	*	
*	8471	65.9	280	2.8	183	15.7	10.7	**	C	10	100	48	*
*	8471			4 DIPS	68.3	261	46.2	260	66.0	302	74.3	285	*
*	8468	64.3	386	3.3	179	15.6	11.1	A	0	100	35	*	
*	8465	29.2	291	2.7	187	15.8	10.9	*	0	0	42	*	
*	8462	35.5	273	2.5	188	15.7	9.1	*	0	35	22	*	
*	8459	31.4	220	2.7	186	15.5	8.5	*	0	0	16	*	
*	8456	31.0	216	2.6	184	15.2	8.8	*	0	0	18	*	
*	8453	25.8	217	2.7	186	15.5	10.3	*	0	38	30	*	
*	8450	63.4	227	2.7	182	15.4	11.1	*	0	100	63	*	
*	8447	17.0	219	2.9	180	15.3	11.9	*	0	41	36	*	
*	8444	13.3	188	3.2	181	15.6	11.6	B	0	100	67	*	
*	8441	41.8	110	3.0	183	15.1	11.1	*	0	40	24	*	
*	8438	23.2	55	3.3	182	14.8	10.9	*	0	10	6	*	
*	8435	23.1	312	2.9	180	14.7	10.1	*	0	51	46	*	
*	8432	66.3	84	2.9	181	14.5	9.4	*	0	0	29	*	
*	8429	50.5	318	2.9	181	14.7	9.5	*	0	28	41	*	
*	8426	8.2	299	2.8	182	15.5	11.2	*	0	0	41	*	
*	8420	29.0	268	3.0	187	15.2	10.5	B	0	100	43	*	
*	8417	78.5	93	2.8	182	15.2	9.7	*	0	17	50	*	
*	8414	60.5	84	2.9	183	15.1	9.9	*	0	100	61	*	
*	8411	21.7	220	2.9	187	15.2	11.8	*	0	100	76	*	
*	8408	25.6	259	2.9	182	14.8	10.8	C	0	100	17	*	
*	8405	26.3	42	2.9	184	14.6	10.7	*	0	25	41	*	
*	8402	21.1	52	2.9	186	14.5	10.5	*	0	10	40	*	
*	8399	16.9	30	3.2	185	14.4	10.0	*	0	10	21	*	
*	8396	25.0	252	2.7	186	14.4	10.9	*	0	0	32	*	
*	8393	22.7	163	2.7	182	14.2	9.6	A	0	100	24	*	
*	8390	46.2	228	2.8	182	14.3	9.6	*	0	47	58	*	
*	8387	18.4	181	2.8	181	14.4	9.7	*	0	23	52	*	
*	8384	42.7	145	3.0	181	14.4	9.8	B	0	100	49	*	
*	8381	19.1	31	2.9	183	14.2	10.2	*	0	0	30	*	
*	8378	30.0	306	2.9	180	14.0	9.7	*	0	39	37	*	
*	8375	23.8	205	2.9	183	14.1	10.1	*	0	0	46	*	
*	8372	58.0	202	2.7	183	14.0	10.0	*	10	0	77	*	
*	8369	20.4	248	3.0	180	13.8	8.8	D	0	77	3	*	
*	8366	47.9	118	2.9	183	14.3	9.1	C	0	50	4	*	
*	8363	78.5	8	2.9	181	13.7	8.5	A	0	100	53	*	



*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
*****												
* 8360	35.4	126	2.9	181	13.5	8.3		*	0	0	44	*
* 8357	27.1	340	3.0	183	14.7	9.5		*	0	0	57	*
* 8354	18.8	205	2.8	186	13.9	8.9		*	0	0	17	*
* 8351	64.1	151	2.8	184	14.1	9.0		C	0	100	36	*
* 8348	82.2	121	2.8	181	14.3	9.3		*	0	0	42	*
* 8345	58.6	275	2.9	180	13.6	9.4		C	0	100	49	*
* 8342	33.2	34	2.8	183	13.9	9.3		A	0	100	28	*
* 8339	57.5	115	2.9	185	13.8	9.2		*	0	0	49	*
* 8336	27.6	223	2.9	183	13.5	9.1		*	0	0	74	*
* 8333	49.9	4	2.9	180	13.2	8.9		*	0	100	20	*
* 8330	66.8	14	2.7	180	13.0	8.8		*	0	16	46	*
* 8327	60.6	188	2.7	184	13.2	8.9		*	0	10	46	*
* 8324	50.0	101	3.0	187	13.3	8.7		*	0	10	32	*
* 8321	44.1	116	3.0	189	13.4	8.4		*	0	47	36	*
* 8318	25.5	113	2.9	189	13.6	8.3		*	0	36	30	*
* 8315	41.4	206	3.0	190	13.9	8.0		*	0	44	25	*
* 8312	75.2	90	2.9	184	13.5	7.9	**	*	10	100	36	*
* 8312			4 DIPS	77.9	73	62.6	67	73.4	109	80.1	96	*
* 8309	14.3	66	2.9	190	14.5	8.3		*	0	22	46	*
* 8306	36.9	85	2.8	192	14.2	8.4		*	0	15	3	*
* 8303	16.2	139	2.8	189	14.5	9.4		*	0	0	14	*
* 8300	63.2	167	3.1	180	14.6	9.8		C	0	69	37	*
* 8297	39.8	184	3.1	186	15.6	12.1		A	0	100	49	*
* 8291	57.6	271	3.2	186	13.5	10.1	**	D	11	100	42	*
* 8291			4 DIPS	60.8	250	36.2	254	58.3	296	68.0	276	*
* 8288	4.5	63	2.8	181	13.2	10.9		*	0	10	3	*
* 8285	47.6	343	2.9	185	13.8	9.6		*	0	100	25	*
* 8282	17.4	259	2.8	187	13.7	9.0		*	0	0	32	*
* 8279	17.5	61	2.9	187	13.7	9.0		*	0	0	42	*
* 8276	76.4	233	2.9	194	13.9	9.4		*	0	36	49	*
* 8273	10.6	202	3.0	186	13.7	9.3		*	0	22	34	*
* 8270	39.4	299	3.0	187	13.7	9.1		*	0	0	49	*
* 8264	27.5	95	3.0	186	13.8	9.0		*	100	0	51	*
* 8261	82.6	358	2.9	184	14.5	9.0		*	0	0	35	*
* 8258	29.6	250	3.3	185	14.4	9.5		*	0	0	15	*
* 8255	31.5	88	3.2	185	14.0	9.5		*	0	27	18	*
* 8252	82.8	269	3.1	187	14.5	9.0		*	0	17	37	*
* 8249	19.4	133	3.1	186	14.5	9.7		*	0	10	22	*
* 8246	35.1	286	3.2	187	14.2	9.7		*	0	10	28	*
* 8243	21.0	226	3.1	184	15.1	11.4		D	10	100	83	*
*****												

*****													
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L6	Q	PLA	CL6	MAX	*	
*		AZM		AZM	1-3	2-4	GI					*	
*****													
* 8240	13.3	220	3.2	187	15.1	11.6		A	24	100	73	*	
* 8237	28.7	66	3.0	185	14.6	9.9		*	0	10	34	*	
* 8234	70.5	309	3.1	187	14.4	10.6	**	D	55	92	50	*	
* 8231	57.2	262	3.0	187	14.2	10.7		*	0	47	46	*	
* 8228	15.6	226	3.1	186	13.9	10.0		A	0	74	70	*	
* 8225	67.9	343	3.1	185	14.1	10.0	**	A	10	100	32	*	
* 8225			4 DIPS	82.0	358	81.2	299		53.7	229	77.1	68	*
* 8222	36.1	309	3.1	185	14.2	9.7		A	0	100	14	*	
* 8219	29.5	167	2.9	184	14.0	9.4		A	0	82	25	*	
* 8216	17.9	41	3.0	184	14.3	9.4	**	A	10	100	14	*	
* 8216			4 DIPS	42.3	22	38.4	302		18.5	164	47.3	86	*
* 8213	10.6	168	3.1	185	14.5	9.7		*	0	38	62	*	
* 8210	48.1	199	3.3	184	14.8	10.7		*	0	40	21	*	
* 8207	79.4	69	3.3	186	14.7	10.3		*	0	10	49	*	
* 8204	76.2	269	3.3	184	14.4	9.8		*	100	38	62	*	
* 8201	65.4	295	3.2	183	14.5	9.2		*	0	0	44	*	
* 8198	22.6	208	3.2	186	14.5	9.1		*	0	32	0	*	
* 8195	71.3	103	3.1	186	14.5	8.9		*	0	10	40	*	
* 8192	60.6	302	3.1	187	14.4	8.3		*	0	43	49	*	
* 8189	61.4	296	3.2	187	14.5	8.6		A	0	62	13	*	
* 8186	21.9	242	3.4	186	14.4	8.8		*	0	0	14	*	
* 8183	60.3	297	3.2	186	14.4	8.5		*	0	0	27	*	
* 8177	76.7	114	3.1	186	14.7	8.4		*	0	10	44	*	
* 8174	73.1	163	3.2	184	15.4	9.0		*	0	0	46	*	
* 8171	22.0	43	3.4	185	15.2	9.9		*	0	14	61	*	
* 8168	12.6	325	3.4	186	15.7	10.6	**	C	19	64	57	*	
* 8168			4 DIPS	17.1	339	19.4	307		9.5	298	8.8	9	*
* 8165	49.3	119	3.3	184	15.1	10.0		B	0	100	57	*	
* 8162	9.0	191	3.3	185	15.2	10.3		D	0	100	41	*	
* 8159	17.8	162	3.4	186	15.3	11.4		*	0	39	38	*	
* 8156	32.2	297	3.5	185	15.4	11.1		*	0	23	59	*	
* 8153	24.2	18	3.2	186	15.5	11.7		D	0	100	26	*	
* 8150	26.9	149	3.3	187	15.4	12.0		*	0	0	30	*	
* 8147	37.7	90	3.3	187	15.3	12.1		*	0	100	28	*	
* 8144	15.6	229	3.3	187	15.5	12.1		*	0	0	28	*	
* 8141	4.9	358	3.4	186	15.6	11.7		D	0	100	25	*	
* 8138	51.1	307	3.3	188	15.4	12.1		*	0	15	43	*	
* 8135	NO-CORR		3.5	186	15.8	12.5						*	
* 8132	77.7	134	3.6	184	15.7	12.4		C	0	100	44	*	
* 8129	66.4	296	3.4	186	16.2	12.4		*	0	100	57	*	
*****													

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLR  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 8126  48.6  131  3.2  183  16.3  13.0      D  19  100  78  *
* 8123  28.4  319  3.5  184  16.1  12.1      *  0  14  37  *
* 8120  59.0  167  3.5  184  16.6  12.8      C  0  85  69  *
* 8117  70.4  190  3.5  181  16.2  11.1      * 10  33  59  *
* 8114  24.1  124  3.7  182  15.7  11.1      A  0  94  41  *
* 8111  NO-CORR      3.5  181  15.3  10.1      *          *
* 8108  73.0  337  3.3  182  14.8  9.6       *  0  0  59  *
* 8105  39.1  66  3.3  184  14.7  9.6       ** * 10 100 38  *
* 8105          4 DIPS  57.3  41  40.4  327  32.8  132  62.4  91  *
* 8102  27.1  34  3.2  186  14.8  9.8       *  0  10  27  *
* 8099  75.7  330  3.2  185  14.6  8.7       *  0  10  37  *
* 8096  45.5  92  3.5  187  14.7  8.4       C  0  76  31  *
* 8093  57.8  92  3.3  186  14.7  8.7       *  0  0  20  *
* 8090  47.7  278  3.3  187  14.6  8.5       *  0  29  29  *
* 8087  79.3  255  3.2  186  15.2  8.9       *  0  11  38  *
* 8084  73.4  286  3.2  187  15.3  9.3       A  0  97  35  *
* 8081  37.3  169  3.4  187  15.1  9.3       D  0 100  16  *
* 8078  24.3  315  3.8  186  15.8  10.7      *  0  44  55  *
* 8075  20.0  171  3.4  186  16.2  11.7      *  0  0  40  *
* 8072  56.6  6  3.6  185  15.9  11.1      D  0 100  45  *
* 8069  43.6  29  3.3  184  15.6  11.0      C  0  97  32  *
* 8066  17.0  343  3.5  181  14.6  9.7       *  0  0  24  *
* 8063  22.6  305  3.2  182  14.6  10.3      *  0  0  30  *
* 8060  52.7  311  3.4  189  14.6  11.2      B  0 100  36  *
* 8057  52.9  13  3.1  180  15.3  10.8      *  0 100  45  *
* 8054  11.1  58  3.4  187  15.3  10.8      *  0  21  66  *
* 8051  59.2  109  3.5  189  14.9  10.1      *  0  13  18  *
* 8048  43.0  112  3.3  186  14.2  9.7       A 10 100  49  *
* 8045  31.1  339  3.2  186  14.2  8.5       *  0 100  30  *
* 8042  62.7  307  3.0  190  13.8  8.3       *  0  0  46  *
* 8039  57.5  298  3.1  191  13.1  8.2       A  0 100  20  *
* 8036  79.1  280  3.4  188  14.9  8.8       *  0  11  33  *
* 8033  27.9  181  3.5  188  14.7  10.6      *  0 100  54  *
* 8030  32.3  323  3.4  187  14.2  10.2      ** B 14 66 8  *
* 8030          4 DIPS  45.4  345  51.0  304  27.1  275  21.2  38  *
* 8027  60.0  265  3.2  182  13.7  9.3       *  0  20  11  *
* 8024  60.6  129  3.3  187  14.0  9.2       *  0  0  29  *
* 8021  75.8  308  3.7  187  13.9  9.8       *  0  30  43  *
* 8018  76.4  290  3.4  183  14.1  9.3       *  0  22  51  *
* 8015  48.6  297  3.3  186  14.4  8.9       ** B 10 100 30  *
*****

```

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CL6  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 8015          4 DIPS  52.6 255  20.5  90  58.4 333  69.5 293  *
* 8012  27.3  147  3.6  188  15.0  9.2  *  0  10  32  *
* 8009  NB-CORR  3.2  185  14.9  9.5  *  *  *  *  *
* 8006  53.6  97  3.5  186  14.4  8.9  *  0  19  39  *
* 8003  7.0  352  3.5  185  14.0  8.6  *  0  12  19  *
* 8000  66.8  7  3.4  186  13.7  8.4  D  0  100  40  *
* 7997  62.9  227  3.5  184  13.9  8.3  *  0  0  53  *
* 7994  23.8  191  3.5  185  14.3  8.7  *  0  0  42  *
* 7991  25.4  165  3.6  182  15.8  9.9  *  0  30  11  *
* 7988  66.5  236  3.6  180  14.9  9.6  *  0  0  65  *
* 7985  45.7  111  3.5  182  14.4  8.8  *  0  100  52  *
* 7982  40.1  297  3.4  183  13.8  9.1  A  0  100  37  *
* 7979  8.7  110  3.5  182  13.9  8.7  *  0  0  43  *
* 7976  59.0  306  3.5  183  14.3  9.0  B  0  100  36  *
* 7973  28.4  118  3.6  183  14.4  9.2  *  0  0  3  *
* 7970  19.4  294  3.5  184  14.4  9.2  *  0  26  10  *
* 7967  75.2  270  3.3  185  14.4  9.1  *  0  12  40  *
* 7964  67.4  214  3.3  184  14.3  8.9  *  0  21  40  *
* 7961  31.8  350  3.5  184  15.1  8.8  *  0  21  36  *
* 7958  25.5  199  3.5  185  15.4  10.0  *  0  0  71  *
* 7955  16.9  358  3.6  185  15.7  10.4  B  0  100  65  *
* 7952  46.2  244  3.9  185  15.6  10.2  *  0  16  35  *
* 7949  31.5  88  3.4  186  15.9  11.8  *  0  13  17  *
* 7946  10.6  240  3.9  188  16.4  11.1  *  0  0  50  *
* 7943  21.8  290  3.6  190  15.7  10.5  *  0  20  39  *
* 7940  52.7  322  3.7  184  15.1  9.9  *  0  0  58  *
* 7937  33.9  158  3.8  184  15.5  9.4  *  0  0  49  *
* 7934  69.5  33  3.7  185  15.3  9.7  B  0  100  58  *
* 7931  22.5  195  3.6  186  15.2  11.2  *  0  13  60  *
* 7928  28.1  118  3.6  183  14.8  9.4  *  0  19  41  *
* 7925  31.2  233  3.8  185  15.0  10.5  *  0  0  66  *
* 7922  13.9  209  3.8  185  15.1  10.5  *  0  10  23  *
* 7913  38.2  21  3.9  184  14.6  9.2  *  0  0  31  *
* 7910  47.9  293  3.8  185  14.5  9.5  *  0  12  27  *
* 7907  31.4  32  3.8  186  14.6  8.9  *  0  0  44  *
* 7904  71.6  274  4.3  188  15.9  10.8  *  0  10  63  *
* 7901  72.0  52  4.0  189  14.8  10.2  D  0  100  71  *
* 7898  27.2  80  4.1  188  15.6  9.8  *  0  0  51  *
* 7895  58.8  46  3.9  188  15.7  10.3  *  10  0  67  *
* 7892  32.3  62  4.2  189  15.7  9.2  D  0  100  35  *
*****

```

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	L6	Q	PLA	CL6	MAX		
		AZM		AZM	1-3	2-4	GI						
7889	61.8	104	4.2	191	14.9	8.6	*	0	41	0	*		
7886	8.7	271	4.1	189	15.6	9.1	*	0	15	31	*		
7883	75.3	194	4.0	189	14.5	8.5	*	0	0	30	*		
7880	17.5	308	3.7	188	14.5	8.2	*	0	100	39	*		
7877	77.6	331	3.8	189	12.1	8.2	*	0	10	24	*		
7874	61.5	197	3.4	185	9.3	8.1	C	0	100	49	*		
7871	71.1	264	3.3	184	8.5	8.3	C	0	87	58	*		
7868	80.5	294	3.9	185	9.0	8.3	*	0	31	48	*		
7865	60.1	218	3.7	187	9.9	8.2	B	0	100	38	*		
7862	5.3	40	4.2	185	10.9	8.5	*	0	0	32	*		
7859	73.4	14	3.5	178	9.5	8.9	C	0	88	61	*		
7856	78.6	9	4.6	182	9.8	10.0	*	0	100	72	*		
7853	N6-C6RR		3.9	183	10.3	12.9					*		
7847	75.9	38	4.3	187	10.3	14.3	C	0	100	47	*		
7844	46.5	176	4.5	190	9.7	14.5	*	0	0	29	*		
7841	36.5	251	5.0	194	9.6	14.3	C	0	100	20	*		
7838	68.1	57	4.0	194	9.6	14.5	**	C	22	50	30	*	
7838			4 DIPS		75.7	81	76.1	45	65.5	5	55.4	85	*
7835	68.2	316	4.1	195	9.6	14.5	*	0	30	30	*		
7832	39.5	200	4.1	197	9.0	14.1	A	0	100	11	*		
7829	30.0	305	4.2	196	8.7	15.1	D	0	100	71	*		
7826	80.0	49	4.1	197	9.2	15.0	*	0	29	26	*		
7823	30.5	228	4.2	196	9.2	14.9	A	0	100	38	*		
7820	25.3	142	4.3	197	9.5	14.8	*	0	10	34	*		
7817	39.0	353	4.1	198	9.0	14.8	*	0	10	16	*		
7814	N6-C6RR		4.2	197	10.2	16.4					*		
7811	34.0	218	4.4	195	10.9	16.6	*	0	0	17	*		
7808	70.1	5	4.3	195	11.1	16.6	A	0	100	63	*		
7805	76.1	233	4.2	195	10.9	15.8	C	0	100	66	*		
7802	2.9	227	4.2	196	10.4	15.6	B	27	77	20	*		
7799	66.7	341	4.2	195	10.7	15.3	*	0	46	52	*		
7796	39.9	162	4.1	195	10.0	14.8	*	0	100	35	*		
7793	76.4	232	4.2	195	10.5	14.2	D	0	100	73	*		
7790	67.9	168	4.1	194	11.6	14.0	**	C	10	100	56	*	
7790			4 DIPS		75.4	154	66.6	130	55.4	213	72.7	188	*
7787	52.1	32	4.2	196	11.3	15.1	C	19	100	51	*		
7784	33.0	205	4.4	202	11.8	16.3	*	0	31	56	*		
7781	28.7	265	4.0	199	11.8	14.4	**	D	24	100	36	*	
7781			4 DIPS		40.3	286	38.8	251	23.3	221	19.9	297	*
7778	27.2	277	4.1	199	12.4	15.0	*	0	0	45	*		

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	
		AZM	AZM	AZM	1-3	2-4	GI					
7775	30.3	40	4.1	199	11.1	14.4		C	0	50	34	
7772	23.4	238	4.0	199	10.4	14.0		C	0	81	26	
7769	33.3	255	3.8	202	11.1	14.5		*	0	0	19	
7766	21.5	56	4.0	202	11.2	14.8		*	0	0	5	
7763	35.7	18	4.1	203	12.0	15.2		*	0	0	48	
7760	27.2	173	3.9	204	11.1	14.8		C	0	100	42	
7757	77.1	153	4.1	203	11.2	14.6		C	0	100	41	
7754	41.3	342	4.0	203	11.5	14.5		C	0	100	47	
7751	79.6	348	3.9	202	10.8	14.8		*	0	30	59	
7748	41.3	211	4.0	203	11.5	14.7		*	0	0	24	
7745	19.0	227	4.0	202	12.2	14.7		*	0	0	57	
7742	56.8	342	3.8	204	11.2	14.6		*	0	13	49	
7739	22.6	88	4.2	204	11.9	14.5		*	0	24	32	
7736	61.8	151	3.8	205	12.0	14.4		C	0	80	37	
7733	53.9	136	4.1	206	11.1	14.4		A	0	100	49	
7730	10.6	186	4.0	204	10.7	14.5	**	B	10	82	50	
7730			4 DIPS		77.8	320	69.5	229	75.1	144	74.3	55
7727	29.4	31	4.1	202	10.5	14.6		*	0	0	27	
7724	28.9	11	3.9	202	9.2	14.7		D	0	52	8	
7718	51.9	121	4.2	202	9.2	14.5		*	0	100	17	
7715	12.7	306	4.0	202	9.3	13.9		*	0	0	26	
7712	N8-CORR		4.1	199	8.3	14.6						
7709	45.2	261	3.9	198	8.2	14.4		A	0	50	26	
7706	66.8	195	4.1	200	8.5	14.5		A	0	100	34	
7703	41.9	110	4.2	200	9.3	15.3		*	0	28	32	
7700	77.5	233	4.5	199	10.2	15.1		*	0	47	60	
7697	42.5	190	4.1	200	11.2	14.6		*	0	100	70	
7694	32.6	90	4.3	201	11.7	15.0		B	0	82	17	
7691	9.6	213	4.5	198	12.5	16.7		D	0	100	37	
7688	34.1	160	4.3	200	12.5	16.4	**	C	10	78	40	
7688			4 DIPS		56.5	139	34.0	94	29.2	258	49.5	187
7685	17.8	62	4.3	201	12.0	16.2		A	10	55	51	
7682	10.4	224	4.3	201	12.2	16.2		*	0	0	58	
7679	32.7	133	4.3	200	12.8	15.8		D	0	100	5	
7676	47.4	163	3.9	200	12.1	15.6		C	12	100	72	
7673	7.8	319	4.1	209	11.5	16.2		*	0	22	15	
7670	52.3	246	4.1	196	11.1	14.1		*	0	15	7	
7667	31.9	144	4.2	198	10.3	14.1		B	0	100	32	
7664	10.2	89	4.1	198	10.7	14.2		*	0	19	27	
7661	3.4	340	3.9	198	10.4	14.3		*	0	11	29	

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LØ   Q   PLA   CLR   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   7658   21.0   222   4.0   199   9.6   14.0           B   0   100   51   *
*   7652   42.3    56   4.1   199   11.3  14.4           B   0   100   38   *
*   7649   42.7   295   3.9   200   11.0  14.3           *   0   42   71   *
*   7646   40.4   100   3.8   198   10.1  14.2           *   0   21    6   *
*   7643   39.5   356   3.9   200   11.0  14.7           *   0    0   44   *
*   7640   62.3    25   3.9   202   11.1  16.1           *   0   10   43   *
*   7637   50.6   194   4.2   197   11.2  15.5           **  C   10  100   55   *
*   7637           4 DIPS  74.7 264   72.4 193  75.1 122  57.9 12 *
*   7634   30.5   108   4.8   196   12.0  16.0           *   0    0   43   *
*   7631   53.0   215   4.4   197   12.3  15.9           *   0   25   34   *
*   7628   23.8   279   4.1   198   12.1  15.8           *   0    0   21   *
*   7625   25.4    55   4.1   198   11.3  15.8           D   0   56   17   *
*   7622   42.6    28   4.1   196   11.8  16.2           *   0   22   37   *
*   7619   31.0   109   3.9   198   11.9  15.9           **  A   23  100   29   *
*   7619           4 DIPS  21.9 110   31.8 122  38.7 107  31.7 94 *
*   7616   29.4    26   4.2   198   12.1  15.5           **  B   13   57   49   *
*   7616           4 DIPS  35.6 334     8.4 62  41.5  65  46.1 20 *
*   7613   75.0   108   4.6   198   12.4  14.9           C   0  100   55   *
*   7610   19.3   250   3.8   200   11.4  14.6           *   0    0   21   *
*   7607   61.7   177   3.8   198   10.0  14.5           C   0  100   43   *
*   7604   NO-CORR           3.6   199   11.3  14.1           *           *           *
*   7601   39.2   237   3.6   197   11.1  14.0           *   0    0   16   *
*   7598    9.9   158   3.8   199   10.7  14.0           *   0   40   56   *
*   7595   35.6   133   3.8   194   11.4  14.0           C   0  100   42   *
*   7592   46.3   195   3.8   199   11.1  13.7           D   0  100   76   *
*   7589   69.8   234   3.9   193   11.9  13.7           *   0   10   46   *
*   7583   79.3    92   3.9   194   12.0  14.2           *   0   48   52   *
*   7580   69.0    79   3.9   193   11.7  14.2           *  10  100   48   *
*   7577   36.0    48   3.8   196   11.2  14.0           *   0    0   35   *
*   7574   18.6   175   3.7   198   10.7  13.7           *   0    0   14   *
*   7571   10.7   249   3.6   194   11.0  13.4           *   0   10   43   *
*   7568   55.3   172   3.7   198   10.6  13.2           D   0  100   62   *
*   7565   60.8   186   3.7   198   10.2  13.8           **  D   12  100   41   *
*   7565           4 DIPS  73.4 223   72.9 172  68.8 112  43.4 266 *
*   7562   79.1    12   3.4   194   11.0  14.0           D   13  100   59   *
*   7559   44.1   131   3.5   195   11.1  13.8           *   0   20   31   *
*   7556   54.6   268   3.6   198   11.3  13.9           *   0    0   43   *
*   7553   56.8    44   3.7   194   11.1  13.8           *   0   37   34   *
*   7550   12.1   109   3.3   198   11.2  14.2           *   0   20   36   *
*   7547   28.7   143   3.5   197   10.7  14.4           C   0  100   30   *
*****

```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   L0   Q   PLA   CL0   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   7544   25.5   38   3.7   190   14.2   15.0   *   0   10   8   *
*   7541   10.5   324  3.4   196   13.2   15.2   *   0   0   39  *
*   7538   53.6   294  3.5   199   12.3   14.7   *   0   0   27  *
*   7535   38.8   127  3.5   198   12.1   14.3   *   0   0   48  *
*   7532   56.5   357  3.4   196   11.4   14.2   **  *   18  100  66  *
*   7532           4 DIPS  69.6  20   68.2  341  49.7  301  42.1  39  *
*   7529   56.0   47   3.5   197   11.6   14.3   *   0   91  48  *
*   7526   29.4   124  3.8   195   11.3   14.4   *   0   0   44  *
*   7523   56.5   336  3.8   195   11.9   14.6   A   22  100  42  *
*   7520   34.0   52   3.5   195   11.2   14.7   *   0   42  39  *
*   7517   62.5   312  3.8   196   10.7   14.3   *   0   100  66  *
*   7514   65.3   260  3.2   192   11.1   14.0   *   0   0   67  *
*   7511   64.2   210  3.9   196   12.5   14.3   **  C   17  100  63  *
*   7511           4 DIPS  73.0  214  68.7  180  35.3  184  66.8  245  *
*   7508   35.1   251  3.8   193   12.0   14.3   **  B   10  100  31  *
*   7508           4 DIPS  45.2  239  30.8  225  24.1  276  42.2  267  *
*   7505   14.7   181  3.5   194   11.6   14.0   *   0   10  24  *
*   7502   35.4   222  3.7   190   11.5   13.9   *   0   38  15  *
*   7499   20.6   92   3.9   191   12.9   14.4   **  A   10  100  45  *
*   7499           4 DIPS  65.5  45   52.7  315  54.4  204  60.8  119  *
*   7496   17.3   207  3.7   188   13.5   15.5   *   0   18  55  *
*   7493   16.3   236  3.4   191   13.6   16.0   B   0   100  13  *
*   7490   18.1   129  3.5   191   13.0   15.4   *   0   10  12  *
*   7487   10.7   103  3.4   190   12.2   14.8   *   0   29  46  *
*   7484   51.3   234  3.7   195   12.0   14.5   *   0   26  9   *
*   7481   12.2   175  3.5   192   12.3   16.8   *   0   25  45  *
*   7478   68.1   256  3.6   192   15.3   17.4   *   0   10  70  *
*   7475   35.5   154  3.7   193   16.3   17.6   B  100  100  75  *
*   7472   24.8   311  3.8   187   16.7   17.9   C   10  100  53  *
*   7469   26.7   10   3.5   192   13.5   15.2   B   10  100  73  *
*   7466   34.9   162  3.4   200   12.2   14.7   *   0   20  48  *
*   7463   69.3   160  3.7   195   12.3   15.7   C   0   100  67  *
*   7460   42.8   313  3.3   194   15.8   16.7   *   0   26  47  *
*   7457   13.4   209  4.2   193   15.0   16.2   *  10   0   50  *
*   7454   23.6   335  3.5   193   15.0   15.1   *   0   10  13  *
*   7451   NO-CORR           3.6   189   13.5   14.7   *   *   *   *   *
*   7445   70.6   287  3.5   189   14.1   15.4   *   0   0   68  *
*   7442   65.7   231  3.8   189   13.7   15.3   *   0   25  58  *
*   7439   32.1   154  3.6   190   12.5   15.5   B  55  100  57  *
*   7436   59.0   124  3.6   191   12.3   15.5   *   0   0   33  *
*****

```



```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   L8   Q   PLA   CL8   MAX   *
*           AZM           AZM   1-3   2-4   GI                                     *
*****
*
*   7433   41.0   223   3.8   189   12.1   15.5           A   0   100   50   *
*   7430   75.8    81   3.8   187   11.9   15.3           *   0   13   72   *
*   7427   77.7    42   4.2   187   11.9   14.6           *   0   27   57   *
*   7424   43.2   303   3.8   189   12.2   15.0           *   0    0   19   *
*   7421   18.1   240   3.7   189   12.2   14.9           *   0    0    7   *
*   7418   34.8   318   3.8   188   11.5   15.0           C   0   100   23   *
*   7415   55.9   202   3.8   192   11.3   15.4           B   0    62   60   *
*   7412   60.7   171   3.9   189   11.9   14.9           *   0   100   51   *
*   7409   60.5    8    3.9   183   11.6   14.9           D   0   100   54   *
*   7406   17.3   191   3.9   183   11.0   14.5           *   0    0   42   *
*   7403   37.4   131   3.9   185   11.0   14.7           C   0   100   31   *
*****

```

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  L6  Q  PLA  CL6  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 7443  37.7  320  3.8  191  14.1  15.5      * 0  0  14  *
* 7440  72.0  274  3.8  193  13.0  15.8      D  0  100  53  *
* 7437  65.7  236  3.5  193  12.0  15.6      ** C  100  79  74  *
* 7434  22.7  151  3.6  191  12.4  15.7      *  0  0  23  *
* 7431  71.0  78  4.4  189  12.0  15.5      C  0  100  71  *
* 7428  48.9  30  4.5  189  12.0  14.8      C  0  100  24  *
* 7425  46.8  217  3.6  189  12.3  15.3      *  0  0  30  *
* 7422  22.7  68  3.6  188  12.5  15.3      ** D  10  100  53  *
* 7422          4 DIPS  19.4  75  24.9  74  26.2  61  20.9  59  *
* 7419  37.4  301  3.6  190  11.9  15.3      B  0  100  28  *
* 7416  61.5  209  3.7  192  11.6  15.5      C  0  57  54  *
* 7413  66.7  95  4.1  191  12.1  15.1      ** C  36  99  54  *
* 7413          4 DIPS  64.8  110  70.0  98  69.6  83  62.3  90  *
* 7410  44.5  16  3.9  183  11.9  15.3      *  0  0  62  *
* 7407  36.7  82  3.5  183  11.3  14.8      C  0  100  8  *
* 7404  26.4  110  3.8  184  11.0  15.0      *  0  10  2  *
* 7401  36.6  254  3.8  183  11.0  15.3      ** A  10  55  48  *
* 7401          4 DIPS  63.5  7  66.1  282  67.3  217  47.2  142  *
* 7398  43.1  149  3.5  185  11.5  15.3      D  10  78  48  *
* 7395  38.3  22  3.4  185  11.0  15.1      C  0  100  35  *
* 7392  34.7  193  3.9  185  11.1  15.3      C  0  100  68  *
* 7389  69.9  102  3.5  186  11.4  15.3      C  0  100  65  *
* 7386  19.9  333  3.5  187  11.3  15.4      ** C  10  100  26  *
* 7386          4 DIPS  48.1  13  43.4  312  33.8  236  19.6  87  *
* 7383  60.2  102  3.7  188  11.1  15.5      *  0  10  31  *
* 7380  42.3  220  3.8  189  11.6  15.7      *  0  0  36  *
* 7377  39.1  224  3.5  189  12.1  15.1      *  0  0  27  *
* 7374  33.2  356  3.5  187  12.3  14.9      ** B  10  100  22  *
* 7374          4 DIPS  58.0  15  52.0  325  27.0  253  33.4  66  *
* 7371  17.0  305  3.4  188  11.5  15.3      *  0  16  16  *
* 7368  66.7  66  3.5  189  11.9  15.4      B  12  100  43  *
* 7365  31.5  198  3.8  189  11.7  15.2      A  0  100  26  *
* 7362  19.6  88  3.7  189  11.6  15.2      *  0  37  17  *
* 7359  9.2  217  3.7  186  12.0  14.4      B  100  75  49  *
* 7356  5.3  229  3.9  186  12.0  14.4      B  22  100  73  *
* 7353  68.0  130  3.3  186  12.0  14.3      C  0  81  29  *
* 7350  40.0  279  3.5  187  12.0  14.0      *  0  71  30  *
* 7347  24.4  202  3.7  186  12.1  13.6      *  0  0  10  *
* 7344  32.9  114  3.4  189  11.8  13.7      *  0  43  35  *
* 7341  28.6  334  3.1  189  11.8  13.6      *  0  100  42  *
*****

```

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LG	Q	PLA	CLB	MAX	
7338	34.9	54	3.6	187	11.8	13.7	*	0	0	43	*	
7335	38.2	355	3.5	189	12.0	13.7	*	0	15	31	*	
7332	67.1	147	3.4	189	12.1	13.5	**	*	100	98	44	*
7329	42.5	96	3.5	187	12.0	13.2	D	0	85	39	*	
7326	46.9	217	3.3	187	12.0	13.4	*	0	30	18	*	
7323	10.7	349	3.8	187	12.2	14.1	*	0	10	24	*	
7320	25.5	283	3.3	187	12.2	14.3	*	0	0	27	*	
7317	18.1	281	3.5	186	12.3	14.2	A	0	71	23	*	
7314	72.0	144	3.5	186	12.3	13.8	*	10	17	50	*	
7311	36.1	85	3.3	185	12.5	13.7	*	0	0	32	*	
7308	49.4	245	3.1	184	12.4	13.6	*	10	10	57	*	
7305	6.2	209	3.0	184	12.0	13.5	B	0	100	64	*	
7302	28.6	272	3.3	184	12.0	14.0	*	0	16	45	*	
7299	60.2	248	3.3	183	12.2	14.0	*	0	42	37	*	
7296	14.4	326	3.6	186	12.1	13.4	*	0	10	28	*	
7293	58.1	134	3.6	185	12.8	14.2	D	0	100	63	*	
7290	30.4	172	3.3	184	12.7	14.3	*	0	100	24	*	
7287	71.9	305	3.4	185	12.3	14.1	*	10	22	53	*	
7284	63.8	237	3.0	184	12.3	13.9	A	0	100	50	*	
7281	32.0	258	3.3	184	12.2	14.0	B	0	100	33	*	
7278	50.4	169	3.7	185	12.3	13.4	*	0	47	75	*	
7275	37.9	249	2.8	183	12.5	14.0	**	D	10	100	2	*
7275			4 DIPS	58.6	223	34.7	169	37.4	338	58.3	274	*
7272	50.2	76	3.1	184	13.0	14.0	*	0	100	71	*	
7269	12.0	246	3.6	185	13.0	14.0	B	0	100	26	*	
7263	26.6	214	3.3	183	12.6	13.8	*	0	0	36	*	
7260	7.5	165	3.2	185	12.3	13.5	**	B	10	100	65	*
7260			4 DIPS	10.9	55	10.3	265	20.2	193	18.9	133	*
7257	14.1	284	3.3	184	12.4	13.6	*	0	10	13	*	
7254	38.1	170	3.5	185	12.5	13.5	*	0	14	42	*	
7251	43.8	162	3.2	184	12.8	13.7	*	0	10	25	*	
7248	27.0	161	3.4	183	13.2	14.1	**	B	56	100	51	*
7245	17.9	260	3.2	183	12.7	13.6	*	0	27	61	*	
7242	23.7	54	3.3	183	12.8	13.7	*	0	37	70	*	
7239	24.6	306	3.5	182	12.7	13.6	**	D	73	100	67	*
7236	36.7	310	3.3	185	12.5	13.7	A	0	100	47	*	
7233	3.8	2	3.3	185	12.5	13.5	*	0	10	56	*	
7230	32.5	242	3.5	185	12.4	13.3	D	0	100	39	*	
7227	60.1	48	3.3	184	12.8	12.7	**	C	11	75	60	*
7227			4 DIPS	69.6	41	59.1	18	43.4	67	65.3	69	*

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CL0   MAX   *
*           AZM     AZM     AZM     AZM   1-3   2-4   GI                *
*****
*
*   7224   50.4   345   3.5   186   12.3   12.9   *   0   11   25   *
*   7221    3.8    72   3.4   184   12.6   13.2   *   0   10   73   *
*   7218   68.8    46   2.9   186   12.4   13.1   B   0   89   21   *
*   7215   39.3   238   3.5   185   12.1   13.2   B   0  100   50   *
*   7212   42.9   136   3.5   185   12.3   13.3   C   0   73   44   *
*   7209   49.6   232   3.5   185   12.4   13.7   **  C   10  100   36   *
*   7209           4 DIPS  75.6 216   70.1 142   72.1  21  76.5 284 *
*   7206   41.9   222   3.6   186   12.3   13.7   B   10  100   60   *
*   7203   33.2   325   3.5   185   11.7   13.3   *   0   16    5   *
*   7200   71.2   310   3.2   184   12.1   13.3   C   0   61   71   *
*   7197   76.2   327   3.6   183   11.7   13.2   D   0  100   60   *
*   7194   28.7   210   3.6   182   11.9   13.9   *   0    0   26   *
*   7191   44.8   347   3.8   185   12.0   13.9   *   0    0   53   *
*   7188   45.2   184   3.2   182   11.4   13.7   B   0  100   67   *
*   7185   19.2    12   3.6   183   10.9   13.5   *   0   10   18   *
*   7182   26.3   243   3.4   182   11.3   13.1   *   0    0   34   *
*   7179   67.4   323   3.3   184   11.7   13.0   B   98  100   74   *
*   7176   11.6   164   3.1   183   11.7   13.1   *   0   10   23   *
*   7173   51.6    99   3.6   182   11.4   12.8   **  D   10  100   67   *
*   7173           4 DIPS  70.7  66   41.7   8  53.3 176  68.2 117 *
*   7170   58.8   263   3.3   184   11.3   12.9   *   0   10   63   *
*   7167   24.4   255   3.4   180   12.3   14.2   *   0   17   58   *
*   7164   22.6    60   3.8   181   12.6   13.5   C   0   53   69   *
*   7161   32.8   213   3.3   181   12.3   13.3   *   0   13   51   *
*   7158   70.1   160   3.2   183   12.0   13.2   D   0  100   31   *
*   7155   24.2   114   3.5   183   11.4   13.2   C   0  100   56   *
*   7152   36.4   248   3.3   183   11.5   13.0   *   0    0   65   *
*   7149   19.8   223   3.3   182   11.5   12.9   C   0  100   17   *
*   7146   45.8   283   3.5   183   11.7   13.2   A   0  100   42   *
*   7143   77.1   277   3.4   182   11.7   13.0   D   0  100   72   *
*   7140   67.3   293   3.1   181   12.1   13.2   C   10  100   81   *
*   7137   47.2   122   3.4   181   12.2   13.5   *   0    0   28   *
*   7134   25.3   178   3.3   181   12.1   14.0   *   0   14   31   *
*   7131   25.1   203   3.6   181   12.1   14.1   *  10    0   53   *
*   7128   65.3   295   3.6   179   12.1   14.1   C   0  100   63   *
*   7125   28.7   134   3.2   181   12.2   14.0   *   0    0   49   *
*   7122   15.4   122   3.5   180   12.0   13.6   **  B   27   53   39   *
*   7122           4 DIPS  14.1 142   19.6 127  18.2 105  11.2 111 *
*   7119   50.8   135   3.2   181   11.8   13.6   *   0   99   22   *
*   7116   19.0   129   3.3   178   11.9   13.7   C   0  100   26   *
*****

```

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LØ	Q	PLA	CLØ	MAX
7113	20.5	176	3.6	178	12.2	13.7	**	C	100	76	33
7110	50.4	143	3.4	179	11.8	13.3	*		0	34	70
7107	20.2	254	3.3	180	11.5	13.4	*		0	0	33
7104	55.2	62	3.5	182	11.2	13.6		C	0	100	21
7101	41.0	116	3.6	179	10.9	13.7	**	*	12	100	17
7101			4 DIPS	48.1	102	35.0	102	35.2	136	46.8	124
7098	NØ-CØRR		3.6	181	11.0	13.6					
7095	46.5	195	3.7	181	12.2	14.9	*		0	10	23
7092	49.3	76	3.5	183	12.5	15.4	C		10	100	64
7089	37.5	277	3.3	183	12.3	15.3	*		0	49	60
7086	32.7	237	3.5	184	12.3	15.1	*		0	0	64
7083	5.2	194	4.0	182	12.0	15.0	*		0	15	72
7080	29.0	93	3.7	180	11.4	16.0		D	0	100	39
7077	42.2	177	4.2	183	11.6	15.7	C		0	100	31
7074	77.1	340	4.0	183	11.3	15.6	*		0	12	50
7071	27.6	264	3.7	183	12.0	15.0	*		0	0	54
7068	61.7	327	4.0	182	12.5	15.3	C		0	100	36
7065	14.8	300	4.3	186	15.7	16.9	*		10	0	68
7062	39.2	175	3.5	185	15.8	17.2	C		0	100	60
7059	38.1	211	3.6	185	15.9	16.6	**	C	32	100	28
7059			4 DIPS	47.0	226	46.6	197	30.9	183	30.4	236
7056	36.9	127	3.7	185	15.1	15.7	C		0	85	53
7053	31.9	234	3.9	185	13.9	15.3	*		0	10	54
7050	57.2	356	3.9	182	13.7	15.7	*		0	17	73
7047	46.9	215	3.6	184	11.7	14.9	*		0	0	30
7044	69.5	135	3.6	185	12.8	15.2	*		0	23	20
7041	62.0	196	3.2	185	14.3	16.0	**	B	54	100	66
7038	31.3	349	3.9	188	14.3	15.7	*		0	10	38
7035	78.4	47	3.7	184	12.5	15.5	*		0	21	72
7032	69.8	276	3.5	186	12.7	15.4	B		49	100	67
7029	52.2	59	3.6	188	13.3	15.0	*		0	0	39
7026	75.5	103	3.5	188	11.5	14.7	B		10	100	70
7023	65.7	104	3.7	184	10.9	14.5	**	C	10	100	45
7023			4 DIPS	33.6	216	71.0	138	78.3	96	71.1	56
7020	34.2	89	3.7	188	11.1	14.8	*		0	34	37
7017	17.8	217	3.5	185	11.1	14.8	B		33	100	50
7014	73.0	355	3.6	187	11.5	15.1	*		0	12	53
7011	35.2	18	3.8	186	11.3	15.6	B		0	100	29
7008	13.7	312	4.0	183	11.7	15.7	*		0	10	19
7005	11.2	11	3.5	182	12.4	15.5	*		0	0	13

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LØ	Q	PLA	CLØ	MAX
7002	18.0	135	3.6	182	11.7	15.5	*	0	29	38	*
6999	38.2	16	3.5	183	11.8	15.5	**	C	35	51	55
6999			4 DIPS	42.3	36	46.1	13	38.0	352	28.6	21
6996	38.3	242	3.7	183	11.3	15.1	*	0	0	27	*
6993	18.9	275	3.8	183	11.7	15.3	*	0	10	21	*
6990	33.6	237	3.9	183	11.7	15.4	*	0	11	35	*
6987	16.3	360	3.7	184	11.4	15.4	*	0	18	29	*
6984	36.6	182	3.9	183	11.1	15.5	*	0	36	27	*
6981	41.0	292	3.8	183	11.4	15.6	*	0	0	25	*
6978	40.3	139	3.9	181	12.0	15.5	*	0	0	69	*
6975	37.8	165	4.3	183	11.6	15.8	*	0	10	34	*
6972	25.1	191	3.8	184	11.7	15.6	*	0	0	46	*
6969	37.5	317	4.2	185	10.2	15.4	**	*	10	53	50
6969			4 DIPS	31.6	49	53.4	341	59.3	295	31.1	261
6966	32.3	344	3.9	187	10.7	15.4	*	0	0	58	*
6963	38.9	360	4.2	185	10.9	15.2	**	D	20	66	5
6963			4 DIPS	44.4	334	26.5	353	40.2	29	48.6	2
6960	36.5	345	4.1	187	10.8	15.3	*	0	0	21	*
6957	70.3	281	4.1	186	10.7	15.4	*	0	0	46	*
6954	33.3	222	4.3	186	10.9	15.1	D	0	100	35	*
6951	49.9	205	4.3	187	10.7	15.1	*	0	35	9	*
6948	73.0	132	4.1	188	9.9	15.1	A	0	100	41	*
6945	4.7	98	4.0	188	10.2	15.4	*	0	0	28	*
6942	69.6	91	4.1	190	10.6	15.7	*	0	0	47	*
6939	23.9	290	4.4	192	10.8	15.9	*	0	0	29	*
6936	79.1	286	3.5	191	10.4	15.5	*	0	22	39	*
6933	22.9	243	4.5	191	10.3	15.9	*	19	41	43	*
6930	15.5	204	4.3	192	10.8	16.1	*	0	0	48	*
6927	49.0	111	4.4	192	10.6	16.3	*	10	99	75	*
6924	36.4	304	4.1	193	10.1	16.4	A	0	100	45	*
6921	74.5	54	4.4	194	9.7	16.5	**	A	28	100	30
6921			4 DIPS	79.2	76	79.7	44	72.6	11	66.1	71
6918	47.6	108	4.4	195	9.6	16.5	*	0	100	43	*
6915	46.5	343	4.0	193	8.9	16.5	C	0	100	31	*
6912	69.1	150	4.1	193	8.8	16.5	C	0	100	37	*
6909	39.8	17	4.3	189	8.7	16.7	*	0	48	19	*
6906	54.3	7	4.4	189	8.8	16.9	B	0	100	37	*
6903	27.0	8	4.7	193	9.8	17.0	**	D	10	100	68
6903			4 DIPS	66.0	106	65.1	22	70.6	308	40.9	218
6900	50.4	50	4.5	190	9.9	17.0	A	0	100	33	*

```

*****
* DEPTH  DIP  DIP  DEV  BEV  DIAM  DIAM  LØ  Q  PLA  CLØ  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 6897  21.6  231  4.3  188  9.7  16.8  **  B  11  100  39  *
* 6897          4 DIPS  47.4  277  39.8  218  37.2  145  11.5  334  *
* 6894  46.8  40  4.5  186  9.1  16.9  *  B  16  100  75  *
* 6891  25.9  101  4.3  189  13.7  17.9  **  C  10  100  25  *
* 6891          4 DIPS  59.4  114  52.7  51  40.8  309  41.6  180  *
* 6888  50.7  185  4.5  184  15.4  18.0  *  *  0  20  52  *
* 6885  50.3  119  4.4  193  13.1  17.7  *  *  0  0  *  *
* 6882  47.7  295  4.8  188  14.7  17.9  *  *  0  0  30  *
* 6879  42.6  45  4.5  190  14.4  17.5  *  *  0  40  66  *
* 6876  14.6  94  4.3  190  15.0  18.0  *  *  0  10  27  *
* 6873  24.1  130  4.1  194  15.2  17.8  *  D  0  100  54  *
* 6870  25.9  11  4.4  193  15.7  18.0  *  *  0  49  74  *
* 6867  30.5  101  4.1  192  16.4  17.9  *  *  0  0  52  *
* 6864  38.6  182  4.5  191  17.2  18.0  *  *  0  14  57  *
* 6861  43.5  229  4.3  189  17.9  18.0  *  B  18  100  63  *
* 6858  7.2  74  4.5  197  17.7  18.0  **  C  10  100  53  *
* 6858          4 DIPS  27.5  110  28.2  40  19.7  315  18.3  195  *
* 6855  23.0  31  4.1  195  14.8  16.3  *  C  0  98  90  *
* 6852  57.1  197  4.0  198  16.9  18.0  **  C  10  100  79  *
* 6852          4 DIPS  66.2  167  35.1  151  58.3  244  68.1  206  *
* 6849  32.0  228  4.3  204  15.2  16.6  *  *  0  36  70  *
* 6846  45.8  233  4.2  197  15.4  17.5  *  B  0  100  43  *
* 6843  50.8  175  4.3  194  14.5  17.3  *  C  0  85  65  *
* 6840  35.3  22  4.4  202  11.9  18.0  *  C  0  100  59  *
* 6837  16.6  98  4.8  197  12.1  18.0  *  *  0  37  63  *
* 6834  49.8  291  4.6  192  11.9  18.0  **  *  10  100  62  *
* 6834          4 DIPS  83.1  299  72.9  227  76.0  123  79.4  13  *
* 6831  38.7  264  4.7  198  11.2  18.0  *  *  0  0  63  *
* 6828  18.8  194  4.8  198  11.8  17.9  **  B  17  100  65  *
* 6828          4 DIPS  21.9  242  27.9  199  27.1  158  8.7  174  *
* 6825  69.7  125  4.6  198  16.2  18.0  *  B  0  100  77  *
* 6822  69.1  26  4.6  199  15.3  18.0  *  C  0  100  78  *
* 6819  26.4  100  4.6  199  16.7  18.0  *  *  0  0  32  *
* 6816  55.4  223  4.5  200  17.9  18.0  *  *  0  17  58  *
* 6813  33.8  43  4.8  198  16.5  17.5  *  A  0  74  88  *
* 6807  26.0  39  4.1  188  8.3  16.1  *  *  0  48  32  *
* 6804  67.4  179  3.8  187  8.5  13.3  *  C  0  100  31  *
* 6801  75.9  195  4.2  189  8.6  14.4  *  A  0  100  44  *
* 6798  76.2  347  4.4  195  8.7  16.4  *  *  0  0  23  *
* 6795  36.6  15  4.4  197  13.3  17.6  *  *  0  38  26  *
*****

```

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LØ	Ø	PLA	CLØ	MAX	
		AZM	AZM	AZM	1-3	2-4	GI					
6792	32.3	262	4.8	198	17.2	18.0	*	0	26	42	*	
6789	27.3	149	4.3	203	16.8	17.9	C	0	100	68	*	
6786	25.2	338	4.4	201	17.0	17.9	*	0	0	68	*	
6783	26.0	69	4.1	203	18.0	18.0	B	0	100	83	*	
6780	17.9	291	4.4	195	14.7	15.4	D	0	100	85	*	
6777	30.4	223	4.5	195	13.1	14.4	*	0	0	79	*	
6774	33.1	266	4.1	198	16.0	15.1	D	0	100	35	*	
6771	23.9	12	4.4	186	14.9	15.6	C	0	100	63	*	
6768	23.0	250	4.4	185	12.8	13.3	*	0	25	16	*	
6765	31.9	122	5.5	187	13.1	13.2	*	10	48	47	*	
6762	35.4	258	4.4	184	12.0	13.5	C	0	100	58	*	
6759	12.2	51	4.6	185	13.4	14.8	*	0	29	42	*	
6756	26.0	331	4.5	186	12.8	15.0	C	22	100	58	*	
6753	23.5	41	4.3	189	11.1	14.4	*	0	10	16	*	
6750	34.2	337	4.2	189	10.9	14.8	*	0	0	10	*	
6747	35.9	61	4.5	186	10.9	15.2	B	10	100	58	*	
6744	17.5	229	4.4	187	10.2	15.6	*	0	80	31	*	
6741	75.0	18	4.7	189	11.5	17.3	D	0	100	71	*	
6738	73.9	219	5.0	187	12.3	17.2	B	10	100	63	*	
6735	54.8	108	4.3	191	13.9	17.2	**	*	10	100	80	*
6735			4 DIPS	78.2	99	73.7	36	62.4	266	69.9	160	*
6732	32.9	158	4.5	190	12.5	14.1	*	0	0	36	*	
6729	36.9	79	4.3	188	13.8	15.9	C	0	83	65	*	
6726	21.3	118	4.6	189	15.3	18.0	*	0	10	36	*	
6723	8.8	33	4.6	190	14.9	18.0	*	0	49	53	*	
6720	64.1	357	4.7	192	14.5	17.4	C	0	100	63	*	
6717	53.7	95	4.7	188	13.7	17.6	D	0	62	61	*	
6714	44.1	268	4.4	191	11.7	16.9	C	0	100	57	*	
6711	NO-CØRR		4.7	190	12.7	17.5					*	
6708	67.7	298	4.5	191	11.6	17.0	*	0	0	56	*	
6705	21.0	85	4.8	191	11.0	17.5	*	0	0	21	*	
6702	31.9	31	4.7	191	11.9	18.0	C	0	100	34	*	
6699	32.5	149	4.4	195	13.1	18.0	B	0	100	41	*	
6696	26.2	347	4.9	194	12.7	18.0	*	0	51	54	*	
6693	65.8	210	4.8	195	12.1	18.0	D	86	100	85	*	
6690	79.6	352	4.8	194	11.1	17.5	*	0	92	50	*	
6687	18.0	40	4.6	190	16.6	18.0	*	0	43	41	*	
6684	21.7	173	4.4	192	15.2	16.9	*	0	41	65	*	
6681	37.2	340	4.3	192	14.3	17.0	*	0	0	40	*	
6678	18.8	47	4.7	192	13.7	17.4	C	0	90	10	*	



*****												
DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LØ	Q	PLA	CLØ	MAX	*
		AZM	AZM		1-3	2-4	GI					*
*****												
6675	46.4	227	4.7	193	14.7	17.5		B	0	100	45	*
6672	21.3	179	4.4	195	11.8	14.2		C	0	100	74	*
6669	15.4	231	4.1	185	12.8	14.3		*	0	0	0	*
6666	31.8	234	4.8	195	14.7	15.1		C	38	55	67	*
6663	38.4	318	4.7	192	15.1	15.3		*	0	0	45	*
6660	45.5	316	4.4	194	15.2	17.8		C	10	100	42	*
6657	25.7	206	4.8	195	16.3	18.0		*	0	39	19	*
6654	50.6	313	4.1	194	15.7	18.0		B	0	100	69	*
6651	16.4	231	4.3	200	15.1	18.0		*	0	10	68	*
6648	73.0	247	3.9	198	15.8	18.0		B	0	100	78	*
6645	62.5	346	4.1	193	15.9	17.4	**	C	100	100	75	*
6642	28.1	359	4.3	193	11.7	14.4		*	27	47	61	*
6639	70.9	209	4.1	195	12.2	13.9		C	0	100	73	*
6636	46.9	143	4.9	185	12.3	14.5		C	0	100	7	*
6633	75.6	58	4.9	182	12.0	16.2		*	0	0	62	*
6630	6.6	337	4.6	183	11.5	14.9		*	0	0	14	*
6627	44.3	253	4.5	185	10.3	14.5		B	0	57	25	*
6624	74.6	28	4.3	187	10.7	14.5		D	0	100	63	*
6621	18.2	128	3.9	188	9.9	12.7		*	0	100	16	*
6618	81.9	109	3.8	190	8.1	10.3		*	0	100	24	*
6615	8.8	51	3.2	191	8.3	9.6		*	0	0	4	*
6612	64.2	140	3.7	192	8.6	10.4		B	10	55	54	*
6609	69.5	222	4.0	194	10.4	13.9		C	0	100	71	*
6606	32.6	249	3.9	195	11.5	14.4		*	0	0	12	*
6603	75.6	217	3.9	195	11.6	14.9		C	0	100	72	*
6600	34.9	82	4.1	196	12.5	14.8		*	0	0	72	*
6597	60.2	304	4.1	192	11.7	14.1		*	0	28	41	*
6594	19.4	106	4.5	197	11.7	13.7		C	0	76	43	*
6591	15.8	185	4.7	202	12.9	13.2	**	C	10	100	49	*
6591			4 DIPS	19.0	249	30.3	197	27.4	148	7.9	86	*
6588	59.8	79	4.5	200	13.5	13.3	**	C	18	100	57	*
6588			4 DIPS	70.5	93	71.1	56	44.4	34	53.0	125	*
6585	4.5	46	4.3	193	12.9	13.3		*	0	14	52	*
6582	NO-CØRR		4.2	197	12.4	13.1						*
6579	68.4	181	4.3	191	12.3	13.7	**	*	53	100	45	*
6576	58.9	76	4.3	187	15.5	14.9		*	0	30	72	*
6573	22.2	336	4.0	186	17.1	15.1		B	0	100	38	*
6570	75.9	145	3.9	198	14.2	13.1		C	0	100	80	*
6567	58.8	103	4.3	198	13.3	13.4		*	10	47	48	*
6564	25.9	257	3.8	186	12.7	14.0		*	0	43	43	*
*****												

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LG GI	Q	PLA	CL0	MAX
6561	54.5	19	4.4	190	13.0	13.5		D	0	100	55
6558	5.2	215	4.3	190	12.5	13.6	**	B	87	72	67
6555	25.4	102	4.2	186	17.0	14.8		C	0	100	82
6552	14.4	127	4.2	185	17.1	15.4	**	C	10	55	74
6552			4 DIPS	28.5	98	14.0	31	14.3	207	29.9	150
6549	23.5	181	4.0	184	15.9	15.6		B	0	100	42
6546	71.0	3	3.8	193	13.8	13.6	*		0	26	48
6543	8.6	152	4.3	198	15.3	15.4	*		0	38	69
6540	29.1	281	4.6	197	13.6	15.1	*		0	76	64
6537	77.3	66	3.8	194	13.1	11.9	*		0	34	40
6534	35.4	252	4.1	189	13.8	12.1	*		0	33	30
6531	27.8	293	4.6	186	14.1	15.2	C		0	100	14
6528	28.4	183	4.2	185	16.8	17.7	D		0	80	58
6525	37.8	56	3.5	184	16.2	15.8	*		0	33	47
6522	7.3	147	4.0	183	15.0	14.8	*		0	40	72
6519	24.8	75	4.3	188	14.0	14.5	C		0	100	8
6516	21.8	182	3.8	195	14.1	14.0	**	C	10	100	73
6516			4 DIPS	45.6	66	44.8	301	54.4	217	55.4	149
6513	31.4	98	4.0	185	17.6	17.2	C		0	100	44
6510	16.7	36	3.8	187	15.2	14.9	B		0	100	74
6507	72.1	161	4.2	188	13.5	13.2	*		0	23	46
6504	28.3	34	4.3	189	13.4	13.4	*		0	27	22
6501	11.1	327	4.4	183	13.4	13.7	**	D	10	100	50
6501			4 DIPS	19.2	26	26.3	329	19.9	273	5.4	159
6498	54.8	198	4.3	185	13.4	14.2	A		0	55	40
6495	16.3	112	4.2	185	13.2	15.4	**	C	10	80	71
6495			4 DIPS	15.5	114	16.7	114	17.1	110	15.9	109
6492	6.7	258	4.3	188	12.6	15.9	*		0	10	51
6489	45.8	261	3.9	190	12.0	16.7	A		0	100	19
6483	13.4	191	4.1	199	13.7	16.3	C		0	100	31
6480	64.4	320	3.4	194	12.3	17.5	**	C	10	100	72
6480			4 DIPS	75.6	295	52.5	269	60.8	32	75.2	338
6477	25.9	245	3.1	198	12.8	17.9	A		0	54	34
6474	29.3	144	3.4	198	14.8	18.0	C		0	100	86
6471	20.0	143	2.7	197	14.2	18.0	*		0	46	80
6468	69.2	289	3.5	197	13.4	18.0	A		0	100	87
6465	17.9	144	2.7	197	17.7	18.0	**	C	10	100	91
6465			4 DIPS	14.6	165	22.7	155	22.4	131	13.8	125
6462	66.0	195	2.7	204	18.4	18.0	*		0	53	79
6459	68.5	227	2.1	204	11.0	18.0	*		0	16	24

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   Q   PLA   CL0   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   6456   61.8   204   2.3   204   11.1   18.0           C   60   60   75   *
*   6453   31.5   144   2.3   204   10.5   18.0           *   0   21   64   *
*   6450   64.6   159   1.8   205   10.7   18.0           *   19   0   72   *
*   6447   70.7   143   1.7   207   12.3   18.0           C   0   54   56   *
*   6444   77.6    90   1.7   207   12.7   18.0           *   0   37   31   *
*   6441   35.4   137   1.7   209   12.0   18.0           *   0   0    3   *
*   6438   75.9   254   1.9   203   10.9   18.0           C   0   100  52   *
*   6435   NO-CORR           1.9   205    9.8   18.0           *           *           *
*   6432   68.3   155   2.0   203    9.5   18.0           *   0    0   45   *
*   6429   59.9   268   1.6   206   10.3   18.0           D   0   54   49   *
*   6426   79.3   353   1.8   214   11.4   18.0           *   0   100  71   *
*   6423   72.3   356   1.7   205   12.2   18.0           C   0   100  86   *
*   6420   26.3   234   1.6   195   17.8   18.0           *   0    0   17   *
*   6417   35.7    93   1.9   194   18.0   18.0           B   0   100  38   *
*   6414   49.1   246   2.2   207   15.5   18.0           *   0   52   68   *
*   6411   21.3   230   2.3   200   15.6   18.0           *   0   10   66   *
*   6408   54.9   345   2.6   201   14.9   18.0           *   0    0   80   *
*   6405   12.4    48   2.7   198   13.2   17.7           *   0   13   35   *
*   6402   37.8   229   2.9   196   12.9   17.8           B   0   62   36   *
*   6399   48.6   177   3.0   200   11.6   17.3           *   0   28   18   *
*   6396   26.8   279   2.7   187   12.0   17.0           **  C   24  100  14   *
*   6396           4 DIPS  16.9 283  28.6 294  35.2 277  26.8 262 *
*   6393   29.3   343   2.7   191   12.5   16.9           **  B   11  100  23   *
*   6393           4 DIPS  30.4 27  41.5 350  39.1 312  15.3 320 *
*   6390   33.2   203   2.5   201   13.0   16.8           C   0   100  32   *
*   6387   40.4   286   2.7   220   13.8   16.1           *   0   100  51   *
*****

```