
ROP (M/HR)
WOB (KLBS)
RPM
TVD(m) BIT and CSG MD(m)
LITHOLOGY
SHOW
TOTAL GAS:
CONN. GAS:
TRIP GAS:
Δ TEMP.
BULK DENSITY
GM/CC
SHALE FACTOR
Me/100g
% TOTAL CO3 CALCIMETRY
SONIC ΔT (msec./ft)
PORE PRESSURE:
MUD WEIGHT:
ECD:
LEAK OFF:
REMARKS
LITH. TOPS
COMPANY PHILLIPS PET. CO.
WELL I/9-6
DESIGNATION EXPLORATION
SEMI-SUB 'SEDCO 703'
21 MARCH, 1982
RKB - MSL 25.45 M
MSL - SEABED 75.6 M
RKB - SEABED 101 M
36" CSG SHOE AT 467.8M
20" CSG SHOE AT 963 M
13 3/8" CSG SHOE AT 1626.7 M
9 5/8" CSG SHOE AT 3140 M
7" LINER SHOE SET AT 3660 m.
T.D. 3660 m. MD (3572.2 m. TVD)
+ LEAK OFF TEST 1732 kg/l MW EQUIV.
TOOL UNABLE TO PASS 1222M
LEAK OFF TEST 1857 kg/l MW EQUIV.
LEAK OFF TEST 2056 kg EQUIV MUD WEIGHT
CLY: LT BN,GY,SFT,AMORPH STKY.
CARB MAT/WOOD FRAGS: BLK,BN,PYR.
SD: CLR,FN-VFN,SUB RND, MOD W SRTD.
SHELL FRAGS
CLY: GY,SFT,STKY,SLTY, AMORPH,CALC.
TR PYRITE
SLTST: BN,SFT,BLKY.
SD: CLR,WH,ORNG,FN GRN, PRLY,SRTD,LSE.
CLYST: BLK,SFT FRM,CAL
CLY: GY,LT-GY,V SFT,STKY, SL CALC.
SLTST: LT GN, SFT-FRM, SPKLD,BLKY,SUB-FISS, SL CALC.
CLYST: GY-GYBN,SFT,MOD FRM,BLKY,OCC AMORPH, MOD CALC.
SLTST: LT BN,MOD SFT,BLKY CALC, DULL YELL FLUOR, SLO DFF CUT.
SLTST: A/A, DULL YELL SP FLUOR, NO CUT.
LMST: WH, BFF, FRM-HD, MXLN, MOD VIS P, DULL YEL FLUOR, SLO STRMG CUT.
SLTST: MED GY, FM-HD, SPKLD SL CALC.
TR COAL: BLK,HD,BRIT.
CLY/CLYST: LT-MED GY, GY-BN, V SFT-FM, STKY, AMORPH, BLKY, CALC.
LMST: OFF WH, OCC BN, CRMBLY, OCC HD, YELL FLUOR, SLO STRM CUT. GRDS TO DOL I/P LT BN, V HD, BRIT, BLKY.
CLYST: DK GY/BN, MOD SFT - FM, BLKY - SUB FISS, NON CALC.
TR SHELL FRAGS.
PYRITE: DISSEM.
LMST: DK GY, V HD, BLKY, MXLN, ARGIL, YELL FLUOR CRUSH CUT. FORAMS.
CLYST: DK BN, FM, BLKY, SUB FISS, V CALC. & BFF, SFT.
LMST: OFF WH, FM, BLKY, MXLN. TR DULL YELL FLUO
CLYST: DK BN A/A & GY/GN, SFT-FM. BLKY, MOD CALC.
SLTST: DK GY, FM-HD.
TR FORAMS
SH: LT-DK GY, MOD HD, FISS. SL CALC. SLTY V P.
CLYST: DK GY, BN, LT GY. FM-HD, SUB FISS-FISS, SPLINTRY, SL CALC. PYR.
LMST: CRM-BFF, FM-HD. ARGIL; LAM I/P, TR CAL. DULL YEL FLUOR, WHCRSH CUT.
TUFF: LT GY W/FN BK & WH SPCKLES. MOD HD.
TR GLAUCONITE
SST: BFF, OFF WH, TRANSL V FN GN, V HD BLKY, WELL CMTD. CLAY, NO VP.
CLYST: BFF-OFF WH, V SFT. AMORPH, V CALC.
LMST: WH, BFF, V SFT-HD, TR DULL YEL FLUOR, FST STRM CUT. CHALKY, OCC SH LAM.
LMST: A/A, BEC HDR. ALSO MEDSY, HD, MXLN. ARGIL, NO SHOW.
LMST: BFF, A/A, STYLOLITIC, HD, VIS P, DULL YEL FLUOR, SLO STRM CUT.
LMST: LT BR-BFF, HD-V HD, CRYPTOXLN, DULL YELL FLUOR, SLO WH CLDY CUT. OCC STYLOLITES.
LMST: LT BFF, WH, OCC PNK, SFT-FM, OCC HD, BRI LT YELL FLUOR, SLO WH CRUSH CUT.
LMST: LT GY-LT BFF, HD, OCC V HD, MXLN; ALSO BFF-PNK, SFT, BLKY, OCC AMORPH. OCC BRN, DOL.
CLYST: DK GY, FM, BLKY-SUBFISS, NW SLTY, OCC SL CALC. ALSO LT GY, FM, BLKY, NON-CALC.