


UND-ARKIVET	
Nr.: 4	
	IG



EXPLORATION LIBRARY
NOCS 1/3-3 W.45

ID: 38339

elf aquitaine norge a.s COPY 1

REPORT

WELL: 1/3-3

CORE: 1-2-3-4-5-6

Lp/23 8247 0/22		Statoil	
Avd. LET		Sentralarkiv	
Gibh.		Avd. arkiv	
Mott. 26 NOV. 1982		Spec. arkiv	
		DOI	
Avd.			
Over.			
Mott.			
Kopi	Dato	Sign.	Kopi
Opp			Opp
Emneord:			

CORE I

- Subtract 7m to get log depth.

CORE NO.: 1

Permeability


Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
1Horizontal	4129.00	9.1	8.0	0.03	2.70				73.8
1Vertical		6.8		0.03					149.5
2H	4129.30	5.5	6.0	0.04	2.70				126.2
2V		6.4		0.03					149.0
3H	4129.60	9.4	9.6	0.04	2.70				50.6
3V		9.8		0.07					56.9
4H	4129.90	13.4	13.4	0.08	2.71				27.6
4V		13.4		0.08	2.72				
5H	4130.20	8.9	7.6	0.04	2.72				74.1
5V		6.2		0.02	2.66				125.7
6H	4130.50	10.1	10.1	0.19	2.72				42.3
6V		10.0		0.05	2.70				53.4
7H	4130.85	13.5	13.3	0.30	2.70				23.6
7V		13.0		0.24	2.70				28.7
8H	4131.20	5.4	5.0	0.03	2.67				127.3
8V		4.5		0.03	2.63				108.6
9H	4131.50	12.0	12.4	0.05	2.69				27.8
9V		12.7		0.05	2.71				31.3
10H	4131.90	9.1	9.1	0.02	2.72				74.5
10V		9.0		0.03	2.70				81.9

CORE NO.: 1

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
11H	4132.30	10.5	10.8	5.50	2.70			33.8	
11V		11.1		0.03	2.71		47.7		
12H	4133.00	8.6	8.3	0.04	2.69			63.3	
12V		7.9		0.03	2.69		85.6		
13H	4133.35	9.2	8.9	0.05	2.69			47.0	
13V		8.5		0.03	2.68		69.5		
14H	4133.70	11.8	11.8	0.06	2.72			37.6	
14V		11.8		0.04	2.72		39.0		
15H	4134.00	7.7	8.1	0.04	2.68			74.0	
15V		8.5		0.05	2.69		69.2		
16H	4134.20	11.3	11.1	0.08	2.72			48.9	
16V		10.9		0.05	2.71		44.8		
17H	4134.95	10.8	10.5	0.07	2.71			40.8	
17V		10.2		0.12	2.70		45.7		
18H	4135.20	12.0	12.4	0.10	2.70			27.0	
18V		12.8		0.09	2.69		28.7		
19H	4135.50	7.9	7.6	0.02	2.69			88.3	
19V		7.2		0.02	2.69		107.2		
20H	4135.80	6.8	7.7	0.04	2.66			71.0	
20V		8.7		0.02	2.68		71.3		

CORE NO.:.....1.....

Plug No.	Depth m.	\emptyset %	\emptyset av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
21H	4136.35	12.8	12.5	0.10	2.68				25.9
21V		12.1		0.07	2.68			29.0	
22H	4136.85	12.2	12.2	0.07	2.69				29.9
22V		12.1		0.10	2.68			29.8	
23H	4137.50	4.4	4.8	0.02	2.67				134.7
23V		5.1		0.02	2.67			164.7	
24H	4138.60	6.4	6.0	0.05	2.68				60.2
24V		5.5		0.04	2.67			119.8	
25H	4139.65	5.9	5.0	0.03	2.64				64.9
25V		4.1		0.03	2.59			77.2	
26H	4140.40	8.2	8.3	0.03	2.67				49.8
26V		8.3		0.03	2.68			61.6	
27H	4140.95	6.2	6.3	0.05	2.68				75.5
27V		6.4		0.03	2.68				
28H	4141.35	6.3	5.9	0.04	2.66				62.2
28V		5.4		0.03	2.64			71.6	
29H	4141.65	7.1	7.5	0.08	2.68				39.0
29V		7.9		0.05	2.67			53.6	
30H	4141.95	9.3	8.2	0.04	2.70				63.9
30V		7.1		0.02	2.68			82.9	



CORE 2

- Subtract 6.4m to get log depth

CORE NO.: 2

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
38H	4181.00	17.9	17.3	0.94	2.65				20.0
38V		16.7		0.52	2.64			20.3	
39H	4181.30	17.2	16.8	1.51	2.61				19.5
39V		16.4		0.60	2.60			18.5	
40H	4181.60	10.2	10.4	0.09	2.62				27.4
40V		10.5		0.04	2.68			28.8	
41H	4181.90	9.3	8.8	0.06	2.62				27.5
41V		8.2		0.02	2.62			36.5	
42H	4182.20	12.7	12.4	0.13	2.65				25.4
42V		12.1		0.06	2.65			30.4	
43H	4182.50	13.5	13.5	0.39	2.63				21.9
43V		13.4		0.10	2.65			25.6	
44H	4182.80	11.8	10.9	0.47	2.60				22.3
44V		10.0		0.20	2.52			21.9	
45H	4183.10	13.2	12.8	0.33	2.63				25.0
45V		12.3		0.09	2.62			24.4	
46H	4183.40	13.5	13.7	0.17	2.64				22.4
46V		13.9		0.13	2.64			25.8	
47H	4183.70	14.7	14.8	0.51	2.63				22.0
47V		14.9		0.27	2.65			23.5	

CORE NO.:..... 2

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
48H	4184.00	11.3	11.7	0.22	2.63				25.6
48V		12.1		0.07					26.5
49H	4184.35	11.1	11.1	0.22	2.61				24.8
49V		11.0		0.11					2.60
50H	4184.65	15.0	14.9	0.66	2.65				22.0
50V		14.7		0.32					2.65
51H	4184.90	12.7	12.7	0.28	2.66				27.5
51V		12.7		0.09					2.65
52H	4185.20	11.9	11.6	0.26	2.63				25.0
52V		11.2		0.05					2.63
53H	4185.50	9.9	10.3	0.09	2.62				24.2
53V		10.6		0.04					2.63
54H	4185.80	14.1	13.9	0.45	2.65				26.3
54V		13.5		0.09					2.65
55H	4186.40	14.8	14.9	0.84	2.65				22.4
55V		15.0		0.57					2.65
56H	4186.70	13.2	13.3	0.62	2.63				28.5
56V		13.4		0.21					2.63
57H	4187.00	12.6	12.2	0.23	2.66				26.9
57V		11.8		0.08					2.65

CORE NO.: 2


Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
58H	4187.30	16.3	16.3	0.92	2.67				21.7
58V		16.2		0.82	2.66			23.8	
59H	4187.60	9.4	9.8	0.05	2.61				27.9
59V		10.2		0.03	2.63			32.5	
60H	4187.90	10.8	10.9	0.14	2.63				24.9
60V		11.0		0.05	2.65			34.3	
61H	4188.20	10.6	10.8	0.16	2.63				26.6
61V		10.9		0.10	2.63			24.2	
62H	4188.50	13.4	13.0	0.10	2.67				30.9
62V		12.5		0.04	2.66			38.3	
63H	4188.80	11.9	11.8	0.12	2.63				21.8
63V		11.7		0.08	2.63			26.3	
64H	4189.10	10.8	10.7	0.11	2.63				27.1
64V		10.6		0.06	2.62			27.1	
65H	4189.40	11.6	11.3	0.21	2.63				24.1
65V		11.0		0.07	2.64			28.8	
66H	4189.65	6.9	6.7	0.04	2.62				69.6
66V		6.4		0.03	2.61			102.1	
67H	4190.00	7.7	7.6	0.03	2.63				54.3
67V		7.4		0.03	2.61			59.3	

CORE NO.:..... 2

Plug No.	Depth m.	\emptyset %	\emptyset av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
68H	4190.25	7.4	7.6	0.04	2.62				52.4
68V		8.1		0.03	2.63			57.7	
69H	4190.60	10.5	10.3	0.04	2.59				26.4
69V		10.2		0.04	2.59			29.0	
70H	4190.90	12.3	13.2	0.10	2.64				23.7
70V		14.0		0.15	2.65			27.3	
71H	4191.20	10.9	10.9	0.16	2.64				26.5
71V		10.8		0.05	2.64			26.4	
72H	4191.50	10.4	10.5	0.05	2.64				28.5
72V		10.5		0.03	2.64			34.5	
73H	4191.70	11.2	10.4	0.15	2.70				31.3
73V		9.5		0.03	2.61			29.6	
74H	4192.10	11.1	10.9	0.07	2.63				27.1
74V		10.7		0.07	2.64			33.5	
75H	4192.70	12.1	11.5	0.17	2.63				22.0
75V		10.9		0.06	2.61			24.9	
76H	4193.00	15.1	14.9	0.28	2.66				24.8
76V		14.7		0.16	2.66			26.3	
77H	4193.30	14.1	13.6	0.33	2.65				22.7
77V		13.0		0.11	2.65			29.2	

CORE NO.:.....2.....

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
78H	4193.60	8.7	8.6	0.05	2.68				43.3
78V		8.4		0.04	2.68			56.9	
79H	4193.90	13.2	13.0	0.16	2.67				25.4
79V		12.8		0.07	2.66			24.9	
80H	4194.50	9.6	9.5	0.04	2.66				31.2
80V		9.4		0.01	2.66			43.6	
81H	4194.80	11.9	11.7	0.11	2.65				25.4
81V		11.5		0.07	2.66			27.8	
82H	4195.50	13.8	14.0	0.34	2.65				30.7
82V		14.2		0.27	2.65			30.8	
83H	4195.70	12.2	11.8	0.27	2.67				30.2
83V		11.3		0.07	2.66			33.6	
84H	4196.00	13.5	13.5	0.28	2.65				22.3
84V		13.5		0.16	2.66			30.5	
85H	4196.30	16.0	15.8	0.99	2.65				19.6
85V		15.5		0.33	2.64			24.5	
86H	4196.60	16.3	16.6	0.90	2.65				20.4
86V		16.8		0.66	2.65			21.5	
87H	4196.90	13.3	13.3	0.25	2.65				22.1
87V		13.3		0.10	2.65			26.8	



CORE 3

CORE NO.: 3

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
96H	4199.05	16.1	17.1	1.29	2.68				33.7
96V		18.0		0.25	2.69				36.8
97H	4199.30	16.8	17.4	1.80	2.63				27.1
97V		17.9		0.54	2.65				20.9
98H	4199.65	21.4	21.5	5.5	2.64				24.4
98V		21.6		2.49	2.64				27.9
99H	4199.95	17.1	17.5	1.33	2.65				20.4
99V		18.0		0.85	2.64				25.7
100H	4200.20	16.8	16.8	1.86	2.67				19.6
100V		16.8		0.49	2.67				25.6
101H	4200.55	15.8	16.0	1.28	2.66				21.6
101V		16.2		0.60	2.66				28.6
102H	4200.80	15.4	15.6	10.1	2.66				20.9
102V		15.7		0.24	2.66				41.3
103H	4201.10	13.9	14.5	0.30	2.66				27.5
103V		15.1		0.08	2.66				32.3
104H	4201.40	12.4	13.0	0.11	2.67				28.7
104V		13.3		0.05	2.68				25.7
105H	4202.00	14.5	15.7	0.67	2.66				24.4
105V		16.8		0.35	2.65				29.8

CORE NO.: 3


Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
106H	4202.30	16.6	16.6	1.37	2.67				25.6
106V		16.6		0.45	2.67			21.6	
107H	4202.60	14.0	13.5	0.24	2.67				21.3
107V		12.9		0.04	2.67			25.7	
108H	4202.90	16.1	16.5	1.28	2.66				18.6
108V		17.0		0.40	2.67			23.7	
109H	4203.20	17.8	17.5	1.56	2.67				18.4
109V		17.1		0.75	2.66			19.0	
110H	4203.50	14.9	14.7	0.65	2.67				21.6
110V		14.5		0.11	2.67			20.5	
111H	4203.80	13.0	12.9	0.16	2.69				24.2
111V		12.8		0.07	2.69			31.4	
112H	4204.10	13.6	14.0	0.42	2.66				20.8
112V		14.4		0.18	2.67			22.1	
113H	4204.40	17.3	17.2	3.33	2.65				17.1
113V		17.0		1.36	2.66			19.7	
114H	4204.75	19.3	19.4	4.18	2.67				18.5
114V		19.5		2.89	2.66			19.7	
115H	4205.00	19.7	19.5	4.60	2.66				19.1
115V		19.3		2.44	2.65			18.1	

CORE NO.: 3

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
116H	4205.35	21.5	21.6	10.5	2.67				25.6
116V		21.7		7.3	2.66			19.9	
117H	4205.65	16.3	16.6	1.40	2.65				18.6
117V		16.8		1.28	2.65			18.4	
118H	4205.95	20.8	21.3	9.6	2.65				22.4
118V		21.7		7.2	2.66			21.5	
119H	4206.15	20.8	20.6	7.4	2.66				20.3
119V		20.3		4.14	2.66			20.3	
120H	4206.35	15.2	15.3	1.63	2.65				21.0
120V		15.3		0.59	2.65			20.8	
121H	4206.70	18.8	18.7	5.8	2.65				18.6
121V		18.6		1.99	2.66			18.5	
122H	4207.00	19.8	20.5	6.3	2.64				20.9
122V		21.1		3.86	2.65			24.3	
123H	4207.20	21.7	21.9	20.7	2.67				19.8
123V		22.1		9.8	2.65			19.3	
124H	4207.50	23.6	23.5	28.2	2.66				19.6
124V		23.3		23.9	2.65			22.6	
125H	4207.80	21.6	21.7	19.7	2.65				21.8
125V		21.8		12.0	2.66			21.7	

CORE NO.:.....³.....

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
126H	4208.35	21.8	21.6	17.8	2.66				16.9
126V		21.6		10.8	2.66				19.1
127H	4208.65	20.1	20.1	9.3	2.65				21.8
127V		20.1		2.27	2.65				20.1
128H	4208.95	20.4	19.8	8.5	2.65				20.5
128V		19.1		4.02	2.64				18.8
129H	4209.10	19.9	19.5	9.1	2.65				18.7
129V		19.1		0.77	2.66				19.5
130H	4209.40	17.7	17.7	6.0	2.65				17.4
130V		17.6		2.00	2.64				20.9
131H	4209.70	23.0	23.7	27.4	2.66				15.5
131V		24.3		26.0	2.66				16.3
132H	4210.00	22.5	22.6	24.1	2.67				17.1
132V		22.7		6.1	2.66				17.5
133H	4210.30	18.2	18.3	7.3	2.65				15.8
133V		18.4		2.47	2.65				15.4
134H	4210.60	20.9	21.6	17.5	2.66				18.5
134V		22.2		14.3	2.65				16.9
135H	4210.90	15.2	15.0	4.52	2.62				16.6
135V		14.7		0.57	2.63				17.4



CORE 4

CORE NO.:.....4

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
143H	4213.00	22.9	22.4	164.2	2.64				15.2
143V		21.8		20.2	2.65				16.5
144H	4213.30	22.3	22.1	96.10	2.65				16.4
144V		21.9		27.6	2.64				15.1
145H	4213.60	23.5	23.7	139.5	2.66				15.4
145V		23.9		140.8	2.66				16.7
146H	4213.90	26.7	26.1	338.1	2.66				16.1
146V		25.5		248.3	2.66				15.3
147H	4214.20	24.9	24.4	308.2	2.65				16.2
147V		23.9		109.6	2.65				16.2
148H	4214.50	25.4	24.9	299.1	2.65				13.7
148V		24.3		73.0	2.65				13.8
149H	4214.80	25.0	25.7	200.2	2.65				12.0
149V		26.3		195.6	2.65				13.3
150H	4215.10	23.4	23.8	170.1	2.64				17.9
150V		24.2		94.0	2.65				16.3
151H	4215.40	26.3	26.5	309.8	2.64				13.9
151V		26.6		270.8	2.65				14.7
152H	4215.70	24.5	24.0	196.5	2.65				15.8
152V		23.4		82.1	2.65				14.8

CORE NO.:.....4

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
153H	4216.00	19.4	20.0	28.2	2.68				21.7
153V		20.5		4.49	2.67			20.6	
154H	4216.30	22.6	22.3	79.1	2.66				15.6
154V		22.0		43.2	2.66			18.3	
155H	4216.60	24.0	23.8	156.8	2.66				12.8
155V		23.6		86.5	2.65			15.5	
156H	4216.90	25.6	25.2	146.0	2.65				15.7
156V		24.8		109.9	2.65			15.7	
157H	4217.15	24.4	24.7	119.5	2.66				16.2
157V		24.9		56.3	2.67			15.8	
158H	4217.45	23.3	23.4	77.7	2.65				15.5
158V		23.5		56.1	2.65			16.9	
159H	4217.75	22.1	22.2	23.1	2.65				17.4
159V		22.2		14.7	2.63			14.5	
160H	4218.05	21.5	21.8	33.5	2.65				17.8
160V		22.0		29.8	2.63			16.9	
161H	4218.35	24.5	24.4	123.7	2.66				15.8
161V		24.3		42.5	2.66			16.0	
162H	4218.65	20.1	20.6	8.6	2.67				20.6
162V		21.0		5.4	2.67			18.1	

CORE NO.:.....4

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
163H	4218.95	22.2	22.4	95.5	2.66				16.2
163V		22.6		43.4	2.66			15.7	
164H	4219.30	20.0	20.2	22.0	2.65				17.1
164V		20.4		9.0	2.66			16.6	
165H	4219.60	21.6	21.6	61.8	2.67				17.4
165V		21.6		40.8	2.65			16.7	
166H	4219.90	25.9	25.9	275.9	2.66				14.6
166V		25.8		266.7	2.65			15.2	
167H	4220.20	25.9	25.9	292.3	2.65				13.4
167V		25.8		202.0	2.66			15.4	
168H	4220.50	26.5	26.3	231.0	2.67				15.4
168V		26.0		204.4	2.66			14.1	
169H	4220.80	25.8	25.5	294.3	2.65				14.5
169V		25.1		163.5	2.64			17.0	
170H	4221.10	24.7	24.6	236.2	2.66				16.6
170V		24.5		120.4	2.67			16.0	
171H	4221.40	25.7	25.5	307.0	2.65				16.2
171V		25.3		222.8	2.63			16.2	
172H	4221.70	25.1	24.9	284.2	2.65				14.7
172V		24.7		195.6	2.65			14.4	

CORE NO.: 4


Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
173H	4222.00	24.1	23.3	173.8	2.65				15.8
173V		22.5		28.1	2.66			16.9	
174H	4222.30	23.9	24.0	73.9	2.65				16.9
174V		24.1		34.4	2.65			15.6	
175H	4222.60	22.1	22.1	134.2	2.65				15.4
175V		22.0		52.6	2.67			16.3	
176H	4222.90	23.0	22.5	213.3	2.66				17.2
176V		21.9		28.6	2.66			23.0	
177H	4223.20	23.0	23.2	111.2	2.67				20.0
177V		23.3		71.0	2.66			14.7	
178H	4223.50	20.8	21.4	74.4	2.66				16.2
178V		22.0		90.9	2.65			17.9	
179H	4223.80	23.6	23.7	149.1	2.66				18.6
179V		23.8		56.4	2.66			18.5	
180H	4224.10	22.9	23.1	137.9	2.66				16.8
180V		23.2		113.9	2.67			16.6	
181H	4224.40	23.3	23.2	90.2	2.67				16.5
181V		23.1		30.9	2.67			16.8	
182H	4224.70	21.5	21.6	76.8	2.66				17.4
182V		21.7		28.1	2.68			16.3	

CORE NO.: 4

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
183H	4225.00	23.0	23.1	71.9	2.67				15.4
183V		23.2		28.6	2.67				16.6
184H	4225.30	23.1	23.2	140.3	2.67				16.4
184V		23.3		124.1	2.67				17.0
185H	4225.60	20.7	20.9	32.0	2.65				20.7
185V		21.0		30.5	2.64				18.4
186H	4225.90	19.3	19.3	25.1	2.66				21.4
186V		19.3		4.40	2.66				20.0
187H	4226.20	20.2	20.4	28.9	2.67				17.9
187V		20.6		22.2	2.66				17.3
188H	4226.50	22.0	21.9	64.6	2.65				20.8
188V		21.8		31.7	2.65				18.6
189H	4226.80	16.4	16.4	14.2	2.64				17.6
189V		16.4		1.43	2.64				22.0
190H	4227.10	14.2	14.2	79.6	2.62				19.1
190V		14.1		0.95	2.62				23.3
191H	4227.40	19.4	19.3	33.5	2.65				18.1
191V		19.2		4.26	2.65				21.5
192H	4227.70	21.4	21.9	45.2	2.66				17.2
192V		22.4		40.1	2.66				16.8

CORE NO.:.....4.....


Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
193H	4228.00	20.8	21.1	33.0	2.65				19.6
193V		21.3		5.6	2.65			16.6	
194H	4228.30	19.9	20.8	46.5	2.64				16.6
194V		21.6		26.2	2.65			17.9	
195H	4228.60	13.9	15.3	3.92	2.62				24.1
195V		16.7		3.40	2.62			23.7	
196H	4228.90	20.0	20.2	22.4	2.66				19.5
196V		20.4		3.72	2.66			18.7	
197H	4229.20	21.3	20.7	38.6	2.66				18.8
197V		20.0		4.18	2.66			20.8	
198H	4229.50	24.9	24.6	280.0	2.64				18.1
198V		24.2		181.9	2.64			14.7	
199H	4229.80	22.8	23.1	115.8	2.64				17.0
199V		23.3		87.4	2.64			18.8	
200H	4230.10	23.6	23.1	180.5	2.64				18.8
200V		22.6		58.9	2.64			17.1	
201H	4230.40	17.8	18.6	20.1	2.68				19.8
201V		19.4		15.4	2.67			19.4	
202H	4230.60	18.5	18.7	23.0	2.67				19.7
202V		18.9		2.09	2.69			38.1	



CORE 5

CORE NO.: 5

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
204H	4231.05	22.9	22.1	97.7	2.67				19.4
204V		21.3		18.4	2.67			18.8	
205H	4231.30	22.9	22.9	103.8	2.67				19.5
205V		22.8		65.1	2.67			20.1	
206H	4231.60	23.4	22.9	97.3	2.68				25.1
206V		22.4		62.3	2.67			24.1	
207H	4231.90	23.5	23.5	108.8	2.66				18.0
207V		23.4		95.0	2.66			17.0	
208H	4232.20	19.3	19.3	29.4	2.67				21.1
208V		19.3		4.21	2.67			22.4	
209H	4232.50	24.0	24.2	127.9	2.66				17.4
209V		24.3		159.1	2.66			16.1	
210H	4232.80	22.7	23.0	38.3	2.66				21.1
210V		23.3		68.0	2.65			16.6	
211H	4233.10	19.6	20.0	28.8	2.67				17.6
211V		20.4		4.58	2.67			20.5	
212H	4233.40	22.4	22.2	100.7	2.66				21.0
212V		21.9		72.6	2.66			19.2	
213H	4233.70	23.8	23.6	150.5	2.66				18.0
213V		23.4		102.2	2.66			17.6	



CORE 6

CORE NO.:.....6.....

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
217H	4239.00	23.1	23.1	82.1	2.66			:	13.6
217V		23.0		28.2	2.68		14.6		
218H	4239.30	18.9	19.0	22.3	2.69				18.4
218V		19.1		3.54	2.68		17.9		
219H	4239.60	24.3	24.3	144.9	2.66				16.6
219V		24.2		104.8	2.66		13.6		
220H	4240.00	21.8	22.2	69.0	2.67				17.1
220V		22.6		28.4	2.68		20.7		
221H	4240.15	23.1	23.0	118.8	2.67				17.0
221V		22.9		78.3	2.67		15.9		
222H	4240.50	22.6	22.5	60.8	2.67				16.1
222V		22.4		27.8	2.67		14.8		
223H	4240.80	21.3	21.4	29.7	2.67				17.0
223V		21.4		43.7	2.66		15.3		
224H	4241.10	22.3	22.3	46.9	2.67				18.4
224V		22.3		27.9	2.67		15.3		
225H	4241.40	22.1	22.1	88.4	2.67				15.4
225V		22.1		53.5	2.67		18.3		
226H	4241.70	22.2	22.2	70.7	2.67				15.9
226V		22.2		56.4	2.67		14.2		

CORE NO.:.....6.....

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
227H	4242.70	23.6	23.7	141.0	2.66				13.7
227V		23.7		133.3	2.66				14.1
228H	4242.30	22.2	22.3	177.0	2.66				15.7
228V		22.3		79.3	2.66				15.2
229H	4242.60	21.1	21.1	84.2	2.67				16.9
229V		21.9		40.7	2.69				15.1
230H	4242.90	21.4	21.7	89.1	2.67				16.4
230V		22.0		69.9	2.66				14.2
231H	4243.20	22.1	21.8	137.4	2.67				15.2
231V		22.3		73.3	2.67				15.7
232H	4243.50	22.9	22.8	183.9	2.66				15.7
232V		22.6		135.8	2.66				15.7
233H	4243.80	22.6	22.6	131.0	2.67				15.9
233V		22.6		99.7	2.67				15.6
234H	4244.10	20.0	20.2	66.7	2.66				16.4
234V		20.4		17.8	2.66				16.1
235H	4244.45	21.6	21.6	132.4	2.67				15.6
235V		21.5		89.5	2.68				15.8
236H	4244.75	20.6	20.8	69.6	2.69				17.1
236V		21.0		17.3	2.68				16.6

CORE NO.:.....6

Plug No.	Depth m.	Ø %	Ø av. %	K mD	Grain density calcul. g/cc	Grain density measured g/cc	Residual water sat. %	Residual HC sat. %	Formation Factor
237H	4245.00	22.8	23.2	268.4	2.66				15.5
237V		23.5		247.6	2.66			14.0	
238H	4245.30	24.2	22.9	654.3	2.66				13.6
238V		21.5		28.0	2.67			17.0	
239H	4245.60	20.8	20.4	43.9	2.68				18.1
239V		20.0		4.11	2.68			17.9	
240H	4245.90	24.2	24.5	387.5	2.66				15.7
240V		24.7		456.1	2.66			14.7	
241H	4246.20	24.6	24.4	473.7	2.65				15.8
241V		24.2		78.6	2.66			15.3	
242H	4246.50	26.8	26.8	1018.9	2.65				14.6
242V		26.8		1116.2	2.65			12.3	
243H	4246.80	24.7	24.1	216.1	2.66				16.0
243V		23.5		148.2	2.66			14.7	
244H	4247.05	27.3	26.9	489.3	2.66				13.6
244V		26.4		966.7	2.65			13.7	
245H	4247.25	24.7	24.5	473.7	2.65				15.2
245V		24.2		279.6	2.65			15.3	
246H	4247.45	22.6	22.5	188.7	2.65				16.4
246V		22.4		137.5	2.65			15.6	

