

- 30-

Table 1 : Lithology description for well NOCS 26/4-1

Depth unit of measure: m

Depth	Type	Grp	Frm	Age	Trb	Sample
Int	Cvd	TOC%	%	Lithology description		
3424.00						0221
	1.26		35	Sh/Clst: brn blk to blk, carb		0221-1L
			30	S/Sst : w to or gy, f, cem, crs, l, ang		0221-2L
			15	Coal : blk		0221-3L
			15	Sh/Clst: m drk gy to m brn gy to drk gy		0221-4L
			5	Sltst : m lt gy to m drk gy, mic, cly		0221-5L
			tr	Cont : lt or		0221-6L
3436.00						0223
	55.20		55	Sh/Clst: brn blk to blk, carb		0223-1L
			40	Coal : blk		0223-2L
			5	S/Sst : w to or gy, f, crs, cem		0223-3L
			tr	Sh/Clst: drk gy		0223-4L
			tr	Sltst : drk gy, mic, prp		0223-5L
3460.00						0227
	43.45		55	Sh/Clst: drk gy to brn blk, carb		0227-1L
			30	Sltst : m lt gy to m drk gy, mic, cly		0227-2L
			10	S/Sst : w to or gy, f, cem, ang		0227-3L
			5	Coal : blk		0227-4L
			tr	Cont : prp		0227-5L
3472.00						0229
	1.27		45	S/Sst : w to or gy, f, cem		0229-1L
			40	Sh/Clst: drk gy to brn blk, carb		0229-2L
			10	Sltst : lt gy to m gy, mic		0229-3L
			5	Coal : blk		0229-4L
			tr	Cont : prp		0229-5L

- 31-

Table 1 : Lithology description for well NOCS 26/4-1

Depth unit of measure: m

Depth	Type	Grp	Frm	Age	Trb	Sample
Int	Cvd	TOC%	%	Lithology description		
3496.00						0233
	30.39	70	Sh/Clst:	drk gy to brn blk to blk, carb		0233-1L
		25	S/Sst	: w to or gy, f, crs, cem, l, ang		0233-2L
		5	Sltst	: m lt gy to m gy, mic		0233-3L
			tr Coal	: blk		0233-4L
			tr Cont	: prp, dd		0233-5L
3514.00						0236
	0.29	95	S/Sst	: w to or gy, f, crs, cem, l		0236-1L
		5	Coal	: blk		0236-2L
			tr Sh/Clst:	brn blk, carb		0236-3L
			tr Cont	: prp		0236-4L
3538.00						0240
	0.45	85	S/Sst	: w to or gy, crs, cem, l		0240-1L
		10	Sh/Clst:	brn blk, carb		0240-3L
		5	Coal	: blk		0240-2L
			tr Cont	: prp, ns		0240-4L
			tr Sltst	: brn gy to m gy, mic		0240-5L
3556.00						0243
	0.29	65	S/Sst	: w to or gy, f, crs, cem		0243-1L
		20	Sh/Clst:	m drk gy to drk gy, slt		0243-2L
		10	Sh/Clst:	dsk brn to brn blk, carb		0243-3L
		5	Sltst	: m lt gy to lt brn gy, mic		0243-4L
			tr Coal	: blk		0243-5L
			tr Cont	: prp		0243-6L
3574.00						0246
	21.38	50	S/Sst	: w to or gy, f, crs, cem, l		0246-1L
		40	Sh/Clst:	dsk brn to brn blk, carb		0246-2L
		10	Sltst	: m lt gy to m drk gy, mic		0246-3L
			tr Coal	: blk		0246-4L
			tr Cont	: prp, Mica-ad		0246-5L

- 32-

Table 1 : Lithology description for well NOCS 26/4-1

Depth unit of measure: m

Depth	Type	Grp	Frm	Age	Trb	Sample	
Int Cvd	TOC%	%	Lithology description				
3586.00						0248	
	0.12	65	S/Sst	: w to or gy, f, crs, cem		0248-1L	
		25	Sh/Clst	: dsk brn to brn blk, carb		0248-2L	
		5	Sltst	: m gy to brn gy, mic		0248-3L	
		5	Coal	: blk		0248-4L	
		tr	Cont	: prp, Mica-ad		0248-5L	

Table 2 : Rock-Eval table for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
2253.00	ccp	S/Sst : lt gy	0.06	0.02	0.16	0.13	0.01	200	1600	0.1	0.75	425	0063-1L
2256.70	ccp	S/Sst : lt ol gy	0.07	0.08	0.02	4.00	0.01	800	200	0.2	0.47	464	0281-1L
2259.80	ccp	S/Sst : lt ol gy	0.07	0.04	0.11	0.36	0.02	200	550	0.1	0.64	298	0282-1L
2264.70	ccp	S/Sst : lt ol gy	0.13	0.03	0.21	0.14	0.02	150	1050	0.2	0.81	297	0274-1L
2270.00	ccp	S/Sst : w to lt gy to m y brn	0.17	0.06	0.46	0.13	0.05	120	920	0.2	0.74	365	0066-1L
2273.00	ccp	S/Sst : lt ol gy	0.09	0.03	0.08	0.38	0.02	150	400	0.1	0.75	333	0275-1L
2282.00	ccp	S/Sst : lt ol gy	0.08	0.04	0.11	0.36	0.01	400	1100	0.1	0.67	326	0276-1L
2285.00	ccp	S/Sst : w to lt gy	0.19	0.07	0.35	0.20	0.03	233	1167	0.3	0.73	360	0069-1L
2288.00	ccp	S/Sst : lt ol gy	0.07	0.03	-	-	0.01	300	-	0.1	0.70	295	0277-1L
2297.30	ccp	S/Sst : lt ol gy	0.12	0.05	0.07	0.71	0.02	250	350	0.2	0.71	360	0278-1L
2640.00	cut	Sh/Clst: drk gy	1.94	35.98	1.01	35.62	6.24	577	16	37.9	0.05	428	0091-1L
2645.00	cut	Sh/Clst: ol gy to drk gy	2.40	40.48	1.17	34.60	7.19	563	16	42.9	0.06	428	0092-1L
2650.00	cut	Sh/Clst: ol gy to drk gy	2.28	39.58	0.69	57.36	7.19	550	10	41.9	0.05	431	0093-1L
2659.00	cut	Sh/Clst: ol gy to drk gy	1.90	27.70	0.67	41.34	5.44	509	12	29.6	0.06	427	0095-1L
2671.00	cut	Sh/Clst: drk gy	2.36	29.98	0.85	35.27	6.03	497	14	32.3	0.07	425	0097-1L

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
2683.00	cut	Sh/Clst: m gy to drk gy	1.30	20.37	1.07	19.04	4.87	418	22	21.7	0.06	429	0099-2L
2689.00	cut	Sh/Clst: drk gy	3.97	40.34	0.85	47.46	9.06	445	9	44.3	0.09	425	0100-1L
2707.00	cut	Sh/Clst: drk gy	1.55	22.66	0.96	23.60	6.34	357	15	24.2	0.06	430	0103-1L
2713.00	cut	Sh/Clst: drk gy	1.84	25.39	0.94	27.01	7.31	347	13	27.2	0.07	430	0104-1L
2719.00	cut	Sh/Clst: drk gy	1.85	27.41	1.07	25.62	8.26	332	13	29.3	0.06	429	0105-1L
2731.00	cut	Sh/Clst: m gy to drk gy	0.99	9.55	1.93	4.95	4.74	201	41	10.5	0.09	436	0107-1L
2737.00	cut	Sltst : drk gy	0.43	2.85	1.91	1.49	1.36	210	140	3.3	0.13	435	0108-1L
2743.00	cut	Sh/Clst: drk gy to dsk brn	0.41	5.02	0.90	5.58	2.27	221	40	5.4	0.08	439	0109-1L
2743.00	cut	S/Sst : lt gy	0.13	0.68	1.46	0.47	0.73	93	200	0.8	0.16	440	0109-2L
2749.00	cut	Sltst : lt gy to m gy	0.31	2.12	1.20	1.77	1.52	139	79	2.4	0.13	437	0110-2L
2754.00	ccp	Sltst : lt ol gy	0.21	0.53	0.13	4.08	0.25	212	52	0.7	0.28	429	0249-1L
2755.00	cut	Sh/Clst: drk gy to drk brn gy	0.55	6.27	1.19	5.27	2.26	277	53	6.8	0.08	440	0111-2L
2757.00	ccp	Sltst : lt ol gy	0.21	0.43	0.16	2.69	0.28	154	57	0.6	0.33	432	0250-1L
2758.60	ccp	Sltst : lt ol gy	0.09	0.25	0.48	0.52	0.21	119	229	0.3	0.26	432	0251-1L
2761.00	cut	Sltst : lt or to or gy	0.12	0.24	3.02	0.08	0.35	69	863	0.4	0.33	432	0112-1L

Table 2 : Rock-Eval table for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
2761.00	ccp	Sltst : lt ol gy	0.15	0.25	0.18	1.39	0.12	208	150	0.4	0.38	428	0252-1L
2765.00	ccp	Coal : ol blk	7.59	55.55	1.48	37.53	36.62	152	4	63.1	0.12	430	0254-2L
2765.30	ccp	S/Sst : lt brn gy	0.05	0.13	0.37	0.35	0.31	42	119	0.2	0.28	446	0255-1L
2767.65	ccp	S/Sst : y gy	0.08	0.06	0.14	0.43	0.05	120	280	0.1	0.57	337	0256-1L
2773.00	cut	Sltst : w to lt or	0.17	0.16	1.54	0.10	0.21	76	733	0.3	0.52	428	0114-1L
2773.50	ccp	S/Sst : y gy	0.07	0.09	0.41	0.22	0.08	113	513	0.2	0.44	402	0258-1L
2778.63	ccp	S/Sst : y gy	0.08	0.13	0.56	0.23	0.10	130	560	0.2	0.38	450	0260-1L
2780.75	ccp	S/Sst : y gy	0.05	0.05	0.17	0.29	0.03	167	567	0.1	0.50	375	0261-1L
2803.00	cut	Sltst : w to lt or	0.16	0.16	0.84	0.19	0.18	89	467	0.3	0.50	399	0119-2L
2821.00	cut	Coal : blk	9.49	110.35	3.44	32.08	61.99	178	6	119.8	0.08	433	0122-1L
2842.00	cut	S/Sst : w to lt brn	0.05	0.23	0.65	0.35	0.50	46	130	0.3	0.18	446	0125-2L
2857.00	cut	Coal : blk	4.79	68.07	2.44	27.90	45.47	150	5	72.9	0.07	438	0128-1L
2875.00	cut	Sltst : lt gy to m gy	0.25	1.73	1.98	0.87	1.63	106	121	2.0	0.13	440	0131-3L
2917.00	cut	Sltst : m gy	0.36	2.45	1.85	1.32	1.45	169	128	2.8	0.13	436	0138-1L
2941.00	cut	Sltst : m gy	0.15	0.82	0.66	1.24	0.56	146	118	1.0	0.15	441	0142-1L

Table 2 : Rock-Eval table for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
2980.00	cut	Sh/Clst: m gy to m drk gy	1.43	13.80	0.94	14.68	2.73	505	34	15.2	0.09	430	0148-1L
3010.00	cut	Sltst : m gy to m lt gy	0.47	4.31	1.26	3.42	1.82	237	69	4.8	0.10	441	0153-1L
3028.00	cut	Sh/Clst: m gy to drk gy	0.39	1.64	1.29	1.27	1.68	98	77	2.0	0.19	446	0156-1L
3058.00	cut	Sh/Clst: m drk gy to drk gy	0.22	1.01	0.87	1.16	1.17	86	74	1.2	0.18	442	0161-1L
3079.00	cut	Sh/Clst: m lt gy to drk gy	0.44	2.31	1.51	1.53	0.99	233	153	2.8	0.16	443	0165-1L
3103.00	cut	Sh/Clst: m lt gy to drk gy	0.38	1.33	1.37	0.97	1.34	99	102	1.7	0.22	442	0169-1L
3133.00	cut	Sltst : lt gy to m gy	0.37	1.37	0.93	1.47	1.03	133	90	1.7	0.21	444	0174-1L
3163.00	cut	Sltst : m gy	0.28	1.03	1.80	0.57	1.15	90	157	1.3	0.21	437	0179-1L
3193.00	cut	Sltst : m lt gy to m drk gy	0.39	1.62	1.08	1.50	0.90	180	120	2.0	0.19	440	0184-1L
3217.00	cut	Sh/Clst: m gy to m drk gy	0.66	4.14	0.64	6.47	1.04	398	62	4.8	0.14	434	0188-1L
3277.00	cut	Sltst : m drk gy to drk gy	0.57	3.92	0.64	6.13	2.24	175	29	4.5	0.13	438	0198-1L
3307.00	cut	S/Sst : w	0.11	0.17	0.49	0.35	0.21	81	233	0.3	0.39	439	0203-1L
3311.25	ccp	S/Sst : ol gy to lt ol gy	0.35	0.61	0.23	2.65	0.50	122	46	1.0	0.36	441	0264-1L
3312.00	ccp	Sh/Clst: m gy	1.14	4.74	2.02	2.35	3.28	145	62	5.9	0.19	433	0265-1L
3314.65	ccp	Sh/Clst: ol blk	1.00	6.30	0.31	20.32	3.23	195	10	7.3	0.14	439	0268-1L

Table 2 : Rock-Eval table for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
3315.55	ccp	S/Sst : y gy to m y brn	0.07	0.17	0.66	0.26	0.23	74	287	0.2	0.29	438	0269-1L
3316.10	ccp	Sh/Clst: drk gy	0.71	3.53	0.27	13.07	2.08	170	13	4.2	0.17	433	0270-1L
3319.00	cut	S/Sst : w to lt brn gy	0.15	0.39	0.14	2.79	0.40	98	35	0.5	0.28	442	0204-2L
3325.00	cut	S/Sst : w to lt brn gy	0.14	0.30	0.79	0.38	0.37	81	214	0.4	0.32	490	0205-1L
3358.00	cut	Sh/Clst: m gy to drk gy	1.52	10.79	0.43	25.09	6.30	171	7	12.3	0.12	440	0210-1L
3382.00	cut	Sh/Clst: brn blk to blk	8.77	75.89	1.27	59.76	33.43	227	4	84.7	0.10	445	0214-1L
3400.00	cut	Sltst : m lt gy to m drk gy	0.83	4.27	1.15	3.71	2.70	158	43	5.1	0.16	440	0217-1L
3412.00	cut	Sh/Clst: brn blk	18.41	125.22	1.53	81.84	48.19	260	3	143.6	0.13	448	0219-1L
3424.00	cut	S/Sst : w to or gy	0.33	1.49	0.92	1.62	1.26	118	73	1.8	0.18	443	0221-2L
3436.00	cut	Coal : blk	14.78	115.83	1.91	60.64	55.20	210	3	130.6	0.11	450	0223-2L
3460.00	cut	Sh/Clst: drk gy to brn blk	13.52	110.96	1.60	69.35	43.45	255	4	124.5	0.11	450	0227-1L
3472.00	cut	S/Sst : w to or gy	0.20	0.53	0.91	0.58	1.27	42	72	0.7	0.27	450	0229-1L
3496.00	cut	Sh/Clst: drk gy to brn blk to blk	9.14	70.70	1.18	59.92	30.39	233	4	79.8	0.11	448	0233-1L
3514.00	cut	S/Sst : w to or gy	0.09	0.16	0.53	0.30	0.29	55	183	0.3	0.36	458	0236-1L
3538.00	cut	S/Sst : w to or gy	0.13	0.32	0.50	0.64	0.45	71	111	0.4	0.29	456	0240-1L

Table 2 : Rock-Eval table for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	S1	S2	S3	S2/S3	TOC	HI	OI	PP	PI	Tmax	Sample
3556.00	cut	S/Sst : w to or gy	0.08	0.16	0.32	0.50	0.29	55	110	0.2	0.33	452	0243-1L
3574.00	cut	Sh/Clst: dsk brn to brn blk	9.50	60.38	1.08	55.91	21.38	282	5	69.9	0.14	444	0246-2L
3586.00	cut	S/Sst : w to or gy	0.06	0.04	0.30	0.13	0.12	33	250	0.1	0.60	450	0248-1L

Table 3 : Thermal Maturity Data for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ Lithology	Vitrinite Reflectance (%)	Number of Readings	Standard Deviation	Spore Fluorescence Colour	SCI	T _{max} (°C)	Sample
1130.00	cut S/Sst : w	0.30	20	0.03	3	-	-	0007-1L
1350.00	cut Sh/Clst: lt ol gy	0.32	20	0.05	3-4	3.0	-	0018-1L
1430.00	cut Sh/Clst: lt ol gy	0.29	20	0.04	3+4	-	-	0022-1L
1550.00	cut Sh/Clst: lt ol gy to lt brn gy	0.34	20	0.07	3+4	3.5(?)	-	0027-1L
1630.00	cut Sh/Clst: lt ol gy to m gy	0.39	20	0.04	4	-	-	0031-1L
1750.00	cut Sh/Clst: lt ol gy to ol gy	0.45	5	0.03	4	-	-	0037-1L
1850.00	cut Sh/Clst: lt ol gy	0.39	20	0.05	4	-	-	0042-1L
1930.00	cut Sh/Clst: lt ol gy	0.42	20	0.04	4+5	-	-	0046-1L
2036.00	cut Sh/Clst: m brn to brn gy	NDP	-	-	5+6	-	-	0051-1L
2135.00	cut Sh/Clst: lt gy to m gy	0.45	1	0.00	3+4	4.0-4.5	-	0056-1L
2231.00	cut Sh/Clst: m gy	0.49	4	0.04	4	-	-	0061-1L
2263.00	ccp Sh/Clst: lt gy to pl pi	0.45	4	0.03	4	5.0-5.5(?)	-	0065-1L
2385.00	cut Marl : lt gy	-	-	-	-	4.5(?)	-	0077-2L
2465.00	cut Sh/Clst: lt ol gy to ol gy to m gy	0.48	7	0.06	4	-	-	0081-2L

Table 3 : Thermal Maturity Data for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	Vitrinite Reflectance (%)	Number of Readings	Standard Deviation	Spore Fluorescence Colour	SCI	T _{max} (°C)	Sample
2545.00	cut	Sh/Clst: lt ol gy to ol gy	0.48	13	0.05	3+4	-	-	0085-2L
2605.00	cut	Sh/Clst: lt ol gy to ol gy	0.52	7	0.06	4+5	-	-	0088-2L
2640.00	cut	Sh/Clst: drk gy	0.47	20	0.04	4	4.5-5.0(?)	428	0091-1L
2677.00	cut	Sh/Clst: drk gy	0.52	7	0.07	4	-	-	0098-1L
2707.00	cut	Sh/Clst: drk gy	-	-	-	-	5.5(?)	430	0103-1L
2725.00	cut	Sh/Clst: drk gy	0.56	20	0.07	5	-	-	0106-1L
2731.00	cut	Sh/Clst: m gy to drk gy	-	-	-	-	5.5	436	0107-1L
2749.00	cut	Sltst : lt gy to m gy	-	-	-	-	5.5-6.0	437	0110-2L
2773.00	cut	Sltst : w to lt or	NDP	-	-	0	-	428	0114-1L
2821.00	cut	Coal : blk	0.53	20	0.04	5-6	5.5	433	0122-1L
2875.00	cut	Sltst : lt gy to m gy	0.57	9	0.06	5+6	-	440	0131-3L
2923.00	cut	Sltst : m gy to m lt gy	0.52	10	0.06	5	-	-	0139-1L
2980.00	cut	Sh/Clst: m gy to m drk gy	-	-	-	-	5.0	430	0148-1L
3028.00	cut	Sh/Clst: m gy to drk gy	0.58	20	0.06	5	-	446	0156-1L

Table 3 : Thermal Maturity Data for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ Lithology	Vitrinite Reflectance (%)	Number of Readings	Standard Deviation	Spore Fluorescence Colour	SCI	T _{max} (°C)	Sample
3058.00	cut Sh/Clst: m drk gy to drk gy	-	-	-	-	6.0	442	0161-1L
3133.00	cut Sltst : lt gy to m gy	0.63	14	0.05	4+5	-	444	0174-1L
3163.00	cut Sltst : m gy	-	-	-	-	6.0-6.5	437	0179-1L
3217.00	cut Sh/Clst: m gy to m drk gy	0.58	20	0.09	6	6.5	434	0188-1L
3277.00	cut Sltst : m drk gy to drk gy	0.57	20	0.06	6	-	438	0198-1L
3337.00	cut Coal : blk	0.61	20	0.07	6	-	-	0207-2L
3376.00	cut Coal : blk	0.62	20	0.06	6	-	-	0213-4L
3382.00	cut Sh/Clst: brn blk to blk	-	-	-	-	6.5-7.0	445	0214-1L
3436.00	cut Coal : blk	-	-	-	-	6.5	450	0223-2L
3496.00	cut Sh/Clst: drk gy to brn blk to blk	0.65	20	0.07	6+7	-	448	0233-1L
3574.00	cut Sh/Clst: dsk brn to brn blk	0.59	20	0.06	5	6.5-7.0	444	0246-2L

Table 4 : Visual Kerogen Composition Data for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	L I P T %	A m o r p h o u s e %	L i p o l a r	S / P o l a r	C o n d e n s i t y	R e s i d u e	A l k a l i n e	D i a r y	A r o m a t i c	I n d e t e r m i n e d	F u s i o n	S e n s i t i v e	M e t h o d	S c r e e n	B i o g e n e r a t o r	V o l u m e %	T e l l u r i a n	C o l l e c t e d	V o l u m e	A m o u n t	B i o g e n e r a t o r	Sample	
1350.00	cut	Sh/Clst: lt ol gy	65	**	*		**	*					25	*					10	*					0018-1L
1550.00	cut	Sh/Clst: lt ol gy to lt brn gy	50	*	**	*	*	**	*				10	*					40	*					0027-1L
2135.00	cut	Sh/Clst: lt gy to m gy	80	**	**	*		*	*				10	*					10	*					0056-1L
2263.00	ccp	Sh/Clst: lt gy to pl pi	20		**	*		*	*				70	*					10	*					0065-1L
2385.00	cut	Marl : lt gy	50		**	*		*	*				45	*					5	*					0077-2L
2640.00	cut	Sh/Clst: drk gy	95	**	*	*		**	*				5	*					TR	*					0091-1L
2707.00	cut	Sh/Clst: drk gy	70	**	*	*		*	*		?		25	*	*				5	*	**				0103-1L
2731.00	cut	Sh/Clst: m gy to drk gy	50	**		*		*	*				40	*	**				10	*	**				0107-1L
2749.00	cut	Sltst : lt gy to m gy	65	**	*	*	*	**	*				30	*	**				5	*	**				0110-2L
2821.00	cut	Coal : blk	TR			*	*	*					25	**	*				75	*					0122-1L
2980.00	cut	Sh/Clst: m gy to m drk gy	90	**	*	*	*	*	*				5	**	*				5	*	*				0148-1L
3058.00	cut	Sh/Clst: m drk gy to drk gy	45		*	**	*	*					15	**	*				40	**	*				0161-1L

Table 4 : Visual Kerogen Composition Data for well NOCS 26/4-1

Depth unit of measure: m

Depth	Typ	Lithology	L A L S C D I S I M S V C V A										Sample												
			%	L	t	l	l	n	e	l	t	L		%	n	s	t	n	o	I	%	n	n	t	V
3163.00	cut	Sltst : m gy	30	*	**	**	*				20	*	*						50	*	*	*			0179-1L
3217.00	cut	Sh/Clst: m gy to m drk gy	55	*	**	**	*	*			25	*	**						20	*		**			0188-1L
3382.00	cut	Sh/Clst: brn blk to blk	35	*	**	*					15	**	*						50	**	*	*			0214-1L
3436.00	cut	Coal : blk	10	*	**	*					15	*							75	*	*		*		0223-2L
3574.00	cut	Sh/Clst: dsk brn to brn blk	70	**	*	*	*			*	TR	*							30	*			*	*	0246-2L