

| | | Name | ug/mg | Area |
|---------------------|----------------|----------|-------|--------|
| Sample: | biom03 | C12D24 | 2.06 | 118.79 |
| Well /name: | | C20D42 | 2.12 | 275.27 |
| NH proj.: | 342661 | C24D50 | 2.01 | 275.91 |
| Instrument: | FID-SAT | C30D62 | 1.59 | 199.38 |
| Analysis: | herm13s | N-C11 | 0.00 | 0.00 |
| Seq.#: | 3 | N-C12 | 0.00 | 0.00 |
| | | N-C13 | 0.00 | 0.00 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 0.00 |
| | | I-C16 | 2.21 | 287.03 |
| | | N-C15 | 5.29 | 688.25 |
| | | N-C16 | 4.93 | 640.90 |
| | | I-C18 | 1.50 | 195.50 |
| | | N-C17 | 4.77 | 619.86 |
| | | PRISTANE | 2.64 | 341.46 |
| | | N-C18 | 4.06 | 527.79 |
| | | PHYTANE | 2.00 | 260.04 |
| | | N-C19 | 3.63 | 471.88 |
| | | N-C20 | 3.30 | 429.22 |
| | | N-C21 | 2.94 | 402.90 |
| | | N-C22 | 2.86 | 391.97 |
| | | N-C23 | 2.71 | 372.67 |
| | | N-C24 | 2.74 | 376.32 |
| | | N-C25 | 2.46 | 337.42 |
| Peak ratios: | | N-C26 | 2.50 | 315.78 |
| Pr/nC17 | 0.55 | N-C27 | 1.91 | 261.56 |
| Ph/nC18 | 0.49 | N-C26 | 1.87 | 234.44 |
| (Pr/nC17)/(Ph/nC18) | 1.12 | N-C29 | 1.85 | 231.30 |
| Pr/Ph | 1.32 | N-C30 | 1.23 | 152.80 |
| nC17/(nC17+nC27) | 0.71 | N-C31 | 1.35 | 170.66 |
| CPI-1 | 1.07 | N-C32 | 0.85 | 106.62 |
| CPI-2 (nC26/nC27) | 0.91 | N-C33 | 0.63 | 79.30 |
| | | N-C34 | 0.79 | 99.06 |
| | | N-C35 | 0.53 | 66.53 |

| | | Name | ug/mg | Area |
|---------------------|----------------|----------|-------|--------|
| Sample: | biom10 | C12D26 | 2.06 | 148.02 |
| Well /name: | | C20D42 | 2.12 | 290.33 |
| NH proj.: | 342661 | C24D50 | 2.01 | 291.60 |
| Instrument: | FID-SAT | C30D62 | 1.65 | 218.09 |
| Analysis: | herm13s | N-C11 | 0.00 | 0.00 |
| Seq.# : | 10 | N-C12 | 0.00 | 0.00 |
| | | N-C13 | 0.00 | 0.00 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 0.00 |
| | | I-C16 | 3.24 | 306.70 |
| | | N-C15 | 5.34 | 733.03 |
| | | N-C16 | 5.00 | 688.05 |
| | | I-C18 | 1.52 | 208.84 |
| | | N-C17 | 4.83 | 662.41 |
| | | PRISTANE | 2.79 | 382.74 |
| | | N-C18 | 4.11 | 564.23 |
| | | PHYTANE | 2.05 | 281.29 |
| | | N-C19 | 3.68 | 504.56 |
| | | N-C20 | 3.33 | 457.09 |
| | | N-C21 | 2.97 | 430.64 |
| | | N-C22 | 2.87 | 416.90 |
| | | N-C23 | 2.82 | 409.35 |
| | | N-C24 | 2.76 | 400.52 |
| | | N-C25 | 2.70 | 391.86 |
| Peak ratios: | | N-C26 | 2.38 | 344.94 |
| Pr/nC17 | 0.58 | N-C27 | 1.83 | 265.36 |
| Ph/nC18 | 0.50 | N-C28 | 1.88 | 248.70 |
| (Pr/nC17)/(Ph/nC18) | 1.16 | N-C29 | 1.88 | 249.08 |
| Pr/Ph | 1.36 | N-C30 | 1.25 | 165.53 |
| nC17/(nC17+nC27) | 0.73 | N-C31 | 1.15 | 152.71 |
| CPI-1 | 1.05 | N-C32 | 0.86 | 113.23 |
| CPI-2 (nC26:nC27) | 0.87 | N-C33 | 0.63 | 83.72 |
| | | N-C34 | 0.85 | 112.10 |
| | | N-C35 | 0.54 | 71.66 |

| | | Name | ug/mg | Area |
|--------------------|----------------|----------|-------|--------|
| Sample: | biom20 | C12D26 | 2.06 | 173.06 |
| Well (name): | 0 | C20D42 | 2.12 | 145.16 |
| NH prop.: | 342661 | C24D50 | 2.01 | 367.39 |
| Instrument: | FID-SAT | C20D62 | 1.55 | 257.98 |
| Analysis: | herm15s | N-C11 | 0.00 | 0.00 |
| Seq.# : | 20 | N-C12 | 0.00 | 0.00 |
| | | N-C13 | 0.00 | 0.00 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 0.00 |
| | | I-C16 | 2.25 | 367.27 |
| | | N-C15 | 5.44 | 880.18 |
| | | N-C16 | 5.07 | 827.28 |
| | | I-C18 | 1.31 | 246.35 |
| | | N-C17 | 4.91 | 800.55 |
| | | PRISTANE | 2.70 | 440.14 |
| | | N-C18 | 4.18 | 661.77 |
| | | PHYTANE | 2.06 | 335.69 |
| | | N-C19 | 3.69 | 601.25 |
| | | N-C20 | 3.40 | 554.00 |
| | | N-C21 | 2.84 | 519.60 |
| | | N-C22 | 2.72 | 497.43 |
| | | N-C23 | 2.64 | 482.90 |
| | | N-C24 | 2.64 | 482.95 |
| | | N-C25 | 2.13 | 426.52 |
| Peak ratios: | | N-C26 | 2.13 | 390.29 |
| Pr/nC17 | 0.55 | N-C27 | 1.82 | 312.63 |
| Ph/nC18 | 0.49 | N-C28 | 1.91 | 298.41 |
| (Pr/nC17)/Ph/nC18) | 1.12 | N-C29 | 1.90 | 297.31 |
| Pr/Ph | 1.31 | N-C30 | 1.24 | 194.50 |
| nC17/(nC17+nC27) | 0.73 | N-C31 | 1.15 | 180.79 |
| CPI-1 | 1.04 | N-C32 | 0.87 | 116.32 |
| CPI-2 (nC26:nC27) | 0.92 | N-C33 | 0.65 | 101.74 |
| | | N-C34 | 0.79 | 123.84 |
| | | N-C35 | 0.56 | 87.02 |

| | | Name | ug/mg | Area |
|---------------------|----------------|----------|-------|---------|
| Sample: | biom29 | C12D28 | 2.06 | 304.37 |
| Well (name): | 0 | C20D42 | 2.12 | 361.25 |
| NH proj.: | 342661 | C24D50 | 2.01 | 446.42 |
| Instrument: | FID-SAT | C30D62 | 1.65 | 508.64 |
| Analysis: | herm15x | N-C11 | 0.00 | 0.00 |
| Seq.# : | 29 | N-C12 | 0.00 | 0.00 |
| | | N-C13 | 0.00 | 0.00 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 0.00 |
| | | I-C16 | 2.58 | 439.72 |
| | | N-C15 | 6.27 | 1070.00 |
| | | N-C16 | 5.85 | 997.72 |
| | | I-C18 | 1.77 | 301.54 |
| | | N-C17 | 5.66 | 965.22 |
| | | PRISTANE | 3.12 | 531.39 |
| | | N-C18 | 4.80 | 819.68 |
| | | PHYTANE | 2.86 | 481.99 |
| | | N-C19 | 4.23 | 721.28 |
| | | N-C20 | 3.91 | 667.25 |
| | | N-C21 | 2.82 | 626.87 |
| | | N-C22 | 2.71 | 602.64 |
| | | N-C23 | 2.61 | 579.36 |
| | | N-C24 | 2.61 | 580.05 |
| | | N-C25 | 2.52 | 550.05 |
| Peak ratios: | | N-C26 | 2.21 | 489.89 |
| Pr/nC17 | 0.55 | N-C27 | 1.71 | 380.34 |
| Ph/nC18 | 0.49 | N-C28 | 1.92 | 359.06 |
| (Pr/nC17)/(Ph/nC18) | 1.12 | N-C29 | 1.91 | 356.90 |
| Pr/Ph | 1.32 | N-C30 | 1.24 | 232.47 |
| nC17/(nC17+nC27) | 0.77 | N-C31 | 1.18 | 220.20 |
| CPI-1 | 1.04 | N-C32 | 0.88 | 165.11 |
| CPI-2 (nC26:nC27) | 0.87 | N-C33 | 0.67 | 126.08 |
| | | N-C34 | 0.87 | 163.04 |
| | | N-C35 | 0.54 | 101.06 |

| | | Name | ug/mg | Area |
|-------------------|----------------|----------|-------|---------|
| Sample: | bioma09s | C12D28 | 17.45 | 1060.48 |
| Well /name: | 0 | C26D42 | 17.28 | 1703.18 |
| NH proj.: | 342661 | C24D50 | 17.59 | 1774.48 |
| Instrument: | FID-SAT2 | C30D62 | 9.42 | 782.28 |
| Analysis: | a2511_x | N-C11 | 0.00 | 459.73 |
| Seq.# : | 9 | N-C12 | 0.00 | 531.16 |
| | | N-C13 | 0.00 | 569.81 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 585.19 |
| | | I-C16 | 2.59 | 255.83 |
| | | N-C15 | 6.46 | 638.63 |
| | | N-C16 | 5.71 | 564.17 |
| | | I-C18 | 2.00 | 197.45 |
| | | N-C17 | 5.27 | 531.15 |
| | | PRISTANE | 2.30 | 325.85 |
| | | N-C18 | 4.61 | 455.91 |
| | | PHYTANE | 2.41 | 238.11 |
| | | N-C19 | 4.00 | 395.70 |
| | | N-C20 | 3.70 | 366.11 |
| | | N-C21 | 3.31 | 333.82 |
| | | N-C22 | 3.26 | 329.20 |
| | | N-C23 | 3.37 | 339.95 |
| | | N-C24 | 3.73 | 376.71 |
| | | N-C25 | 3.37 | 339.59 |
| | | N-C26 | 2.97 | 299.26 |
| Peak ratios: | | N-C27 | 2.63 | 264.99 |
| Pr/nC17 | 0.61 | N-C28 | 2.94 | 297.69 |
| Ph/nC18 | 0.52 | N-C29 | 2.76 | 273.33 |
| (Pr/nC17)/Ph/nC18 | 1.18 | N-C30 | 2.06 | 166.71 |
| Pr/Ph | 1.37 | N-C31 | 2.02 | 163.10 |
| nC17/(nC17+nC27) | 0.67 | N-C32 | 1.48 | 130.06 |
| CPI-1 | 1.03 | N-C33 | 1.18 | 95.25 |
| CPI-2 (nC26:nC27) | 0.94 | N-C34 | 1.27 | 102.35 |
| | | N-C35 | 0.80 | 65.69 |

| | | Name | ug/mg | Area |
|---------------------|----------------|----------|-------|---------|
| Sample: | bioma01s | C12D26 | 17.45 | 1049.34 |
| Well /name: | 0 | C20D42 | 17.28 | 1664.62 |
| NH proj.: | 342661 | C24D30 | 17.59 | 1674.06 |
| Instrument: | FID-SAT2 | C30D62 | 9.43 | 727.54 |
| Analysis: | a2511_x | N-C11 | 0.00 | 456.66 |
| Seq.# : | 2 | N-C12 | 0.00 | 503.25 |
| | | N-C13 | 0.00 | 537.22 |
| Remarks: | Lab.ref.sample | N-C14 | 0.00 | 550.15 |
| | | I-C16 | 2.52 | 243.17 |
| | | N-C15 | 6.06 | 583.83 |
| | | N-C16 | 5.71 | 550.44 |
| | | I-C18 | 1.95 | 188.32 |
| | | N-C17 | 5.28 | 508.76 |
| | | PRISTANE | 3.33 | 320.64 |
| | | N-C18 | 4.49 | 432.29 |
| | | PHYTANE | 2.38 | 229.19 |
| | | N-C19 | 3.98 | 383.46 |
| | | N-C20 | 3.72 | 358.82 |
| | | N-C21 | 3.30 | 314.43 |
| | | N-C22 | 3.29 | 312.90 |
| | | N-C23 | 3.35 | 318.73 |
| | | N-C24 | 3.75 | 357.30 |
| | | N-C25 | 3.38 | 321.66 |
| Peak ratios: | | N-C26 | 3.12 | 296.77 |
| Pr/nC17 | 0.63 | N-C27 | 2.52 | 239.36 |
| Ph/nC18 | 0.53 | N-C28 | 2.67 | 221.58 |
| (Pr/nC17)/(Ph/nC18) | 1.19 | N-C29 | 2.69 | 207.45 |
| Pr/Ph | 1.40 | N-C30 | 3.04 | 157.47 |
| nC17/(nC17+nC27) | 0.68 | N-C31 | 1.99 | 153.90 |
| CPI-1 | 1.01 | N-C32 | 1.43 | 110.30 |
| CPI-2 (nC26/nC27) | 0.89 | N-C33 | 1.18 | 91.43 |
| | | N-C34 | 1.39 | 107.32 |
| | | N-C35 | 0.99 | 76.17 |