

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3	NOR	96024-109	2500.0	2500.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-110	2510.0	2510.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-111	2520.0	2520.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-112	2530.0	2530.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-113	2540.0	2540.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-114	2550.0	2550.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-115	2560.0	2560.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-116	2570.0	2570.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-117	2580.0	2580.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-118	2590.0	2590.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-119	2600.0	2600.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-120	2610.0	2610.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-121	2620.0	2620.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-122	2630.0	2630.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-123	2640.0	2640.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-124	2650.0	2650.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-125	2660.0	2660.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-126	2670.0	2670.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-127	2680.0	2680.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-128	2690.0	2690.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-129	2700.0	2700.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-130	2710.0	2710.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-131	2720.0	2720.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-132	2730.0	2730.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-133	2740.0	2740.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-134	2750.0	2750.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-135	2760.0	2760.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-136	2770.0	2770.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-137	2780.0	2780.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-138	2790.0	2790.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-139	2800.0	2800.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-140	2810.0	2810.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-141	2820.0	2820.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-142	2830.0	2830.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-143	2840.0	2840.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-144	2850.0	2850.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-145	2860.0	2860.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-146	2870.0	2870.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-147	2880.0	2880.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-148	2890.0	2890.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-149	2900.0	2900.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-150	2910.0	2910.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-151	2920.0	2920.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-152	2930.0	2930.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-153	2940.0	2940.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-154	2950.0	2950.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-155	2960.0	2960.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-156	2970.0	2970.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-157	2980.0	2980.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-158	2990.0	2990.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-159	3000.0	3000.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-160	3010.0	3010.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-161	3020.0	3020.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-162	3030.0	3030.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-163	3040.0	3040.0	*	*	*	*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3	NOR	96024-164	3050.0	3050.0	*	*		*	*	*	
6406/2-3	NOR	96024-165	3060.0	3060.0	*	*		*	*	*	
6406/2-3	NOR	96024-166	3070.0	3070.0	*	*		*	*	*	
6406/2-3	NOR	96024-167	3080.0	3080.0	*	*		*	*	*	
6406/2-3	NOR	96024-168	3090.0	3090.0	*	*		*	*	*	
6406/2-3	NOR	96024-169	3100.0	3100.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-170	3110.0	3110.0	*	*		*	*	*	
6406/2-3	NOR	96024-171	3120.0	3120.0	*	*		*	*	*	
6406/2-3	NOR	96024-172	3130.0	3130.0	*	*		*	*	*	
6406/2-3	NOR	96024-173	3140.0	3140.0	*	*		*	*	*	
6406/2-3	NOR	96024-174	3150.0	3150.0	*	*		*	*	*	
6406/2-3	NOR	96024-175	3160.0	3160.0	*	*		*	*	*	
6406/2-3	NOR	96024-176	3170.0	3170.0	*	*		*	*	*	
6406/2-3	NOR	96024-177	3180.0	3180.0	*	*		*	*	*	
6406/2-3	NOR	96024-178	3190.0	3190.0	*	*		*	*	*	
6406/2-3	NOR	96024-179	3200.0	3200.0	*	*		*	*	*	
6406/2-3	NOR	96024-180	3210.0	3210.0	*	*		*	*	*	
6406/2-3	NOR	96024-181	3220.0	3220.0	*	*		*	*	*	
6406/2-3	NOR	96024-182	3230.0	3230.0	*	*		*	*	*	
6406/2-3	NOR	96024-183	3240.0	3240.0	*	*		*	*	*	
6406/2-3	NOR	96024-184	3250.0	3250.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-185	3260.0	3260.0	*	*		*	*	*	
6406/2-3	NOR	96024-186	3270.0	3270.0	*	*		*	*	*	
6406/2-3	NOR	96024-187	3280.0	3280.0	*	*		*	*	*	
6406/2-3	NOR	96024-188	3290.0	3290.0	*	*		*	*	*	
6406/2-3	NOR	96024-189	3300.0	3300.0	*	*		*	*	*	
6406/2-3	NOR	96024-190	3310.0	3310.0	*	*		*	*	*	
6406/2-3	NOR	96024-191	3320.0	3320.0	*	*		*	*	*	
6406/2-3	NOR	96024-192	3330.0	3330.0	*	*		*	*	*	
6406/2-3	NOR	96024-193	3340.0	3340.0	*	*		*	*	*	
6406/2-3	NOR	96024-194	3350.0	3350.0	*	*		*	*	*	
6406/2-3	NOR	96024-195	3360.0	3360.0	*	*		*	*	*	
6406/2-3	NOR	96024-196	3370.0	3370.0	*	*		*	*	*	
6406/2-3	NOR	96024-197	3380.0	3380.0	*	*		*	*	*	
6406/2-3	NOR	96024-198	3390.0	3390.0	*	*		*	*	*	
6406/2-3	NOR	96024-199	3400.0	3400.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-200	3410.0	3410.0	*	*		*	*	*	
6406/2-3	NOR	96024-201	3420.0	3420.0	*	*		*	*	*	
6406/2-3	NOR	96024-202	3430.0	3430.0	*	*		*	*	*	
6406/2-3	NOR	96024-203	3440.0	3440.0	*	*		*	*	*	
6406/2-3	NOR	96024-204	3450.0	3450.0	*	*		*	*	*	
6406/2-3	NOR	96024-205	3460.0	3460.0	*	*		*	*	*	
6406/2-3	NOR	96024-206	3470.0	3470.0	*	*		*	*	*	
6406/2-3	NOR	96024-207	3480.0	3480.0	*	*		*	*	*	
6406/2-3	NOR	96024-208	3490.0	3490.0	*	*		*	*	*	
6406/2-3	NOR	96024-209	3500.0	3500.0	*	*		*	*	*	
6406/2-3	NOR	96024-210	3510.0	3510.0	*	*		*	*	*	
6406/2-3	NOR	96024-211	3520.0	3520.0	*	*		*	*	*	
6406/2-3	NOR	96024-212	3530.0	3530.0	*	*		*	*	*	
6406/2-3	NOR	96024-213	3540.0	3540.0	*	*		*	*	*	
6406/2-3	NOR	96024-214	3550.0	3550.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-215	3560.0	3560.0	*	*		*	*	*	
6406/2-3	NOR	96024-216	3570.0	3570.0	*	*		*	*	*	
6406/2-3	NOR	96024-217	3580.0	3580.0	*	*		*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3	NOR	96024-218	3590.0	3590.0	*	*		*	*	*	
6406/2-3	NOR	96024-219	3600.0	3600.0	*	*		*	*	*	
6406/2-3	NOR	96024-220	3610.0	3610.0	*	*		*	*	*	
6406/2-3	NOR	96024-221	3620.0	3620.0	*	*		*	*	*	
6406/2-3	NOR	96024-222	3630.0	3630.0	*	*		*	*	*	
6406/2-3	NOR	96024-223	3640.0	3640.0	*	*		*	*	*	
6406/2-3	NOR	96024-224	3650.0	3650.0	*	*		*	*	*	
6406/2-3	NOR	96024-225	3660.0	3660.0	*	*		*	*	*	
6406/2-3	NOR	96024-226	3670.0	3670.0	*	*		*	*	*	
6406/2-3	NOR	96024-227	3680.0	3680.0	*	*		*	*	*	
6406/2-3	NOR	96024-228	3690.0	3690.0	*	*		*	*	*	
6406/2-3	NOR	96024-229	3700.0	3700.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-230	3710.0	3710.0	*	*		*	*	*	
6406/2-3	NOR	96024-231	3720.0	3720.0	*	*		*	*	*	
6406/2-3	NOR	96024-232	3730.0	3730.0	*	*		*	*	*	
6406/2-3	NOR	96024-233	3740.0	3740.0	*	*		*	*	*	
6406/2-3	NOR	96024-234	3750.0	3750.0	*	*		*	*	*	
6406/2-3	NOR	96024-235	3760.0	3760.0	*	*		*	*	*	
6406/2-3	NOR	96024-236	3770.0	3770.0	*	*		*	*	*	
6406/2-3	NOR	96024-237	3780.0	3780.0	*	*		*	*	*	
6406/2-3	NOR	96024-238	3790.0	3790.0	*	*		*	*	*	
6406/2-3	NOR	96024-239	3800.0	3800.0	*	*		*	*	*	
6406/2-3	NOR	96024-240	3810.0	3810.0	*	*		*	*	*	
6406/2-3	NOR	96024-241	3820.0	3820.0	*	*		*	*	*	
6406/2-3	NOR	96024-242	3830.0	3830.0	*	*		*	*	*	
6406/2-3	NOR	96024-243	3840.0	3840.0	*	*		*	*	*	
6406/2-3	NOR	96024-244	3850.0	3850.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-245	3860.0	3860.0	*	*		*	*	*	
6406/2-3	NOR	96024-246	3870.0	3870.0	*	*		*	*	*	
6406/2-3	NOR	96024-247	3880.0	3880.0	*	*		*	*	*	
6406/2-3	NOR	96024-248	3890.0	3890.0	*	*		*	*	*	
6406/2-3	NOR	96024-249	3900.0	3900.0	*	*		*	*	*	
6406/2-3	NOR	96024-250	3910.0	3910.0	*	*		*	*	*	
6406/2-3	NOR	96024-251	3920.0	3920.0	*	*		*	*	*	
6406/2-3	NOR	96024-252	3930.0	3930.0	*	*		*	*	*	
6406/2-3	NOR	96024-253	3940.0	3940.0	*	*		*	*	*	
6406/2-3	NOR	96024-254	3950.0	3950.0	*	*		*	*	*	
6406/2-3	NOR	96024-255	3960.0	3960.0	*	*		*	*	*	
6406/2-3	NOR	96024-256	3970.0	3970.0	*	*		*	*	*	
6406/2-3	NOR	96024-257	3980.0	3980.0	*	*		*	*	*	
6406/2-3	NOR	96024-258	3990.0	3990.0	*	*		*	*	*	
6406/2-3	NOR	96024-259	4000.0	4000.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-260	4009.0	4009.0	*	*		*	*	*	
6406/2-3	NOR	96024-261	4018.0	4018.0	*	*		*	*	*	
6406/2-3	NOR	96024-262	4027.0	4027.0	*	*		*	*	*	
6406/2-3	NOR	96024-263	4036.0	4036.0	*	*		*	*	*	
6406/2-3	NOR	96024-264	4045.0	4045.0	*	*		*	*	*	
6406/2-3	NOR	96024-265	4054.0	4054.0	*	*		*	*	*	
6406/2-3	NOR	96024-266	4063.0	4063.0	*	*		*	*	*	
6406/2-3	NOR	96024-267	4072.0	4072.0	*	*		*	*	*	
6406/2-3	NOR	96024-268	4081.0	4081.0	*	*		*	*	*	
6406/2-3	NOR	96024-269	4090.0	4090.0	*	*		*	*	*	
6406/2-3	NOR	96024-270	4099.0	4099.0	*	*		*	*	*	
6406/2-3	NOR	96024-271	4108.0	4108.0	*	*		*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas Isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3	NOR	96024-272	4117.0	4117.0	*	*		*			
6406/2-3	NOR	96024-273	4125.0	4125.0	*	*		*			
6406/2-3	NOR	96024-274	4134.0	4134.0	*	*		*			
6406/2-3	NOR	96024-275	4143.0	4143.0	*	*		*			
6406/2-3	NOR	96024-276	4152.0	4152.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-277	4161.0	4161.0	*	*		*			
6406/2-3	NOR	96024-278	4170.0	4170.0	*	*		*			
6406/2-3	NOR	96024-279	4179.0	4179.0	*	*		*			
6406/2-3	NOR	96024-280	4188.0	4188.0	*	*		*	*	*	
6406/2-3	NOR	96024-281	4197.0	4197.0	*	*		*			
6406/2-3	NOR	96024-282	4206.0	4206.0	*	*		*			
6406/2-3	NOR	96024-283	4215.0	4215.0	*	*		*			
6406/2-3	NOR	96024-284	4224.0	4224.0	*	*		*	*	*	
6406/2-3	NOR	96024-285	4233.0	4233.0	*	*		*			
6406/2-3	NOR	96024-286	4242.0	4242.0	*	*		*			
6406/2-3	NOR	96024-287	4260.0	4260.0	*	*		*			
6406/2-3	NOR	96024-288	4269.0	4269.0	*	*		*	*	*	
6406/2-3	NOR	96024-289	4278.0	4278.0	*	*		*			
6406/2-3	NOR	96024-290	4287.0	4287.0	*	*		*			
6406/2-3	NOR	96024-291	4296.0	4296.0	*	*		*			
6406/2-3	NOR	96024-292	4305.0	4305.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-293	4314.0	4314.0	*	*		*			
6406/2-3	NOR	96024-294	4323.0	4323.0	*	*		*			
6406/2-3	NOR	96024-295	4332.0	4332.0	*	*		*			
6406/2-3	NOR	96024-296	4341.0	4341.0	*	*		*			
6406/2-3	NOR	96024-297	4350.0	4350.0	*	*		*	*	*	
6406/2-3	NOR	96024-298	4359.0	4359.0	*	*		*			
6406/2-3	NOR	96024-299	4368.0	4368.0	*	*		*			
6406/2-3	NOR	96024-300	4378.0	4378.0	*	*		*			
6406/2-3	NOR	96024-301	4387.0	4387.0	*	*		*	*	*	
6406/2-3	NOR	96024-302	4396.0	4396.0	*	*		*			
6406/2-3	NOR	96024-303	4405.0	4405.0	*	*		*			
6406/2-3	NOR	96024-304	4414.0	4414.0	*	*		*			
6406/2-3	NOR	96024-305	4423.0	4423.0	*	*		*	*	*	
6406/2-3	NOR	96024-306	4432.0	4432.0	*	*		*			
6406/2-3	NOR	96024-307	4441.0	4441.0	*	*		*			
6406/2-3	NOR	96024-308	4450.0	4450.0	*	*	*	*			
6406/2-3	NOR	96024-309	4459.0	4459.0	*	*		*	*	*	
6406/2-3	NOR	96024-310	4468.0	4468.0	*	*		*			
6406/2-3	NOR	96024-311	4477.0	4477.0	*	*		*			
6406/2-3	NOR	96024-312	4486.0	4486.0	*	*		*			
6406/2-3	NOR	96024-313	4495.0	4495.0	*	*		*	*	*	
6406/2-3	NOR	96024-314	4503.0	4503.0	*	*		*			
6406/2-3	NOR	96024-315	4512.0	4512.0	*	*		*	*	*	
6406/2-3	NOR	96024-316	4521.0	4521.0	*	*		*			
6406/2-3	NOR	96024-316A	4521.0	4521.0	*	*		*			*
6406/2-3	NOR	96024-317	4530.0	4530.0	*	*		*	*	*	
6406/2-3	NOR	96024-318	4539.0	4539.0	*	*		*			
6406/2-3	NOR	96024-319	4548.0	4548.0	*	*		*	*	*	
6406/2-3	NOR	96024-319A	4548.0	4548.0	*	*		*			*
6406/2-3	NOR	96024-320	4557.0	4557.0	*	*		*	*	*	
6406/2-3	NOR	96024-321	4566.0	4566.0	*	*	*	*	*	*	
6406/2-3	NOR	96024-322	4575.0	4575.0	*	*	*	*	*	*	

322 322 23 322 84 84 2

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3T2	NOR	96024-323	2870.0	2870.0	*	*	*	*			
6406/2-3T2	NOR	96024-324	2880.0	2880.0	*	*	*	*			
6406/2-3T2	NOR	96024-325	2890.0	2890.0	*	*	*	*			
6406/2-3T2	NOR	96024-326	2900.0	2900.0	*	*	*	*			
6406/2-3T2	NOR	96024-327	2910.0	2910.0	*	*	*	*			
6406/2-3T2	NOR	96024-328	2920.0	2920.0	*	*	*	*			
6406/2-3T2	NOR	96024-329	2930.0	2930.0	*	*	*	*			
6406/2-3T2	NOR	96024-330	2940.0	2940.0	*	*	*	*			
6406/2-3T2	NOR	96024-331	2950.0	2950.0	*	*	*	*			
6406/2-3T2	NOR	96024-332	2960.0	2960.0	*	*	*	*			
6406/2-3T2	NOR	96024-333	2970.0	2970.0	*	*	*	*			
6406/2-3T2	NOR	96024-334	2980.0	2980.0	*	*	*	*			
6406/2-3T2	NOR	96024-335	2990.0	2990.0	*	*	*	*			
6406/2-3T2	NOR	96024-336	3000.0	3000.0	*	*	*	*			
6406/2-3T2	NOR	96024-337	3010.0	3010.0	*	*	*	*			
6406/2-3T2	NOR	96024-338	3020.0	3020.0	*	*	*	*			
6406/2-3T2	NOR	96024-339	3030.0	3030.0	*	*	*	*			
6406/2-3T2	NOR	96024-340	3040.0	3040.0	*	*	*	*			
6406/2-3T2	NOR	96024-341	3050.0	3050.0	*	*	*	*			
6406/2-3T2	NOR	96024-342	3060.0	3060.0	*	*	*	*			
6406/2-3T2	NOR	96024-343	3070.0	3070.0	*	*	*	*			
6406/2-3T2	NOR	96024-344	3080.0	3080.0	*	*	*	*			
6406/2-3T2	NOR	96024-345	3090.0	3090.0	*	*	*	*			
6406/2-3T2	NOR	96024-346	3100.0	3100.0	*	*	*	*			
6406/2-3T2	NOR	96024-347	3110.0	3110.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-348	3120.0	3120.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-349	3130.0	3130.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-350	3140.0	3140.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-351	3150.0	3150.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-352	3160.0	3160.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-353	3170.0	3170.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-354	3180.0	3180.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-355	3190.0	3190.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-356	3200.0	3200.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-357	3210.0	3210.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-358	3220.0	3220.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-359	3230.0	3230.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-360	3240.0	3240.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-361	3250.0	3250.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-362	3260.0	3260.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-363	3270.0	3270.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-364	3280.0	3280.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-365	3290.0	3290.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-366	3300.0	3300.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-367	3310.0	3310.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-368	3320.0	3320.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-369	3330.0	3330.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-370	3340.0	3340.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-371	3350.0	3350.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-372	3360.0	3360.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-373	3370.0	3370.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-374	3380.0	3380.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-375	3390.0	3390.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-376	3400.0	3400.0	*	*	*	*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3T2	NOR	96024-377	3410.0	3410.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-378	3420.0	3420.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-379	3430.0	3430.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-380	3440.0	3440.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-381	3450.0	3450.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-382	3460.0	3460.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-383	3470.0	3470.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-384	3480.0	3480.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-385	3490.0	3490.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-386	3500.0	3500.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-387	3510.0	3510.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-388	3520.0	3520.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-389	3530.0	3530.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-390	3540.0	3540.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-391	3550.0	3550.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-392	3560.0	3560.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-393	3570.0	3570.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-394	3580.0	3580.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-395	3590.0	3590.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-396	3600.0	3600.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-397	3610.0	3610.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-398	3620.0	3620.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-399	3630.0	3630.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-400	3640.0	3640.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-401	3650.0	3650.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-402	3660.0	3660.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-403	3670.0	3670.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-404	3680.0	3680.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-405	3690.0	3690.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-406	3700.0	3700.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-407	3710.0	3710.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-408	3720.0	3720.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-409	3730.0	3730.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-410	3740.0	3740.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-411	3750.0	3750.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-412	3760.0	3760.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-413	3770.0	3770.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-414	3780.0	3780.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-415	3790.0	3790.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-416	3800.0	3800.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-417	3810.0	3810.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-418	3820.0	3820.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-419	3830.0	3830.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-420	3840.0	3840.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-421	3850.0	3850.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-422	3860.0	3860.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-423	3870.0	3870.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-424	3880.0	3880.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-425	3890.0	3890.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-426	3900.0	3900.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-427	3910.0	3910.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-428	3920.0	3920.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-429	3930.0	3930.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-430	3940.0	3940.0	*	*		*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas Isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3T2	NOR	96024-431	2950.0	2950.0	*	*					
6406/2-3T2	NOR	96024-432	3960.0	3960.0	*	*					
6406/2-3T2	NOR	96024-433	3970.0	3970.0	*	*					
6406/2-3T2	NOR	96024-434	3980.0	3980.0	*	*					
6406/2-3T2	NOR	96024-435	3990.0	3990.0	*	*					
6406/2-3T2	NOR	96024-436	4000.0	4000.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-437	4010.0	4010.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-438	4020.0	4020.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-439	4030.0	4030.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-440	4040.0	4040.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-441	4050.0	4050.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-442	4060.0	4060.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-443	4070.0	4070.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-444	4080.0	4080.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-445	4090.0	4090.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-446	4100.0	4100.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-447	4110.0	4110.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-448	4120.0	4120.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-449	4130.0	4130.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-450	4140.0	4140.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-451	4150.0	4150.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-452	4160.0	4160.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-453	4170.0	4170.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-454	4180.0	4180.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-455	4190.0	4190.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-456	4200.0	4200.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-457	4210.0	4210.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-458	4220.0	4220.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-459	4230.0	4230.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-460	4240.0	4240.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-461	4250.0	4250.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-462	4260.0	4260.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-463	4270.0	4270.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-464	4280.0	4280.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-465	4290.0	4290.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-466	4300.0	4300.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-467	4310.0	4310.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-468	4320.0	4320.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-469	4330.0	4330.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-470	4340.0	4340.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-471	4350.0	4350.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-472	4360.0	4360.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-473	4370.0	4370.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-474	4380.0	4380.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-475	4430.0	4430.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-476	4440.0	4440.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-477	4460.0	4460.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-478	4470.0	4470.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-479	4480.0	4480.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-480	4490.0	4490.0	*	*	*	*	*	*	
6406/2-3T2	NOR	96024-481	4500.0	4500.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-482	4510.0	4510.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-483	4520.0	4520.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-484	4530.0	4530.0	*	*		*	*	*	
6406/2-3T2	NOR	96024-485	4540.0	4540.0	*	*	*	*	*	*	

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	Lithology descriptions	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-312	NOR	96024-486	4550.0	4550.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-487	4551.0	4551.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-488	4560.0	4560.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-489	4569.0	4569.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-490	4578.0	4578.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-491	4587.0	4587.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-492	4596.0	4596.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-492A	4596.0	4596.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-493	4605.0	4605.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-494	4614.0	4614.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-495	4623.0	4623.0	*	*	*	*	*	*	*
6406/2-312	NOR	96024-496	4632.0	4632.0	*	*	*	*	*	*	*

145 174 28 174 59 59 1

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3T3	NOR	96024-497	4587.0	4587.0	*	*		*	*	*
6406/2-3T3	NOR	96024-498	4596.0	4596.0	*	*		*	*	*
6406/2-3T3	NOR	96024-499	4605.0	4605.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-499A	4605.0	4605.0						*
6406/2-3T3	NOR	96024-500	4614.0	4614.0	*	*		*	*	*
6406/2-3T3	NOR	96024-501	4623.0	4623.0	*	*	*		*	*
6406/2-3T3	NOR	96024-502	4632.0	4632.0	*	*		*	*	*
6406/2-3T3	NOR	96024-503	4659.0	4659.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-504	4668.0	4668.0	*	*				*
6406/2-3T3	NOR	96024-505	4677.0	4677.0	*	*		*	*	*
6406/2-3T3	NOR	96024-506	4686.0	4686.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-506A	4686.0	4686.0						*
6406/2-3T3	NOR	96024-507	4695.0	4695.0	*	*		*	*	*
6406/2-3T3	NOR	96024-508	4704.0	4704.0	*	*		*	*	*
6406/2-3T3	NOR	96024-509	4713.0	4713.0	*	*		*	*	*
6406/2-3T3	NOR	96024-510	4722.0	4722.0	*	*		*	*	*
6406/2-3T3	NOR	96024-511	4731.0	4731.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-511A	4731.0	4731.0						*
6406/2-3T3	NOR	96024-512	4740.0	4740.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-512A	4740.0	4740.0						*
6406/2-3T3	NOR	96024-513	4749.0	4749.0	*	*				*
6406/2-3T3	NOR	96024-513A	4749.0	4749.0						*
6406/2-3T3	NOR	96024-514	4758.0	4758.0	*	*	*			*
6406/2-3T3	NOR	96024-515	4767.0	4767.0	*	*		*	*	*
6406/2-3T3	NOR	96024-516	4776.0	4776.0	*	*		*	*	*
6406/2-3T3	NOR	96024-517	4785.0	4785.0	*	*	*			*
6406/2-3T3	NOR	96024-518	4794.0	4794.0	*	*				*
6406/2-3T3	NOR	96024-519	4803.0	4803.0	*	*				*
6406/2-3T3	NOR	96024-520	4812.0	4812.0	*	*				*
6406/2-3T3	NOR	96024-521	4821.0	4821.0	*	*				*
6406/2-3T3	NOR	96024-522	4830.0	4830.0	*	*				*
6406/2-3T3	NOR	96024-523	4839.0	4839.0	*	*				*
6406/2-3T3	NOR	96024-524	4848.0	4848.0	*	*				*
6406/2-3T3	NOR	96024-525	4857.0	4857.0	*	*	*			*
6406/2-3T3	NOR	96024-526	4866.0	4866.0	*	*		*	*	*
6406/2-3T3	NOR	96024-527	4875.0	4875.0	*	*	*			*
6406/2-3T3	NOR	96024-528	4884.0	4884.0	*	*				*
6406/2-3T3	NOR	96024-529	4893.0	4893.0	*	*				*
6406/2-3T3	NOR	96024-530	4902.0	4902.0	*	*	*	*	*	*
6406/2-3T3	NOR	96024-531	4911.0	4911.0	*	*		*	*	*
6406/2-3T3	NOR	96024-532	4920.0	4920.0	*	*				*
6406/2-3T3	NOR	96024-533	4929.0	4929.0	*	*		*	*	*

ANALYTICAL PROGRAM (Table 2)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Headspace gas analysis	Occluded gas analysis	Gas isotope analysis	TOC	Rock Eval Pyrolysis	Solvent Extraction
6406/2-3T3	NOR	96024-534	4938.0	4938.0	*	*				
6406/2-3T3	NOR	96024-535	4947.0	4947.0	*	*	*	*	*	
6406/2-3T3	NOR	96024-536	4956.0	4956.0	*	*				
6406/2-3T3	NOR	96024-537	4965.0	4965.0	*	*				
6406/2-3T3	NOR	96024-538	4974.0	4974.0	*	*				
6406/2-3T3	NOR	96024-539	4983.0	4983.0	*	*		*	*	
6406/2-3T3	NOR	96024-540	4992.0	4992.0	*	*				
6406/2-3T3	NOR	96024-541	5001.0	5001.0	*	*		*	*	
6406/2-3T3	NOR	96024-542	5010.0	5010.0	*	*	*			
6406/2-3T3	NOR	96024-543	5019.0	5019.0	*	*	*			
6406/2-3T3	NOR	96024-544	5028.0	5028.0	*	*				
6406/2-3T3	NOR	96024-545	5037.0	5037.0	*	*				
6406/2-3T3	NOR	96024-546	5046.0	5046.0	*	*	*			
6406/2-3T3	NOR	96024-547	5055.0	5055.0	*	*				
6406/2-3T3	NOR	96024-548	5064.0	5064.0	*	*		*	*	
6406/2-3T3	NOR	96024-549	5073.0	5073.0	*	*				
6406/2-3T3	NOR	96024-550	5082.0	5082.0	*	*	*			
6406/2-3T3	NOR	96024-551	5091.0	5091.0	*	*				
6406/2-3T3	NOR	96024-552	5100.0	5100.0	*	*				
6406/2-3T3	NOR	96024-553	5109.0	5109.0	*	*				
6406/2-3T3	NOR	96024-554	5118.0	5118.0	*	*		*	*	
6406/2-3T3	NOR	96024-555	5127.0	5127.0	*	*		*	*	
6406/2-3T3	NOR	96024-556	5136.0	5136.0	*	*		*	*	
6406/2-3T3	NOR	96024-557	5145.0	5145.0	*	*	*	*	*	
6406/2-3T3	NOR	96024-558	5154.0	5154.0	*	*		*	*	
6406/2-3T3	NOR	96024-559	5163.0	5163.0	*	*				
6406/2-3T3	NOR	96024-560	5172.0	5172.0	*	*				
6406/2-3T3	NOR	96024-561	5181.0	5181.0	*	*		*	*	
6406/2-3T3	NOR	96024-562	5190.0	5190.0	*	*				
6406/2-3T3	NOR	96024-563	5199.0	5199.0	*	*				
6406/2-3T3	NOR	96024-564	5208.0	5208.0	*	*				
6406/2-3T3	NOR	96024-565	5217.0	5217.0	*	*		*	*	
6406/2-3T3	NOR	96024-566	5226.0	5226.0	*	*		*	*	
6406/2-3T3	NOR	96024-567	5235.0	5235.0	*	*		*	*	
6406/2-3T3	NOR	96024-568	5244.0	5244.0	*	*				
6406/2-3T3	NOR	96024-569	5253.0	5253.0	*	*		*	*	

74 74 18 34 34 8

HEADSPACE GAS DATA (Table 3)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Sample Type	C1 uL/Kg rock	C2 uL/Kg rock	C3 uL/Kg rock	iC4 uL/Kg rock	nC4 uL/Kg rock	C5+ uL/Kg rock	SUM C1-C4	SUM C2-C4	Wetness %	iC4 nC4
6406/2-3	NOR	96024-1	1420.0	1420.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-2	1430.0	1430.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-3	1440.0	1440.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-4	1450.0	1450.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-5	1460.0	1460.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-6	1470.0	1470.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-7	1480.0	1480.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-8	1490.0	1490.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-9	1500.0	1500.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-10	1510.0	1510.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-11	1520.0	1520.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-12	1530.0	1530.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-13	1540.0	1540.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-14	1550.0	1550.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-15	1560.0	1560.0	CUT	25958	43	26	10	5	26067	26042	83	0.32	2.23
6406/2-3	NOR	96024-16	1570.0	1570.0	CUT	3039	7	18	1	4	3103	3069	31	0.99	0.33
6406/2-3	NOR	96024-17	1580.0	1580.0	CUT	21235	39	49	12	8	21399	21342	108	0.51	1.59
6406/2-3	NOR	96024-18	1590.0	1590.0	CUT	15271	24	20	10	4	15353	15329	58	0.38	2.42
6406/2-3	NOR	96024-19	1600.0	1600.0	CUT	16580	36	26	15	19	16711	16677	97	0.58	0.80
6406/2-3	NOR	96024-20	1610.0	1610.0	CUT	14949	32	18	9	2	15036	15010	61	0.41	4.32
6406/2-3	NOR	96024-21	1620.0	1620.0	CUT	15741	29	22	8	4	15834	15804	63	0.40	2.30
6406/2-3	NOR	96024-22	1630.0	1630.0	CUT	10724	17	11	2	1	10770	10756	32	0.30	1.82
6406/2-3	NOR	96024-23	1640.0	1640.0	CUT	13068	33	21	3	3	13146	13128	60	0.45	1.08
6406/2-3	NOR	96024-24	1650.0	1650.0	CUT	11863	28	21	2	3	11932	11917	54	0.45	0.84
6406/2-3	NOR	96024-25	1660.0	1660.0	CUT	15630	32	32	4	6	15734	15704	74	0.47	0.67
6406/2-3	NOR	96024-26	1670.0	1670.0	CUT	8994	28	39	5	5	9107	9072	78	0.86	1.02
6406/2-3	NOR	96024-27	1680.0	1680.0	CUT	6672	18	17	3	2	6721	6712	40	0.60	1.10
6406/2-3	NOR	96024-28	1690.0	1690.0	CUT	10386	34	28	5	3	10469	10456	70	0.67	1.62
6406/2-3	NOR	96024-29	1700.0	1700.0	CUT	11796	37	26	6	4	11885	11868	72	0.61	1.52
6406/2-3	NOR	96024-30	1710.0	1710.0	CUT	6988	21	20	3	3	7052	7036	48	0.69	1.00
6406/2-3	NOR	96024-31	1720.0	1720.0	CUT	7152	23	21	4	3	7214	7202	51	0.71	1.17
6406/2-3	NOR	96024-32	1730.0	1730.0	CUT	5436	15	11	2	2	5469	5465	29	0.53	1.06
6406/2-3	NOR	96024-33	1740.0	1740.0	CUT	10299	36	41	8	5	10416	10389	90	0.86	1.66
6406/2-3	NOR	96024-34	1750.0	1750.0	CUT	9153	28	36	7	5	9250	9229	76	0.83	1.52
6406/2-3	NOR	96024-35	1760.0	1760.0	CUT	9504	37	49	13	6	9634	9608	104	1.08	2.31
6406/2-3	NOR	96024-36	1770.0	1770.0	CUT	9070	29	37	12	4	9170	9151	81	0.89	2.90
6406/2-3	NOR	96024-37	1780.0	1780.0	CUT	7387	23	36	15	3	7490	7464	77	1.03	4.29
6406/2-3	NOR	96024-38	1790.0	1790.0	CUT	5736	20	29	15	3	5817	5803	67	1.16	4.64
6406/2-3	NOR	96024-39	1800.0	1800.0	CUT	10052	32	46	31	6	10210	10167	114	1.12	5.60
6406/2-3	NOR	96024-40	1810.0	1810.0	CUT	8058	25	38	26	3	8192	8149	91	1.12	8.48
6406/2-3	NOR	96024-41	1820.0	1820.0	CUT	10999	36	43	24	3	11134	11104	106	0.95	7.61
6406/2-3	NOR	96024-42	1830.0	1830.0	CUT	8360	25	33	15	4	8469	8437	77	0.91	4.16
6406/2-3	NOR	96024-43	1840.0	1840.0	CUT	7283	21	25	10	3	7357	7341	58	0.79	3.47
6406/2-3	NOR	96024-44	1850.0	1850.0	CUT	10093	31	30	10	4	10185	10168	75	0.73	2.81
6406/2-3	NOR	96024-45	1860.0	1860.0	CUT	8253	29	36	12	6	8361	8336	84	1.00	2.10

RL/MEMO/98/661

Page 16 of 89

HEADSPACE GAS DATA (Table 3)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Sample Type	C1 uL/Kg rock	C2 uL/Kg rock	C3 uL/Kg rock	iC4 uL/Kg rock	nC4 uL/Kg rock	C5+ uL/Kg rock	SUM C1-C4	SUM C2-C4	Wetness %	iC4 nC4
6406/2-3	NOR	96024-46	1870.0	1870.0	CUT	11330	47	61	23	10	11515	11472	141	1.23	2.32
6406/2-3	NOR	96024-47	1880.0	1880.0	CUT	9758	41	41	19	7	9888	9866	108	1.09	2.89
6406/2-3	NOR	96024-48	1890.0	1890.0	CUT	7741	34	40	26	8	7872	7850	109	1.39	3.26
6406/2-3	NOR	96024-49	1900.0	1900.0	CUT	12369	64	86	69	13	12659	12600	231	1.84	5.43
6406/2-3	NOR	96024-50	1910.0	1910.0	CUT	5716	26	27	18	6	5808	5795	78	1.35	3.08
6406/2-3	NOR	96024-51	1920.0	1920.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-52	1930.0	1930.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-53	1940.0	1940.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-54	1950.0	1950.0	CUT	18729	120	106	59	15	19072	19028	299	1.57	3.88
6406/2-3	NOR	96024-55	1960.0	1960.0	CUT	16308	96	95	56	11	16609	16566	257	1.55	5.09
6406/2-3	NOR	96024-56	1970.0	1970.0	CUT	12810	71	96	58	14	13118	13049	239	1.83	4.24
6406/2-3	NOR	96024-57	1980.0	1980.0	CUT	14437	69	74	47	9	14685	14635	199	1.36	5.00
6406/2-3	NOR	96024-58	1990.0	1990.0	CUT	13156	77	69	43	8	13387	13354	198	1.48	5.13
6406/2-3	NOR	96024-59	2000.0	2000.0	CUT	12505	68	86	40	12	12759	12712	206	1.62	3.49
6406/2-3	NOR	96024-60	2010.0	2010.0	CUT	16864	89	86	29	12	17126	17080	215	1.26	2.36
6406/2-3	NOR	96024-61	2020.0	2020.0	CUT	12302	63	56	13	8	12465	12442	140	1.13	1.70
6406/2-3	NOR	96024-62	2030.0	2030.0	CUT	10859	64	67	13	7	11039	11010	151	1.37	1.76
6406/2-3	NOR	96024-63	2040.0	2040.0	CUT	13358	77	79	11	12	13575	13537	180	1.33	0.94
6406/2-3	NOR	96024-64	2050.0	2050.0	CUT	11233	65	76	8	8	11424	11391	157	1.38	0.98
6406/2-3	NOR	96024-65	2060.0	2060.0	CUT	7450	52	93	13	17	7677	7624	174	2.29	0.77
6406/2-3	NOR	96024-66	2070.0	2070.0	CUT	14347	87	103	7	12	14607	14556	209	1.43	0.57
6406/2-3	NOR	96024-67	2080.0	2080.0	CUT	9604	62	71	9	9	9786	9755	151	1.54	0.98
6406/2-3	NOR	96024-68	2090.0	2090.0	CUT	2551	23	47	4	7	2662	2632	81	3.09	0.65
6406/2-3	NOR	96024-69	2100.0	2100.0	CUT	3947	44	79	8	17	4154	4095	148	3.62	0.46
6406/2-3	NOR	96024-70	2110.0	2110.0	CUT	4356	38	60	9	16	4508	4479	122	2.73	0.56
6406/2-3	NOR	96024-71	2120.0	2120.0	CUT	4697	43	66	7	16	4861	4829	131	2.72	0.46
6406/2-3	NOR	96024-72	2130.0	2130.0	CUT	5263	51	48	6	9	5398	5378	114	2.12	0.68
6406/2-3	NOR	96024-73	2140.0	2140.0	CUT	4983	53	52	4	11	5121	5102	119	2.34	0.40
6406/2-3	NOR	96024-74	2150.0	2150.0	CUT	4375	40	33	4	7	4474	4459	84	1.89	0.66
6406/2-3	NOR	96024-75	2160.0	2160.0	CUT	5913	43	23	2	6	5998	5987	74	1.24	0.34
6406/2-3	NOR	96024-76	2170.0	2170.0	CUT	5619	40	31	4	11	5720	5705	86	1.51	0.34
6406/2-3	NOR	96024-77	2180.0	2180.0	CUT	6242	41	25	11	10	6344	6328	86	1.36	1.12
6406/2-3	NOR	96024-78	2190.0	2190.0	CUT	6138	38	18	1	9	6220	6205	67	1.08	0.13
6406/2-3	NOR	96024-79	2200.0	2200.0	CUT	7525	37	17	3	5	7598	7587	62	0.81	0.68
6406/2-3	NOR	96024-80	2210.0	2210.0	CUT	5689	33	15	2	9	5757	5748	59	1.02	0.24
6406/2-3	NOR	96024-81	2220.0	2220.0	CUT	5101	31	12	0	3	5154	5147	46	0.89	0.00
6406/2-3	NOR	96024-82	2230.0	2230.0	CUT	7314	40	17	0	10	7392	7380	66	0.90	0.00
6406/2-3	NOR	96024-83	2240.0	2240.0	CUT	4913	32	10	2	4	4967	4961	48	0.96	0.52
6406/2-3	NOR	96024-84	2250.0	2250.0	CUT	7511	50	15	0	5	7583	7581	70	0.92	0.00
6406/2-3	NOR	96024-85	2260.0	2260.0	CUT	7597	91	17	2	7	7720	7714	117	1.52	0.36
6406/2-3	NOR	96024-86	2270.0	2270.0	CUT	569	16	12	2	5	610	605	35	5.83	0.52
6406/2-3	NOR	96024-87	2280.0	2280.0	CUT	3627	41	19	0	7	3707	3695	68	1.83	0.00
6406/2-3	NOR	96024-88	2290.0	2290.0	CUT	5756	64	33	0	12	5879	5865	109	1.86	0.00
6406/2-3	NOR	96024-89	2300.0	2300.0	CUT	8657	130	29	4	5	8839	8825	168	1.90	0.75
6406/2-3	NOR	96024-90	2310.0	2310.0	CUT	3697	53	16	1	2	3775	3769	72	1.91	0.57

RL/MEMO/98/661

Page 17 of 89

HEADSPACE GAS DATA (Table 3)

Well	Nation	Sample Name	Upper Depth	Lower Depth	Sample Type	C1 uL/Kg rock	C2 uL/Kg rock	C3 uL/Kg rock	iC4 uL/Kg rock	nC4 uL/Kg rock	C5+ uL/Kg rock	SUM C1-C4	SUM C2-C4	Wetness %	iC4 nC4
6406/2-3	NOR	96024-91	2320.0	2320.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-92	2330.0	2330.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-93	2340.0	2340.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-94	2350.0	2350.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-95	2360.0	2360.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-96	2370.0	2370.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-97	2380.0	2380.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-98	2390.0	2390.0	CUT	8538	92	35	7	4	8694	8675	137	1.58	1.62
6406/2-3	NOR	96024-99	2400.0	2400.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-100	2410.0	2410.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-101	2420.0	2420.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-102	2430.0	2430.0	CUT	11614	175	80	0	0	11911	11869	256	2.16	
6406/2-3	NOR	96024-103	2440.0	2440.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-104	2450.0	2450.0	CUT	9226	105	67	0	0	9440	9398	172	1.83	
6406/2-3	NOR	96024-105	2460.0	2460.0	CUT	8851	108	47	6	8	9055	9020	169	1.88	0.76
6406/2-3	NOR	96024-106	2470.0	2470.0	CUT	2695	27	14	0	0	2752	2735	41	1.49	
6406/2-3	NOR	96024-107	2480.0	2480.0	CUT	Lid not gas tight - Analysis not possible									
6406/2-3	NOR	96024-108	2490.0	2490.0	CUT	12887	231	111	15	13	13287	13257	370	2.79	1.16
6406/2-3	NOR	96024-109	2500.0	2500.0	CUT	9880	172	107	22	22	10252	10203	323	3.16	1.02
6406/2-3	NOR	96024-110	2510.0	2510.0	CUT	11885	310	184	34	22	12462	12435	550	4.43	1.58
6406/2-3	NOR	96024-111	2520.0	2520.0	CUT	11788	305	241	44	45	12497	12422	634	5.10	0.98
6406/2-3	NOR	96024-112	2530.0	2530.0	CUT	12233	480	362	67	58	13293	13199	967	7.32	1.15
6406/2-3	NOR	96024-113	2540.0	2540.0	CUT	3423	161	204	42	58	4084	3889	465	11.97	0.72
6406/2-3	NOR	96024-114	2550.0	2550.0	CUT	18347	570	368	81	73	19584	19440	1093	5.62	1.11
6406/2-3	NOR	96024-115	2560.0	2560.0	CUT	13665	341	272	51	51	14523	14379	715	4.97	0.99
6406/2-3	NOR	96024-116	2570.0	2570.0	CUT	13216	300	270	59	46	13995	13892	675	4.86	1.29
6406/2-3	NOR	96024-117	2580.0	2580.0	CUT	7491	347	368	90	96	8579	8393	902	10.74	0.94
6406/2-3	NOR	96024-118	2590.0	2590.0	CUT	5150	130	136	29	28	5545	5474	324	5.91	1.05
6406/2-3	NOR	96024-119	2600.0	2600.0	CUT	13490	552	365	75	62	14608	14543	1053	7.24	1.21
6406/2-3	NOR	96024-120	2610.0	2610.0	CUT	11912	401	289	60	46	12778	12709	797	6.27	1.28
6406/2-3	NOR	96024-121	2620.0	2620.0	CUT	11785	247	190	32	47	12414	12301	516	4.20	0.69
6406/2-3	NOR	96024-122	2630.0	2630.0	CUT	9530	538	364	79	65	10678	10576	1046	9.89	1.23
6406/2-3	NOR	96024-123	2640.0	2640.0	CUT	7486	447	296	64	57	8453	8350	865	10.36	1.12
6406/2-3	NOR	96024-124	2650.0	2650.0	CUT	7010	335	266	62	55	7863	7728	718	9.29	1.13
6406/2-3	NOR	96024-125	2660.0	2660.0	CUT	8635	478	322	70	63	9695	9569	933	9.75	1.12
6406/2-3	NOR	96024-126	2670.0	2670.0	CUT	9274	538	406	97	85	10568	10400	1126	10.83	1.14
6406/2-3	NOR	96024-127	2680.0	2680.0	CUT	10799	559	387	87	79	12080	11911	1112	9.34	1.11
6406/2-3	NOR	96024-128	2690.0	2690.0	CUT	4764	174	149	34	36	5263	5157	393	7.62	0.93
6406/2-3	NOR	96024-129	2700.0	2700.0	CUT	1909	60	66	18	17	2119	2071	162	7.83	1.08
6406/2-3	NOR	96024-130	2710.0	2710.0	CUT	10389	179	95	20	23	10776	10706	317	2.96	0.86
6406/2-3	NOR	96024-131	2720.0	2720.0	CUT	4342	126	84	18	20	4650	4591	249	5.42	0.91
6406/2-3	NOR	96024-132	2730.0	2730.0	CUT	6467	200	123	29	28	6937	6846	379	5.54	1.04
6406/2-3	NOR	96024-133	2740.0	2740.0	CUT	5962	201	123	30	30	6439	6346	384	6.05	1.00
6406/2-3	NOR	96024-134	2750.0	2750.0	CUT	4920	165	97	23	23	5306	5227	307	5.88	0.99
6406/2-3	NOR	96024-135	2760.0	2760.0	CUT	4849	122	71	18	17	5139	5076	228	4.48	1.10

RL/MEMO/98/661

Page 18 of 89