



WELL NO.: 33/12-6

OPERATOR: MOBIL

TOTAL DEPTH 4614 m

ELEV KB 26 m

WATER DEPTH 138 m



- | | | | |
|--|----------------------|--|------------------------|
| | Conglomerate Breccia | | Metamorphic |
| | Sand Sandstone | | Igneous |
| | Silt Siltstone | | Lignite Coal |
| | Clay Claystone | | Chert |
| | Shale | | Pyrite Glauconite |
| | Marl | | Macrofossil Fragment |
| | Limestone | | Microfossil Plant remn |
| | Dolomite | | Sandy Sandy (Sandy) |
| | Anhydrite Gypsum | | Argillaceous |
| | Rock salt | | Tuffaceous |

- Core
- Unconformity

- Plio Pliocene
- Mio Miocene
- Oligo Oligocene
- EO Eocene
- Pal Paleocene
- Dan Danian
- Cret Cretaceous
- JR Jurassic
- TR Triassic
- Perm Permian
- Basem Basement
- E Early
- M Middle
- L Late

WELL NO 33/12-6 FIELD Statfjord
 COORDINATES 61°04'36.41"N 01°57'17.76"E
 LICENSEE Statoil/Mobil Group
 LICENSE NO 037
 PERMIT NO 150
 CONTRACTOR Rowan Companies Inc. *
 RIG Nordskald/Dyvi Alpha *
 SPUD DATE 2. March 1976
 COMPLETION DATE 20. June 1976

SPUD CLASSIF Wildcat
 COMPL CLASSIF Plugged & abandoned
 FMTN AT TD Triassic
 PROD FMTN _____
 REMARKS :

* Nordskald was used down to 1835 m where Dyvi Alpha took over. Contractor on Dyvi Alpha was K/S Dyvi Drilling.

CASINGS

| TYPE | DIAM inches | DEPTH BELOW KB m | HOLE DIAM inches | DEPTH BELOW KB m |
|-------|----------------|------------------------|------------------------|------------------------|
| COND | 30 | 241 | 36 | 241 |
| SFC | 20 | 470 | 26 | 484 |
| INT | 13 3/8 | 1824 | 17 1/2 | 1835 |
| INT | 9 5/8 | 2625 | 12 1/4 | 2631 |
| INT | | | 8 1/2 | 4614 |
| LINER | | | | |

CONVENTIONAL CORES

| NO | INTERVAL m | RECOVERY | | |
|----|---------------|----------|---------|----|
| | | m | QUALITY | % |
| 1 | 3736.0-3744.0 | 6.5 | | 81 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

AVAILABLE LOGS

| TYPE | INTERVAL m | 1/200 | 1/500 |
|-------|---------------|-------|-------|
| ISF/ | | | |
| Sonic | 239 - 482 | x | x |
| " | 469 - 1834 | x | x |
| " | 1817 - 2629 | x | x |
| " | 2622 - 4117 | x | x |
| " | 4050 - 4615 | x | x |
| FDC/ | | | |
| CNL | 1817 - 2629 | x | x |
| " | 2622 - 4117 | x | x |
| " | 4050 - 4616 | x | x |
| DLL/ | | | |
| MSFL | 2940 - 4102 | x | x |
| CDM | 2624 - 3806 | x | |
| " ap | 2624 - 3806 | x | x |
| SRS | 239 - 4117 | | x |
| Mud | 163 - 4612 | | x |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TESTS

| TYPE | NO | INTERVAL m | RECOVERY | FSIP psi | FFP psi |
|------|----|---------------|-------------------------------------|-------------|------------|
| FIT | 1 | 3070.0 | 10.2 l filtrate and formation water | 6150 | |
| " | 2 | 3727.5 | Seal failure | | |
| " | 3 | 3726.5 | Seal failure | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

REMARKS