


AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
ISF SONIC GR	270 - 747	X	X
ISF SONIC	734 - 1819	X	X
ISF CNL MSFL	1807 - 2181	X	X
ISF SONIC MSFL	1807 - 2270	X	X
ISF SONIC MSFL	1807 - 2610	X	X
LDL CNL	734 - 1820	X	X
LDL CNL	1807 - 2271	X	X
LDL CNL	2075 - 2611	X	X
DLL MSFL	2025 - 2270	X	X
CDM	734 - 1812	X	
CDM	1807 - 2607	X	
CDM AP	735 - 1812	X	X
CDM AP	1806 - 2609	X	X
RFT(TEST:1-6)		X	
RFT(TEST:1)		X	
CBL	500 - 1807	X	X
CBL VDL	1450 - 2530	X	X
CBL VDL	1650 - 2160	X	X
MUD	360 - 2610		X
VELOCITY (L.T.S.)	270 - 2610	1:1000	X

(Air Gun Well Velocity Survey & C.L.D. 1stk)
 (Synthetic Seismogram Marine, 10cm/s 1stk)
 (Two Way Travel Time log, 10cm/s 1stk)
 (Geogram Synth. Seismo. nor/rev.pol., - min/zero phase, 10cm/s. 4stk)

MUD PROPERTIES				
DEPTH BELOW KB	WEIGHT	FUNNEL VISC.	FILTRATE LOSS	REMARKS
m	g/cm3	sec	cm3	
375	1.04			
525	1.06			
600	1.04			
750	1.15			
1790	1.35			
1805	1.40			
1940	1.35			
2000	1.30			
2050	1.40			
2085	1.35			
2100	1.40			
2160	1.45			
2225	1.41			
2275	1.35			
2400	1.34			
2485	1.33			
2525	1.31			
2560	1.30			

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	360 - 2610	540
WET SAMPLES	360 - 2606	1421



SHALLOW GAS	
DEPTH INTERVAL m KB	REMARKS
	NONE

GEOLOGICAL TOPS

WELL : 7120/8-1

	Depth m (RKB)
Tertiary	
Oligocene	365
Cretaceous	1056
Maastrichtian	1056
Early Cretaceous/Late Jurassic	1990
Jurassic	2075
Kimmeridgian	2075
Oxfordian	2084
Triassic	2462
	T.D. = 2610