


WELL NO : 15/5-3
 COORDINATES: 58 DEG. 43'47.93" N
 01 DEG. 38'12.05" E
 SEISM. LOC.: 508 310 SP 606
 LICENSEE : STAT/HYDRO/ELF
 LICENSE NO : 048
 PERMIT NO : 260
 RIG : NORTRYM
 CONTRACTOR : GOLAR NOR OFFSHORE A/S
 BOTTOM HOLE TEMPERATURE: 142 °C

OPERATOR: NORSK HYDRO
 SPUD CLASSIFICATION : WILDCAT
 COMPL. CLASSIFICATION: P&A. DRY HOLE
 FORMATION AT TD : PERMIAN
 PRODUCING FORMATION :
 TOTAL DEPTH (MSL) : 5017 M
 WATER DEPTH : 110 M
 ELEVATION KB : 25 M
 SPUD DATE : 21.08.80
 COMPL. DATE: 06.12.80



REMARKS:

CASINGS AND LEAK-OFF TESTS

TYPE	CASING DIAM. inches	DEPTH BELOW KB m	HOLE DIAM. inches	DEPTH BELOW KB m	L.O.T MUD EQV. g/cm3
CONDUCTOR	30	173	36	173	
SURF. COND.	20	580	26	590	1.44
INTERM.	13 3/8	1977	17 1/2	2004	1.74
INTERM.	9 5/8	3500	12 1/4	3519	2.01
LINER	7	4835	8 1/2	4838	2.22
			5 7/8	5017	

CONVENTIONAL CORES

CORE NO	INTERVALS CORED m	RECOVERY	
		m	%
1	3815.0 - 3834.0	11.1	59
2	5038.0 - 5042.0	3.7	94

MUD PROPERTIES

DEPTH BELOW KB m	WEIGHT g/cm3	FUNNEL VISC. sec	FILTRATE LOSS cm3	REMARKS
270	1.06			
590	1.08			
820	1.13	46		
1283	1.10	48		
1710	1.13	47		
2004	1.26	50		
2257	1.27	55		
2310	1.28	50		
2696	1.26	51	7.8	
2997	1.27	45	8.8	
3136	1.40	50		
3215	1.46	49	9.8	
3690	1.80	55	7.1	
4627	1.86	61	4.1	

AVAILABLE LOGS

LOG TYPE	INTERVALS	1/200	1/500
ISF/SONIC/GR ¹	135 - 613	X	
ISF/SONIC/GR	606 - 2018	X	
ISF/SONIC/GR	2002 - 3374	X	
ISF/SONIC/GR	3300 - 3543	X	
ISF/SONIC/GR	3523 - 3832	X	
ISF/SONIC/GR	3832 - 4349	X	
ISF/SONIC/GR	4349 - 4862	X	
ISF/SONIC/GR	4865 - 5044	X	
ISF/SONIC/GR	135 - 5044		X
FDC/CNL/GR	606 - 2011	X	
FDC/CNL/GR	2002 - 3545	X	
FDC/CNL/GR	3523 - 3833	X	
FDC/CNL/GR	3832 - 4349	X	
FDC/CNL/GR	4349 - 4863	X	
FDC/CNL/GR	4865 - 5045	X	
FDC/CNL/GR	606 - 5045		X
CDM	2002 - 3544	X	
CDM	3523 - 3832	X	
CDM	4865 - 5045	X	
CDM-AP	2002 - 3544	X	
CDM-AP	3524 - 3834	X	
CDM-AP	4851 - 5046	X	
TEMP	145 - 3488	X	X
Mud	198 - 5042		X
Velocity	198 - 5044	1:1000	X

¹ The ISF/SONIC was not run above 198 m.

DRILL STEM TESTS

TEST NO	FLOW NO	DEPTH BELOW KB	CHOKE SIZE mm	RECOVERY						PRESS. (psi)	
				OIL Sm ³ /day	GAS M Sm ³ /day	OIL GRAV. g/cm ³	GAS GRAV. rel. air	GOR m ³ /m ³	OTHER FLUIDS/REMARKS	FSIP	FFP
		NONE									

DRILL BIT CUTTINGS AND WET SAMPLES

SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	200 - 5038	1000
WET SAMPLES	200 - 5038	540

SHALLOW GAS

DEPTH INTERVAL m KB	REMARKS
	NONE

GEOLOGICAL TOPS

WELL : 15/5-3

	Depth m (RKB)
Nordland Group	720
Utsira Fm	720
Hordaland Group	882
Frigg Fm	1472
Rogaland Group	2055
Balder Fm	2055
Sele Fm	2100
Lista Fm	2153
Montrose Group	2180
Heimdal Fm	2180
Chalk Group	2595
Ekofisk Fm	2595
Tor Fm	2668
Flounder Fm	2896
Herring Fm	3324
Plenus Marl Fm	3380
Hidra Fm	3419
Cromer Knoll Group	3522
Rødby Fm	3522
Valhall Fm	3579
Viking Group	3665
Draupne Fm	3665
Zechstein	3800
Devon	4850
	TD = 5042