

WELL NO.: 1/6-2

OPERATOR: SHELL


TOTAL DEPTH 3383 m
 ELEV KB 36 m
 WATER DEPTH 69 m

DEPTH
 BELOW KB

GENERALIZED
 LITHOLOGY

1000 ft 100 m

KB



1
 5
 2
 3
 10
 4
 5
 15
 6
 20
 7
 8
 25
 9
 10
 30
 11
 35
 12
 13
 40
 14
 15
 45
 16
 50
 17
 18
 55

Plio
 Mio
 Olig
 Eoc
 Pal
 L.Cret
 Cret

T.D. 3383 m

Cl: gy-dk gy, sft, plas, (calc)
 S: clr yel brn, f, lse, rnd, srt

Cl: a.a.+ Slt: gy, mic

S: tr, f-f, ang-(ang), srt
 Cl: lt gy-gy gn, sft, plas, sticky

Cl: gy-brn-gn, sft, (calc) - calc
 S: clr, f-f, (rnd)-rnd, srt
 Ls: yel-brn, m hd, cpt, ang
 Cl/Clst: ol gn-brn, sft, (calc)
 Dol: tr, gy-yel brn, m hd-hd
 Clst: ol gn-brn, sft-m hd, calc

Cl/Clst: dk brn, sft-m hd

Clst: a.a., Mdst: dol, yel-lt brn, hd
 Dol: strk, yel-brn, hd, ang
 Sh: brn-dk brn, m hd, (fis), (mic)

Sh: gy gn, m hd-hd, fis


Clst/Sh: dk gy-brn + gy-gn gy

Sh: lt gy-lt gn, m hd, fis
 Tf

Mrl: intbd, lt gy-gy brn, sft-m hd
 Ls/Mdst: wh-lt gy, sft-m hd, cpt-(por)
 Wkst/Pkst: wh, m hd, some vis por

Ls/Mdst: wh-lt gy, cpt hd-hd

Ls/Mdst: brn-gy gn, m hd-hd, cpt, arg
 tr. lign.



- | | | | |
|--|-----------------------|--|---------------------------|
| | Conglomerate | | Marl |
| | Breccia | | Limestone |
| | Sand | | Ls. chalky |
| | Sandstone | | Dolomite |
| | Silt | | Anhydrite
Gypsum |
| | Siltstone | | Sandy
Sandy
(Sandy) |
| | Clay | | Silty
Silty
(Silty) |
| | Claystone | | Argillaceous |
| | Shale | | Tuffaceous |
| | Rock Salt | | Macrof
Fragm |
| | Potassium Salt | | Pyrite |
| | Metamorphic | | Glauconite |
| | Igneous
Extr/intr. | | |
| | Lignite
Coal /carb | | |
| | Microfossil | | |
| | Plant remn | | |
| | Chert | | |

← Core
 ~~~~~ Unconformity

- Plio - Pliocene
- Mio - Miocene
- Olig - Oligocene
- Eoc - Eocene
- Pal - Paleocene
- Dan - Danian
- L.Cret - Late Cretaceous
- E.Cret - Early Cretaceous
- JR - Jurassic
- TR - Triassic
- Perm - Permian
- Basem - Basement

WELL NO 1/6-2 FIELD \_\_\_\_\_  
 COORDINATES 56°33'50.587"N 02°51'53.247"E  
 LICENSEE A/S Norske Shell  
 LICENSE NO 11  
 PERMIT NO 78  
 CONTRACTOR Zapata North Sea Inc  
 RIG Zapata Nordic  
 SPUD DATE 28. November 1972  
 COMPLETION DATE 12. January 1973

SPUD CLASSIF Wildcat  
 COMPL CLASSIF Plugged & abandoned  
 FMTN AT TD L Cret  
 PROD FMTN \_\_\_\_\_  
 REMARKS:

| CASINGS |             |                  |                  |                  |
|---------|-------------|------------------|------------------|------------------|
| TYPE    | DIAM inches | DEPTH BELOW KB m | HOLE DIAM inches | DEPTH BELOW KB m |
| COND    | 36          | 176              | 36               | 176              |
| SFC     | 20          | 460              | 26               | 466              |
| INT     | 13 3/8      | 1219             | 17 1/2           | 1226             |
| INT     | 9 5/8       | 2439             | 12 1/4           | 2445             |
| INT     |             |                  | 8 1/2            | 3383             |
| PROD    |             |                  |                  |                  |

| AVAILABLE LOGS |             |        |       |
|----------------|-------------|--------|-------|
| TYPE           | INTERVAL m  | 1/200  | 1/500 |
| BHC            | 461 - 1217  | x      | x     |
| "              | 1222 - 2448 | x      | x     |
| "              | 2439 - 3376 | x      | x     |
| ISF            | 461 - 1226  | x      | x     |
| "              | 1222 - 2449 | x      | x     |
| "              | 2439 - 3385 | x      | x     |
| FDC-C          | 2987 - 3387 | x      | x     |
| FDC-CNL        | 2987 - 3387 | x      | x     |
| DILL-9         | 2439 - 3384 | x      | x     |
| B/CDR          | 168 - 454   | x      | x     |
| CDM            | 1222 - 2449 | x      |       |
| "              | 2439 - 3386 | x      |       |
| CDM ap         | 1222 - 2449 | x      | x     |
| "              | 2439 - 3386 | x      | x     |
| CDM pp         | 1222 - 2449 |        |       |
| "              | 2439 - 3386 |        |       |
| SRS            | 461 - 3384  | 1/1000 | x     |
| Mud            | 183 - 3387  |        | x     |

| CONVENTIONAL CORES |             |          |                |     |
|--------------------|-------------|----------|----------------|-----|
| NO                 | INTERVAL m  | RECOVERY |                |     |
|                    |             | m        | QUALITY        | %   |
| 1                  | 3227 - 3242 | 15       | Good condition | 100 |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |
|                    |             |          |                |     |

| TESTS |    |            |          |          |         |
|-------|----|------------|----------|----------|---------|
| TYPE  | NO | INTERVAL m | RECOVERY | FSIP psi | FFP psi |
|       |    |            |          |          |         |
|       |    |            |          |          |         |
|       |    |            |          |          |         |
|       |    |            |          |          |         |
|       |    |            |          |          |         |
|       |    |            |          |          |         |
|       |    |            |          |          |         |

REMARKS :