



WELL NO.: 2/4-12

OPERATOR: PHILLIPS

TOTAL DEPTH 3383 m
 ELEV KB 27 m
 WATER DEPTH 70 m



S: lt gy. f
 Peat w. fragm. of wood
 S: clr qtz. f. Shell frags.
 Cl: bl gy. sft

Sh: blk - dk gy. sft. fiss

Mrl: rd brn. sft
 Ls: wh. hd
 Cl: varicol: lt gy - brick red
 Sh: bl gy - gy gn. calc
 Ls: wh - lt brn. sft - hd w/ intercal of
 Sh: as ab

- | | |
|----------------------|------------------------|
| Conglomerate Breccia | Metamorphic |
| Sand Sandstone | Igneous |
| Silt Siltstone | Lignite Coal |
| Clay Claystone | Chert |
| Shale | Pyrite Glauconite |
| Marl | Macrofossil Fragment |
| Limestone | Microfossil Plant remn |
| Dolomite | Sandy Sandy (Sandy) |
| Anhydrite Gypsum | Argillaceous |
| Rock salt | Tuffaceous |
| Peat | |

- Core
 Unconformity
- | | |
|-------|------------|
| Pli | Pliocene |
| Mio | Miocene |
| Oligo | Oligocene |
| Eo | Eocene |
| Pal | Paleocene |
| Dan | Danian |
| Cret | Cretaceous |
| JR | Jurassic |
| TR | Triassic |
| Perm | Permian |
| Basem | Basement |
| E | Early |
| M | Middle |
| L | Late |

WELL NO 2/4-12 FIELD _____
 COORDINATES 56°31'26.60"N 3°08'36.90"E
 LICENSEE Phillips Group
 LICENSE NO 18
 PERMIT NO 133
 CONTRACTOR Canam Offshore Ltd.
 RIG Ocean Viking
 SPUD DATE 28. July 1975
 COMPLETION DATE 8. September 1975

SPUD CLASSIF Wildcat
 COMPL CLASSIF Plugged & abandoned
 FMTN AT TD Late Triassic
 PROD FMTN _____
 REMARKS :

CASINGS

TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	131	36	
SFC	20	482	26	
INT	13 3/8	1213	17 1/2	
INT	9 5/8	3060	12 1/4	
INT				
PROD				

AVAILABLE LOGS

TYPE	INTERVAL m	1/200	1/500
GR	97 - 482	x	x
BHC	482 - 1205	x	x
BHC-C	1214 - 3069	x	x
"	3061 - 3382	x	x
IES	1212 - 3068	x	x
"	3061 - 3383	x	x
FDC/ CNL	3061 - 3382	x	x
CDM	3061 - 3382	x	
" ap	3061 - 3382		x
" pp	3061 - 3382		
DIR	3061 - 3382	1/1000	
Mud	131 - 3383		x

CONVENTIONAL CORES

NO	INTERVAL m	RECOVERY		
		m	QUALITY	%
1	3181.2-3199.5	16.2	Good	88
2	3243.1-3261.4	17.1	"	93
3	3288.8-3301.9	12.0	"	92
4	3324.2-3342.4	18.3	Mostly good	100
5	3365.8-3383.3	4.6	Good	26

TESTS

TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi

REMARKS :