



WELL NO.: 2/7-9

OPERATOR: PHILLIPS

TOTAL DEPTH 4448 m
 ELEV KB 37 m
 WATER DEPTH 71 m



- | | | | |
|--|----------------------|--|------------------------|
| | Conglomerate Breccia | | Metamorphic |
| | Sand Sandstone | | Igneous |
| | Silt Siltstone | | Lignite Coal |
| | Clay Claystone | | Chert |
| | Shale | | Pyrite Glauconite |
| | Marl | | Macrofossil Fragment |
| | Limestone | | Microfossil Plant remn |
| | Dolomite | | Sandy Sandy (Sandy) |
| | Anhydrite Gypsum | | Argillaceous |
| | Rock salt | | Tuffaceous |

- ← Core
 ~~~~~ Unconformity
- |       |            |
|-------|------------|
| Plio  | Pliocene   |
| Mio   | Miocene    |
| Oligo | Oligocene  |
| Eo    | Eocene     |
| Pal   | Paleocene  |
| Dan   | Danian     |
| Cret  | Cretaceous |
| JR    | Jurassic   |
| TR    | Triassic   |
| Perm  | Permian    |
| Basem | Basement   |
| E     | Early      |
| M     | Middle     |
| L     | Late       |

WELL NO 2/7-9 FIELD Eldfisk  
 COORDINATES 56°19'50.60"N 03°14'29.30"E  
 LICENSEE Phillips Group  
 LICENSE NO 18  
 PERMIT NO 87  
 CONTRACTOR Zapata North Sea Inc  
 RIG Zapata Nordic  
 SPUD DATE 25. December 1973  
 COMPLETION DATE 10. April 1974

SPUD CLASSIF Appraisal  
 COMPL CLASSIF P & A  
 FMTN AT TD Jurassic  
 PROD FMTN Jurassic  
 REMARKS :

| CASINGS |             |                  |                  |                  |
|---------|-------------|------------------|------------------|------------------|
| TYPE    | DIAM inches | DEPTH BELOW KB m | HOLE DIAM inches | DEPTH BELOW KB m |
| COND    | 30          | 145              | 36               | 146              |
| SFC     | 20          | 501              | 26               | 511              |
| INT     | 13 3/8      | 1226             | 17 1/2           | 1228             |
| INT     | 9 5/8       | 2745             | 12 1/4           | 2752             |
| INT     |             |                  |                  |                  |
| LINER   | 7           | 4064             | 8 1/2            | 4075             |
|         |             |                  | 5 7/8            | 4448             |

| AVAILABLE LOGS |             |       |       |
|----------------|-------------|-------|-------|
| TYPE           | INTERVAL m  | 1/200 | 1/500 |
| BHC            | 1226 - 2754 | x     | x     |
| BHC-C          | 2745 - 3969 | x     | x     |
| BHC            | 4071 - 4454 | x     | x     |
| IES            | 1226 - 2755 | x     | x     |
| "              | 2745 - 3971 | x     | x     |
| "              | 3886 - 4138 | x     | x     |
| "              | 4071 - 4455 | x     | x     |
| FDC-C          | 3011 - 3970 | x     | x     |
| FDC            | 4071 - 4455 | x     | x     |
| SNP-C          | 3011 - 3970 | x     | x     |
| MLMLL-C        | 4071 - 4454 | x     | x     |
| PML-C          | 3011 - 3970 | x     | x     |
| CDM            | 2745 - 4455 |       | x     |
| CDM ap         | 2745 - 3971 | x     | x     |
| " ap           | 4071 - 4455 | x     | x     |
| " pp           | 2745 - 3971 |       |       |
| " pp           | 4071 - 4455 |       |       |
| CBL            | 2743 - 3450 | x     | x     |
| SRS            | 1226 - 4454 |       | x     |
| Mud            | 1812 - 4448 |       | x     |

| CONVENTIONAL CORES |            |          |         |   |
|--------------------|------------|----------|---------|---|
| NO                 | INTERVAL m | RECOVERY |         |   |
|                    |            | m        | QUALITY | % |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |
|                    |            |          |         |   |

| TESTS |    |             |                                                   |                   |         |
|-------|----|-------------|---------------------------------------------------|-------------------|---------|
| TYPE  | NO | INTERVAL m  | RECOVERY                                          | FSIP psi          | FFP psi |
| DST   | 1  | 4313 - 4356 | 226 BOPD, 45.1° API, 0.353 MMCFGD, 1555 GOR       | 5575              |         |
| "     | 2  | 3417 - 3436 | 10.1 bbls/20min load water, no flow of oil or gas | 5846              | 5147    |
| "     | 3  | 3098 - 3109 | 7 BPD load water, no flow of oil or gas           | 6075 <sup>+</sup> | 4865    |
|       |    |             |                                                   |                   |         |
|       |    |             |                                                   |                   |         |
|       |    |             |                                                   |                   |         |
|       |    |             |                                                   |                   |         |

REMARKS : <sup>+</sup>Pressure did not reach reservoir pressure