

WELL NO : 2/11-5

OPERATOR: AMOCO

COORDINATES: 56 DEG.09'57.70" N
03 DEG.26'06.42" E

SPUD CLASSIFICATION : APPRASIAL

SEISM. LOC.:

COMPL. CLASSIFICATION: P&A. DRY HOLE

LICENSEE : AMOCO/NOCO GR.

FORMATION AT TD : EARLY CRETACEOUS

LICENSE NO : 033

PRODUCING FORMATION :

PERMIT NO : 214

TOTAL DEPTH (MSL) : 2920 M

RIG : DYVI ALPHA

WATER DEPTH : 69 M


CONTRACTOR : K/S DYVI DRILLING A/S

ELEVATION KB : 25 M

BOTTOM HOLE TEMPERATURE: 106 °C

SPUD DATE : 18.05.79

COMPL. DATE: 05.07.79



REMARKS:

CASINGS AND LEAK-OFF TESTS					
TYPE	CASING DIAM. inches	DEPTH BELOW KB m	HOLE DIAM. inches	DEPTH BELOW KB m	L.O.T MUD EQV. g/cm3
CONDUCTOR	30	170	36	172	
SURF. COND.	20	351	26	358	1.48
INTERM.	13 3/8	1278	17 1/2	1278	1.92
INTERM.	9 5/8	2768	12 1/4	2781	1.84
INTERM.			8 1/2	2945	

CONVENTIONAL CORES			
CORE NO	INTERVALS CORED m	RECOVERY	
		m	%
	NONE		

MUD PROPERTIES				
DEPTH BELOW KB m	WEIGHT g/cm3	FUNNEL VISC. sec	FILTRATE LOSS api	REMARKS
358	1.04	35		
1170	1.07	30		
1285	1.20	35	15.9	
1683	1.59	38	12.0	
1980	1.72	75	22.0	
2387	1.75	95	10.2	
2538	1.78	47	10.8	
2707	1.80	52	11.6	
2781	1.74	56		

AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
IEL/BHC/AC	168 - 357	X	X
FDC/CNL	2765 - 2942	X	X
CBL/VDL	140 - 1250	X	
CBL/VDL	2000 - 2723	X	
CDM	1277 - 2645	X	
CDM	2765 - 2943	X	
CDM ap	1277 - 2645	X	X
CDM ap	2765 - 2943	X	X
Velocity	168 - 2943	1/1000	X
Mud	172 - 2945		X

DRILL STEM TESTS											
TEST NO	FLOW NO	DEPTH BELOW KB	CHOKE SIZE mm	RECOVERY						PRESS. (psi)	
				OIL Sm ³ /day	GAS M Sm ³ /day	OIL GRAV. g/cm ³	GAS GRAV. rel. air	GOR m ³ /m ³	OTHER FLUIDS/REMARKS	FSIP	FFP
		NONE									

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	165 - 2865	540
WET SAMPLES	165 - 2868	528

GEOLOGICAL TOPS

WELL 2/11-5

	Depth m (RKB)
Nordland Group	
Hordaland Group	1480
Rogaland Group	2726
Balder Fm	2726
Sele Fm	2810
Chalk Group	2822
Ekofisk Fm	2822
Tor/Hod Fm	2843
Cromer Knoll Group	2918
	TD = 2945