

WELL NO.: 15/6-2



OPERATOR: ESSO

TOTAL DEPTH 4779 m

ELEV KB 9 m to 3131 m

RE ENTRY KB 24 m from 3131 m

WATER DEPTH 115 m



- | | | | |
|--|----------------------|--|------------------------|
| | Conglomerate Breccia | | Metamorphic |
| | Sand Sandstone | | Igneous |
| | Silt Siltstone | | Lignite Coal |
| | Clay Claystone | | Chert |
| | Shale | | Pyrite Glauconite |
| | Marl | | Macrofossil Fragment |
| | Limestone | | Microfossil Plant remn |
| | Dolomite | | Sandy Sandy (Sandy) |
| | Anhydrite Gypsum | | Argillaceous |
| | Rock salt | | Tuffaceous |

Core
Unconformity

- Plio Pliocene
- Mio Miocene
- Oligo Oligocene
- Eo Eocene
- Pal Paleocene
- Dan Danian
- Cret Cretaceous
- JR Jurassic
- TR Triassic
- Perm Permian
- Basem Basement
- E Early
- M Middle
- L Late

WELL NO 15/6-2 FIELD
 COORDINATES 58°32'47.58"N 01°41'54.09"E
 LICENSEE Esso Exploration Norway Inc
 LICENSE NO 29
 PERMIT NO 62
 CONTRACTOR Glob.Mar.Eu.Ltd (Norsedrill & Co)⁺
 RIG Glomar Grand Isle (Drillmaster)⁺
 SPUD DATE 9.September 1971 (19.May 1974)⁺
 COMPLETION DATE 26.October 1971 (1.August 1974)⁺

10

SPUD CLASSIF Wildcat
 COMPL CLASSIF P & A
 FMTN AT TD Early Cret (Permian)⁺
 PROD FMTN (Jurassic)⁺

REMARKS :

Original hole to 3131m
 Re-entry to 4779m
 Top of 7"liner at 2546
⁺ Data in parantheses are from re-entry

CASINGS				
TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	149	36	155
SFC	20	364	26	378
INT	13 3/8	1310	17 1/2	1330
INT	9 5/8	2679	12 1/4	2703
INT				
LINER	7	3678	8 1/2	3681
			5 31/32	4779

AVAILABLE LOGS			
TYPE	INTERVAL m	1/200	1/500
GR	Seaf. - 1313	x	x
BHC-C	1313 - 3122	x	x
IES	2134 - 3125	x	x
DIL	1314 - 2704	x	x
CAL	2695 - 3073	x	
	Re-entry		
BHC-C	3078 - 4593	x	x
IES	3680 - 4611	x	x
FDC/CNL	3063 - 3654		x
DIL	3078 - 4145	x	x
CDM	3063 - 3655	x	x
" ap	3063 - 3654		x
" pp	3063 - 3654		
" fp	3066 - 3654		x
SRS	1315 - 3611	1/1000	
Mud	1329 - 3130		x
"	3136 - 4779		x

CONVENTIONAL CORES				
NO	INTERVAL m	RECOVERY		
		m	QUALITY	%
1	2236.0 - 2242.1	6.1	Unconsolidated	100
2	2336.6 - 2343.9	3.0	"	41
3	2695.4 - 2699.3	1.8	"	67
	Re-entry			
1	3582.3 - 3591.5	9.1	Good condition	100
2	3591.5 - 3603.7	12.2	"	100
3	3603.7 - 3617.0	14.3	"	100
4	3617.0 - 3626.5	8.5	"	100
5	3626.5 - 3641.1	14.6	"	100

TESTS					
TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi
FIT	1	3616	1000 cc gas, 9200 cc poor mud filtrate	6626	6424
"	2	3675	9200 cc water + mud + filtrate. Approx 50% mud filtrate	6210	5318
"	3	3616	Gas and water	6709	6413
"	4	3634	2000 cc condensate + gas	5975	5394
"	5	3623	Gas + filtrate	6813	6812
"	6	3610	Gas	6806	6753
"	7	3606	2000 cc condensate + gas	6806	6802
"	8	3601	Small amounts of gas and water (May be filtrate)		

REMARKS :