


WELL NO : 15/ 9- 9 OPERATOR : STATOIL  
 COORDINATES : 58 20 47.81 N UTM COORD. : 6467983.36 N  
 1 53 24.98 E 435038.48 E  
 LICENCE NO : 046 PERMIT NO : 0285  
 RIG : NORDRAUG  
 CONTRACTOR : GOLAR-NOR OFFSHORE A/S  
 BOTTOM HOLE TEMPERATURE : 79 DEG.C ELEV. KB : 25 M  
 SPUD DATE : 81.05.04 WATER DEPTH : 83 M  
 COMPL. DATE : 81.07.14 TOTAL DEPTH : 3044 M  
 SPUD. CLASS. : WILDCAT FORM. AT TD : PERMIAN  
 COMPL. CLASS. : P&A. GAS/COND. DISC. PROD. FORM :  
 SEISLOCA : 510 - 157 SP: 160



LICENSEES :

30,400 % ESSO NORGE A/S LETING OG PRODUKSJON  
 7,600 % NORSK HYDRO A/S  
 62,000 % DEN NORSKE STATS OLJESELSKAP A/S

CONVENTIONAL CORES

| Core no. | Intervals cored<br>meters | Recovery |       | Series   |
|----------|---------------------------|----------|-------|----------|
|          |                           | M        | %     |          |
| 1        | 2648,0 - 2666,0           | 18,0     | 100,0 | TRIASSIC |
| 2        | 2666,0 - 2684,0           | 18,0     | 100,0 | "        |
| 3        | 2684,0 - 2702,0           | 18,0     | 100,0 | "        |
| 4        | 2702,0 - 2720,0           | 18,0     | 100,0 | "        |
| 5        | 2720,0 - 2738,0           | 18,0     | 100,0 | "        |
| 6        | 2738,0 - 2756,0           | 18,0     | 100,0 | "        |
| 7        | 3032,0 - 3043,5           | 11,5     | 100,0 | PERMIAN  |

CASING AND LEAK-OFF TESTS

| Type        | Casing diam. | Depth below KB | Hole diam. | LOT depth below KB | LOT mud eqv. g/cm |
|-------------|--------------|----------------|------------|--------------------|-------------------|
| CONDUCTOR   | 30           | 158,0          | 36         | 0,0                | 00,00             |
| SURF. COND. | 20           | 487,0          | 26         | 0,0                | 01,78             |
| INTERM.     | 13 3/8       | 1142,0         | 17 1/2     | 0,0                | 01,79             |
| INTERM.     | 9 5/8        | 2527,0         | 12 1/4     | 0,0                | 01,82             |
| OPEN HOLE   | NONE         | 3044,0         | 8 1/2      | 0,0                | 00,00             |

DRILL STEM TEST


| TEST NO | FLOW NO | DEPTH BELOW KB | CHOKE SIZE mm | RECOVERY    |               |                 |                    |           | PRESS. (psi)                     |      |     |
|---------|---------|----------------|---------------|-------------|---------------|-----------------|--------------------|-----------|----------------------------------|------|-----|
|         |         |                |               | OIL Sm3/day | GAS M Sm3/day | OIL GRAV. g/cm3 | GAS GRAV. rel. air | GOR m3/m3 | OTHER FLUIDS/ REMARKS            | FSIP | FFP |
|         |         |                |               |             |               |                 |                    |           |                                  |      |     |
| 1       |         | 2414 - 2421    |               |             |               |                 |                    |           |                                  |      |     |
| 2       |         | 2386 - 2392    | 25.4          | 295 *       | 580           | 0.74 *          | 0.74               |           | FORMATION TIGHT<br>* = CONDENSAT |      |     |
| 3       |         | 2323 - 2333    | 25.4          | 271 *       | 590           | 0.74 *          | 0.74               |           |                                  |      |     |

| AVAILABLE LOGS    |             |        |       |
|-------------------|-------------|--------|-------|
| LOG TYPE          | INTERVALS   | 1/200  | 1/500 |
| ISF/SONIC/GR      | 81 - 499    | X      | X     |
| ISF/SONIC         | 487 - 1154  | X      | X     |
| ISF/BHC           | 1142 - 2464 | X      | X     |
| ISF/BHC           | 2300 - 2540 | X      | X     |
| ISF/BHC           | 2526 - 3042 | X      | X     |
| FDC               | 487 - 1155  | X      | X     |
| FDC/CNL           | 1142 - 2540 | X      | X     |
| FDC/CNL           | 2525 - 3043 | X      | X     |
| DLL/MSFL          | 2300 - 2540 | X      | X     |
| CDM               | 1141 - 2533 | X      |       |
| CDM               | 2526 - 3043 | X      |       |
| CDM/AP            | 1142 - 2533 | X      | X     |
| CDM/AP            | 2526 - 3044 | X      | X     |
| RFT               | ? - 2530    | 1:100  |       |
| RFT               | 2526 - 3043 | 1:100  |       |
| CBL               | 388 - 1142  | X      | X     |
| CBL               | 1066 - 2526 | X      | X     |
| MUD               | 159 - 3044  |        | X     |
| VELOCITY (L.T.S.) | 81 - 3042   | 1:1000 | X     |

(+Air Gun Velocity Survey & C.L.D. 1stk)  
 (+Synthetic Seismogram, b/p-w/t, 10cm/s, 2stk)

| MUD PROPERTIES      |                 |                        |                         |         |
|---------------------|-----------------|------------------------|-------------------------|---------|
| DEPTH BELOW KB<br>m | WEIGHT<br>g/cm3 | FUNNEL<br>VISC.<br>sec | FILTRATE<br>LOSS<br>cm3 | REMARKS |
| 390                 | 1.06            | 6                      |                         |         |
| 600                 | 1.08            | 6                      |                         |         |
| 960                 | 1.14            | 8                      |                         |         |
| 1410                | 1.13            | 5                      |                         |         |
| 2430                | 1.20            | 16                     |                         |         |
| 2480                | 1.29            | 15                     |                         |         |
| 2530                | 1.45            | 15                     |                         |         |
| 2535                | 1.50            | 15                     |                         |         |

| DRILL BIT CUTTINGS AND WET SAMPLES |                   |                   |
|------------------------------------|-------------------|-------------------|
| SAMPLE TYPE                        | INTERVAL BELOW KB | NUMBER OF SAMPLES |
| CUTTINGS                           | 160 - 3044        | 540               |
| WET SAMPLES                        | 160 - 3040        | 350               |



| SHALLOW GAS            |         |
|------------------------|---------|
| DEPTH INTERVAL<br>m KB | REMARKS |
|                        | NONE    |

GEOLOGICAL TOPS

WELL: 15/9-9

|                    | Depth m (RKB) |
|--------------------|---------------|
| Nordland Group     | 844           |
| Utsira Fm          |               |
| Hordaland Group    | 1092          |
| Frigg Fm           |               |
| Rogaland Group     | 2125          |
| Balder Fm          | 2125          |
| Sele Fm            | 2168          |
| Lista Fm           | 2255          |
| Montrose Group     | 2322          |
| Heimdal Fm         | 2322          |
| Maureen Fm (Eqv.)  | 2392          |
| Chalk Group        | 2423          |
| Ekofisk Fm         | 2423          |
| Tor Fm             | 2425          |
| Hod Fm             | 2524          |
| Plenus Marl Fm     | 2571          |
| Hidra Fm           | 2590          |
| Cromer Knoll Group | 2597          |
| Rødby Fm           | 2597          |
| Valhall Fm         | 2606          |
| Viking Group       | 2625          |
| Draupner Fm        | 2625          |
| Heather Fm         | 2627          |
| Skagerak Fm        | 2642          |
| Smith Bank Fm      | 2776          |
| Zechstein Group    | 2969          |
| Kupferschiefer Fm  | 3011          |
| Rotliegendes Group | 3014          |
| Auk Fm             | 3014          |
|                    | T.D. = 3044   |