


WELL NO : 24/ 9- 3 OPERATOR : CONOCO  
 COORDINATES : 59 22 25.38 N UTM COORD. : 6582461.44 N  
 1 46 27.26 E 430341.20 E  
 LICENCE NO : 039 PERMIT NO : 0275  
 RIG : SEDCO 704  
 CONTRACTOR : SEDCO INC.  
 BOTTOM HOLE TEMPERATURE : 75 DEG.C ELEV. KB : 26 M  
 SPUD DATE : 81.01.28 WATER DEPTH : 120 M  
 COMPL. DATE : 81.04.15 TOTAL DEPTH : 3051 M  
 SPUD. CLASS. : WILDCAT FORM. AT TD : E.CRET.  
 COMPL. CLASS. : P&A. OIL DISCOVERY PROD. FORM :  
 SEISLOCA : C9/19 - 529 SP.345



LICENSEES :

23,333 % CONOCO NORWAY INC.  
 16,667 % NORSKE HUDBAY A/S  
 10,000 % NORSK HYDRO A/S  
 50,000 % DEN NORSKE STATS OLJESELSKAP A/S

CONVENTIONAL CORES

Core no.	Intervals cored meters	Recovery		Series
		M	%	
1	1777,9 - 1783,4	2,9	50,9	EOCENE
2	1783,4 - 1787,9	3,6	80,0	"
3	1787,9 - 1788,9	0,6	60,0	"
4	1788,9 - 1794,6	5,7	100,0	"
5	1794,6 - 1797,7	2,6	83,9	"

CASING AND LEAK-OFF TESTS

Type	Casing diam.	Depth below KB	Hole diam.	LOT depth below KB	LOT mud eqv. g/cm
CONDUCTOR	30	207,6	36	207,6	00,00
SURF.COND.	20	503,2	26	518,2	01,38
INTERM.	13 3/8	1587,1	17 1/2	1600,2	01,64
INTERM.	9 5/8	2040,3	12 1/4	3051,0	00,00

DRILL STEM TEST										PRESS. (psi)		
TEST NO	FLOW NO	DEPTH BELOW KB	CHOKE SIZE mm	RECOVERY					OTHER FLUIDS/REMARKS	FSIP	FFP	
				OIL Sm3/day	GAS M Sm3/day	OIL GRAV. g/cm3	GAS GRAV. rel. air	GOR m3/m3				
1		1805.5-1796.0		39	0.821	0.916	0.65					
2		1782.2-1775.5	50.8	86	2.455	0.925	0.63	25.82	10% WATER CUT	2625	1348	
3A		1773.0-1765.4	50.8					28.50		2550	1745	
		1747.0-1739.5			0.707 *		0.562		* = ESTEMAITED	2541	2479	


AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
GR	140 - 206	X	X
ISF/DDBHC/GR	206 - 512	X	X
ISF/DDBHC	502 - 1593	X	X
ISF/DDBHC	1593 - 2037	X	X
DDBHC	1719 - 1925	X	X
ISF/DDBHC	1917 - 3040	X	X
FDC/CNL	1583 - 2037	X	X
FDC/CNL	2036 - 3042	X	X
DLL/MSFL	1584 - 2034	X	X
CDM	1584 - 2034	X	X
CDM	2036 - 3035	X	X
CDM/AP	1584 - 2034	X	X
CDM/AP	2035 - 3035	X	X
TEMPERATURE	140 - 1556		X
TEMPERATURE	0 - 2009		X
RFT		1:100?	
CBL/VDL/CNL/CCL	970 - 2036	X	
PRESSURE	215 - 3051	1:2500	
MUD	145 - 3052		X
VELOCITY (L.T.S.)	206 - 3041	1:1000	X

(+Air Gun Well Velocity Survey & C.L.D. 1stk)  
 (+Synthetic Seismogram Marine, 10cm/s, 1stk)  
 (+VSP, Composite/Synthetic Seismogram, b/p-w/t, 10cm/s, 2stk)  
 (+ VSP, b/p-w/t, 10cm/s 10stk)

MUD PROPERTIES				
DEPTH BELOW KB m	WEIGHT g/cm <sup>3</sup>	FUNNEL VISC. sec	FILTRATE LOSS cm <sup>3</sup>	REMARKS
450	1.14	200		
520	1.03	32		
860	1.04	50		
1170	1.15	77		
1290	1.11	64		
1420	1.15	100		
1490	1.11	87		
1650	1.22	48		
1770	1.23	48		
1830	1.31	50		
1910	1.32	55		
1980	1.31	47		
2135	1.32	60		
2240	1.31	50		
2330	1.29	55		
2430	1.26	45		
2550	1.25	55		
2640	1.26	49		
2720	1.25	49		
2800	1.22	62		
2930	1.20	57		

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	210 - 3051	568
WET SAMPLES	210 - 2959	540

SHALLOW GAS	
DEPTH INTERVAL m KB	REMARKS
	NONE



**GEOLOGICAL TOPS**

**WELL: 24/9-3**

	Depth m (RKB)
Nordland Group	351
Utsira Fm	
Hordaland Group	698
Frigg Fm	
Rogaland Group	1918
Balder Fm	1918
Sele Fm	2060
Lista Fm	2567
Montrose Group	2215
Heimdal Fm	2215
Maureen Fm	2621
Shetland Group	2757
	T.D. = 3051