




WELL NO.: 25/1-5

OPERATOR: ELF

TOTAL DEPTH 2263 m

ELEV KB 25 m

WATER DEPTH 102 m



← Core
 ~~~~~ Unconformity

|       |            |
|-------|------------|
| Plio  | Pliocene   |
| Mio   | Miocene    |
| Oligo | Oligocene  |
| EO    | Eocene     |
| Pal   | Paleocene  |
| Dan   | Danian     |
| Cret  | Cretaceous |
| JR    | Jurassic   |
| TR    | Triassic   |
| Perm  | Permian    |
| Basem | Basement   |
| E     | Early      |
| M     | Middle     |
| L     | Late       |

WELL NO 25/1-5 FIELD \_\_\_\_\_  
 COORDINATES 59°52'27.92"N 2°06'36.99"E  
 LICENSEE Petronord Group  
 LICENSE NO 29  
 PERMIT NO 136  
 CONTRACTOR Deep Sea Drilling Co. A/S  
 RIG Deep Sea Driller  
 SPUD DATE 24. July 1975  
 COMPLETION DATE 12. September 1975

SPUD CLASSIF Appraisal  
 COMPL CLASSIF Oil and gas discovery  
 FMTN AT TD Tertiary  
 PROD FMTN Eocene  
 REMARKS :

### CASINGS

| TYPE | DIAM<br>inches | DEPTH<br>BELOW KB<br>m | HOLE<br>DIAM<br>inches | DEPTH<br>BELOW KB<br>m |
|------|----------------|------------------------|------------------------|------------------------|
| COND | 30             | 176                    | 36                     | 176                    |
| SFC  | 20             | 452                    | 26                     | 464                    |
| INT  | 13 3/8         | 1028                   | 17 1/2                 | 1042                   |
| INT  | 9 5/8          | 1908                   | 12 1/4                 | 1928                   |
| INT  |                |                        | 8 1/2                  | 2262                   |
| PROD |                |                        |                        |                        |

### AVAILABLE LOGS

| TYPE        | INTERVAL<br>m | 1/200 | 1/500 |
|-------------|---------------|-------|-------|
| BHC-C       | 1026 - 2262   | x     | x     |
| IES         | 1026 - 2263   | x     | x     |
| FDC/<br>CNL | 1700 - 2263   | x     | x     |
| MLMLL       | 1700 - 2263   | x     | x     |
| DLL         | 1700 - 2260   | x     | x     |
| CDM         | 1025 - 2264   | x     |       |
| " ap        | 1025 - 2264   | x     | x     |
| " pp        | 1025 - 2264   |       |       |
| " sp        | 1025 - 2264   |       | x     |
| " fp        | 1025 - 2264   |       | x     |
| CBL         | 1000 - 1909   | x     | x     |
| SRS         | 1025 - 2261   |       | x     |
| Mud         | sea fl- 2257  |       | x     |

### CONVENTIONAL CORES

| NO | INTERVAL<br>m | RECOVERY |                |     |
|----|---------------|----------|----------------|-----|
|    |               | m        | QUALITY        | %   |
| 1  | 1914 - 1923   | 9.0      | Unconsolidated | 100 |
| 2  | 1928 - 1937   | 4.5      | " " "          | 50  |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |
|    |               |          |                |     |

### TESTS

| TYPE | NO | INTERVAL<br>m | RECOVERY                                                      | FSIP<br>psi | FFP<br>psi |
|------|----|---------------|---------------------------------------------------------------|-------------|------------|
| DST  | 1  | 1930 - 1946   | 56/64" ch. 3610 BOPD, 29.45 MMCFGPD ( 834000 m <sup>3</sup> ) | 2833        | 2443       |
| "    | 2  | " "           | 74/64" ch. 4364 BOPD, 34.15 MMCFGPD ( 967000 M <sup>3</sup> ) | 2858        | 2443       |
| FIT  | 1  | 1979.6        | 500 cc oil, 9.5 Mcc filtrate                                  | 2881        | 2830       |
| "    | 2  | 1981.0        | 300 cc oil, 9.7 Mcc filtrate                                  | 2883        | 2834       |
| "    | 3  | 1937.0        | 9.7 Mcc gas, 300 cc filtrate                                  | 2868        | 2855       |
| "    | 4  | 1945.5        | 9.8 Mcc gas, 200 cc filtrate                                  | 2868        | 2863       |

REMARKS :