

WELL NO.: 25/2-3

OPERATOR: ELF


TOTAL DEPTH 2795 m

ELEV KB 25 m


WATER DEPTH 113 m

DEPTH BELOW KB

1000 ft | 100 m



S: f-m
 Cl: dk gy - brn, sit
 Sh: lt gy - gy
 Sh: gn - brn
 S: f - crs
 Tuff
 Sst: f, calc
 Sh: gy - gn, Sst: m, (srt)
 S: m - crs, srt
 Ls: wh, mrl



- | | | | |
|--|----------------------|--|------------------------|
| | Conglomerate Breccia | | Metamorphic |
| | Sand Sandstone | | Igneous |
| | Silt Siltstone | | Lignite Coal |
| | Clay Claystone | | Chert |
| | Shale | | Pyrite Glauconite |
| | Marl | | Macrofossil Fragment |
| | Limestone | | Microfossil Plant remn |
| | Dolomite | | Sandy Sandy (Sandy) |
| | Anhydrite Gypsum | | Argillaceous |
| | Rock salt | | Tuffaceous |

- Core
 Unconformity

- Plio Pliocene
 Mio Miocene
 Oligo Oligocene
 Eo Eocene
 Pal Paleocene
 Dan Danian
 Cret Cretaceous
 JR Jurassic
 TR Triassic
 Perm Permian
 Basem Basement
 E Early
 M Middle
 L Late

18 55

WELL NO 25/2-3 FIELD East Frigg
 COORDINATES 59°49'09.70"N 02°21'21.40"E
 LICENSEE Petronord Group
 LICENSE NO 26
 PERMIT NO 115
 CONTRACTOR Deep Sea Drilling Company A/S
 RIG Deep Sea Driller
 SPUD DATE 1. September 1974
 COMPLETION DATE 7. October 1974

SPUD CLASSIF Wildcat
 COMPL CLASSIF P & A
 FMTN AT TD Late Cret
 PROD FMTN _____
 REMARKS :

CASINGS

TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	172	36	172
SFC	13 3/8	475	17 1/2	480
INT	9 5/8	2034	12 1/4	2040
INT			8 1/2	2795
INT				
LINER				

CONVENTIONAL CORES

NO	INTERVAL m	RECOVERY		
		m	QUALITY	%

AVAILABLE LOGS

TYPE	INTERVAL m	1/200	1/500
GR	Seaf.- 470	x	x
BHC	470 - 2034	x	x
BHC-C	2030 - 2787	x	x
IES	476 - 2017	x	x
"	2030 - 2788		x
CDM	2030 - 2784	x	
" ap	2030 - 2784	x	x
" pp	2030 - 2784		
" sp	2030 - 2784	x	x
CBL	1850 - 1897	x	
SRS	470 - 2787		x
Mud	173 - 2795		x

TESTS

TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi

REMARKS :