




# WELL NO.: 25/4-1

# OPERATOR: ELF

TOTAL DEPTH 4060 m

ELEV KB 23 m

WATER DEPTH 122 m



← Core  
~ Unconformity

Plio - Pliocene  
Mio - Miocene  
Olig - Oligocene  
Eoc - Eocene  
Pal - Paleocene  
Dan - Danian  
LCret - Late Cretaceous  
ECret - Early Cretaceous  
JR - Jurassic  
TR - Triassic  
Perm - Permian  
Basem - Basement

WELL NO 25/4-1  
 COORDINATES 59° 34' 27" N 02° 13' 23" E  
 LICENSEE Pan Ocean Group  
 LICENSE NO 036  
 PERMIT NO 69  
 CONTRACTOR Forex Neptune  
 RIG Neptune 7  
 SPUD DATE 1.juli 1972  
 COMPLETION DATE 9.desember 1972

SPUD CLASSIF Wildcat  
 COMPL CLASSIF \_\_\_\_\_  
 FMTN AT TD Triassic red shales  
 PROD FMTN Paleocene sand (Gas)  
Jurassic sandstone (g + o)  
 BHT \_\_\_\_\_ °C

CASINGS				
TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	181	36	182
SFC	20	442	26	450
INT	13 3/8	1917	17 1/2	1920
INT	9 5/8	2942	12 1/4	2950
INT	7	3523	8 1/2	3524
PROD				

HOLE DEVIATION	
DEPTH m	DEGREES
551	0,25
600	0,75
1606	2.00
1919	1.00
2075	1.30
2487	1.00
2554	0.50
2619	1.25
2804	3.00
3264	4.00

CONVENTIONAL CORES +				
NO	INTERVAL m	RECOVERY		
		m	QUALITY	%
1	1936 - 1944	8	Unconsolidated	100
2	2078 - 2096	16.4	"	91
3	2096 - 2114	18	"	100
4	2407 - 2413,5	6.5	Good condition	100
5	3088 - 3093	4.4	"	87
6	3188 - 3195	7	"	100
7	3195 - 3204	9	"	100
8	3204 - 3222.4	18.4	"	100
9	3222.4-3234.8	12.4	"	100
10	3288 - 3306	18	"	100
11	3306 - 3316	10	"	100
12	3316 - 3334	18	"	100
13	3334 - 3352	18	"	100
14	3370- 3388	18	"	100
15	3388 - 3406	18	"	100

AVAILABLE LOGS +			
TYPE	INTERVAL m	1/200	1/500
GR	145 - 1914	x	x
"	1922 - 4055		x
BHC	442 - 1922	x	x
BHC-C	1922 - 2625	x	x
"	2585 - 2950		x
"	2946 - 3170		x
"	3130 - 3419	x	x
"	3150 - 3525	x	x
"	3525 - 4055	x	x
IES	442 - 1915	x	x
"	1922 - 2626	x	x
"	2590 - 2950	x	
"	2946 - 3173		x
"	3150 - 3422		x
"	2946 - 3528		x
"	3527 - 4058	x	x
FDC	1922 - 2639	x	x
"	2942 - 3523		x
CNL	1917 - 2619	x	x
"	2942 - 3523	x	x
DLL-s	1922 - 2620	x	x
"	2942 - 3524	x	x
DLL-9d	1922 - 2623	x	
DLL-9s	1922 - 2623	x	
MLMLL	1922 - 2625	x	x
"	2946 - 3530		x
"	3526 - 4060	x	x

TESTS +					
TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi
DST	1	2115 - 2128	33.5MMCFGD, 3MCFDc.		
"	2	3208 - 3213	Failure		
"	3	3179 - 3184	ø.7MMCFGD, 465B f.	6137	4327
"	4	3301 - 3315	Waterflow		
FIT	1	2160	Traces of o & g	2850	
"	2	2177	6CFG, Traces of o.	3100	

REMARKS :

+ continued on next page

