




AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
GR	150 - 220	X *	X
IEL BHC GR	220 - 501	X *	X
IEL BHC	470 - 1322	X *	X
IEL BHC	1280 - 1858	X *	X
FDC CNL	1300 - 1859	X *	X
DLL MLL	1600 - 1859	X *	X
CDM	1310 - 1859	X	
CDM AP	1310 - 1859	X	X
MUD	155 - 1867		X
VELOCITY (L.T.S.)	150 - 1858	:1000	X

(Air Gun Well Velocity Survey & C.D.L. 1stk)  
 (Synthetic Seismogram Marine, 10-20cm/s 2stk)  
 (Two Way Travel Time Los, 10-20cm/s, 2stk)

\* = Both sales on same log!!

MUD PROPERTIES				
DEPTH BELOW KB m	WEIGHT g/cm3	FUNNEL VISC. sec	FILTRATE LOSS cm3	REMARKS
260	1.07	36		
420	1.08	36		
540	1.05	47		
800	1.08	33		
1040	8.90	35		
1150	9.00	36		
1310	9.10	45		
1350	9.80	40		
1460	9.70	46		
1550	9.80	53		

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	220 - 1859	160
WET SAMPLES	220 - 1860	160



SHALLOW GAS	
DEPTH INTERVAL m KB	REMARKS
	NONE

**GEOLOGICAL TOPS**

**WELL: 25/8-3**

	Depth m (RKB)
Nordland Group	623
Hordaland Group	920
Frigg Fm	
Rogaland Group	1706
Balder Fm	1706
Sele Fm	1732
Lista Fm	1835
Montrose Group	1758
Heimdal Fm	1758
Chalk Group	1840
Ekofisk Fm	1840
	T.D. = 1868