




WELL NO.: 25/11-5

OPERATOR: ESSO

TOTAL DEPTH 2164 m

ELEV KB 24 m

WATER DEPTH 124 m



← Core
 ~~~~~ Unconformity

|       |            |
|-------|------------|
| Plio  | Pliocene   |
| Mio   | Miocene    |
| Oligo | Oligocene  |
| Eo    | Eocene     |
| Pal   | Paleocene  |
| Dan   | Danian     |
| Cret  | Cretaceous |
| JR    | Jurassic   |
| TR    | Triassic   |
| Perm  | Permian    |
| Basem | Basement   |
| E     | Early      |
| M     | Middle     |
| L     | Late       |

WELL NO 25/11-5 FIELD Balder  
 COORDINATES 59°12'10.29"N 02°21'51.87"E  
 LICENSEE Esso Exploration Norway Inc  
 LICENSE NO 01  
 PERMIT NO 106  
 CONTRACTOR A/S Norsedrill & Company  
 RIG Drillmaster  
 SPUD DATE 3.April 1974  
 COMPLETION DATE 8.May 1974

SPUD CLASSIF Wildcat  
 COMPL CLASSIF P & A  
 FMTN AT TO Triassic  
 PROD FMTN Paleocene  
 REMARKS :

| CASINGS |                |                        |                        |                        |
|---------|----------------|------------------------|------------------------|------------------------|
| TYPE    | DIAM<br>inches | DEPTH<br>BELOW KB<br>m | HOLE<br>DIAM<br>inches | DEPTH<br>BELOW KB<br>m |
| COND    | 30             | 187                    | 36                     | 190                    |
| SFC     | 13 3/8         | 397                    | 17 1/2                 | 411                    |
| INT     | 9 5/8          | 1397                   | 12 1/4                 | 1412                   |
| INT     |                |                        |                        |                        |
| INT     |                |                        |                        |                        |
| LINER   | 7              | 1890                   | 8 1/2                  | 2164                   |

| AVAILABLE LOGS |               |       |       |
|----------------|---------------|-------|-------|
| TYPE           | INTERVAL<br>m | 1/200 | 1/500 |
| GR             | 150 - 397     | x     | x     |
| BHC-C          | 397 - 1411    | x     | x     |
| "              | 1397 - 2162   | x     |       |
| FDC/CNL        | 1398 - 2163   | x     | x     |
| DIL            | 397 - 1412    | x     | x     |
| "              | 1398 - 2163   | x     | x     |
| CNL            | 1164 - 1859   | x     | x     |
| CDM            | 1398 - 2152   | x     |       |
| " ap           | 1398 - 2152   |       | x     |
| CCL            | 1676 - 1722   | x     |       |
| T              | 198 - 1837    | x     | x     |
| SRS            | 457 - 2153    |       | x     |
| Mud            | 190 - 2164    |       | x     |

| CONVENTIONAL CORES |               |          |                |     |
|--------------------|---------------|----------|----------------|-----|
| NO                 | INTERVAL<br>m | RECOVERY |                |     |
|                    |               | m        | QUALITY        | %   |
| 1                  | 1723 - 1725   | 2.0      | Unconsolidated | 100 |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |
|                    |               |          |                |     |

| TESTS |    |               |                                                            |             |            |
|-------|----|---------------|------------------------------------------------------------|-------------|------------|
| TYPE  | NO | INTERVAL<br>m | RECOVERY                                                   | FSIP<br>psi | FFP<br>psi |
| DST   | 1  | 1750 - 1765   | 3996 BOPD, 23.7°API, 1.034 MMCFGD, 258 GOR                 | 2582        | 2434       |
| FIT   | 1  | 1742          | Mud scum of oil, leak in hydrolic system                   |             |            |
| "     | 2  | 1744          | 4.55Mcc oil, 23.5°API, 1.2CFG, 2.27Mcc filtrate, 0.76Mcc m |             |            |
| "     | 3  | 1718          | 1 CFG, traces of oil and filtrate, 1.9 Mcc mud             |             |            |
|       |    |               |                                                            |             |            |
|       |    |               |                                                            |             |            |

REMARKS :