


AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
IEL BHC GR	150 - 457	X * X	X
IEL BHC	375 - 1312	X * X	X
IEL BHC	1275 - 1917	X * X	X
CDL CNL	1290 - 1919	X * X	X
DLL MLL	1295 - 1919	X * X	X
CDM	1295 - 1918	X	X
CDM AP	1295 - 1918	X	X
MUD	152 - 1918		X
VELOCITY	150 - 1917	:1000	X

(Air Gun Well Velocity Survey & C.L.D. 1stk)
(Two Way Travel Time Loss, 10-20cm/s 2stk)

* = Both scales on same log!!

MUD PROPERTIES				
DEPTH BELOW KB m	WEIGHT g/cm3	FUNNEL VISC. sec	FILTRATE LOSS cm3	REMARKS
340	1.08	47		
430	1.09	40		
600	1.07	40		
770	1.10	38		
1040	1.09	37		
1450	1.18	45		
1630	1.19	47		
1710	1.20	75		
1840	1.19	46		

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	230 - 1859	200
WET SAMPLES	230 - 1914	200



SHALLOW GAS	
DEPTH INTERVAL m KB	REMARKS
	NONE

GEOLOGICAL TOPS

WELL: 25/11-12

	Depth m (RKB)
Nordland Group	
Utsira Fm	589
Hordaland Group	972
Rogaland Group	1678
Balder Fm	1678
Sele Fm	1731
Lista Fm	1885
Montrose Group	1785
Heimdal Fm	1785
Chalk Group	1904
Ekofisk Fm	1904
	T.D. = 1918