


AVAILABLE LOGS			
LOG TYPE	INTERVALS	1/200	1/500
GR	149 - 217	X	* X
IEL BHC GR	217 - 498	X	* X
IEL BHC	470 - 1344	X	* X
IEL BHC	1301 - 1926	X	* X
CDL CNL	1320 - 1927	X	* X
DLL MLL	1326 - 1927	X	* X
CDM	1325 - 1928	X	
CDM AP	1325 - 1928	X	X
TEMPERATURE	450 - 1258	X	* X
MUD	152 - 1932		X
VELOCITY (L.T.S.)	149 - 1926	:1000	X

(Air Gun Well Velocity Survey & C.L.D. 1stk)
 (Synthetic Seismogram Marine, 10-20cm/s 2stk)
 (Synthetic Seismogram, b/p-w/t, 10-20cm/s 4stk)
 (Two Way Travel Time Log, 10-20cm/s, 2stk)

* = Both scales on same log!!

MUD PROPERTIES				
DEPTH BELOW KB m	WEIGHT g/cm3	FUNNEL VISC. sec	FILTRATE LOSS cm3	REMARKS
230	1.06	75		
690	1.08	40		
810	1.07	43		
1170	1.08	50		
1360	1.18	51		
1880	1.20	53		

DRILL BIT CUTTINGS AND WET SAMPLES		
SAMPLE TYPE	INTERVAL BELOW KB	NUMBER OF SAMPLES
CUTTINGS	220 - 1932	300
WET SAMPLES	220 - 1932	320



SHALLOW GAS	
DEPTH INTERVAL m KB	REMARKS
	NONE

GEOLOGICAL TOPS

WELL: 25/11-13

	Depth m (RKB)
Nordland Group	
Utsira Fm	596
Hordaland Group	935
Rogaland Group	1679
Balder Fm	1679
Sele Fm	1744
Lista Fm	1817
Montrose Group	1769
Heimdal Fm	1769
Chalk Group	1907
Ekofisk Fm	1907
	T.D. = 1932