

WELL NO.: 33/12-3

OPERATOR: MOBIL

TOTAL DEPTH 1725 m


ELEV KB 25 m

WATER DEPTH 146 m

DEPTH BELOW KB

1000 ft 100 m

PERIOD	EPOCH	GENERALIZED LITHOLOGY
TERTIARY		Cl: gy w/thin S:f
		(Ls)
		Cl: brn
		S: f-crs w/Clst:dk gy
		Clst:varicol w/Ls
		Clst:gy,red brn,gn gy w/lf:wh-lf gy



- Conglomerate Breccia
- Sand Sandstone
- Silt Siltstone
- Clay Claystone
- Shale
- Marl
- Limestone
- Dolomite
- Anhydrite Gypsum
- Rock salt
- Metamorphic
- Igneous
- Lignite Coal
- Chert
- Pyrite Glauconite
- Macrofossil Fragment
- Microfossil Plant remn
- Sandy Sandy (Sandy)
- Argillaceous
- Tuffaceous

- Core
- Unconformity

- Plio Pliocene
- Mio Miocene
- Oligo Oligocene
- Eo Eocene
- Pal Paleocene
- Dan Danian
- Cret Cretaceous
- JR Jurassic
- TR Triassic
- Perm Permian
- Basem Basement
- E Early
- M Middle
- L Late

18 55

WELL NO 33/12-3 FIELD Statfjord
 COORDINATES 61°14'19.64"N 1°53'25.80"E
 LICENSEE Statoil/Mobil Group
 LICENSE NO 37
 PERMIT NO 125
 CONTRACTOR Rowan Companies Inc.
 RIG Norskald
 SPUD DATE 23. April 1975
 COMPLETION DATE 16. May 1975

SPUD CLASSIF Appraisal
 COMPL CLASSIF Plugged & abandoned
 FMTN AT TD _____
 PROD FMTN _____
 REMARKS :

The well did not reach the objective.

CASINGS				
TYPE	DIAM inches	DEPTH BELOW KB m	HOLE DIAM inches	DEPTH BELOW KB m
COND	30	245	36	245
SFC	20	470	26	482
INT	13 3/8	1715	17 1/2	1725
INT				
INT				
PROD				

AVAILABLE LOGS			
TYPE	INTERVAL m	1/200	1/500
ISF/ Sonic	470 - 1725	x	x
Mud	245 - 1725		x

CONVENTIONAL CORES				
NO	INTERVAL m	RECOVERY		
		m	QUALITY	%

TESTS					
TYPE	NO	INTERVAL m	RECOVERY	FSIP psi	FFP psi

REMARKS :