

LOPETROL JO

Denne rapport
tilhører

 **STATOIL**

L&U DOK.SENTER

L.NR. 20084340011

KODE Well 31/3-2 nr. 19

Returneres etter bruk

HIGH ACCURACY PRESSURE TEMPERATURE MEASUREMENTS

Company: NORSK HYDRO

Country: NORWAY

Field: TROLL

Well: 31/3-2 Pre-gravel

Location: SOGNEFJORD FORM. Date: 15.04. - 16.04.84

1
15.02-01
3-2

FLOPETROL JOHNSTON
Schlumberger

FLOPETROL

DISTRICT : EMR / NSD
BASE : NWB
REPORT No. : ELS 84.29 B

HIGH ACCURACY PRESSURE TEMPERATURE MEASUREMENTS

Company : NORSK HYDRO Country : NORWAY

Field : TROLL Well : 31/3-2 Pre-gravelpack test

Zone : SOGNEFJORD FORM. Date : 15.04. - 16.04.84

GAUGE: SDP/CRG 82802

PERF. INT. 1567 - 1577 mRKB

FLOPETROL

Client : NORSK HYDRO

Section

INDEX

Field : TROLL

Base: NWB

Well : 31/3-2 Pre-gravelp.

Report No: ELS 84.29B

INDEX

- ☒ - MEASUREMENT PLOTS
- ☒ - MEASUREMENT DATA
- ☒ - SEQUENCE OF EVENTS
- ☐ - WELL COMPLETION DATA
- ☐ - LISTING OF ALL DATA RECORDED
- ☒ - TECHNICAL DATA
- ☒ - APPENDIX: LISTING OF ALL DATA IN PSIA AND deg F

Flopetrol operator:

A. ENGEBAKKEN

Company representative:

N. NILSEN

GENERAL INFORMATION

1.1	service	:SDP/CRG PRESS. AND TEMP. SURVEY
1.2	company	:NORSK HYDRO
1.3	well	:31/3-2, PRE-GRAVEL PACK TEST
1.4	field	:TROLL
1.6	country	:NORWAY
1.7	tested zone	:SOGNEFJORD FORMATION

OPERATION DATA

2.1	date of test	:15-APR-84 TO 16-APR-84
2.2	report nbr.	:ELS 84.29 B
2.3	base	:NWB
2.4	district	:EMR/NSD
2.5	recorded by	:A. ENGEBAKKEN
2.6	witnessed by	:N. NILSEN

EQUIPMENT DATA

3.3	surface equipt.	:PCS-B 1150 AND HP-9876A
3.4	downhole equipt.	:CRG 82802 AND SDP RM 82015

DEPTH INFORMATION

4.1	depth unit	:METERS
4.2	permanent datum	:RKB
4.11	gauge set at	:1543.67 m RKB

WELL DATA

5.1	well type	:EXPLORATION
5.2	fluid type	:GAS / OIL
5.5	production interval	:1567 - 1577 m RKB
5.8	tbq. size	:3.5" TAC 1


SEQUENCE OF EVENTS

! 15-APR-84 11:40:00	POWER ON SDP/CRG 82802. DT 4 HRS. SR 10 SEC
! 15-APR-84 12:35:00	GAUGE IN TOOLSTRING
! 15-APR-84 12:53:00	TOOLSTRING IN LUBRICATOR
! 15-APR-84 14:14:00	OPEN LUBRICATOR VALVE. START RIH
! 15-APR-84 16:07:00	OPEN WELL ON 8/64" ADJ. CHOKE
! 15-APR-84 16:36:00	CHANGE TO 12/64" ADJ. CHOKE
! 15-APR-84 17:12:00	CHANGE TO 16/64" ADJ. CHOKE
! 15-APR-84 17:27:00	CHANGE TO 24/64" ADJ. CHOKE
! 15-APR-84 17:38:00	CHANGE TO 16/64" ADJ. CHOKE
! 15-APR-84 17:56:00	CHANGE TO 16/64" FIXED CHOKE
! 15-APR-84 19:38:00	CHANGE TO 24/64" ADJ. CHOKE
! 15-APR-84 19:46:00	CHANGE TO 24/64" FIXED CHOKE
! 15-APR-84 20:10:00	SWITCH FLOW THROUGH SEPARATOR
! 15-APR-84 23:04:00	SHUT IN WELL AT PCT VALVE AND CHOKE MANIFOLD
! 16-APR-84 00:41:00	MEMORY SPACE FILLED UP IN SDP/CRG 82802
! 16-APR-84 02:51:00	END OF BUILD-UP. START CIRCULATING
! 16-APR-84 03:20:00	POOH WITH GAUGES
! 16-APR-84 03:50:00	GAUGES IN LUBRICATOR
! 16-APR-84 04:11:00	GAUGES OUT OF LUBRICATOR

CLIENT: NORSK HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, SDP/CRG 82802

[141] VERSUS TIME LOGGING START TIME: 15-APR-84 11:40:00 SCALE: 1800. sec/inch

		SDP (kPa)	
		15460. [15655.]	15820.
		SDT (degC)	
		50. [54.551]	66.




CLIENT: NORSE HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, FINAL BUILD-UP

[146] LOG-LOG PLOT T0=15-APR-84 23:04:00

P0=15700.2

3.7669 10. P-P0 (kPa) 100. 1000.
.....
[56.197]

15-APR-84 23:04:10



16-APR-84 00:40:50

CLIENT: NORSE HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, SDP/CRG 82802

[122] START TIME:15-APR-84 11:40:00

15-APR-84	SDT degC	SDP kPa
15:40:00	54.55	15654.75
15:40:10	54.58	15654.51
15:40:20	54.55	15654.42
15:40:30	54.55	15654.10
15:40:40	54.55	15653.62
15:40:50	54.55	15653.78
15:41:00	54.55	15653.62
15:41:10	54.58	15653.39
15:41:20	54.55	15653.47
15:41:30	54.55	15652.98
15:41:40	54.55	15652.66
15:41:50	54.55	15652.82
15:42:00	54.58	15653.08
15:42:10	54.55	15653.14
15:42:20	54.55	15652.98
15:42:30	54.55	15652.66
15:42:40	54.55	15652.50
15:42:50	54.52	15652.41
15:43:00	54.55	15652.82
15:43:10	54.55	15652.82
15:43:20	54.55	15653.47
15:43:30	54.55	15653.30
15:43:40	54.55	15653.14
15:43:50	54.55	15652.66
15:44:00	54.55	15652.34
15:44:10	54.55	15651.86
15:44:20	54.52	15651.77
15:44:30	54.52	15651.61
15:44:40	54.52	15651.61
15:44:50	54.55	15651.38
15:45:00	54.55	15651.38
15:45:10	54.55	15651.38
15:45:20	54.55	15651.06
15:45:30	54.52	15651.29
15:45:40	54.52	15651.29
15:45:50	54.52	15651.29
15:46:00	54.52	15651.13
15:46:10	54.52	15651.13
15:46:20	54.52	15651.13
15:46:30	54.52	15650.97
15:46:40	54.50	15650.88
15:46:50	54.52	15650.97
15:47:00	54.52	15650.81
15:47:10	54.52	15650.81
15:47:20	54.50	15650.71
15:47:30	54.50	15650.71
15:47:40	54.52	15650.64
15:47:50	54.50	15650.24
15:48:00	54.50	15650.08
15:48:10	54.52	15649.68
15:48:20	54.52	15649.36
15:48:30	54.52	15649.21
15:48:40	54.50	15648.95
15:48:50	54.52	15648.56
15:49:00	54.50	15648.15
15:49:10	54.50	15647.99
15:49:20	54.52	15647.92
15:49:30	54.50	15647.83
15:49:40	54.50	15647.35
15:49:50	54.50	15647.19

15-APR-84	SDT degC	SDF kPa
15:50:00	54.50	15647.03
15:50:10	54.52	15646.80
15:50:20	54.50	15646.87
15:50:30	54.50	15646.39
15:50:40	54.50	15646.07
15:50:50	54.50	15645.90
15:51:00	54.50	15645.75
15:51:10	54.50	15645.27
15:51:20	54.50	15645.27
15:51:30	54.47	15645.02
15:51:40	54.50	15644.62
15:51:50	54.47	15644.21
15:52:00	54.50	15644.15
15:52:10	54.50	15644.15
15:52:20	54.50	15644.31
15:52:30	54.47	15644.06
15:52:40	54.50	15643.82
15:52:50	54.50	15643.50
15:53:00	54.47	15643.10
15:53:10	54.47	15642.93
15:53:20	54.47	15642.77
15:53:30	54.50	15642.54
15:53:40	54.47	15642.13
15:53:50	54.47	15641.81
15:54:00	54.47	15641.97
15:54:10	54.47	15641.49
15:54:20	54.50	15641.10
15:54:30	54.47	15641.01
15:54:40	54.47	15640.85
15:54:50	54.47	15640.85
15:55:00	54.47	15640.53
15:55:10	54.47	15640.37
15:55:20	54.47	15640.05
15:55:30	54.47	15640.05
15:55:40	54.44	15639.79
15:55:50	54.47	15639.41
15:56:00	54.47	15639.41
15:56:10	54.47	15638.76
15:56:20	54.47	15638.76
15:56:30	54.44	15638.83
15:56:40	54.44	15638.52
15:56:50	54.44	15638.19
15:57:00	54.47	15637.65
15:57:10	54.44	15637.71
15:57:20	54.44	15637.39
15:57:30	54.47	15637.16
15:57:40	54.47	15636.84
15:57:50	54.47	15636.20
15:58:00	54.47	15636.36
15:58:10	54.44	15636.59
15:58:20	54.47	15636.52
15:58:30	54.47	15636.68
15:58:40	54.44	15636.59
15:58:50	54.44	15636.59
15:59:00	54.44	15636.75
15:59:10	54.44	15636.75
15:59:20	54.44	15636.27
15:59:30	54.44	15635.63
15:59:40	54.44	15635.15
15:59:50	54.44	15634.99
16:00:00	54.42	15634.74
16:00:10	54.44	15634.35

15-APR-84	SDT degC	SDP kPa
16:00:20	54.44	15634.35
16:00:30	54.42	15634.10
16:00:40	54.44	15633.71
16:00:50	54.44	15633.54
16:01:00	54.42	15633.29
16:01:10	54.44	15633.07
16:01:20	54.42	15632.98
16:01:30	54.42	15632.66
16:01:40	54.42	15632.34
16:01:50	54.42	15632.34
16:02:00	54.42	15632.01
16:02:10	54.42	15631.69
16:02:20	54.44	15631.30
16:02:30	54.39	15631.29
16:02:40	54.42	15631.05
16:02:50	54.42	15630.89
16:03:00	54.39	15630.65
16:03:10	54.42	15630.25
16:03:20	54.39	15630.32
16:03:30	54.42	15629.94
16:03:40	54.39	15630.00
16:03:50	54.39	15629.68
16:04:00	54.42	15629.29
16:04:10	54.42	15629.13
16:04:20	54.42	15628.81
16:04:30	54.39	15628.72
16:04:40	54.39	15628.56
16:04:50	54.39	15628.25
16:05:00	54.39	15628.08
16:05:10	54.39	15628.25
16:05:20	54.39	15628.08
16:05:30	54.39	15627.44
16:05:40	54.39	15627.44
16:05:50	54.39	15627.44
16:06:00	54.39	15627.12
16:06:10	54.39	15626.47
16:06:20	54.39	15626.64
16:06:30	54.39	15626.32
16:06:40	54.39	15624.55
16:06:50	54.36	15624.94
16:07:00	54.39	15624.72

CLIENT: NORSE HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, MAIN FLOW

[126] T0=15-APR-84 16:07:00

P0=15624.7

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)	
16:07:10	54.39	15624.72	0.0028	-2.5563	0.00	-2.5332	Open well on 8/64" adj. choke
16:07:20	54.36	15624.78	0.0056	-2.2553	0.06	-1.1908	
16:07:30	54.39	15625.04	0.0083	-2.0792	0.32	-0.4998	
16:07:40	54.39	15625.04	0.0111	-1.9542	0.32	-0.4998	
16:07:50	54.39	15624.72	0.0139	-1.8573	0.00	-2.5332	
16:08:00	54.36	15624.46	0.0167	-1.7782	0.26	-0.5920	
16:08:10	54.39	15624.07	0.0194	-1.7112	0.65	-0.1894	
16:08:20	54.39	15624.55	0.0222	-1.6532	0.17	-0.7748	
16:08:30	54.36	15624.63	0.0250	-1.6021	0.09	-1.0280	
16:08:40	54.39	15624.24	0.0278	-1.5563	0.48	-0.3148	
16:08:50	54.36	15624.46	0.0306	-1.5149	0.26	-0.5920	
16:09:00	54.36	15625.42	0.0333	-1.4771	0.70	-0.1524	
16:09:10	54.36	15625.42	0.0361	-1.4424	0.70	-0.1524	
16:09:20	54.36	15625.91	0.0389	-1.4102	1.19	0.0739	
16:09:30	54.36	15625.75	0.0417	-1.3802	1.03	0.0117	
16:09:40	54.36	15625.58	0.0444	-1.3522	0.87	-0.0629	
16:09:50	54.36	15625.58	0.0472	-1.3259	0.87	-0.0629	
16:10:00	54.36	15626.39	0.0500	-1.3010	1.67	0.2227	
16:10:10	54.36	15627.67	0.0528	-1.2775	2.95	0.4697	
16:10:20	54.34	15629.34	0.0556	-1.2553	4.62	0.6649	
16:10:30	54.36	15630.71	0.0583	-1.2341	5.99	0.7777	
16:10:40	54.34	15632.55	0.0611	-1.2139	7.83	0.8937	
16:10:50	54.36	15633.76	0.0639	-1.1946	9.04	0.9562	
16:11:00	54.36	15634.72	0.0667	-1.1761	10.00	1.0001	
16:11:10	54.34	15635.59	0.0694	-1.1584	10.87	1.0363	
16:11:20	54.36	15635.84	0.0722	-1.1413	11.12	1.0461	
16:11:30	54.36	15636.00	0.0750	-1.1249	11.28	1.0523	
16:11:40	54.34	15635.75	0.0778	-1.1091	11.03	1.0427	
16:11:50	54.34	15635.43	0.0806	-1.0939	10.71	1.0298	
16:12:00	54.36	15635.04	0.0833	-1.0792	10.32	1.0135	
16:12:10	54.34	15634.31	0.0861	-1.0649	9.59	0.9816	
16:12:20	54.34	15633.51	0.0889	-1.0512	8.79	0.9438	
16:12:30	54.36	15632.16	0.0917	-1.0378	7.44	0.8714	
16:12:40	54.34	15630.78	0.0944	-1.0248	6.06	0.7827	
16:12:50	54.34	15629.66	0.0972	-1.0122	4.94	0.6939	
16:13:00	54.34	15628.21	0.1000	-1.0000	3.50	0.5435	
16:13:10	54.34	15627.10	0.1028	-0.9881	2.38	0.3760	
16:13:20	54.34	15625.81	0.1056	-0.9765	1.09	0.0393	
16:13:30	54.34	15623.73	0.1083	-0.9652	0.99	-0.0060	
16:13:40	54.34	15622.61	0.1111	-0.9542	2.11	0.3244	
16:13:50	54.34	15621.65	0.1139	-0.9435	3.07	0.4872	
16:14:00	54.31	15619.95	0.1167	-0.9331	4.77	0.6782	
16:14:10	54.34	15619.08	0.1194	-0.9228	5.64	0.7512	
16:14:20	54.34	15618.44	0.1222	-0.9128	6.28	0.7976	
16:14:30	54.34	15617.64	0.1250	-0.9031	7.08	0.8498	
16:14:40	54.31	15617.39	0.1278	-0.8935	7.33	0.8652	
16:14:50	54.34	15616.68	0.1306	-0.8842	8.04	0.9052	
16:15:00	54.31	15615.95	0.1333	-0.8751	8.77	0.9432	
16:15:10	54.31	15615.78	0.1361	-0.8661	8.94	0.9511	
16:15:20	54.31	15615.46	0.1389	-0.8573	9.25	0.9664	
16:15:30	54.31	15614.99	0.1417	-0.8487	9.73	0.9883	
16:15:40	54.34	15614.76	0.1444	-0.8403	9.96	0.9982	
16:15:50	54.31	15614.50	0.1472	-0.8320	10.21	1.0092	
16:16:00	54.31	15614.34	0.1500	-0.8239	10.38	1.0160	
16:16:10	54.31	15614.50	0.1528	-0.8159	10.21	1.0092	
16:16:20	54.31	15614.18	0.1556	-0.8081	10.54	1.0228	
16:16:30	54.31	15613.54	0.1583	-0.8004	11.18	1.0485	
16:16:40	54.31	15611.14	0.1611	-0.7929	13.58	1.1329	
16:16:50	54.31	15609.54	0.1639	-0.7855	15.18	1.1814	
16:17:00	54.31	15608.10	0.1667	-0.7782	16.62	1.2207	

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
16:17:10	54.28	15607.36	0.1694	-0.7710	17.36	1.2394
16:17:20	54.28	15606.89	0.1722	-0.7639	17.83	1.2512
16:17:30	54.31	15606.82	0.1750	-0.7570	17.90	1.2530
16:17:40	54.31	15606.33	0.1778	-0.7501	18.39	1.2646
16:17:50	54.31	15606.50	0.1806	-0.7434	18.22	1.2606
16:18:00	54.28	15606.24	0.1833	-0.7368	18.48	1.2666
16:18:10	54.28	15606.24	0.1861	-0.7302	18.48	1.2666
16:18:20	54.31	15606.33	0.1889	-0.7238	18.39	1.2646
16:18:30	54.28	15606.72	0.1917	-0.7175	18.00	1.2552
16:18:40	54.28	15606.72	0.1944	-0.7112	18.00	1.2552
16:18:50	54.28	15606.56	0.1972	-0.7050	18.16	1.2590
16:19:00	54.28	15606.72	0.2000	-0.6990	18.00	1.2552
16:19:10	54.26	15606.95	0.2028	-0.6930	17.77	1.2496
16:19:20	54.26	15606.47	0.2056	-0.6871	18.25	1.2613
16:19:30	54.28	15606.89	0.2083	-0.6812	17.83	1.2512
16:19:40	54.28	15606.89	0.2111	-0.6755	17.83	1.2512
16:19:50	54.28	15606.89	0.2139	-0.6698	17.83	1.2512
16:20:00	54.28	15606.72	0.2167	-0.6642	18.00	1.2552
16:20:10	54.28	15606.89	0.2194	-0.6587	17.83	1.2512
16:20:20	54.28	15607.04	0.2222	-0.6532	17.68	1.2475
16:20:30	54.26	15606.79	0.2250	-0.6478	17.93	1.2536
16:20:40	54.26	15607.11	0.2278	-0.6425	17.61	1.2457
16:20:50	54.26	15606.63	0.2306	-0.6372	18.09	1.2573
16:21:00	54.26	15605.99	0.2333	-0.6320	18.73	1.2725
16:21:10	54.26	15605.83	0.2361	-0.6269	18.89	1.2762
16:21:20	54.26	15606.31	0.2389	-0.6218	18.41	1.2650
16:21:30	54.26	15607.11	0.2417	-0.6168	17.61	1.2457
16:21:40	54.26	15607.27	0.2444	-0.6118	17.45	1.2418
16:21:50	54.26	15608.24	0.2472	-0.6069	16.48	1.2170
16:22:00	54.23	15608.63	0.2500	-0.6021	16.09	1.2066
16:22:10	54.26	15608.87	0.2528	-0.5973	15.85	1.1999
16:22:20	54.23	15608.30	0.2556	-0.5925	16.42	1.2153
16:22:30	54.26	15608.24	0.2583	-0.5878	16.48	1.2170
16:22:40	54.26	15607.75	0.2611	-0.5832	16.97	1.2296
16:22:50	54.23	15607.66	0.2639	-0.5786	17.06	1.2319
16:23:00	54.23	15607.34	0.2667	-0.5740	17.38	1.2400
16:23:10	54.26	15607.75	0.2694	-0.5695	16.97	1.2296
16:23:20	54.23	15607.98	0.2722	-0.5651	16.74	1.2237
16:23:30	54.26	15608.07	0.2750	-0.5607	16.65	1.2214
16:23:40	54.26	15608.39	0.2778	-0.5563	16.33	1.2129
16:23:50	54.23	15608.30	0.2806	-0.5520	16.42	1.2153
16:24:00	54.26	15608.07	0.2833	-0.5477	16.65	1.2214
16:24:10	54.23	15608.14	0.2861	-0.5435	16.58	1.2196
16:24:20	54.26	15607.75	0.2889	-0.5393	16.97	1.2296
16:24:30	54.26	15607.59	0.2917	-0.5351	17.13	1.2337
16:24:40	54.23	15607.66	0.2944	-0.5310	17.06	1.2319
16:24:50	54.23	15607.66	0.2972	-0.5269	17.06	1.2319
16:25:00	54.23	15607.02	0.3000	-0.5229	17.70	1.2479
16:25:10	54.23	15606.86	0.3028	-0.5189	17.86	1.2519
16:25:20	54.23	15606.38	0.3056	-0.5149	18.34	1.2634
16:25:30	54.23	15606.06	0.3083	-0.5110	18.66	1.2710
16:25:40	54.23	15605.90	0.3111	-0.5071	18.82	1.2747
16:25:50	54.23	15606.06	0.3139	-0.5032	18.66	1.2710
16:26:00	54.23	15606.70	0.3167	-0.4994	18.02	1.2557
16:26:10	54.23	15606.38	0.3194	-0.4956	18.34	1.2634
16:26:20	54.23	15606.06	0.3222	-0.4918	18.66	1.2710
16:26:30	54.23	15606.06	0.3250	-0.4881	18.66	1.2710
16:26:40	54.23	15605.25	0.3278	-0.4844	19.47	1.2893
16:26:50	54.23	15604.78	0.3306	-0.4808	19.94	1.2998
16:27:00	54.20	15603.56	0.3333	-0.4771	21.16	1.3255
16:27:10	54.23	15602.85	0.3361	-0.4735	21.87	1.3398
16:27:20	54.23	15603.66	0.3389	-0.4699	21.06	1.3235

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
16:27:30	54.20	15603.56	0.3417	-0.4664	21.16	1.3255
16:27:40	54.23	15603.50	0.3444	-0.4629	21.22	1.3268
16:27:50	54.23	15603.02	0.3472	-0.4594	21.70	1.3365
16:28:00	54.23	15602.70	0.3500	-0.4559	22.02	1.3428
16:28:10	54.20	15601.96	0.3528	-0.4525	22.76	1.3572
16:28:20	54.20	15601.48	0.3556	-0.4491	23.24	1.3662
16:28:30	54.20	15601.16	0.3583	-0.4457	23.56	1.3722
16:28:40	54.23	15601.73	0.3611	-0.4424	22.99	1.3615
16:28:50	54.20	15602.44	0.3639	-0.4390	22.28	1.3479
16:29:00	54.23	15601.89	0.3667	-0.4357	22.83	1.3584
16:29:10	54.23	15601.42	0.3694	-0.4325	23.30	1.3674
16:29:20	54.23	15601.89	0.3722	-0.4292	22.83	1.3584
16:29:30	54.20	15600.99	0.3750	-0.4260	23.73	1.3752
16:29:40	54.20	15600.84	0.3778	-0.4228	23.88	1.3780
16:29:50	54.20	15600.52	0.3806	-0.4196	24.20	1.3839
16:30:00	54.20	15600.20	0.3833	-0.4164	24.52	1.3896
16:30:10	54.20	15600.04	0.3861	-0.4133	24.68	1.3924
16:30:20	54.20	15599.88	0.3889	-0.4102	24.84	1.3951
16:30:30	54.20	15600.04	0.3917	-0.4071	24.68	1.3924
16:30:40	54.20	15599.88	0.3944	-0.4040	24.84	1.3951
16:30:50	54.20	15599.71	0.3972	-0.4010	25.01	1.3981
16:31:00	54.20	15597.31	0.4000	-0.3979	27.41	1.4379
16:31:10	54.18	15597.55	0.4028	-0.3949	27.17	1.4341
16:31:20	54.20	15597.31	0.4056	-0.3919	27.41	1.4379
16:31:30	54.20	15597.31	0.4083	-0.3890	27.41	1.4379
16:31:40	54.20	15597.63	0.4111	-0.3860	27.08	1.4327
16:31:50	54.20	15597.31	0.4139	-0.3831	27.41	1.4379
16:32:00	54.20	15597.31	0.4167	-0.3802	27.41	1.4379
16:32:10	54.20	15597.47	0.4194	-0.3773	27.25	1.4353
16:32:20	54.20	15597.63	0.4222	-0.3745	27.08	1.4327
16:32:30	54.20	15597.79	0.4250	-0.3716	26.93	1.4302
16:32:40	54.18	15597.71	0.4278	-0.3688	27.01	1.4315
16:32:50	54.18	15597.23	0.4306	-0.3660	27.49	1.4392
16:33:00	54.20	15595.71	0.4333	-0.3632	29.01	1.4626
16:33:10	54.20	15595.39	0.4361	-0.3604	29.33	1.4673
16:33:20	54.20	15595.23	0.4389	-0.3576	29.49	1.4697
16:33:30	54.20	15594.75	0.4417	-0.3549	29.97	1.4767
16:33:40	54.20	15594.27	0.4444	-0.3522	30.45	1.4836
16:33:50	54.20	15594.59	0.4472	-0.3495	30.13	1.4790
16:34:00	54.20	15595.23	0.4500	-0.3468	29.49	1.4697
16:34:10	54.23	15595.48	0.4528	-0.3441	29.24	1.4659
16:34:20	54.23	15596.44	0.4556	-0.3415	28.28	1.4514
16:34:30	54.20	15596.83	0.4583	-0.3388	27.89	1.4454
16:34:40	54.20	15597.47	0.4611	-0.3362	27.25	1.4353
16:34:50	54.23	15597.25	0.4639	-0.3336	27.47	1.4389
16:35:00	54.23	15597.25	0.4667	-0.3310	27.47	1.4389
16:35:10	54.26	15597.50	0.4694	-0.3284	27.22	1.4349
16:35:20	54.23	15598.04	0.4722	-0.3259	26.67	1.4261
16:35:30	54.23	15599.49	0.4750	-0.3233	25.23	1.4019
16:35:40	54.23	15600.13	0.4778	-0.3208	24.59	1.3908
16:35:50	54.26	15600.54	0.4806	-0.3183	24.18	1.3834
16:36:00	54.26	15599.75	0.4833	-0.3158	24.97	1.3975
16:36:10	54.26	15600.06	0.4861	-0.3133	24.66	1.3920
16:36:20	54.26	15600.06	0.4889	-0.3108	24.66	1.3920
16:36:30	54.26	15598.94	0.4917	-0.3083	25.78	1.4113
16:36:40	54.28	15598.39	0.4944	-0.3059	26.33	1.4205
16:36:50	54.28	15597.91	0.4972	-0.3034	26.81	1.4283
16:37:00	54.28	15597.75	0.5000	-0.3010	26.97	1.4308
16:37:10	54.31	15597.68	0.5028	-0.2986	27.04	1.4320
16:37:20	54.31	15598.00	0.5056	-0.2962	26.72	1.4269
16:37:30	54.28	15598.23	0.5083	-0.2939	26.49	1.4231
16:37:40	54.28	15597.43	0.5111	-0.2915	27.29	1.4360

Change to 12/64"
adj. choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
16:37:50	54.31	15597.20	0.5139	-0.2891	27.52	1.4396
16:38:00	54.31	15597.84	0.5167	-0.2868	26.88	1.4294
16:38:10	54.31	15597.04	0.5194	-0.2845	27.68	1.4422
16:38:20	54.31	15596.23	0.5222	-0.2821	28.49	1.4546
16:38:30	54.31	15595.91	0.5250	-0.2798	28.81	1.4595
16:38:40	54.31	15596.56	0.5278	-0.2775	28.16	1.4497
16:38:50	54.31	15597.04	0.5306	-0.2753	27.68	1.4422
16:39:00	54.31	15597.36	0.5333	-0.2730	27.36	1.4371
16:39:10	54.31	15597.68	0.5361	-0.2707	27.04	1.4320
16:39:20	54.31	15598.16	0.5389	-0.2685	26.56	1.4242
16:39:30	54.31	15598.64	0.5417	-0.2663	26.08	1.4163
16:39:40	54.31	15598.64	0.5444	-0.2640	26.08	1.4163
16:39:50	54.31	15599.12	0.5472	-0.2618	25.60	1.4082
16:40:00	54.31	15599.12	0.5500	-0.2596	25.60	1.4082
16:40:10	54.31	15598.96	0.5528	-0.2574	25.76	1.4110
16:40:20	54.31	15598.80	0.5556	-0.2553	25.92	1.4136
16:40:30	54.31	15598.80	0.5583	-0.2531	25.92	1.4136
16:40:40	54.31	15597.04	0.5611	-0.2510	27.68	1.4422
16:40:50	54.31	15597.52	0.5639	-0.2488	27.20	1.4346
16:41:00	54.31	15597.84	0.5667	-0.2467	26.88	1.4294
16:41:10	54.31	15598.16	0.5694	-0.2445	26.56	1.4242
16:41:20	54.34	15597.93	0.5722	-0.2424	26.79	1.4279
16:41:30	54.31	15598.48	0.5750	-0.2403	26.24	1.4190
16:41:40	54.34	15597.77	0.5778	-0.2382	26.95	1.4305
16:41:50	54.34	15597.61	0.5806	-0.2362	27.11	1.4331
16:42:00	54.31	15597.52	0.5833	-0.2341	27.20	1.4346
16:42:10	54.34	15597.77	0.5861	-0.2320	26.95	1.4305
16:42:20	54.31	15597.84	0.5889	-0.2300	26.88	1.4294
16:42:30	54.34	15597.93	0.5917	-0.2279	26.79	1.4279
16:42:40	54.31	15598.00	0.5944	-0.2259	26.72	1.4269
16:42:50	54.34	15597.61	0.5972	-0.2239	27.11	1.4331
16:43:00	54.34	15594.73	0.6000	-0.2218	29.99	1.4769
16:43:10	54.34	15593.45	0.6028	-0.2198	31.27	1.4952
16:43:20	54.34	15592.64	0.6056	-0.2178	32.08	1.5062
16:43:30	54.34	15590.88	0.6083	-0.2159	33.84	1.5294
16:43:40	54.34	15590.08	0.6111	-0.2139	34.64	1.5396
16:43:50	54.34	15589.92	0.6139	-0.2119	34.79	1.5415
16:44:00	54.31	15590.95	0.6167	-0.2099	33.77	1.5286
16:44:10	54.31	15593.19	0.6194	-0.2080	31.53	1.4987
16:44:20	54.34	15595.21	0.6222	-0.2061	29.51	1.4700
16:44:30	54.34	15596.49	0.6250	-0.2041	28.23	1.4507
16:44:40	54.34	15597.93	0.6278	-0.2022	26.79	1.4279
16:44:50	54.36	15598.35	0.6306	-0.2003	26.37	1.4211
16:45:00	54.34	15598.89	0.6333	-0.1984	25.83	1.4121
16:45:10	54.34	15599.54	0.6361	-0.1965	25.18	1.4011
16:45:20	54.36	15599.63	0.6389	-0.1946	25.09	1.3995
16:45:30	54.36	15599.31	0.6417	-0.1927	25.41	1.4050
16:45:40	54.39	15598.92	0.6444	-0.1908	25.80	1.4117
16:45:50	54.36	15598.82	0.6472	-0.1889	25.90	1.4132
16:46:00	54.36	15598.50	0.6500	-0.1871	26.22	1.4186
16:46:10	54.39	15598.28	0.6528	-0.1852	26.44	1.4223
16:46:20	54.39	15597.80	0.6556	-0.1834	26.92	1.4301
16:46:30	54.39	15597.63	0.6583	-0.1816	27.08	1.4327
16:46:40	54.39	15597.47	0.6611	-0.1797	27.25	1.4353
16:46:50	54.39	15597.31	0.6639	-0.1779	27.41	1.4378
16:47:00	54.39	15596.51	0.6667	-0.1761	28.21	1.4504
16:47:10	54.42	15593.88	0.6694	-0.1743	30.84	1.4892
16:47:20	54.42	15592.76	0.6722	-0.1725	31.96	1.5046
16:47:30	54.39	15592.99	0.6750	-0.1707	31.73	1.5015
16:47:40	54.42	15594.20	0.6778	-0.1689	30.52	1.4846
16:47:50	54.42	15595.33	0.6806	-0.1671	29.39	1.4683
16:48:00	54.42	15595.96	0.6833	-0.1654	28.75	1.4587

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
16:48:10	54.44	15596.69	0.6861	-0.1636	28.03	1.4476
16:48:20	54.44	15597.17	0.6889	-0.1619	27.55	1.4402
16:48:30	54.42	15597.41	0.6917	-0.1601	27.31	1.4364
16:48:40	54.44	15595.73	0.6944	-0.1584	28.99	1.4623
16:48:50	54.44	15594.76	0.6972	-0.1566	29.96	1.4765
16:49:00	54.44	15595.73	0.7000	-0.1549	28.99	1.4623
16:49:10	54.44	15596.69	0.7028	-0.1532	28.03	1.4476
16:49:20	54.47	15596.78	0.7056	-0.1515	27.94	1.4462
16:49:30	54.44	15597.33	0.7083	-0.1498	27.39	1.4376
16:49:40	54.47	15597.26	0.7111	-0.1481	27.46	1.4386
16:49:50	54.47	15595.18	0.7139	-0.1464	29.54	1.4704
16:50:00	54.47	15594.22	0.7167	-0.1447	30.50	1.4843
16:50:10	54.47	15595.34	0.7194	-0.1430	29.38	1.4680
16:50:20	54.47	15596.62	0.7222	-0.1413	28.10	1.4487
16:50:30	54.47	15596.94	0.7250	-0.1397	27.78	1.4437
16:50:40	54.50	15597.20	0.7278	-0.1380	27.52	1.4397
16:50:50	54.47	15597.59	0.7306	-0.1363	27.13	1.4335
16:51:00	54.47	15598.07	0.7333	-0.1347	26.65	1.4258
16:51:10	54.47	15598.07	0.7361	-0.1331	26.65	1.4258
16:51:20	54.47	15597.90	0.7389	-0.1314	26.82	1.4284
16:51:30	54.50	15597.84	0.7417	-0.1298	26.88	1.4295
16:51:40	54.47	15596.78	0.7444	-0.1282	27.94	1.4462
16:51:50	54.50	15592.39	0.7472	-0.1266	32.33	1.5096
16:52:00	54.50	15593.99	0.7500	-0.1249	30.73	1.4875
16:52:10	54.47	15595.34	0.7528	-0.1233	29.38	1.4680
16:52:20	54.50	15596.23	0.7556	-0.1217	28.49	1.4546
16:52:30	54.50	15596.87	0.7583	-0.1201	27.85	1.4448
16:52:40	54.50	15597.35	0.7611	-0.1186	27.37	1.4372
16:52:50	54.50	15597.67	0.7639	-0.1170	27.04	1.4321
16:53:00	54.52	15597.77	0.7667	-0.1154	26.95	1.4306
16:53:10	54.52	15597.93	0.7694	-0.1138	26.79	1.4280
16:53:20	54.52	15597.93	0.7722	-0.1123	26.79	1.4280
16:53:30	54.50	15598.00	0.7750	-0.1107	26.72	1.4269
16:53:40	54.52	15597.77	0.7778	-0.1091	26.95	1.4306
16:53:50	54.52	15597.60	0.7806	-0.1076	27.12	1.4332
16:54:00	54.50	15597.20	0.7833	-0.1061	27.52	1.4397
16:54:10	54.52	15596.64	0.7861	-0.1045	28.08	1.4483
16:54:20	54.52	15596.96	0.7889	-0.1030	27.76	1.4434
16:54:30	54.52	15596.81	0.7917	-0.1015	27.91	1.4458
16:54:40	54.52	15596.96	0.7944	-0.0999	27.76	1.4434
16:54:50	54.52	15596.96	0.7972	-0.0984	27.76	1.4434
16:55:00	54.55	15596.89	0.8000	-0.0969	27.83	1.4445
16:55:10	54.52	15596.96	0.8028	-0.0954	27.76	1.4434
16:55:20	54.52	15596.64	0.8056	-0.0939	28.08	1.4483
16:55:30	54.55	15596.42	0.8083	-0.0924	28.30	1.4518
16:55:40	54.55	15596.58	0.8111	-0.0909	28.14	1.4494
16:55:50	54.55	15596.74	0.8139	-0.0894	27.98	1.4469
16:56:00	54.52	15596.81	0.8167	-0.0880	27.91	1.4458
16:56:10	54.55	15596.89	0.8194	-0.0865	27.83	1.4445
16:56:20	54.55	15596.89	0.8222	-0.0850	27.83	1.4445
16:56:30	54.55	15596.89	0.8250	-0.0835	27.83	1.4445
16:56:40	54.55	15596.89	0.8278	-0.0821	27.83	1.4445
16:56:50	54.55	15596.74	0.8306	-0.0806	27.98	1.4469
16:57:00	54.55	15597.06	0.8333	-0.0792	27.66	1.4419
16:57:10	54.55	15597.06	0.8361	-0.0777	27.66	1.4419
16:57:20	54.55	15596.89	0.8389	-0.0763	27.83	1.4445
16:57:30	54.58	15596.67	0.8417	-0.0749	28.05	1.4480
16:57:40	54.58	15596.03	0.8444	-0.0734	28.69	1.4578
16:57:50	54.58	15595.86	0.8472	-0.0720	28.86	1.4602
16:58:00	54.55	15595.93	0.8500	-0.0706	28.79	1.4592
16:58:10	54.58	15595.71	0.8528	-0.0692	29.01	1.4626
16:58:20	54.55	15595.93	0.8556	-0.0678	28.79	1.4592

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
16:58:30	54.55	15596.10	0.8583	-0.0663	28.62	1.4567
16:58:40	54.58	15596.35	0.8611	-0.0649	28.37	1.4529
16:58:50	54.58	15596.82	0.8639	-0.0635	27.90	1.4455
16:59:00	54.55	15597.06	0.8667	-0.0621	27.66	1.4419
16:59:10	54.58	15597.15	0.8694	-0.0608	27.57	1.4405
16:59:20	54.58	15597.15	0.8722	-0.0594	27.57	1.4405
16:59:30	54.58	15597.31	0.8750	-0.0580	27.41	1.4379
16:59:40	54.58	15597.31	0.8778	-0.0566	27.41	1.4379
16:59:50	54.58	15597.31	0.8806	-0.0552	27.41	1.4379
17:00:00	54.58	15597.15	0.8833	-0.0539	27.57	1.4405
17:00:10	54.58	15597.15	0.8861	-0.0525	27.57	1.4405
17:00:20	54.58	15596.98	0.8889	-0.0512	27.74	1.4430
17:00:30	54.58	15596.82	0.8917	-0.0498	27.90	1.4455
17:00:40	54.58	15596.82	0.8944	-0.0484	27.90	1.4455
17:00:50	54.61	15596.59	0.8972	-0.0471	28.13	1.4491
17:01:00	54.58	15596.82	0.9000	-0.0458	27.90	1.4455
17:01:10	54.58	15596.82	0.9028	-0.0444	27.90	1.4455
17:01:20	54.61	15596.59	0.9056	-0.0431	28.13	1.4491
17:01:30	54.58	15596.51	0.9083	-0.0418	28.21	1.4504
17:01:40	54.58	15596.67	0.9111	-0.0404	28.05	1.4480
17:01:50	54.61	15596.44	0.9139	-0.0391	28.28	1.4515
17:02:00	54.61	15596.44	0.9167	-0.0378	28.28	1.4515
17:02:10	54.58	15596.67	0.9194	-0.0365	28.05	1.4480
17:02:20	54.61	15596.59	0.9222	-0.0352	28.13	1.4491
17:02:30	54.61	15596.44	0.9250	-0.0339	28.28	1.4515
17:02:40	54.61	15596.44	0.9278	-0.0326	28.28	1.4515
17:02:50	54.61	15596.12	0.9306	-0.0313	28.60	1.4564
17:03:00	54.58	15596.19	0.9333	-0.0300	28.53	1.4554
17:03:10	54.61	15596.27	0.9361	-0.0287	28.45	1.4540
17:03:20	54.61	15596.27	0.9389	-0.0274	28.45	1.4540
17:03:30	54.61	15596.59	0.9417	-0.0261	28.13	1.4491
17:03:40	54.61	15596.44	0.9444	-0.0248	28.28	1.4515
17:03:50	54.58	15596.35	0.9472	-0.0235	28.37	1.4529
17:04:00	54.58	15596.51	0.9500	-0.0223	28.21	1.4504
17:04:10	54.61	15591.79	0.9528	-0.0210	32.93	1.5176
17:04:20	54.61	15592.91	0.9556	-0.0197	31.81	1.5025
17:04:30	54.61	15593.72	0.9583	-0.0185	31.00	1.4914
17:04:40	54.61	15594.84	0.9611	-0.0172	29.88	1.4754
17:04:50	54.61	15595.80	0.9639	-0.0160	28.92	1.4613
17:05:00	54.61	15596.76	0.9667	-0.0147	27.96	1.4466
17:05:10	54.61	15596.92	0.9694	-0.0135	27.80	1.4441
17:05:20	54.61	15597.55	0.9722	-0.0122	27.17	1.4340
17:05:30	54.61	15597.55	0.9750	-0.0110	27.17	1.4340
17:05:40	54.61	15597.88	0.9778	-0.0098	26.84	1.4288
17:05:50	54.61	15597.40	0.9806	-0.0085	27.32	1.4365
17:06:00	54.63	15597.33	0.9833	-0.0073	27.39	1.4376
17:06:10	54.63	15597.17	0.9861	-0.0061	27.55	1.4401
17:06:20	54.63	15597.17	0.9889	-0.0049	27.55	1.4401
17:06:30	54.63	15597.01	0.9917	-0.0036	27.71	1.4427
17:06:40	54.63	15597.01	0.9944	-0.0024	27.71	1.4427
17:06:50	54.63	15597.01	0.9972	-0.0012	27.71	1.4427
17:07:00	54.63	15596.85	1.0000	0.0000	27.87	1.4452
17:07:10	54.61	15596.92	1.0028	0.0012	27.80	1.4441
17:07:20	54.63	15596.69	1.0056	0.0024	28.03	1.4476
17:07:30	54.61	15596.44	1.0083	0.0036	28.28	1.4515
17:07:40	54.63	15596.53	1.0111	0.0048	28.19	1.4501
17:07:50	54.63	15596.37	1.0139	0.0060	28.35	1.4526
17:08:00	54.61	15596.12	1.0167	0.0072	28.60	1.4564
17:08:10	54.63	15595.88	1.0194	0.0084	28.84	1.4599
17:08:20	54.63	15595.73	1.0222	0.0095	28.99	1.4623
17:08:30	54.63	15595.73	1.0250	0.0107	28.99	1.4623
17:08:40	54.63	15594.92	1.0278	0.0119	29.80	1.4742

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
17:08:50	54.63	15593.80	1.0306	0.0131	30.92	1.4902
17:09:00	54.61	15592.59	1.0333	0.0142	32.13	1.5069
17:09:10	54.63	15592.37	1.0361	0.0154	32.35	1.5099
17:09:20	54.63	15592.04	1.0389	0.0166	32.68	1.5143
17:09:30	54.63	15592.52	1.0417	0.0177	32.20	1.5078
17:09:40	54.63	15594.12	1.0444	0.0189	30.60	1.4857
17:09:50	54.63	15595.57	1.0472	0.0200	29.15	1.4647
17:10:00	54.63	15596.20	1.0500	0.0212	28.52	1.4551
17:10:10	54.63	15596.69	1.0528	0.0223	28.03	1.4476
17:10:20	54.63	15597.17	1.0556	0.0235	27.55	1.4401
17:10:30	54.63	15597.17	1.0583	0.0246	27.55	1.4401
17:10:40	54.63	15597.49	1.0611	0.0258	27.23	1.4351
17:10:50	54.63	15597.33	1.0639	0.0269	27.39	1.4376
17:11:00	54.63	15597.49	1.0667	0.0280	27.23	1.4351
17:11:10	54.63	15597.33	1.0694	0.0292	27.39	1.4376
17:11:20	54.63	15597.01	1.0722	0.0303	27.71	1.4427
17:11:30	54.63	15596.85	1.0750	0.0314	27.87	1.4452
17:11:40	54.63	15596.85	1.0778	0.0325	27.87	1.4452
17:11:50	54.66	15596.46	1.0806	0.0336	28.26	1.4512
17:12:00	54.63	15596.53	1.0833	0.0348	28.19	1.4501
17:12:10	54.66	15591.33	1.0861	0.0359	33.39	1.5236
17:12:20	54.63	15589.96	1.0889	0.0370	34.76	1.5411
17:12:30	54.66	15590.21	1.0917	0.0381	34.51	1.5380
17:12:40	54.66	15591.33	1.0944	0.0392	33.39	1.5236
17:12:50	54.66	15592.77	1.0972	0.0403	31.95	1.5044
17:13:00	54.63	15594.45	1.1000	0.0414	30.27	1.4811
17:13:10	54.63	15595.24	1.1028	0.0425	29.48	1.4695
17:13:20	54.66	15595.98	1.1056	0.0436	28.74	1.4585
17:13:30	54.63	15596.53	1.1083	0.0447	28.19	1.4501
17:13:40	54.66	15595.50	1.1111	0.0458	29.22	1.4657
17:13:50	54.66	15594.70	1.1139	0.0468	30.02	1.4774
17:14:00	54.66	15593.89	1.1167	0.0479	30.83	1.4889
17:14:10	54.66	15593.89	1.1194	0.0490	30.83	1.4889
17:14:20	54.63	15594.45	1.1222	0.0501	30.27	1.4811
17:14:30	54.66	15595.98	1.1250	0.0512	28.74	1.4585
17:14:40	54.66	15596.94	1.1278	0.0522	27.78	1.4437
17:14:50	54.66	15598.22	1.1306	0.0533	26.50	1.4232
17:15:00	54.66	15599.34	1.1333	0.0544	25.38	1.4045
17:15:10	54.66	15599.66	1.1361	0.0554	25.06	1.3990
17:15:20	54.66	15599.82	1.1389	0.0565	24.90	1.3961
17:15:30	54.66	15599.98	1.1417	0.0575	24.74	1.3933
17:15:40	54.66	15600.15	1.1444	0.0586	24.57	1.3905
17:15:50	54.66	15600.15	1.1472	0.0596	24.57	1.3905
17:16:00	54.69	15600.07	1.1500	0.0607	24.65	1.3918
17:16:10	54.69	15599.75	1.1528	0.0617	24.97	1.3974
17:16:20	54.66	15599.02	1.1556	0.0628	25.70	1.4100
17:16:30	54.66	15598.86	1.1583	0.0638	25.86	1.4126
17:16:40	54.66	15598.54	1.1611	0.0649	26.18	1.4179
17:16:50	54.69	15598.15	1.1639	0.0659	26.57	1.4244
17:17:00	54.69	15597.84	1.1667	0.0669	26.88	1.4295
17:17:10	54.69	15597.67	1.1694	0.0680	27.05	1.4322
17:17:20	54.69	15597.67	1.1722	0.0690	27.05	1.4322
17:17:30	54.66	15597.42	1.1750	0.0700	27.30	1.4362
17:17:40	54.66	15597.42	1.1778	0.0711	27.30	1.4362
17:17:50	54.69	15597.35	1.1806	0.0721	27.37	1.4373
17:18:00	54.66	15597.26	1.1833	0.0731	27.46	1.4387
17:18:10	54.69	15597.19	1.1861	0.0741	27.53	1.4397
17:18:20	54.69	15597.03	1.1889	0.0751	27.69	1.4423
17:18:30	54.69	15596.87	1.1917	0.0762	27.85	1.4448
17:18:40	54.69	15596.87	1.1944	0.0772	27.85	1.4448
17:18:50	54.69	15596.07	1.1972	0.0782	28.65	1.4572
17:19:00	54.69	15594.31	1.2000	0.0792	30.41	1.4830

Change to 16/64"
adj. choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
17:19:10	54.69	15594.79	1.2028	0.0802	29.93	1.4762
17:19:20	54.69	15595.59	1.2056	0.0812	29.13	1.4643
17:19:30	54.69	15596.23	1.2083	0.0822	28.49	1.4547
17:19:40	54.69	15596.39	1.2111	0.0832	28.33	1.4523
17:19:50	54.69	15596.55	1.2139	0.0842	28.17	1.4498
17:20:00	54.69	15596.71	1.2167	0.0852	28.01	1.4473
17:20:10	54.69	15596.87	1.2194	0.0862	27.85	1.4448
17:20:20	54.69	15596.87	1.2222	0.0872	27.85	1.4448
17:20:30	54.69	15596.55	1.2250	0.0881	28.17	1.4498
17:20:40	54.69	15596.55	1.2278	0.0891	28.17	1.4498
17:20:50	54.69	15596.39	1.2306	0.0901	28.33	1.4523
17:21:00	54.69	15596.39	1.2333	0.0911	28.33	1.4523
17:21:10	54.69	15596.39	1.2361	0.0921	28.33	1.4523
17:21:20	54.69	15595.91	1.2389	0.0930	28.81	1.4595
17:21:30	54.69	15596.07	1.2417	0.0940	28.65	1.4572
17:21:40	54.71	15596.00	1.2444	0.0950	28.72	1.4582
17:21:50	54.71	15596.00	1.2472	0.0959	28.72	1.4582
17:22:00	54.71	15595.84	1.2500	0.0969	28.88	1.4605
17:22:10	54.69	15596.07	1.2528	0.0979	28.65	1.4572
17:22:20	54.71	15595.84	1.2556	0.0988	28.88	1.4605
17:22:30	54.69	15595.75	1.2583	0.0998	28.97	1.4620
17:22:40	54.71	15595.67	1.2611	0.1008	29.04	1.4631
17:22:50	54.69	15595.75	1.2639	0.1017	28.97	1.4620
17:23:00	54.69	15595.43	1.2667	0.1027	29.29	1.4667
17:23:10	54.69	15595.59	1.2694	0.1036	29.13	1.4643
17:23:20	54.69	15595.27	1.2722	0.1046	29.45	1.4691
17:23:30	54.71	15595.36	1.2750	0.1055	29.36	1.4678
17:23:40	54.69	15595.75	1.2778	0.1065	28.97	1.4620
17:23:50	54.71	15596.00	1.2806	0.1074	28.72	1.4582
17:24:00	54.71	15596.16	1.2833	0.1083	28.56	1.4558
17:24:10	54.71	15596.48	1.2861	0.1093	28.24	1.4509
17:24:20	54.71	15596.32	1.2889	0.1102	28.40	1.4533
17:24:30	54.69	15596.39	1.2917	0.1112	28.33	1.4523
17:24:40	54.71	15596.16	1.2944	0.1121	28.56	1.4558
17:24:50	54.71	15596.00	1.2972	0.1130	28.72	1.4582
17:25:00	54.69	15596.23	1.3000	0.1139	28.49	1.4547
17:25:10	54.71	15596.00	1.3028	0.1149	28.72	1.4582
17:25:20	54.71	15595.84	1.3056	0.1158	28.88	1.4605
17:25:30	54.71	15595.84	1.3083	0.1167	28.88	1.4605
17:25:40	54.71	15595.84	1.3111	0.1176	28.88	1.4605
17:25:50	54.69	15595.75	1.3139	0.1186	28.97	1.4620
17:26:00	54.71	15595.36	1.3167	0.1195	29.36	1.4678
17:26:10	54.71	15595.36	1.3194	0.1204	29.36	1.4678
17:26:20	54.71	15595.20	1.3222	0.1213	29.52	1.4701
17:26:30	54.71	15595.20	1.3250	0.1222	29.52	1.4701
17:26:40	54.71	15582.38	1.3278	0.1231	42.34	1.6268
17:26:50	54.71	15504.18	1.3306	0.1240	120.54	2.0811
17:27:00	54.71	15475.50	1.3333	0.1249	149.22	2.1738
17:27:10	54.71	15488.48	1.3361	0.1258	136.24	2.1343
17:27:20	54.71	15492.97	1.3389	0.1267	131.75	2.1198
17:27:30	54.71	15502.10	1.3417	0.1276	122.62	2.0886
17:27:40	54.71	15512.52	1.3444	0.1285	112.20	2.0500
17:27:50	54.71	15527.26	1.3472	0.1294	97.46	1.9888
17:28:00	54.74	15539.85	1.3500	0.1303	84.87	1.9287
17:28:10	54.77	15546.19	1.3528	0.1312	78.53	1.8950
17:28:20	54.82	15592.20	1.3556	0.1321	32.52	1.5121
17:28:30	54.87	15605.68	1.3583	0.1330	19.04	1.2797
17:28:40	54.95	15610.60	1.3611	0.1339	14.12	1.1497
17:28:50	55.04	15611.84	1.3639	0.1348	12.88	1.1098
17:29:00	55.12	15611.96	1.3667	0.1357	12.76	1.1058
17:29:10	55.20	15607.26	1.3694	0.1365	17.46	1.2421
17:29:20	55.28	15598.73	1.3722	0.1374	25.99	1.4149

Change to 24/64"
adj. choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
17:29:30	55.36	15595.63	1.3750	0.1383	29.09	1.4638
17:29:40	55.41	15601.74	1.3778	0.1392	22.98	1.3613
17:29:50	55.49	15604.26	1.3806	0.1401	20.46	1.3109
17:30:00	55.57	15604.69	1.3833	0.1409	20.03	1.3016
17:30:10	55.63	15602.80	1.3861	0.1418	21.92	1.3409
17:30:20	55.73	15604.60	1.3889	0.1427	20.12	1.3035
17:30:30	55.81	15606.97	1.3917	0.1435	17.75	1.2493
17:30:40	55.87	15610.19	1.3944	0.1444	14.53	1.1622
17:30:50	55.92	15612.78	1.3972	0.1453	11.94	1.0771
17:31:00	56.00	15614.82	1.4000	0.1461	9.90	0.9957
17:31:10	56.06	15615.96	1.4028	0.1470	8.76	0.9423
17:31:20	56.11	15617.10	1.4056	0.1478	7.62	0.8817
17:31:30	56.16	15618.41	1.4083	0.1487	6.31	0.7997
17:31:40	56.19	15620.11	1.4111	0.1496	4.61	0.6639
17:31:50	56.27	15621.02	1.4139	0.1504	3.70	0.5682
17:32:00	56.33	15621.21	1.4167	0.1513	3.51	0.5454
17:32:10	56.35	15621.14	1.4194	0.1521	3.58	0.5537
17:32:20	56.38	15620.59	1.4222	0.1530	4.13	0.6156
17:32:30	56.43	15620.61	1.4250	0.1538	4.11	0.6136
17:32:40	56.46	15620.86	1.4278	0.1547	3.86	0.5864
17:32:50	56.49	15622.24	1.4306	0.1555	2.48	0.3940
17:33:00	56.51	15622.97	1.4333	0.1563	1.75	0.2423
17:33:10	56.54	15623.54	1.4361	0.1572	1.17	0.0700
17:33:20	56.59	15622.77	1.4389	0.1580	1.95	0.2905
17:33:30	56.62	15621.58	1.4417	0.1589	3.14	0.4976
17:33:40	56.65	15621.51	1.4444	0.1597	3.21	0.5068
17:33:50	56.68	15621.92	1.4472	0.1605	2.80	0.4473
17:34:00	56.73	15622.11	1.4500	0.1614	2.61	0.4170
17:34:10	56.76	15622.84	1.4528	0.1622	1.88	0.2746
17:34:20	56.81	15621.59	1.4556	0.1630	3.13	0.4961
17:34:30	56.84	15623.28	1.4583	0.1639	1.44	0.1585
17:34:40	56.86	15624.97	1.4611	0.1647	0.25	-0.5970
17:34:50	56.92	15625.64	1.4639	0.1655	0.92	-0.0367
17:35:00	56.94	15625.41	1.4667	0.1663	0.69	-0.1609
17:35:10	57.00	15623.67	1.4694	0.1672	1.05	0.0199
17:35:20	57.03	15622.96	1.4722	0.1680	1.76	0.2447
17:35:30	57.08	15624.75	1.4750	0.1688	0.03	-1.5189
17:35:40	57.11	15625.80	1.4778	0.1696	1.08	0.0350
17:35:50	57.16	15625.82	1.4806	0.1704	1.10	0.0420
17:36:00	57.21	15625.21	1.4833	0.1712	0.49	-0.3079
17:36:10	57.24	15625.78	1.4861	0.1721	1.06	0.0271
17:36:20	57.27	15625.88	1.4889	0.1729	1.16	0.0638
17:36:30	57.32	15623.82	1.4917	0.1737	0.90	-0.0446
17:36:40	57.35	15625.03	1.4944	0.1745	0.31	-0.5092
17:36:50	57.40	15624.89	1.4972	0.1753	0.17	-0.7648
17:37:00	57.43	15625.31	1.5000	0.1761	0.59	-0.2271
17:37:10	57.46	15626.36	1.5028	0.1769	1.64	0.2158
17:37:20	57.51	15627.03	1.5056	0.1777	2.31	0.3630
17:37:30	57.51	15626.22	1.5083	0.1785	1.50	0.1775
17:37:40	57.56	15625.77	1.5111	0.1793	1.05	0.0215
17:37:50	57.62	15636.21	1.5139	0.1801	11.49	1.0604
17:38:00	57.64	15649.44	1.5167	0.1809	24.72	1.3931
17:38:10	57.67	15657.39	1.5194	0.1817	32.67	1.5142
17:38:20	57.72	15660.30	1.5222	0.1825	35.58	1.5513
17:38:30	57.78	15662.41	1.5250	0.1833	37.69	1.5762
17:38:40	57.83	15663.39	1.5278	0.1841	38.67	1.5874
17:38:50	57.86	15665.25	1.5306	0.1848	40.53	1.6078
17:39:00	57.89	15666.30	1.5333	0.1856	41.58	1.6189
17:39:10	57.94	15666.65	1.5361	0.1864	41.93	1.6225
17:39:20	57.97	15665.62	1.5389	0.1872	40.90	1.6118
17:39:30	57.99	15664.59	1.5417	0.1880	39.87	1.6006
17:39:40	57.99	15664.27	1.5444	0.1888	39.55	1.5971

Change to 16/64"
adj. choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
17:39:50	58.02	15665.01	1.5472	0.1896	40.29	1.6052
17:40:00	58.05	15665.10	1.5500	0.1903	40.38	1.6061
17:40:10	58.07	15663.58	1.5528	0.1911	38.86	1.5895
17:40:20	58.10	15661.44	1.5556	0.1919	36.72	1.5649
17:40:30	58.10	15659.99	1.5583	0.1927	35.27	1.5474
17:40:40	58.10	15659.99	1.5611	0.1934	35.27	1.5474
17:40:50	58.13	15660.09	1.5639	0.1942	35.37	1.5486
17:41:00	58.15	15660.50	1.5667	0.1950	35.78	1.5536
17:41:10	58.15	15660.98	1.5694	0.1957	36.26	1.5594
17:41:20	58.15	15661.46	1.5722	0.1965	36.74	1.5651
17:41:30	58.15	15662.74	1.5750	0.1973	38.02	1.5801
17:41:40	58.18	15663.64	1.5778	0.1980	38.92	1.5901
17:41:50	58.18	15665.40	1.5806	0.1988	40.68	1.6094
17:42:00	58.18	15667.00	1.5833	0.1996	42.28	1.6261
17:42:10	58.21	15668.22	1.5861	0.2003	43.50	1.6385
17:42:20	58.21	15669.02	1.5889	0.2011	44.30	1.6464
17:42:30	58.24	15669.75	1.5917	0.2019	45.03	1.6535
17:42:40	58.26	15670.01	1.5944	0.2026	45.29	1.6560
17:42:50	58.26	15669.69	1.5972	0.2034	44.97	1.6529
17:43:00	58.24	15668.79	1.6000	0.2041	44.07	1.6441
17:43:10	58.26	15667.44	1.6028	0.2049	42.72	1.6306
17:43:20	58.26	15666.96	1.6056	0.2056	42.24	1.6257
17:43:30	58.29	15666.90	1.6083	0.2064	42.18	1.6251
17:43:40	58.29	15667.70	1.6111	0.2071	42.98	1.6332
17:43:50	58.32	15669.24	1.6139	0.2079	44.52	1.6485
17:44:00	58.32	15670.03	1.6167	0.2086	45.31	1.6562
17:44:10	58.32	15669.39	1.6194	0.2094	44.67	1.6500
17:44:20	58.34	15668.52	1.6222	0.2101	43.80	1.6415
17:44:30	58.34	15667.72	1.6250	0.2109	43.00	1.6335
17:44:40	58.34	15667.72	1.6278	0.2116	43.00	1.6335
17:44:50	58.37	15667.97	1.6306	0.2123	43.25	1.6360
17:45:00	58.37	15668.93	1.6333	0.2131	44.21	1.6455
17:45:10	58.37	15668.30	1.6361	0.2138	43.58	1.6392
17:45:20	58.37	15667.81	1.6389	0.2145	43.09	1.6344
17:45:30	58.40	15666.95	1.6417	0.2153	42.23	1.6256
17:45:40	58.40	15666.46	1.6444	0.2160	41.74	1.6206
17:45:50	58.37	15666.37	1.6472	0.2168	41.65	1.6196
17:46:00	58.40	15661.34	1.6500	0.2175	36.62	1.5637
17:46:10	58.40	15656.53	1.6528	0.2182	31.81	1.5026
17:46:20	58.40	15651.88	1.6556	0.2189	27.16	1.4340
17:46:30	58.42	15648.77	1.6583	0.2197	24.05	1.3811
17:46:40	58.42	15647.33	1.6611	0.2204	22.61	1.3543
17:46:50	58.42	15647.33	1.6639	0.2211	22.61	1.3543
17:47:00	58.45	15647.10	1.6667	0.2218	22.38	1.3499
17:47:10	58.45	15648.39	1.6694	0.2226	23.67	1.3742
17:47:20	58.45	15648.55	1.6722	0.2233	23.83	1.3771
17:47:30	58.45	15649.51	1.6750	0.2240	24.79	1.3943
17:47:40	58.45	15656.08	1.6778	0.2247	31.36	1.4964
17:47:50	58.50	15661.87	1.6806	0.2255	37.15	1.5700
17:48:00	58.50	15661.71	1.6833	0.2262	36.99	1.5681
17:48:10	58.50	15664.44	1.6861	0.2269	39.72	1.5990
17:48:20	58.50	15665.88	1.6889	0.2276	41.16	1.6145
17:48:30	58.53	15665.65	1.6917	0.2283	40.93	1.6120
17:48:40	58.56	15664.94	1.6944	0.2290	40.22	1.6044
17:48:50	58.56	15665.42	1.6972	0.2297	40.70	1.6096
17:49:00	58.59	15664.39	1.7000	0.2304	39.67	1.5984
17:49:10	58.59	15663.43	1.7028	0.2312	38.71	1.5878
17:49:20	58.59	15662.30	1.7056	0.2319	37.58	1.5750
17:49:30	58.59	15661.66	1.7083	0.2326	36.94	1.5675
17:49:40	58.61	15661.44	1.7111	0.2333	36.72	1.5649
17:49:50	58.61	15661.76	1.7139	0.2340	37.04	1.5687
17:50:00	58.64	15662.50	1.7167	0.2347	37.78	1.5772

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
17:50:10	58.64	15663.14	1.7194	0.2354	38.42	1.5845
17:50:20	58.67	15662.11	1.7222	0.2361	37.39	1.5727
17:50:30	58.67	15661.15	1.7250	0.2368	36.43	1.5614
17:50:40	58.67	15660.67	1.7278	0.2375	35.95	1.5557
17:50:50	58.67	15661.15	1.7306	0.2382	36.43	1.5614
17:51:00	58.67	15661.47	1.7333	0.2389	36.75	1.5652
17:51:10	58.69	15662.04	1.7361	0.2396	37.32	1.5719
17:51:20	58.69	15662.36	1.7389	0.2403	37.64	1.5756
17:51:30	58.69	15661.23	1.7417	0.2410	36.51	1.5624
17:51:40	58.69	15661.72	1.7444	0.2417	37.00	1.5682
17:51:50	58.72	15661.81	1.7472	0.2423	37.09	1.5693
17:52:00	58.72	15661.49	1.7500	0.2430	36.77	1.5655
17:52:10	58.72	15661.01	1.7528	0.2437	36.29	1.5598
17:52:20	58.72	15661.81	1.7556	0.2444	37.09	1.5693
17:52:30	58.72	15661.97	1.7583	0.2451	37.25	1.5712
17:52:40	58.75	15661.91	1.7611	0.2458	37.19	1.5704
17:52:50	58.75	15661.91	1.7639	0.2465	37.19	1.5704
17:53:00	58.77	15662.96	1.7667	0.2472	38.24	1.5825
17:53:10	58.75	15662.23	1.7694	0.2478	37.51	1.5741
17:53:20	58.77	15661.84	1.7722	0.2485	37.12	1.5696
17:53:30	58.77	15662.16	1.7750	0.2492	37.44	1.5733
17:53:40	58.80	15662.41	1.7778	0.2499	37.69	1.5762
17:53:50	58.77	15662.32	1.7806	0.2506	37.60	1.5751
17:54:00	58.80	15662.09	1.7833	0.2512	37.37	1.5725
17:54:10	58.80	15661.93	1.7861	0.2519	37.21	1.5707
17:54:20	58.80	15661.29	1.7889	0.2526	36.57	1.5631
17:54:30	58.80	15661.77	1.7917	0.2533	37.05	1.5688
17:54:40	58.80	15661.93	1.7944	0.2539	37.21	1.5707
17:54:50	58.83	15661.38	1.7972	0.2546	36.66	1.5642
17:55:00	58.83	15661.55	1.8000	0.2553	36.83	1.5662
17:55:10	58.83	15660.74	1.8028	0.2559	36.02	1.5566
17:55:20	58.83	15660.42	1.8056	0.2566	35.70	1.5527
17:55:30	58.83	15660.90	1.8083	0.2573	36.18	1.5585
17:55:40	58.83	15660.10	1.8111	0.2579	35.38	1.5488
17:55:50	58.85	15646.74	1.8139	0.2586	22.02	1.3428
17:56:00	58.85	15640.81	1.8167	0.2593	16.09	1.2065
17:56:10	58.85	15645.14	1.8194	0.2599	20.42	1.3100
17:56:20	58.85	15647.86	1.8222	0.2606	23.14	1.3644
17:56:30	58.88	15650.19	1.8250	0.2613	25.47	1.4061
17:56:40	58.88	15652.28	1.8278	0.2619	27.56	1.4402
17:56:50	58.88	15652.92	1.8306	0.2626	28.20	1.4503
17:57:00	58.91	15653.97	1.8333	0.2632	29.25	1.4661
17:57:10	58.91	15652.52	1.8361	0.2639	27.80	1.4441
17:57:20	58.94	15650.38	1.8389	0.2646	25.66	1.4092
17:57:30	58.94	15648.29	1.8417	0.2652	23.57	1.3724
17:57:40	58.94	15647.17	1.8444	0.2659	22.45	1.3513
17:57:50	58.96	15646.63	1.8472	0.2665	21.91	1.3406
17:58:00	58.99	15644.00	1.8500	0.2672	19.28	1.2850
17:58:10	58.99	15643.83	1.8528	0.2678	19.11	1.2813
17:58:20	59.02	15643.45	1.8556	0.2685	18.73	1.2725
17:58:30	59.02	15645.21	1.8583	0.2691	20.49	1.3115
17:58:40	59.04	15647.07	1.8611	0.2698	22.35	1.3492
17:58:50	59.04	15646.27	1.8639	0.2704	21.55	1.3334
17:59:00	59.07	15646.20	1.8667	0.2711	21.48	1.3320
17:59:10	59.10	15644.85	1.8694	0.2717	20.13	1.3038
17:59:20	59.12	15643.18	1.8722	0.2724	18.46	1.2663
17:59:30	59.12	15643.18	1.8750	0.2730	18.46	1.2663
17:59:40	59.15	15643.12	1.8778	0.2736	18.40	1.2647
17:59:50	59.18	15643.37	1.8806	0.2743	18.65	1.2706
18:00:00	59.18	15643.85	1.8833	0.2749	19.13	1.2816
18:00:10	59.23	15645.64	1.8861	0.2756	20.92	1.3205
18:00:20	59.26	15645.41	1.8889	0.2762	20.69	1.3157

Change to 16/64"
fixed choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:00:30	59.29	15643.74	1.8917	0.2768	19.02	1.2793
18:00:40	59.29	15644.22	1.8944	0.2775	19.50	1.2901
18:00:50	59.31	15642.87	1.8972	0.2781	18.15	1.2589
18:01:00	59.34	15641.84	1.9000	0.2788	17.12	1.2336
18:01:10	59.37	15640.17	1.9028	0.2794	15.45	1.1890
18:01:20	59.39	15640.43	1.9056	0.2800	15.71	1.1962
18:01:30	59.39	15640.27	1.9083	0.2807	15.55	1.1917
18:01:40	59.42	15639.40	1.9111	0.2813	14.68	1.1666
18:01:50	59.47	15641.99	1.9139	0.2819	17.27	1.2373
18:02:00	59.50	15641.60	1.9167	0.2825	16.88	1.2275
18:02:10	59.53	15641.21	1.9194	0.2832	16.49	1.2173
18:02:20	59.53	15639.13	1.9222	0.2838	14.41	1.1588
18:02:30	59.58	15639.48	1.9250	0.2844	14.76	1.1690
18:02:40	59.58	15642.20	1.9278	0.2851	17.48	1.2426
18:02:50	59.64	15641.75	1.9306	0.2857	17.03	1.2312
18:03:00	59.66	15643.13	1.9333	0.2863	18.41	1.2650
18:03:10	59.66	15643.28	1.9361	0.2869	18.56	1.2687
18:03:20	59.72	15642.67	1.9389	0.2876	17.95	1.2541
18:03:30	59.74	15642.77	1.9417	0.2882	18.05	1.2565
18:03:40	59.77	15642.22	1.9444	0.2888	17.50	1.2430
18:03:50	59.80	15641.67	1.9472	0.2894	16.95	1.2292
18:04:00	59.82	15642.09	1.9500	0.2900	17.37	1.2397
18:04:10	59.82	15642.88	1.9528	0.2907	18.16	1.2592
18:04:20	59.88	15640.83	1.9556	0.2913	16.11	1.2072
18:04:30	59.93	15641.18	1.9583	0.2919	16.46	1.2164
18:04:40	59.93	15641.50	1.9611	0.2925	16.78	1.2247
18:04:50	59.96	15641.27	1.9639	0.2931	16.55	1.2189
18:05:00	59.99	15640.72	1.9667	0.2937	16.00	1.2042
18:05:10	60.01	15641.46	1.9694	0.2943	16.74	1.2238
18:05:20	60.04	15642.03	1.9722	0.2950	17.31	1.2384
18:05:30	60.09	15643.99	1.9750	0.2956	19.27	1.2848
18:05:40	60.12	15643.76	1.9778	0.2962	19.04	1.2796
18:05:50	60.12	15642.63	1.9806	0.2968	17.92	1.2532
18:06:00	60.15	15641.45	1.9833	0.2974	16.73	1.2235
18:06:10	60.17	15644.74	1.9861	0.2980	20.02	1.3015
18:06:20	60.20	15647.56	1.9889	0.2986	22.84	1.3588
18:06:30	60.23	15651.18	1.9917	0.2992	26.46	1.4226
18:06:40	60.25	15651.12	1.9944	0.2998	26.40	1.4216
18:06:50	60.25	15653.84	1.9972	0.3004	29.12	1.4642
18:07:00	60.28	15658.10	2.0000	0.3010	33.38	1.5235
18:07:10	60.31	15659.64	2.0028	0.3016	34.92	1.5430
18:07:20	60.31	15661.88	2.0056	0.3022	37.16	1.5701
18:07:30	60.34	15661.02	2.0083	0.3028	36.30	1.5599
18:07:40	60.36	15659.67	2.0111	0.3034	34.95	1.5434
18:07:50	60.39	15653.51	2.0139	0.3040	28.79	1.4592
18:08:00	60.39	15647.58	2.0167	0.3046	22.86	1.3592
18:08:10	60.42	15648.31	2.0194	0.3052	23.59	1.3728
18:08:20	60.42	15656.17	2.0222	0.3058	31.45	1.4976
18:08:30	60.42	15652.00	2.0250	0.3064	27.28	1.4358
18:08:40	60.42	15641.74	2.0278	0.3070	17.02	1.2310
18:08:50	60.44	15638.63	2.0306	0.3076	13.92	1.1435
18:09:00	60.44	15643.12	2.0333	0.3082	18.40	1.2649
18:09:10	60.47	15643.70	2.0361	0.3088	18.98	1.2782
18:09:20	60.47	15639.05	2.0389	0.3094	14.33	1.1563
18:09:30	60.50	15636.10	2.0417	0.3100	11.38	1.0561
18:09:40	60.50	15636.74	2.0444	0.3106	12.02	1.0799
18:09:50	60.52	15637.32	2.0472	0.3112	12.60	1.1003
18:10:00	60.52	15638.60	2.0500	0.3118	13.88	1.1424
18:10:10	60.55	15647.34	2.0528	0.3123	22.62	1.3545
18:10:20	60.55	15647.02	2.0556	0.3129	22.30	1.3483
18:10:30	60.58	15647.59	2.0583	0.3135	22.87	1.3593
18:10:40	60.58	15643.27	2.0611	0.3141	18.55	1.2683

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:10:50	60.60	15645.45	2.0639	0.3147	20.73	1.3167
18:11:00	60.60	15646.09	2.0667	0.3153	21.37	1.3298
18:11:10	60.66	15640.83	2.0694	0.3159	16.11	1.2072
18:11:20	60.63	15643.62	2.0722	0.3164	18.90	1.2764
18:11:30	60.66	15640.67	2.0750	0.3170	15.95	1.2028
18:11:40	60.69	15635.80	2.0778	0.3176	11.08	1.0444
18:11:50	60.71	15636.85	2.0806	0.3182	12.13	1.0840
18:12:00	60.71	15637.81	2.0833	0.3188	13.09	1.1171
18:12:10	60.74	15639.35	2.0861	0.3193	14.63	1.1653
18:12:20	60.74	15640.32	2.0889	0.3199	15.60	1.1931
18:12:30	60.77	15641.69	2.0917	0.3205	16.97	1.2296
18:12:40	60.77	15642.49	2.0944	0.3211	17.77	1.2496
18:12:50	60.79	15641.46	2.0972	0.3216	16.74	1.2238
18:13:00	60.82	15645.72	2.1000	0.3222	21.00	1.3223
18:13:10	60.82	15647.32	2.1028	0.3228	22.60	1.3542
18:13:20	60.85	15644.21	2.1056	0.3234	19.49	1.2899
18:13:30	60.87	15648.31	2.1083	0.3239	23.59	1.3727
18:13:40	60.90	15644.09	2.1111	0.3245	19.37	1.2870
18:13:50	60.90	15640.40	2.1139	0.3251	15.68	1.1953
18:14:00	60.90	15642.16	2.1167	0.3257	17.44	1.2416
18:14:10	60.93	15646.57	2.1194	0.3262	21.85	1.3395
18:14:20	60.93	15650.58	2.1222	0.3268	25.86	1.4127
18:14:30	60.98	15643.88	2.1250	0.3274	19.16	1.2824
18:14:40	60.98	15639.72	2.1278	0.3279	15.00	1.1761
18:14:50	61.01	15649.58	2.1306	0.3285	24.86	1.3956
18:15:00	61.01	15647.02	2.1333	0.3291	22.30	1.3483
18:15:10	61.04	15640.86	2.1361	0.3296	16.14	1.2080
18:15:20	61.04	15640.39	2.1389	0.3302	15.67	1.1950
18:15:30	61.04	15647.28	2.1417	0.3308	22.56	1.3533
18:15:40	61.04	15651.28	2.1444	0.3313	26.56	1.4242
18:15:50	61.09	15649.39	2.1472	0.3319	24.67	1.3922
18:16:00	61.09	15646.02	2.1500	0.3324	21.30	1.3284
18:16:10	61.09	15643.30	2.1528	0.3330	18.58	1.2690
18:16:20	61.12	15647.88	2.1556	0.3336	23.16	1.3648
18:16:30	61.14	15643.33	2.1583	0.3341	18.61	1.2697
18:16:40	61.14	15640.12	2.1611	0.3347	15.40	1.1876
18:16:50	61.14	15641.08	2.1639	0.3352	16.36	1.2138
18:17:00	61.17	15647.59	2.1667	0.3358	22.87	1.3592
18:17:10	61.17	15639.90	2.1694	0.3363	15.18	1.1812
18:17:20	61.20	15639.35	2.1722	0.3369	14.63	1.1652
18:17:30	61.20	15639.35	2.1750	0.3375	14.63	1.1652
18:17:40	61.20	15639.03	2.1778	0.3380	14.31	1.1556
18:17:50	61.22	15639.28	2.1806	0.3386	14.56	1.1633
18:18:00	61.25	15643.87	2.1833	0.3391	19.15	1.2821
18:18:10	61.25	15645.47	2.1861	0.3397	20.75	1.3170
18:18:20	61.25	15642.26	2.1889	0.3402	17.54	1.2442
18:18:30	61.28	15651.82	2.1917	0.3408	27.10	1.4330
18:18:40	61.28	15655.82	2.1944	0.3413	31.10	1.4928
18:18:50	61.30	15647.10	2.1972	0.3419	22.38	1.3498
18:19:00	61.30	15644.54	2.2000	0.3424	19.82	1.2970
18:19:10	61.33	15644.31	2.2028	0.3430	19.59	1.2920
18:19:20	61.33	15640.95	2.2056	0.3435	16.23	1.2103
18:19:30	61.33	15637.74	2.2083	0.3441	13.02	1.1147
18:19:40	61.36	15638.00	2.2111	0.3446	13.28	1.1231
18:19:50	61.36	15639.91	2.2139	0.3452	15.19	1.1817
18:20:00	61.36	15640.08	2.2167	0.3457	15.36	1.1864
18:20:10	61.39	15637.60	2.2194	0.3462	12.88	1.1101
18:20:20	61.39	15637.45	2.2222	0.3468	12.73	1.1047
18:20:30	61.41	15638.82	2.2250	0.3473	14.10	1.1492
18:20:40	61.41	15638.02	2.2278	0.3479	13.30	1.1239
18:20:50	61.41	15640.42	2.2306	0.3484	15.70	1.1960
18:21:00	61.47	15644.78	2.2333	0.3490	20.06	1.3024

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:21:10	61.44	15644.04	2.2361	0.3495	19.33	1.2861
18:21:20	61.47	15649.43	2.2389	0.3500	24.71	1.3929
18:21:30	61.49	15645.68	2.2417	0.3506	20.96	1.3213
18:21:40	61.49	15641.35	2.2444	0.3511	16.63	1.2209
18:21:50	61.52	15643.04	2.2472	0.3516	18.33	1.2630
18:22:00	61.52	15646.41	2.2500	0.3522	21.69	1.3363
18:22:10	61.55	15643.62	2.2528	0.3527	18.90	1.2765
18:22:20	61.55	15643.62	2.2556	0.3533	18.90	1.2765
18:22:30	61.55	15652.43	2.2583	0.3538	27.71	1.4427
18:22:40	61.57	15646.12	2.2611	0.3543	21.40	1.3305
18:22:50	61.55	15640.42	2.2639	0.3549	15.70	1.1959
18:23:00	61.57	15636.99	2.2667	0.3554	12.27	1.0887
18:23:10	61.57	15639.87	2.2694	0.3559	15.15	1.1805
18:23:20	61.60	15640.45	2.2722	0.3565	15.73	1.1966
18:23:30	61.60	15639.17	2.2750	0.3570	14.45	1.1598
18:23:40	61.63	15639.42	2.2778	0.3575	14.70	1.1673
18:23:50	61.63	15639.74	2.2806	0.3580	15.02	1.1767
18:24:00	61.63	15638.14	2.2833	0.3586	13.42	1.1278
18:24:10	61.63	15636.21	2.2861	0.3591	11.49	1.0605
18:24:20	61.65	15638.07	2.2889	0.3596	13.35	1.1256
18:24:30	61.65	15640.47	2.2917	0.3602	15.75	1.1974
18:24:40	61.68	15638.33	2.2944	0.3607	13.61	1.1337
18:24:50	61.68	15637.69	2.2972	0.3612	12.97	1.1129
18:25:00	61.71	15641.15	2.3000	0.3617	16.43	1.2156
18:25:10	61.71	15641.31	2.3028	0.3623	16.59	1.2198
18:25:20	61.71	15641.63	2.3056	0.3628	16.91	1.2282
18:25:30	61.71	15642.43	2.3083	0.3633	17.71	1.2482
18:25:40	61.74	15642.04	2.3111	0.3638	17.32	1.2386
18:25:50	61.74	15637.87	2.3139	0.3643	13.15	1.1191
18:26:00	61.74	15637.39	2.3167	0.3649	12.67	1.1029
18:26:10	61.76	15640.05	2.3194	0.3654	15.33	1.1855
18:26:20	61.79	15641.43	2.3222	0.3659	16.71	1.2230
18:26:30	61.76	15642.62	2.3250	0.3664	17.90	1.2528
18:26:40	61.79	15643.67	2.3278	0.3669	18.95	1.2776
18:26:50	61.82	15644.09	2.3306	0.3675	19.37	1.2872
18:27:00	61.82	15645.21	2.3333	0.3680	20.49	1.3115
18:27:10	61.82	15646.17	2.3361	0.3685	21.45	1.3315
18:27:20	61.84	15645.95	2.3389	0.3690	21.23	1.3269
18:27:30	61.84	15646.27	2.3417	0.3695	21.55	1.3334
18:27:40	61.84	15647.23	2.3444	0.3700	22.51	1.3523
18:27:50	61.84	15644.18	2.3472	0.3706	19.46	1.2892
18:28:00	61.87	15644.59	2.3500	0.3711	19.87	1.2983
18:28:10	61.87	15642.83	2.3528	0.3716	18.11	1.2580
18:28:20	61.87	15644.76	2.3556	0.3721	20.04	1.3019
18:28:30	61.87	15645.87	2.3583	0.3726	21.15	1.3254
18:28:40	61.87	15645.56	2.3611	0.3731	20.84	1.3188
18:28:50	61.90	15650.14	2.3639	0.3736	25.42	1.4052
18:29:00	61.92	15660.17	2.3667	0.3741	35.45	1.5496
18:29:10	61.92	15667.38	2.3694	0.3746	42.66	1.6300
18:29:20	61.92	15674.11	2.3722	0.3752	49.39	1.6936
18:29:30	61.92	15676.19	2.3750	0.3757	51.47	1.7116
18:29:40	61.95	15678.37	2.3778	0.3762	53.65	1.7296
18:29:50	61.95	15680.62	2.3806	0.3767	55.90	1.7474
18:30:00	61.98	15681.99	2.3833	0.3772	57.27	1.7579
18:30:10	61.98	15679.43	2.3861	0.3777	54.71	1.7380
18:30:20	62.00	15673.76	2.3889	0.3782	49.04	1.6905
18:30:30	62.03	15670.65	2.3917	0.3787	45.93	1.6621
18:30:40	62.00	15667.50	2.3944	0.3792	42.79	1.6313
18:30:50	62.03	15667.44	2.3972	0.3797	42.72	1.6306
18:31:00	62.03	15664.23	2.4000	0.3802	39.51	1.5967
18:31:10	62.03	15663.59	2.4028	0.3807	38.87	1.5896
18:31:20	62.06	15662.41	2.4056	0.3812	37.69	1.5762

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:31:30	62.03	15657.02	2.4083	0.3817	32.30	1.5092
18:31:40	62.03	15664.71	2.4111	0.3822	39.99	1.6020
18:31:50	62.06	15677.47	2.4139	0.3827	52.75	1.7223
18:32:00	62.06	15669.78	2.4167	0.3832	45.06	1.6538
18:32:10	62.06	15663.85	2.4194	0.3837	39.13	1.5925
18:32:20	62.06	15675.07	2.4222	0.3842	50.35	1.7020
18:32:30	62.06	15672.66	2.4250	0.3847	47.94	1.6807
18:32:40	62.06	15669.78	2.4278	0.3852	45.06	1.6538
18:32:50	62.06	15677.15	2.4306	0.3857	52.43	1.7196
18:33:00	62.06	15682.12	2.4333	0.3862	57.40	1.7589
18:33:10	62.06	15681.96	2.4361	0.3867	57.24	1.7577
18:33:20	62.06	15676.83	2.4389	0.3872	52.11	1.7170
18:33:30	62.06	15677.79	2.4417	0.3877	53.07	1.7249
18:33:40	62.06	15678.92	2.4444	0.3882	54.20	1.7340
18:33:50	62.06	15679.56	2.4472	0.3887	54.84	1.7391
18:34:00	62.06	15674.11	2.4500	0.3892	49.39	1.6936
18:34:10	62.06	15671.55	2.4528	0.3897	46.83	1.6705
18:34:20	62.09	15670.36	2.4556	0.3901	45.64	1.6593
18:34:30	62.09	15670.99	2.4583	0.3906	46.27	1.6653
18:34:40	62.06	15670.91	2.4611	0.3911	46.19	1.6645
18:34:50	62.06	15673.15	2.4639	0.3916	48.43	1.6851
18:35:00	62.06	15667.38	2.4667	0.3921	42.66	1.6300
18:35:10	62.06	15665.77	2.4694	0.3926	41.05	1.6134
18:35:20	62.06	15660.00	2.4722	0.3931	35.28	1.5476
18:35:30	62.06	15663.37	2.4750	0.3936	38.65	1.5872
18:35:40	62.06	15667.21	2.4778	0.3941	42.50	1.6283
18:35:50	62.06	15665.45	2.4806	0.3945	40.73	1.6100
18:36:00	62.06	15666.90	2.4833	0.3950	42.18	1.6251
18:36:10	62.06	15666.90	2.4861	0.3955	42.18	1.6251
18:36:20	62.06	15661.61	2.4889	0.3960	36.89	1.5669
18:36:30	62.06	15661.45	2.4917	0.3965	36.73	1.5650
18:36:40	62.06	15663.85	2.4944	0.3970	39.13	1.5925
18:36:50	62.03	15663.75	2.4972	0.3975	39.03	1.5914
18:37:00	62.03	15660.87	2.5000	0.3979	36.15	1.5581
18:37:10	62.03	15665.04	2.5028	0.3984	40.32	1.6055
18:37:20	62.03	15669.84	2.5056	0.3989	45.12	1.6544
18:37:30	62.03	15669.52	2.5083	0.3994	44.80	1.6513
18:37:40	62.03	15667.76	2.5111	0.3999	43.04	1.6339
18:37:50	62.00	15667.83	2.5139	0.4003	43.11	1.6346
18:38:00	62.03	15665.20	2.5167	0.4008	40.48	1.6072
18:38:10	62.03	15665.04	2.5194	0.4013	40.32	1.6055
18:38:20	62.00	15664.46	2.5222	0.4018	39.75	1.5993
18:38:30	62.00	15661.41	2.5250	0.4023	36.69	1.5646
18:38:40	62.00	15663.82	2.5278	0.4027	39.10	1.5922
18:38:50	62.00	15662.06	2.5306	0.4032	37.34	1.5721
18:39:00	62.00	15662.06	2.5333	0.4037	37.34	1.5721
18:39:10	62.00	15658.86	2.5361	0.4042	34.14	1.5332
18:39:20	61.98	15658.12	2.5389	0.4046	33.40	1.5237
18:39:30	61.98	15659.24	2.5417	0.4051	34.52	1.5380
18:39:40	61.98	15660.68	2.5444	0.4056	35.96	1.5558
18:39:50	61.98	15660.20	2.5472	0.4061	35.48	1.5500
18:40:00	62.00	15662.54	2.5500	0.4065	37.82	1.5777
18:40:10	62.00	15663.66	2.5528	0.4070	38.94	1.5904
18:40:20	61.98	15663.56	2.5556	0.4075	38.84	1.5893
18:40:30	62.00	15663.02	2.5583	0.4080	38.30	1.5832
18:40:40	62.00	15665.75	2.5611	0.4084	41.03	1.6131
18:40:50	62.00	15668.95	2.5639	0.4089	44.23	1.6457
18:41:00	62.00	15668.63	2.5667	0.4094	43.91	1.6425
18:41:10	61.98	15669.81	2.5694	0.4098	45.09	1.6541
18:41:20	61.98	15668.53	2.5722	0.4103	43.81	1.6416
18:41:30	62.00	15667.50	2.5750	0.4108	42.79	1.6313
18:41:40	62.00	15666.38	2.5778	0.4112	41.66	1.6198

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:41:50	62.00	15664.94	2.5806	0.4117	40.22	1.6045
18:42:00	62.00	15662.70	2.5833	0.4122	37.98	1.5795
18:42:10	62.00	15664.62	2.5861	0.4126	39.90	1.6010
18:42:20	62.00	15664.78	2.5889	0.4131	40.06	1.6027
18:42:30	62.00	15662.70	2.5917	0.4136	37.98	1.5795
18:42:40	62.00	15665.75	2.5944	0.4140	41.03	1.6131
18:42:50	62.00	15662.54	2.5972	0.4145	37.82	1.5777
18:43:00	61.98	15661.64	2.6000	0.4150	36.92	1.5672
18:43:10	62.00	15655.49	2.6028	0.4154	30.77	1.4881
18:43:20	62.00	15659.97	2.6056	0.4159	35.25	1.5472
18:43:30	62.00	15656.13	2.6083	0.4164	31.41	1.4971
18:43:40	62.00	15655.65	2.6111	0.4168	30.93	1.4904
18:43:50	62.00	15663.18	2.6139	0.4173	38.46	1.5850
18:44:00	62.00	15663.34	2.6167	0.4177	38.62	1.5868
18:44:10	62.00	15655.97	2.6194	0.4182	31.25	1.4948
18:44:20	62.03	15657.02	2.6222	0.4187	32.30	1.5092
18:44:30	62.03	15661.35	2.6250	0.4191	36.63	1.5638
18:44:40	62.03	15660.39	2.6278	0.4196	35.67	1.5523
18:44:50	62.06	15660.64	2.6306	0.4200	35.92	1.5554
18:45:00	62.06	15664.02	2.6333	0.4205	39.30	1.5944
18:45:10	62.06	15668.02	2.6361	0.4210	43.30	1.6365
18:45:20	62.06	15671.38	2.6389	0.4214	46.66	1.6690
18:45:30	62.06	15670.91	2.6417	0.4219	46.19	1.6645
18:45:40	62.06	15668.50	2.6444	0.4223	43.78	1.6413
18:45:50	62.06	15664.34	2.6472	0.4228	39.62	1.5979
18:46:00	62.09	15661.70	2.6500	0.4232	36.98	1.5680
18:46:10	62.09	15661.54	2.6528	0.4237	36.82	1.5661
18:46:20	62.09	15661.54	2.6556	0.4242	36.82	1.5661
18:46:30	62.09	15662.35	2.6583	0.4246	37.63	1.5755
18:46:40	62.11	15663.23	2.6611	0.4251	38.51	1.5856
18:46:50	62.09	15662.67	2.6639	0.4255	37.95	1.5792
18:47:00	62.11	15662.11	2.6667	0.4260	37.39	1.5728
18:47:10	62.11	15662.11	2.6694	0.4264	37.39	1.5728
18:47:20	62.11	15659.87	2.6722	0.4269	35.15	1.5460
18:47:30	62.11	15660.03	2.6750	0.4273	35.31	1.5480
18:47:40	62.11	15661.00	2.6778	0.4278	36.28	1.5596
18:47:50	62.11	15661.63	2.6806	0.4282	36.91	1.5671
18:48:00	62.11	15659.23	2.6833	0.4287	34.51	1.5379
18:48:10	62.11	15658.75	2.6861	0.4291	34.03	1.5319
18:48:20	62.14	15660.29	2.6889	0.4296	35.57	1.5510
18:48:30	62.11	15658.91	2.6917	0.4300	34.19	1.5339
18:48:40	62.11	15658.11	2.6944	0.4305	33.39	1.5236
18:48:50	62.14	15653.88	2.6972	0.4309	29.16	1.4648
18:49:00	62.11	15655.70	2.7000	0.4314	30.98	1.4911
18:49:10	62.11	15660.83	2.7028	0.4318	36.11	1.5577
18:49:20	62.14	15663.02	2.7056	0.4323	38.30	1.5832
18:49:30	62.14	15662.69	2.7083	0.4327	37.97	1.5795
18:49:40	62.17	15659.42	2.7111	0.4331	34.70	1.5403
18:49:50	62.17	15656.70	2.7139	0.4336	31.98	1.5048
18:50:00	62.14	15655.16	2.7167	0.4340	30.44	1.4835
18:50:10	62.17	15657.02	2.7194	0.4345	32.30	1.5092
18:50:20	62.17	15659.74	2.7222	0.4349	35.02	1.5444
18:50:30	62.17	15659.58	2.7250	0.4354	34.86	1.5423
18:50:40	62.19	15657.28	2.7278	0.4358	32.56	1.5126
18:50:50	62.19	15658.08	2.7306	0.4363	33.36	1.5232
18:51:00	62.19	15661.76	2.7333	0.4367	37.04	1.5687
18:51:10	62.19	15663.04	2.7361	0.4371	38.32	1.5835
18:51:20	62.19	15658.24	2.7389	0.4376	33.52	1.5253
18:51:30	62.19	15658.40	2.7417	0.4380	33.68	1.5274
18:51:40	62.22	15659.29	2.7444	0.4385	34.57	1.5387
18:51:50	62.22	15657.05	2.7472	0.4389	32.33	1.5096
18:52:00	62.25	15656.83	2.7500	0.4393	32.11	1.5066

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
18:52:10	62.25	15656.03	2.7528	0.4398	31.31	1.4957
18:52:20	62.25	15650.10	2.7556	0.4402	25.38	1.4045
18:52:30	62.22	15647.27	2.7583	0.4406	22.55	1.3532
18:52:40	62.25	15649.46	2.7611	0.4411	24.74	1.3934
18:52:50	62.27	15656.43	2.7639	0.4415	31.71	1.5013
18:53:00	62.25	15661.47	2.7667	0.4420	36.75	1.5653
18:53:10	62.25	15665.32	2.7694	0.4424	40.60	1.6085
18:53:20	62.27	15662.85	2.7722	0.4428	38.13	1.5812
18:53:30	62.27	15661.24	2.7750	0.4433	36.52	1.5626
18:53:40	62.27	15661.08	2.7778	0.4437	36.36	1.5606
18:53:50	62.27	15658.36	2.7806	0.4441	33.64	1.5268
18:54:00	62.30	15656.69	2.7833	0.4446	31.97	1.5048
18:54:10	62.30	15654.29	2.7861	0.4450	29.57	1.4709
18:54:20	62.27	15655.48	2.7889	0.4454	30.76	1.4879
18:54:30	62.30	15657.17	2.7917	0.4459	32.45	1.5112
18:54:40	62.30	15657.49	2.7944	0.4463	32.77	1.5155
18:54:50	62.33	15660.95	2.7972	0.4467	36.23	1.5591
18:55:00	62.30	15663.26	2.8000	0.4472	38.54	1.5859
18:55:10	62.30	15664.70	2.8028	0.4476	39.98	1.6019
18:55:20	62.33	15662.24	2.8056	0.4480	37.52	1.5742
18:55:30	62.33	15657.59	2.8083	0.4484	32.87	1.5167
18:55:40	62.35	15657.04	2.8111	0.4489	32.32	1.5095
18:55:50	62.33	15655.02	2.8139	0.4493	30.30	1.4815
18:56:00	62.33	15659.67	2.8167	0.4497	34.95	1.5435
18:56:10	62.35	15661.53	2.8194	0.4502	36.81	1.5660
18:56:20	62.35	15662.82	2.8222	0.4506	38.10	1.5809
18:56:30	62.35	15661.69	2.8250	0.4510	36.97	1.5679
18:56:40	62.35	15662.33	2.8278	0.4514	37.61	1.5753
18:56:50	62.35	15660.25	2.8306	0.4519	35.53	1.5506
18:57:00	62.38	15659.70	2.8333	0.4523	34.98	1.5438
18:57:10	62.38	15661.62	2.8361	0.4527	36.90	1.5671
18:57:20	62.38	15661.14	2.8389	0.4531	36.42	1.5614
18:57:30	62.38	15660.66	2.8417	0.4536	35.94	1.5555
18:57:40	62.35	15660.73	2.8444	0.4540	36.01	1.5564
18:57:50	62.38	15658.90	2.8472	0.4544	34.18	1.5338
18:58:00	62.38	15654.57	2.8500	0.4548	29.85	1.4750
18:58:10	62.38	15651.36	2.8528	0.4553	26.64	1.4256
18:58:20	62.38	15650.56	2.8556	0.4557	25.84	1.4124
18:58:30	62.38	15651.04	2.8583	0.4561	26.33	1.4204
18:58:40	62.38	15653.77	2.8611	0.4565	29.05	1.4631
18:58:50	62.41	15659.48	2.8639	0.4570	34.76	1.5411
18:59:00	62.38	15656.82	2.8667	0.4574	32.10	1.5065
18:59:10	62.38	15654.57	2.8694	0.4578	29.85	1.4750
18:59:20	62.41	15655.15	2.8722	0.4582	30.43	1.4833
18:59:30	62.41	15663.16	2.8750	0.4586	38.44	1.5848
18:59:40	62.44	15669.83	2.8778	0.4591	45.11	1.6543
18:59:50	62.44	15678.48	2.8806	0.4595	53.76	1.7304
19:00:00	62.44	15675.92	2.8833	0.4599	51.20	1.7092
19:00:10	62.46	15677.29	2.8861	0.4603	52.58	1.7208
19:00:20	62.46	15675.69	2.8889	0.4607	50.97	1.7073
19:00:30	62.49	15669.69	2.8917	0.4611	44.97	1.6530
19:00:40	62.49	15668.73	2.8944	0.4616	44.01	1.6436
19:00:50	62.49	15665.05	2.8972	0.4620	40.33	1.6056
19:01:00	62.49	15662.64	2.9000	0.4624	37.92	1.5789
19:01:10	62.49	15666.81	2.9028	0.4628	42.09	1.6242
19:01:20	62.49	15665.37	2.9056	0.4632	40.65	1.6090
19:01:30	62.49	15663.29	2.9083	0.4636	38.57	1.5862
19:01:40	62.52	15662.10	2.9111	0.4641	37.38	1.5726
19:01:50	62.49	15662.64	2.9139	0.4645	37.92	1.5789
19:02:00	62.52	15658.57	2.9167	0.4649	33.85	1.5296
19:02:10	62.52	15656.33	2.9194	0.4653	31.61	1.4998
19:02:20	62.49	15656.71	2.9222	0.4657	31.99	1.5051

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:02:30	62.52	15656.65	2.9250	0.4661	31.93	1.5042
19:02:40	62.52	15655.85	2.9278	0.4665	31.13	1.4932
19:02:50	62.52	15657.45	2.9306	0.4669	32.73	1.5150
19:03:00	62.49	15653.35	2.9333	0.4674	28.63	1.4568
19:03:10	62.52	15652.96	2.9361	0.4678	28.24	1.4509
19:03:20	62.52	15655.21	2.9389	0.4682	30.49	1.4841
19:03:30	62.52	15656.97	2.9417	0.4686	32.25	1.5086
19:03:40	62.52	15662.10	2.9444	0.4690	37.38	1.5726
19:03:50	62.52	15660.18	2.9472	0.4694	35.46	1.5497
19:04:00	62.54	15659.47	2.9500	0.4698	34.75	1.5410
19:04:10	62.54	15660.12	2.9528	0.4702	35.40	1.5489
19:04:20	62.54	15663.48	2.9556	0.4706	38.76	1.5884
19:04:30	62.57	15662.13	2.9583	0.4710	37.41	1.5729
19:04:40	62.57	15657.64	2.9611	0.4715	32.92	1.5175
19:04:50	62.54	15652.75	2.9639	0.4719	28.03	1.4476
19:05:00	62.57	15650.75	2.9667	0.4723	26.03	1.4155
19:05:10	62.57	15652.03	2.9694	0.4727	27.31	1.4364
19:05:20	62.57	15658.44	2.9722	0.4731	33.72	1.5279
19:05:30	62.60	15664.31	2.9750	0.4735	39.59	1.5976
19:05:40	62.57	15661.49	2.9778	0.4739	36.77	1.5655
19:05:50	62.60	15662.23	2.9806	0.4743	37.51	1.5741
19:06:00	62.60	15660.14	2.9833	0.4747	35.42	1.5492
19:06:10	62.62	15658.96	2.9861	0.4751	34.24	1.5345
19:06:20	62.60	15660.78	2.9889	0.4755	36.06	1.5570
19:06:30	62.62	15654.95	2.9917	0.4759	30.23	1.4804
19:06:40	62.62	15651.90	2.9944	0.4763	27.18	1.4342
19:06:50	62.62	15650.94	2.9972	0.4767	26.22	1.4186
19:07:00	62.62	15650.78	3.0000	0.4771	26.06	1.4160
19:07:10	62.62	15650.94	3.0028	0.4775	26.22	1.4186
19:07:20	62.65	15652.16	3.0056	0.4779	27.44	1.4383
19:07:30	62.65	15652.32	3.0083	0.4783	27.60	1.4409
19:07:40	62.65	15650.88	3.0111	0.4787	26.16	1.4176
19:07:50	62.65	15649.91	3.0139	0.4791	25.19	1.4012
19:08:00	62.65	15652.32	3.0167	0.4795	27.60	1.4409
19:08:10	62.65	15652.16	3.0194	0.4799	27.44	1.4383
19:08:20	62.65	15647.51	3.0222	0.4803	22.79	1.3577
19:08:30	62.68	15648.25	3.0250	0.4807	23.53	1.3716
19:08:40	62.68	15650.97	3.0278	0.4811	26.25	1.4192
19:08:50	62.68	15648.73	3.0306	0.4815	24.01	1.3804
19:09:00	62.71	15649.46	3.0333	0.4819	24.74	1.3934
19:09:10	62.71	15650.11	3.0361	0.4823	25.39	1.4046
19:09:20	62.71	15661.49	3.0389	0.4827	36.77	1.5654
19:09:30	62.71	15669.66	3.0417	0.4831	44.94	1.6526
19:09:40	62.73	15667.67	3.0444	0.4835	42.95	1.6329
19:09:50	62.76	15665.68	3.0472	0.4839	40.96	1.6124
19:10:00	62.76	15665.36	3.0500	0.4843	40.64	1.6089
19:10:10	62.79	15664.01	3.0528	0.4847	39.29	1.5943
19:10:20	62.76	15663.28	3.0556	0.4851	38.56	1.5861
19:10:30	62.79	15661.13	3.0583	0.4855	36.41	1.5612
19:10:40	62.79	15658.88	3.0611	0.4859	34.16	1.5336
19:10:50	62.79	15655.36	3.0639	0.4863	30.64	1.4863
19:11:00	62.81	15654.33	3.0667	0.4867	29.61	1.4714
19:11:10	62.79	15653.76	3.0694	0.4871	29.04	1.4630
19:11:20	62.81	15654.65	3.0722	0.4875	29.93	1.4761
19:11:30	62.81	15653.69	3.0750	0.4878	28.97	1.4619
19:11:40	62.81	15658.01	3.0778	0.4882	33.29	1.5224
19:11:50	62.79	15663.05	3.0806	0.4886	38.33	1.5836
19:12:00	62.81	15666.67	3.0833	0.4890	41.95	1.6227
19:12:10	62.81	15672.60	3.0861	0.4894	47.88	1.6801
19:12:20	62.84	15675.58	3.0889	0.4898	50.86	1.7064
19:12:30	62.84	15673.66	3.0917	0.4902	48.94	1.6897
19:12:40	62.84	15675.58	3.0944	0.4906	50.86	1.7064

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:12:50	62.87	15683.53	3.0972	0.4910	58.81	1.7694
19:13:00	62.89	15687.63	3.1000	0.4914	62.92	1.7988
19:13:10	62.89	15686.19	3.1028	0.4918	61.47	1.7886
19:13:20	62.89	15684.26	3.1056	0.4921	59.54	1.7748
19:13:30	62.92	15683.08	3.1083	0.4925	58.36	1.7661
19:13:40	62.92	15683.40	3.1111	0.4929	58.68	1.7685
19:13:50	62.95	15683.97	3.1139	0.4933	59.25	1.7727
19:14:00	62.95	15680.93	3.1167	0.4937	56.21	1.7498
19:14:10	62.95	15672.75	3.1194	0.4941	48.03	1.6816
19:14:20	62.95	15672.75	3.1222	0.4945	48.03	1.6816
19:14:30	62.95	15676.76	3.1250	0.4949	52.04	1.7163
19:14:40	62.95	15674.20	3.1278	0.4952	49.48	1.6944
19:14:50	62.95	15674.84	3.1306	0.4956	50.12	1.7000
19:15:00	62.97	15673.82	3.1333	0.4960	49.10	1.6911
19:15:10	62.95	15671.79	3.1361	0.4964	47.07	1.6728
19:15:20	62.97	15671.09	3.1389	0.4968	46.37	1.6662
19:15:30	62.97	15673.65	3.1417	0.4972	48.93	1.6896
19:15:40	62.97	15669.00	3.1444	0.4975	45.08	1.6540
19:15:50	62.97	15665.32	3.1472	0.4979	40.60	1.6086
19:16:00	62.97	15660.99	3.1500	0.4983	36.27	1.5596
19:16:10	62.95	15661.06	3.1528	0.4987	36.34	1.5604
19:16:20	62.97	15662.12	3.1556	0.4991	37.40	1.5729
19:16:30	62.97	15664.68	3.1583	0.4995	39.96	1.6016
19:16:40	62.97	15659.39	3.1611	0.4998	34.67	1.5399
19:16:50	62.97	15657.31	3.1639	0.5002	32.59	1.5130
19:17:00	62.95	15656.89	3.1667	0.5006	32.17	1.5075
19:17:10	62.97	15655.70	3.1694	0.5010	30.98	1.4911
19:17:20	62.95	15655.61	3.1722	0.5014	30.89	1.4898
19:17:30	62.95	15657.86	3.1750	0.5017	33.14	1.5203
19:17:40	62.95	15656.25	3.1778	0.5021	31.53	1.4988
19:17:50	62.97	15658.42	3.1806	0.5025	33.71	1.5277
19:18:00	62.97	15657.31	3.1833	0.5029	32.59	1.5130
19:18:10	62.97	15654.91	3.1861	0.5033	30.19	1.4798
19:18:20	62.97	15653.30	3.1889	0.5036	28.58	1.4561
19:18:30	62.97	15651.38	3.1917	0.5040	26.66	1.4258
19:18:40	62.97	15649.78	3.1944	0.5044	25.06	1.3989
19:18:50	62.97	15647.53	3.1972	0.5048	22.81	1.3581
19:19:00	62.97	15647.69	3.2000	0.5051	22.97	1.3612
19:19:10	62.97	15646.41	3.2028	0.5055	21.69	1.3362
19:19:20	62.97	15646.41	3.2056	0.5059	21.69	1.3362
19:19:30	62.97	15646.73	3.2083	0.5063	22.01	1.3427
19:19:40	63.00	15652.44	3.2111	0.5067	27.72	1.4428
19:19:50	63.00	15657.72	3.2139	0.5070	33.00	1.5186
19:20:00	63.00	15663.66	3.2167	0.5074	38.94	1.5904
19:20:10	63.00	15669.74	3.2194	0.5078	45.02	1.6534
19:20:20	63.00	15674.71	3.2222	0.5082	49.99	1.6989
19:20:30	63.00	15683.05	3.2250	0.5085	58.33	1.7659
19:20:40	63.03	15690.35	3.2278	0.5089	65.63	1.8171
19:20:50	63.03	15690.51	3.2306	0.5093	65.79	1.8182
19:21:00	63.06	15690.28	3.2333	0.5097	65.56	1.8167
19:21:10	63.06	15691.25	3.2361	0.5100	66.53	1.8230
19:21:20	63.08	15692.15	3.2389	0.5104	67.43	1.8288
19:21:30	63.08	15692.47	3.2417	0.5108	67.75	1.8309
19:21:40	63.11	15689.84	3.2444	0.5111	65.12	1.8137
19:21:50	63.11	15687.11	3.2472	0.5115	62.39	1.7951
19:22:00	63.11	15687.11	3.2500	0.5119	62.39	1.7951
19:22:10	63.11	15691.12	3.2528	0.5123	66.40	1.8221
19:22:20	63.11	15693.52	3.2556	0.5126	68.80	1.8376
19:22:30	63.11	15693.36	3.2583	0.5130	68.64	1.8366
19:22:40	63.11	15690.63	3.2611	0.5134	65.92	1.8190
19:22:50	63.11	15689.04	3.2639	0.5137	64.32	1.8083
19:23:00	63.14	15685.92	3.2667	0.5141	61.20	1.7868

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:23:10	63.11	15688.55	3.2694	0.5145	63.83	1.8050
19:23:20	63.11	15688.39	3.2722	0.5148	63.67	1.8040
19:23:30	63.11	15687.59	3.2750	0.5152	62.87	1.7984
19:23:40	63.11	15689.99	3.2778	0.5156	65.27	1.8147
19:23:50	63.14	15689.45	3.2806	0.5159	64.73	1.8111
19:24:00	63.14	15687.37	3.2833	0.5163	62.65	1.7969
19:24:10	63.14	15683.52	3.2861	0.5167	58.80	1.7694
19:24:20	63.11	15680.22	3.2889	0.5170	55.50	1.7443
19:24:30	63.14	15676.63	3.2917	0.5174	51.91	1.7152
19:24:40	63.11	15671.24	3.2944	0.5178	46.52	1.6677
19:24:50	63.11	15668.04	3.2972	0.5181	43.32	1.6367
19:25:00	63.14	15667.50	3.3000	0.5185	42.78	1.6312
19:25:10	63.11	15667.56	3.3028	0.5189	42.84	1.6318
19:25:20	63.11	15667.88	3.3056	0.5192	43.16	1.6351
19:25:30	63.11	15671.73	3.3083	0.5196	47.01	1.6722
19:25:40	63.11	15674.92	3.3111	0.5200	50.21	1.7007
19:25:50	63.11	15677.33	3.3139	0.5203	52.61	1.7211
19:26:00	63.11	15679.10	3.3167	0.5207	54.38	1.7354
19:26:10	63.08	15681.73	3.3194	0.5211	57.01	1.7559
19:26:20	63.11	15681.34	3.3222	0.5214	56.62	1.7530
19:26:30	63.11	15684.87	3.3250	0.5218	60.15	1.7792
19:26:40	63.14	15687.37	3.3278	0.5222	62.65	1.7969
19:26:50	63.11	15682.78	3.3306	0.5225	58.06	1.7639
19:27:00	63.11	15680.38	3.3333	0.5229	55.66	1.7455
19:27:10	63.11	15679.26	3.3361	0.5232	54.54	1.7367
19:27:20	63.11	15677.02	3.3389	0.5236	52.30	1.7185
19:27:30	63.11	15674.92	3.3417	0.5240	50.21	1.7007
19:27:40	63.14	15668.94	3.3444	0.5243	44.22	1.6456
19:27:50	63.14	15666.21	3.3472	0.5247	41.49	1.6180
19:28:00	63.14	15665.41	3.3500	0.5250	40.69	1.6095
19:28:10	63.11	15669.00	3.3528	0.5254	44.28	1.6462
19:28:20	63.14	15668.62	3.3556	0.5258	43.90	1.6424
19:28:30	63.11	15668.36	3.3583	0.5261	43.64	1.6399
19:28:40	63.14	15666.85	3.3611	0.5265	42.13	1.6246
19:28:50	63.14	15665.73	3.3639	0.5268	41.01	1.6129
19:29:00	63.14	15673.42	3.3667	0.5272	48.70	1.6876
19:29:10	63.14	15678.71	3.3694	0.5276	53.99	1.7323
19:29:20	63.14	15682.07	3.3722	0.5279	57.35	1.7586
19:29:30	63.14	15683.04	3.3750	0.5283	58.32	1.7658
19:29:40	63.14	15681.27	3.3778	0.5286	56.55	1.7525
19:29:50	63.16	15682.81	3.3806	0.5290	58.09	1.7641
19:30:00	63.14	15683.52	3.3833	0.5293	58.80	1.7694
19:30:10	63.16	15673.84	3.3861	0.5297	49.12	1.6913
19:30:20	63.16	15673.68	3.3889	0.5301	48.96	1.6899
19:30:30	63.16	15669.67	3.3917	0.5304	44.95	1.6528
19:30:40	63.16	15673.36	3.3944	0.5308	48.64	1.6870
19:30:50	63.16	15678.49	3.3972	0.5311	53.77	1.7305
19:31:00	63.19	15676.66	3.4000	0.5315	51.94	1.7155
19:31:10	63.19	15670.25	3.4028	0.5318	45.53	1.6583
19:31:20	63.19	15668.97	3.4056	0.5322	44.25	1.6459
19:31:30	63.19	15672.49	3.4083	0.5325	47.77	1.6792
19:31:40	63.19	15674.26	3.4111	0.5329	49.54	1.6949
19:31:50	63.19	15670.41	3.4139	0.5332	45.69	1.6599
19:32:00	63.22	15670.18	3.4167	0.5336	45.46	1.6576
19:32:10	63.22	15677.88	3.4194	0.5340	53.16	1.7256
19:32:20	63.19	15683.71	3.4222	0.5343	58.99	1.7708
19:32:30	63.22	15685.09	3.4250	0.5347	60.37	1.7808
19:32:40	63.22	15682.85	3.4278	0.5350	58.13	1.7644
19:32:50	63.22	15681.56	3.4306	0.5354	56.84	1.7547
19:33:00	63.22	15670.50	3.4333	0.5357	45.79	1.6607
19:33:10	63.22	15670.99	3.4361	0.5361	46.27	1.6653
19:33:20	63.22	15671.46	3.4389	0.5364	46.74	1.6697

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:33:30	63.24	15676.21	3.4417	0.5368	51.49	1.7117
19:33:40	63.24	15680.06	3.4444	0.5371	55.34	1.7430
19:33:50	63.24	15681.82	3.4472	0.5375	57.10	1.7566
19:34:00	63.24	15678.78	3.4500	0.5378	54.06	1.7329
19:34:10	63.24	15675.73	3.4528	0.5382	51.01	1.7077
19:34:20	63.24	15672.84	3.4556	0.5385	48.13	1.6824
19:34:30	63.27	15668.13	3.4583	0.5389	43.41	1.6376
19:34:40	63.24	15671.57	3.4611	0.5392	46.85	1.6707
19:34:50	63.24	15672.37	3.4639	0.5396	47.65	1.6780
19:35:00	63.24	15671.40	3.4667	0.5399	46.68	1.6692
19:35:10	63.24	15671.40	3.4694	0.5403	46.68	1.6692
19:35:20	63.24	15670.44	3.4722	0.5406	45.72	1.6602
19:35:30	63.24	15670.12	3.4750	0.5410	45.40	1.6571
19:35:40	63.22	15673.55	3.4778	0.5413	48.83	1.6887
19:35:50	63.24	15675.89	3.4806	0.5416	51.17	1.7091
19:36:00	63.24	15681.34	3.4833	0.5420	56.62	1.7530
19:36:10	63.24	15684.71	3.4861	0.5423	59.99	1.7781
19:36:20	63.24	15687.27	3.4889	0.5427	62.55	1.7962
19:36:30	63.24	15688.72	3.4917	0.5430	64.00	1.8062
19:36:40	63.24	15690.95	3.4944	0.5434	66.23	1.8211
19:36:50	63.27	15693.94	3.4972	0.5437	69.22	1.8402
19:37:00	63.27	15692.33	3.5000	0.5441	67.61	1.8300
19:37:10	63.27	15689.77	3.5028	0.5444	65.05	1.8132
19:37:20	63.27	15688.16	3.5056	0.5448	63.44	1.8024
19:37:30	63.30	15685.53	3.5083	0.5451	60.81	1.7840
19:37:40	63.27	15706.92	3.5111	0.5454	82.20	1.9149
19:37:50	63.27	15713.00	3.5139	0.5458	88.28	1.9459
19:38:00	63.30	15712.46	3.5167	0.5461	87.74	1.9432
19:38:10	63.30	15712.30	3.5194	0.5465	87.58	1.9424
19:38:20	63.30	15712.30	3.5222	0.5468	87.58	1.9424
19:38:30	63.27	15711.89	3.5250	0.5472	87.17	1.9403
19:38:40	63.30	15711.33	3.5278	0.5475	86.61	1.9376
19:38:50	63.30	15710.69	3.5306	0.5478	85.97	1.9344
19:39:00	63.27	15709.00	3.5333	0.5482	84.28	1.9257
19:39:10	63.30	15707.82	3.5361	0.5485	83.10	1.9196
19:39:20	63.30	15708.13	3.5389	0.5489	83.41	1.9212
19:39:30	63.27	15708.36	3.5417	0.5492	83.64	1.9224
19:39:40	63.24	15708.58	3.5444	0.5495	83.86	1.9236
19:39:50	63.27	15708.52	3.5472	0.5499	83.80	1.9232
19:40:00	63.27	15708.36	3.5500	0.5502	83.64	1.9224
19:40:10	63.24	15708.42	3.5528	0.5506	83.71	1.9228
19:40:20	63.24	15708.58	3.5556	0.5509	83.86	1.9236
19:40:30	63.24	15708.58	3.5583	0.5512	83.86	1.9236
19:40:40	63.22	15708.49	3.5611	0.5516	83.77	1.9231
19:40:50	63.24	15708.74	3.5639	0.5519	84.02	1.9244
19:41:00	63.24	15708.91	3.5667	0.5523	84.19	1.9252
19:41:10	63.22	15708.97	3.5694	0.5526	84.25	1.9256
19:41:20	63.22	15709.44	3.5722	0.5529	84.72	1.9280
19:41:30	63.19	15709.83	3.5750	0.5533	85.11	1.9300
19:41:40	63.22	15709.93	3.5778	0.5536	85.21	1.9305
19:41:50	63.19	15710.31	3.5806	0.5540	85.59	1.9324
19:42:00	63.22	15710.25	3.5833	0.5543	85.53	1.9321
19:42:10	63.19	15710.79	3.5861	0.5546	86.07	1.9349
19:42:20	63.19	15710.79	3.5889	0.5550	86.07	1.9349
19:42:30	63.19	15710.96	3.5917	0.5553	86.24	1.9357
19:42:40	63.19	15711.11	3.5944	0.5556	86.39	1.9365
19:42:50	63.19	15711.60	3.5972	0.5560	86.88	1.9389
19:43:00	63.19	15711.75	3.6000	0.5563	87.03	1.9397
19:43:10	63.19	15712.08	3.6028	0.5566	87.36	1.9413
19:43:20	63.19	15711.92	3.6056	0.5570	87.20	1.9405
19:43:30	63.16	15712.46	3.6083	0.5573	87.74	1.9432
19:43:40	63.16	15712.62	3.6111	0.5576	87.90	1.9440

Change to 24/64"
adj. choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:43:50	63.16	15712.78	3.6139	0.5580	88.06	1.9448
19:44:00	63.16	15712.95	3.6167	0.5583	88.23	1.9456
19:44:10	63.16	15713.42	3.6194	0.5586	88.70	1.9479
19:44:20	63.16	15713.59	3.6222	0.5590	88.87	1.9487
19:44:30	63.16	15713.59	3.6250	0.5593	88.87	1.9487
19:44:40	63.14	15713.97	3.6278	0.5596	89.25	1.9506
19:44:50	63.14	15714.12	3.6306	0.5600	89.40	1.9514
19:45:00	63.14	15686.73	3.6333	0.5603	62.01	1.7924
19:45:10	63.14	15654.35	3.6361	0.5606	29.63	1.4718
19:45:20	63.11	15632.14	3.6389	0.5610	7.42	0.8705
19:45:30	63.08	15571.80	3.6417	0.5613	52.92	1.7236
19:45:40	63.08	15559.14	3.6444	0.5616	65.58	1.8168
19:45:50	63.08	15571.80	3.6472	0.5620	52.92	1.7236
19:46:00	63.06	15600.38	3.6500	0.5623	24.33	1.3862
19:46:10	63.06	15628.11	3.6528	0.5626	3.39	0.5299
19:46:20	63.06	15639.17	3.6556	0.5630	14.45	1.1598
19:46:30	63.06	15641.73	3.6583	0.5633	17.01	1.2308
19:46:40	63.06	15642.85	3.6611	0.5636	18.13	1.2584
19:46:50	63.08	15644.23	3.6639	0.5639	19.51	1.2903
19:47:00	63.08	15640.23	3.6667	0.5643	15.51	1.1906
19:47:10	63.11	15636.31	3.6694	0.5646	11.59	1.0640
19:47:20	63.11	15637.91	3.6722	0.5649	13.19	1.1203
19:47:30	63.11	15641.12	3.6750	0.5653	16.40	1.2148
19:47:40	63.14	15637.85	3.6778	0.5656	13.13	1.1182
19:47:50	63.14	15638.17	3.6806	0.5659	13.45	1.1286
19:48:00	63.14	15637.37	3.6833	0.5662	12.65	1.1021
19:48:10	63.14	15631.59	3.6861	0.5666	6.87	0.8373
19:48:20	63.16	15631.69	3.6889	0.5669	6.97	0.8434
19:48:30	63.14	15631.11	3.6917	0.5672	6.39	0.8057
19:48:40	63.16	15630.09	3.6944	0.5675	5.37	0.7300
19:48:50	63.16	15629.29	3.6972	0.5679	4.57	0.6601
19:49:00	63.19	15624.42	3.7000	0.5682	0.30	-0.5189
19:49:10	63.19	15624.10	3.7028	0.5685	0.62	-0.2062
19:49:20	63.19	15620.73	3.7056	0.5689	3.99	0.6006
19:49:30	63.19	15612.24	3.7083	0.5692	12.48	1.0962
19:49:40	63.19	15604.87	3.7111	0.5695	19.85	1.2978
19:49:50	63.22	15602.08	3.7139	0.5698	22.64	1.3549
19:50:00	63.22	15602.72	3.7167	0.5702	22.00	1.3424
19:50:10	63.24	15598.65	3.7194	0.5705	26.07	1.4161
19:50:20	63.24	15615.96	3.7222	0.5708	8.76	0.9427
19:50:30	63.24	15640.47	3.7250	0.5711	15.75	1.1974
19:50:40	63.27	15656.11	3.7278	0.5715	31.39	1.4968
19:50:50	63.30	15660.54	3.7306	0.5718	35.82	1.5541
19:51:00	63.30	15657.65	3.7333	0.5721	32.93	1.5176
19:51:10	63.32	15652.78	3.7361	0.5724	28.06	1.4480
19:51:20	63.30	15649.96	3.7389	0.5727	25.24	1.4021
19:51:30	63.32	15646.21	3.7417	0.5731	21.49	1.3322
19:51:40	63.35	15647.27	3.7444	0.5734	22.55	1.3531
19:51:50	63.35	15640.69	3.7472	0.5737	15.97	1.2034
19:52:00	63.35	15640.69	3.7500	0.5740	15.97	1.2034
19:52:10	63.35	15631.56	3.7528	0.5744	6.84	0.8352
19:52:20	63.38	15627.17	3.7556	0.5747	2.45	0.3894
19:52:30	63.38	15630.38	3.7583	0.5750	5.66	0.7528
19:52:40	63.41	15646.98	3.7611	0.5753	22.26	1.3475
19:52:50	63.38	15642.55	3.7639	0.5756	17.83	1.2512
19:53:00	63.41	15638.16	3.7667	0.5760	13.44	1.1285
19:53:10	63.41	15635.28	3.7694	0.5763	10.56	1.0236
19:53:20	63.43	15626.56	3.7722	0.5766	1.84	0.2652
19:53:30	63.43	15623.36	3.7750	0.5769	1.36	0.1337
19:53:40	63.41	15618.93	3.7778	0.5772	5.79	0.7625
19:53:50	63.43	15621.59	3.7806	0.5776	3.13	0.4951
19:54:00	63.43	15623.84	3.7833	0.5779	0.88	-0.0546

Change to 24/64"
fixed choke

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
19:54:10	63.43	15617.27	3.7861	0.5782	7.45	0.8724
19:54:20	63.43	15613.42	3.7889	0.5785	11.30	1.0530
19:54:30	63.46	15615.44	3.7917	0.5788	9.28	0.9675
19:54:40	63.46	15623.61	3.7944	0.5791	1.11	0.0443
19:54:50	63.46	15638.36	3.7972	0.5795	13.64	1.1347
19:55:00	63.46	15646.04	3.8000	0.5798	21.33	1.3289
19:55:10	63.46	15637.55	3.8028	0.5801	12.83	1.1083
19:55:20	63.46	15638.03	3.8056	0.5804	13.31	1.1243
19:55:30	63.46	15634.19	3.8083	0.5807	9.47	0.9762
19:55:40	63.49	15639.89	3.8111	0.5811	15.17	1.1809
19:55:50	63.46	15648.45	3.8139	0.5814	23.73	1.3752
19:56:00	63.46	15640.28	3.8167	0.5817	15.56	1.1919
19:56:10	63.49	15644.70	3.8194	0.5820	19.98	1.3006
19:56:20	63.49	15632.20	3.8222	0.5823	7.48	0.8740
19:56:30	63.49	15640.53	3.8250	0.5826	15.81	1.1989
19:56:40	63.46	15658.55	3.8278	0.5829	33.83	1.5293
19:56:50	63.49	15665.69	3.8306	0.5833	40.97	1.6125
19:57:00	63.49	15665.85	3.8333	0.5836	41.13	1.6142
19:57:10	63.49	15660.40	3.8361	0.5839	35.68	1.5524
19:57:20	63.49	15656.88	3.8389	0.5842	32.16	1.5073
19:57:30	63.51	15640.79	3.8417	0.5845	16.07	1.2059
19:57:40	63.51	15638.39	3.8444	0.5848	13.67	1.1356
19:57:50	63.51	15648.48	3.8472	0.5851	23.76	1.3759
19:58:00	63.49	15653.03	3.8500	0.5855	28.31	1.4520
19:58:10	63.51	15648.64	3.8528	0.5858	23.92	1.3787
19:58:20	63.49	15657.84	3.8556	0.5861	33.12	1.5201
19:58:30	63.49	15667.30	3.8583	0.5864	42.58	1.6292
19:58:40	63.49	15668.90	3.8611	0.5867	44.18	1.6452
19:58:50	63.51	15669.79	3.8639	0.5870	45.07	1.6539
19:59:00	63.51	15667.55	3.8667	0.5873	42.83	1.6317
19:59:10	63.51	15657.77	3.8694	0.5876	33.05	1.5192
19:59:20	63.51	15660.18	3.8722	0.5880	35.46	1.5497
19:59:30	63.49	15661.04	3.8750	0.5883	36.32	1.5602
19:59:40	63.51	15649.92	3.8778	0.5886	25.20	1.4014
19:59:50	63.49	15652.87	3.8806	0.5889	28.15	1.4495
20:00:00	63.51	15636.46	3.8833	0.5892	11.74	1.0697
20:00:10	63.49	15631.56	3.8861	0.5895	6.84	0.8349
20:00:20	63.49	15636.69	3.8889	0.5898	11.97	1.0780
20:00:30	63.49	15635.24	3.8917	0.5901	10.52	1.0222
20:00:40	63.49	15640.85	3.8944	0.5904	16.13	1.2077
20:00:50	63.49	15642.29	3.8972	0.5908	17.58	1.2449
20:01:00	63.51	15634.21	3.9000	0.5911	9.49	0.9775
20:01:10	63.49	15641.02	3.9028	0.5914	16.30	1.2121
20:01:20	63.49	15630.75	3.9056	0.5917	6.03	0.7805
20:01:30	63.51	15638.39	3.9083	0.5920	13.67	1.1356
20:01:40	63.51	15630.85	3.9111	0.5923	6.13	0.7878
20:01:50	63.51	15635.50	3.9139	0.5926	10.78	1.0325
20:02:00	63.51	15635.66	3.9167	0.5929	10.94	1.0391
20:02:10	63.51	15637.10	3.9194	0.5932	12.38	1.0927
20:02:20	63.51	15632.93	3.9222	0.5935	8.21	0.9146
20:02:30	63.51	15637.58	3.9250	0.5938	12.86	1.1093
20:02:40	63.51	15641.43	3.9278	0.5941	16.71	1.2229
20:02:50	63.54	15650.34	3.9306	0.5945	25.62	1.4086
20:03:00	63.54	15642.64	3.9333	0.5948	17.92	1.2535
20:03:10	63.54	15638.96	3.9361	0.5951	14.24	1.1535
20:03:20	63.51	15644.16	3.9389	0.5954	19.44	1.2886
20:03:30	63.54	15637.52	3.9417	0.5957	12.80	1.1071
20:03:40	63.57	15632.65	3.9444	0.5960	7.93	0.8992
20:03:50	63.54	15648.89	3.9472	0.5963	24.17	1.3833
20:04:00	63.57	15651.71	3.9500	0.5966	27.00	1.4313
20:04:10	63.57	15644.82	3.9528	0.5969	20.10	1.3033
20:04:20	63.57	15653.32	3.9556	0.5972	28.60	1.4563

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:04:30	63.57	15667.42	3.9583	0.5975	42.70	1.6304
20:04:40	63.57	15675.43	3.9611	0.5978	50.71	1.7051
20:04:50	63.59	15673.93	3.9639	0.5981	49.21	1.6920
20:05:00	63.59	15665.75	3.9667	0.5984	41.03	1.6131
20:05:10	63.57	15655.08	3.9694	0.5987	30.36	1.4823
20:05:20	63.59	15645.73	3.9722	0.5990	21.01	1.3223
20:05:30	63.59	15642.84	3.9750	0.5993	18.12	1.2582
20:05:40	63.59	15646.85	3.9778	0.5996	22.13	1.3449
20:05:50	63.59	15636.91	3.9806	0.5999	12.19	1.0861
20:06:00	63.59	15636.75	3.9833	0.6002	12.03	1.0802
20:06:10	63.59	15646.21	3.9861	0.6005	21.49	1.3322
20:06:20	63.57	15658.76	3.9889	0.6009	34.04	1.5321
20:06:30	63.59	15656.30	3.9917	0.6012	31.58	1.4995
20:06:40	63.59	15661.43	3.9944	0.6015	36.71	1.5648
20:06:50	63.59	15674.57	3.9972	0.6018	49.85	1.6977
20:07:00	63.62	15681.23	4.0000	0.6021	56.51	1.7522
20:07:10	63.62	15661.68	4.0028	0.6024	36.96	1.5678
20:07:20	63.62	15661.68	4.0056	0.6027	36.96	1.5678
20:07:30	63.62	15648.07	4.0083	0.6030	23.35	1.3682
20:07:40	63.62	15636.21	4.0111	0.6033	11.49	1.0604
20:07:50	63.62	15630.92	4.0139	0.6036	6.20	0.7923
20:08:00	63.59	15649.09	4.0167	0.6039	24.37	1.3869
20:08:10	63.62	15659.60	4.0194	0.6042	34.88	1.5426
20:08:20	63.62	15662.81	4.0222	0.6045	38.09	1.5808
20:08:30	63.62	15662.65	4.0250	0.6048	37.93	1.5789
20:08:40	63.62	15673.06	4.0278	0.6051	48.34	1.6843
20:08:50	63.62	15677.55	4.0306	0.6054	52.83	1.7229
20:09:00	63.62	15678.35	4.0333	0.6057	53.63	1.7294
20:09:10	63.62	15673.55	4.0361	0.6060	48.83	1.6887
20:09:20	63.62	15669.86	4.0389	0.6063	45.14	1.6545
20:09:30	63.62	15665.38	4.0417	0.6066	40.66	1.6091
20:09:40	63.65	15654.73	4.0444	0.6069	30.01	1.4772
20:09:50	63.65	15661.62	4.0472	0.6072	36.90	1.5670
20:10:00	63.62	15652.87	4.0500	0.6075	28.15	1.4495
20:10:10	63.65	15651.52	4.0528	0.6078	26.80	1.4282
20:10:20	63.65	15658.74	4.0556	0.6081	34.02	1.5317
20:10:30	63.65	15664.99	4.0583	0.6083	40.27	1.6050
20:10:40	63.65	15665.79	4.0611	0.6086	41.07	1.6135
20:10:50	63.65	15668.19	4.0639	0.6089	43.47	1.6382
20:11:00	63.65	15666.92	4.0667	0.6092	42.20	1.6253
20:11:10	63.65	15658.74	4.0694	0.6095	34.02	1.5317
20:11:20	63.68	15643.13	4.0722	0.6098	18.41	1.2650
20:11:30	63.68	15654.34	4.0750	0.6101	29.62	1.4716
20:11:40	63.68	15649.05	4.0778	0.6104	24.33	1.3862
20:11:50	63.68	15649.22	4.0806	0.6107	24.50	1.3892
20:12:00	63.65	15644.80	4.0833	0.6110	20.08	1.3027
20:12:10	63.65	15655.21	4.0861	0.6113	30.49	1.4842
20:12:20	63.68	15652.26	4.0889	0.6116	27.54	1.4400
20:12:30	63.68	15651.30	4.0917	0.6119	26.58	1.4246
20:12:40	63.68	15661.40	4.0944	0.6122	36.68	1.5644
20:12:50	63.70	15666.94	4.0972	0.6125	42.22	1.6255
20:13:00	63.68	15659.79	4.1000	0.6128	35.08	1.5450
20:13:10	63.68	15657.71	4.1028	0.6131	32.99	1.5184
20:13:20	63.68	15655.31	4.1056	0.6134	30.59	1.4855
20:13:30	63.73	15643.64	4.1083	0.6137	18.92	1.2770
20:13:40	63.70	15646.11	4.1111	0.6140	21.39	1.3301
20:13:50	63.70	15651.71	4.1139	0.6143	27.00	1.4313
20:14:00	63.70	15644.50	4.1167	0.6145	19.78	1.2963
20:14:10	63.73	15647.80	4.1194	0.6148	23.08	1.3632
20:14:20	63.73	15648.12	4.1222	0.6151	23.40	1.3693
20:14:30	63.73	15649.25	4.1250	0.6154	24.53	1.3897
20:14:40	63.73	15640.11	4.1278	0.6157	15.39	1.1873

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:14:50	63.73	15652.13	4.1306	0.6160	27.41	1.4379
20:15:00	63.73	15661.42	4.1333	0.6163	36.71	1.5647
20:15:10	63.73	15654.54	4.1361	0.6166	29.82	1.4745
20:15:20	63.73	15650.53	4.1389	0.6169	25.81	1.4118
20:15:30	63.76	15661.84	4.1417	0.6172	37.12	1.5696
20:15:40	63.76	15667.93	4.1444	0.6175	43.21	1.6356
20:15:50	63.76	15662.00	4.1472	0.6178	37.28	1.5715
20:16:00	63.76	15656.39	4.1500	0.6180	31.67	1.5007
20:16:10	63.78	15649.12	4.1528	0.6183	24.40	1.3874
20:16:20	63.76	15649.19	4.1556	0.6186	24.47	1.3886
20:16:30	63.78	15650.39	4.1583	0.6189	25.67	1.4095
20:16:40	63.78	15650.08	4.1611	0.6192	25.36	1.4041
20:16:50	63.78	15661.30	4.1639	0.6195	36.58	1.5632
20:17:00	63.78	15673.32	4.1667	0.6198	48.60	1.6866
20:17:10	63.76	15667.45	4.1694	0.6201	42.73	1.6308
20:17:20	63.78	15670.43	4.1722	0.6204	45.71	1.6600
20:17:30	63.76	15672.58	4.1750	0.6207	47.86	1.6800
20:17:40	63.78	15665.94	4.1778	0.6209	41.22	1.6151
20:17:50	63.78	15652.64	4.1806	0.6212	27.92	1.4460
20:18:00	63.81	15656.90	4.1833	0.6215	32.18	1.5076
20:18:10	63.81	15659.95	4.1861	0.6218	35.23	1.5469
20:18:20	63.81	15659.15	4.1889	0.6221	34.43	1.5369
20:18:30	63.81	15668.93	4.1917	0.6224	44.21	1.6455
20:18:40	63.78	15668.19	4.1944	0.6227	43.47	1.6382
20:18:50	63.81	15669.09	4.1972	0.6230	44.37	1.6471
20:19:00	63.78	15661.13	4.2000	0.6232	36.42	1.5613
20:19:10	63.81	15663.16	4.2028	0.6235	38.44	1.5847
20:19:20	63.81	15661.23	4.2056	0.6238	36.51	1.5624
20:19:30	63.81	15657.39	4.2083	0.6241	32.67	1.5141
20:19:40	63.78	15654.73	4.2111	0.6244	30.01	1.4772
20:19:50	63.81	15654.82	4.2139	0.6247	30.10	1.4786
20:20:00	63.81	15658.02	4.2167	0.6250	33.30	1.5225
20:20:10	63.81	15658.35	4.2194	0.6253	33.63	1.5267
20:20:20	63.81	15653.38	4.2222	0.6255	28.66	1.4573
20:20:30	63.81	15655.46	4.2250	0.6258	30.74	1.4877
20:20:40	63.81	15660.27	4.2278	0.6261	35.55	1.5509
20:20:50	63.81	15661.71	4.2306	0.6264	36.99	1.5681
20:21:00	63.84	15656.20	4.2333	0.6267	31.48	1.4980
20:21:10	63.81	15663.32	4.2361	0.6270	38.60	1.5865
20:21:20	63.84	15671.42	4.2389	0.6273	46.70	1.6694
20:21:30	63.84	15672.38	4.2417	0.6275	47.66	1.6782
20:21:40	63.84	15654.59	4.2444	0.6278	29.87	1.4753
20:21:50	63.84	15657.80	4.2472	0.6281	33.08	1.5196
20:22:00	63.84	15652.84	4.2500	0.6284	28.12	1.4490
20:22:10	63.86	15651.48	4.2528	0.6287	26.76	1.4275
20:22:20	63.86	15651.97	4.2556	0.6290	27.25	1.4354
20:22:30	63.86	15655.17	4.2583	0.6292	30.45	1.4836
20:22:40	63.86	15661.74	4.2611	0.6295	37.02	1.5685
20:22:50	63.84	15666.46	4.2639	0.6298	41.74	1.6205
20:23:00	63.86	15645.56	4.2667	0.6301	20.84	1.3188
20:23:10	63.86	15653.89	4.2694	0.6304	29.17	1.4649
20:23:20	63.86	15664.47	4.2722	0.6307	39.75	1.5993
20:23:30	63.86	15675.69	4.2750	0.6309	50.97	1.7073
20:23:40	63.89	15673.70	4.2778	0.6312	48.98	1.6900
20:23:50	63.86	15673.92	4.2806	0.6315	49.20	1.6920
20:24:00	63.89	15672.26	4.2833	0.6318	47.54	1.6771
20:24:10	63.89	15670.17	4.2861	0.6321	45.45	1.6575
20:24:20	63.89	15661.20	4.2889	0.6323	36.48	1.5621
20:24:30	63.89	15654.31	4.2917	0.6326	29.59	1.4712
20:24:40	63.89	15650.14	4.2944	0.6329	25.42	1.4052
20:24:50	63.89	15654.79	4.2972	0.6332	30.07	1.4782
20:25:00	63.89	15653.99	4.3000	0.6335	29.27	1.4664

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:25:10	63.89	15647.10	4.3028	0.6337	22.38	1.3499
20:25:20	63.89	15657.20	4.3056	0.6340	32.48	1.5116
20:25:30	63.89	15662.49	4.3083	0.6343	37.77	1.5771
20:25:40	63.92	15664.82	4.3111	0.6346	40.10	1.6032
20:25:50	63.89	15663.44	4.3139	0.6349	38.72	1.5880
20:26:00	63.92	15656.65	4.3167	0.6351	31.93	1.5042
20:26:10	63.92	15664.02	4.3194	0.6354	39.30	1.5944
20:26:20	63.92	15663.38	4.3222	0.6357	38.66	1.5873
20:26:30	63.92	15665.62	4.3250	0.6360	40.90	1.6117
20:26:40	63.92	15665.94	4.3278	0.6363	41.22	1.6151
20:26:50	63.92	15654.89	4.3306	0.6365	30.17	1.4795
20:27:00	63.92	15663.22	4.3333	0.6368	38.50	1.5854
20:27:10	63.94	15664.11	4.3361	0.6371	39.39	1.5954
20:27:20	63.94	15665.40	4.3389	0.6374	40.68	1.6094
20:27:30	63.94	15660.27	4.3417	0.6377	35.55	1.5508
20:27:40	63.94	15662.83	4.3444	0.6379	38.11	1.5811
20:27:50	63.94	15653.54	4.3472	0.6382	28.82	1.4597
20:28:00	63.94	15659.15	4.3500	0.6385	34.43	1.5369
20:28:10	63.94	15646.49	4.3528	0.6388	21.77	1.3378
20:28:20	63.94	15645.37	4.3556	0.6390	20.65	1.3149
20:28:30	63.94	15651.62	4.3583	0.6393	26.90	1.4297
20:28:40	63.94	15661.07	4.3611	0.6396	36.35	1.5606
20:28:50	63.97	15666.78	4.3639	0.6399	42.06	1.6238
20:29:00	63.94	15665.08	4.3667	0.6402	40.36	1.6059
20:29:10	63.94	15660.59	4.3694	0.6404	35.87	1.5547
20:29:20	63.94	15666.04	4.3722	0.6407	41.32	1.6161
20:29:30	63.97	15667.90	4.3750	0.6410	43.18	1.6353
20:29:40	63.97	15677.67	4.3778	0.6413	52.95	1.7239
20:29:50	63.97	15670.78	4.3806	0.6415	46.06	1.6634
20:30:00	64.00	15664.31	4.3833	0.6418	39.59	1.5976
20:30:10	64.00	15668.79	4.3861	0.6421	44.07	1.6442
20:30:20	64.00	15670.39	4.3889	0.6424	45.67	1.6597
20:30:30	64.00	15660.62	4.3917	0.6426	35.90	1.5551
20:30:40	63.97	15650.60	4.3944	0.6429	25.88	1.4129
20:30:50	64.00	15647.00	4.3972	0.6432	22.28	1.3479
20:31:00	64.00	15655.17	4.4000	0.6435	30.45	1.4836
20:31:10	63.97	15653.32	4.4028	0.6437	28.60	1.4564
20:31:20	63.97	15641.30	4.4056	0.6440	16.58	1.2195
20:31:30	64.00	15655.65	4.4083	0.6443	30.93	1.4904
20:31:40	64.00	15670.24	4.4111	0.6445	45.52	1.6582
20:31:50	64.00	15681.45	4.4139	0.6448	56.73	1.7538
20:32:00	64.00	15685.94	4.4167	0.6451	61.22	1.7869
20:32:10	64.00	15686.90	4.4194	0.6454	62.18	1.7937
20:32:20	64.00	15680.33	4.4222	0.6456	55.61	1.7452
20:32:30	64.00	15667.99	4.4250	0.6459	43.27	1.6362
20:32:40	64.03	15668.57	4.4278	0.6462	43.85	1.6420
20:32:50	64.03	15662.16	4.4306	0.6465	37.44	1.5733
20:33:00	64.03	15659.59	4.4333	0.6467	34.87	1.5425
20:33:10	64.00	15658.22	4.4361	0.6470	33.50	1.5250
20:33:20	64.03	15656.23	4.4389	0.6473	31.51	1.4984
20:33:30	64.00	15659.18	4.4417	0.6475	34.46	1.5373
20:33:40	64.03	15663.76	4.4444	0.6478	39.04	1.5915
20:33:50	64.03	15657.83	4.4472	0.6481	33.11	1.5200
20:34:00	64.03	15646.29	4.4500	0.6484	21.57	1.3339
20:34:10	64.03	15654.79	4.4528	0.6486	30.07	1.4781
20:34:20	64.03	15659.59	4.4556	0.6489	34.87	1.5425
20:34:30	64.03	15667.29	4.4583	0.6492	42.57	1.6291
20:34:40	64.03	15666.32	4.4611	0.6494	41.60	1.6191
20:34:50	64.03	15672.89	4.4639	0.6497	48.17	1.6828
20:35:00	64.05	15670.76	4.4667	0.6500	46.04	1.6631
20:35:10	64.05	15672.83	4.4694	0.6503	48.11	1.6823
20:35:20	64.05	15678.93	4.4722	0.6505	54.21	1.7341

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:35:30	64.08	15682.22	4.4750	0.6508	57.50	1.7597
20:35:40	64.08	15680.46	4.4778	0.6511	55.74	1.7462
20:35:50	64.05	15671.71	4.4806	0.6513	46.99	1.6720
20:36:00	64.05	15659.05	4.4833	0.6516	34.33	1.5357
20:36:10	64.08	15655.14	4.4861	0.6519	30.42	1.4832
20:36:20	64.05	15652.64	4.4889	0.6521	27.92	1.4459
20:36:30	64.08	15662.99	4.4917	0.6524	38.27	1.5829
20:36:40	64.08	15652.58	4.4944	0.6527	27.86	1.4449
20:36:50	64.08	15638.95	4.4972	0.6529	14.23	1.1532
20:37:00	64.08	15660.11	4.5000	0.6532	35.39	1.5489
20:37:10	64.08	15673.25	4.5028	0.6535	48.53	1.6860
20:37:20	64.08	15679.34	4.5056	0.6537	54.62	1.7373
20:37:30	64.08	15680.31	4.5083	0.6540	55.59	1.7450
20:37:40	64.08	15675.34	4.5111	0.6543	50.62	1.7043
20:37:50	64.08	15667.80	4.5139	0.6546	43.08	1.6343
20:38:00	64.11	15669.02	4.5167	0.6548	44.30	1.6464
20:38:10	64.11	15666.45	4.5194	0.6551	41.73	1.6205
20:38:20	64.11	15668.70	4.5222	0.6554	43.98	1.6432
20:38:30	64.11	15670.46	4.5250	0.6556	45.74	1.6603
20:38:40	64.11	15670.62	4.5278	0.6559	45.90	1.6618
20:38:50	64.11	15671.42	4.5306	0.6562	46.70	1.6694
20:39:00	64.11	15662.93	4.5333	0.6564	38.21	1.5822
20:39:10	64.11	15654.91	4.5361	0.6567	30.19	1.4799
20:39:20	64.11	15656.04	4.5389	0.6569	31.32	1.4958
20:39:30	64.11	15660.84	4.5417	0.6572	36.12	1.5578
20:39:40	64.11	15662.44	4.5444	0.6575	37.72	1.5766
20:39:50	64.11	15662.93	4.5472	0.6577	38.21	1.5822
20:40:00	64.11	15668.37	4.5500	0.6580	43.65	1.6400
20:40:10	64.11	15666.62	4.5528	0.6583	41.90	1.6222
20:40:20	64.11	15677.67	4.5556	0.6585	52.95	1.7239
20:40:30	64.13	15679.05	4.5583	0.6588	54.33	1.7350
20:40:40	64.13	15681.46	4.5611	0.6591	56.74	1.7539
20:40:50	64.13	15674.88	4.5639	0.6593	50.16	1.7004
20:41:00	64.13	15670.56	4.5667	0.6596	45.84	1.6612
20:41:10	64.13	15659.02	4.5694	0.6599	34.30	1.5353
20:41:20	64.16	15659.59	4.5722	0.6601	34.87	1.5425
20:41:30	64.13	15659.34	4.5750	0.6604	34.62	1.5393
20:41:40	64.13	15669.27	4.5778	0.6607	44.55	1.6489
20:41:50	64.13	15661.42	4.5806	0.6609	36.70	1.5647
20:42:00	64.13	15664.31	4.5833	0.6612	39.59	1.5976
20:42:10	64.16	15669.21	4.5861	0.6614	44.49	1.6482
20:42:20	64.16	15662.96	4.5889	0.6617	38.24	1.5825
20:42:30	64.13	15655.17	4.5917	0.6620	30.45	1.4836
20:42:40	64.13	15648.28	4.5944	0.6622	23.56	1.3722
20:42:50	64.16	15653.67	4.5972	0.6625	28.95	1.4616
20:43:00	64.13	15666.07	4.6000	0.6628	41.35	1.6165
20:43:10	64.16	15671.62	4.6028	0.6630	46.90	1.6711
20:43:20	64.16	15677.22	4.6056	0.6633	52.50	1.7202
20:43:30	64.16	15674.98	4.6083	0.6635	50.26	1.7012
20:43:40	64.19	15671.07	4.6111	0.6638	46.35	1.6660
20:43:50	64.16	15675.62	4.6139	0.6641	50.90	1.7067
20:44:00	64.16	15678.67	4.6167	0.6643	53.95	1.7320
20:44:10	64.16	15682.35	4.6194	0.6646	57.63	1.7606
20:44:20	64.19	15679.56	4.6222	0.6649	54.84	1.7391
20:44:30	64.19	15668.67	4.6250	0.6651	43.95	1.6429
20:44:40	64.19	15656.01	4.6278	0.6654	31.29	1.4954
20:44:50	64.19	15651.04	4.6306	0.6656	26.32	1.4203
20:45:00	64.19	15650.71	4.6333	0.6659	26.00	1.4149
20:45:10	64.19	15648.80	4.6361	0.6662	24.08	1.3816
20:45:20	64.21	15654.34	4.6389	0.6664	29.62	1.4716
20:45:30	64.19	15658.09	4.6417	0.6667	33.37	1.5233
20:45:40	64.19	15669.95	4.6444	0.6669	45.23	1.6554

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:45:50	64.19	15680.04	4.6472	0.6672	55.32	1.7429
20:46:00	64.19	15689.02	4.6500	0.6675	64.30	1.8082
20:46:10	64.19	15690.14	4.6528	0.6677	65.42	1.8157
20:46:20	64.19	15690.62	4.6556	0.6680	65.90	1.8189
20:46:30	64.21	15684.30	4.6583	0.6682	59.58	1.7751
20:46:40	64.19	15676.52	4.6611	0.6685	51.80	1.7143
20:46:50	64.21	15667.80	4.6639	0.6687	43.08	1.6343
20:47:00	64.19	15672.19	4.6667	0.6690	47.47	1.6764
20:47:10	64.21	15674.37	4.6694	0.6693	49.65	1.6959
20:47:20	64.21	15666.04	4.6722	0.6695	41.32	1.6162
20:47:30	64.21	15667.48	4.6750	0.6698	42.76	1.6310
20:47:40	64.21	15659.46	4.6778	0.6700	34.75	1.5409
20:47:50	64.21	15660.75	4.6806	0.6703	36.03	1.5566
20:48:00	64.21	15658.98	4.6833	0.6706	34.26	1.5348
20:48:10	64.24	15660.36	4.6861	0.6708	35.64	1.5519
20:48:20	64.21	15663.63	4.6889	0.6711	38.91	1.5901
20:48:30	64.21	15666.04	4.6917	0.6713	41.32	1.6162
20:48:40	64.24	15671.42	4.6944	0.6716	46.70	1.6693
20:48:50	64.21	15684.94	4.6972	0.6718	60.22	1.7798
20:49:00	64.21	15681.90	4.7000	0.6721	57.18	1.7572
20:49:10	64.24	15677.51	4.7028	0.6724	52.79	1.7226
20:49:20	64.24	15681.68	4.7056	0.6726	56.96	1.7556
20:49:30	64.24	15673.34	4.7083	0.6729	48.62	1.6868
20:49:40	64.24	15672.86	4.7111	0.6731	48.14	1.6825
20:49:50	64.27	15671.20	4.7139	0.6734	46.48	1.6673
20:50:00	64.24	15673.66	4.7167	0.6736	48.94	1.6897
20:50:10	64.24	15676.71	4.7194	0.6739	51.99	1.7159
20:50:20	64.27	15676.81	4.7222	0.6741	52.09	1.7168
20:50:30	64.27	15670.56	4.7250	0.6744	45.84	1.6612
20:50:40	64.27	15662.39	4.7278	0.6747	37.67	1.5760
20:50:50	64.27	15662.71	4.7306	0.6749	37.99	1.5796
20:51:00	64.27	15657.58	4.7333	0.6752	32.86	1.5166
20:51:10	64.27	15668.47	4.7361	0.6754	43.75	1.6410
20:51:20	64.27	15674.88	4.7389	0.6757	50.17	1.7004
20:51:30	64.27	15677.45	4.7417	0.6759	52.73	1.7221
20:51:40	64.30	15681.22	4.7444	0.6762	56.50	1.7521
20:51:50	64.27	15676.97	4.7472	0.6764	52.25	1.7181
20:52:00	64.30	15672.09	4.7500	0.6767	47.37	1.6755
20:52:10	64.30	15670.81	4.7528	0.6769	46.09	1.6636
20:52:20	64.27	15672.00	4.7556	0.6772	47.28	1.6747
20:52:30	64.30	15675.78	4.7583	0.6775	51.06	1.7081
20:52:40	64.27	15678.73	4.7611	0.6777	54.01	1.7325
20:52:50	64.30	15679.14	4.7639	0.6780	54.42	1.7358
20:53:00	64.27	15676.33	4.7667	0.6782	51.61	1.7127
20:53:10	64.30	15670.97	4.7694	0.6785	46.25	1.6651
20:53:20	64.30	15662.47	4.7722	0.6787	37.75	1.5770
20:53:30	64.30	15656.06	4.7750	0.6790	31.34	1.4961
20:53:40	64.30	15656.55	4.7778	0.6792	31.83	1.5028
20:53:50	64.30	15658.47	4.7806	0.6795	33.75	1.5283
20:54:00	64.30	15665.84	4.7833	0.6797	41.12	1.6141
20:54:10	64.30	15669.37	4.7861	0.6800	44.65	1.6498
20:54:20	64.32	15671.87	4.7889	0.6802	47.15	1.6735
20:54:30	64.30	15675.94	4.7917	0.6805	51.22	1.7094
20:54:40	64.32	15682.45	4.7944	0.6807	57.73	1.7614
20:54:50	64.32	15687.25	4.7972	0.6810	62.53	1.7961
20:55:00	64.32	15691.58	4.8000	0.6812	66.86	1.8252
20:55:10	64.32	15691.75	4.8028	0.6815	67.03	1.8262
20:55:20	64.32	15687.74	4.8056	0.6817	63.02	1.7994
20:55:30	64.35	15679.66	4.8083	0.6820	54.94	1.7399
20:55:40	64.32	15672.83	4.8111	0.6822	48.11	1.6822
20:55:50	64.35	15659.94	4.8139	0.6825	35.22	1.5468
20:56:00	64.35	15661.39	4.8167	0.6827	36.67	1.5643

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
20:56:10	64.38	15663.09	4.8194	0.6830	38.37	1.5840
20:56:20	64.35	15662.99	4.8222	0.6832	38.27	1.5829
20:56:30	64.38	15661.17	4.8250	0.6835	36.45	1.5616
20:56:40	64.35	15662.67	4.8278	0.6837	37.95	1.5793
20:56:50	64.35	15663.15	4.8306	0.6840	38.43	1.5847
20:57:00	64.38	15664.37	4.8333	0.6842	39.65	1.5983
20:57:10	64.35	15667.64	4.8361	0.6845	42.92	1.6327
20:57:20	64.38	15677.19	4.8389	0.6847	52.47	1.7199
20:57:30	64.35	15686.23	4.8417	0.6850	61.51	1.7890
20:57:40	64.38	15693.06	4.8444	0.6852	68.34	1.8347
20:57:50	64.38	15696.26	4.8472	0.6855	71.54	1.8546
20:58:00	64.38	15696.42	4.8500	0.6857	71.70	1.8555
20:58:10	64.38	15694.34	4.8528	0.6860	69.62	1.8427
20:58:20	64.38	15686.81	4.8556	0.6862	62.09	1.7930
20:58:30	64.38	15683.92	4.8583	0.6865	59.20	1.7723
20:58:40	64.40	15673.12	4.8611	0.6867	48.40	1.6848
20:58:50	64.40	15663.19	4.8639	0.6870	38.47	1.5851
20:59:00	64.40	15667.03	4.8667	0.6872	42.31	1.6264
20:59:10	64.38	15668.54	4.8694	0.6875	43.82	1.6417
20:59:20	64.40	15667.67	4.8722	0.6877	42.95	1.6330
20:59:30	64.40	15670.88	4.8750	0.6880	46.16	1.6642
20:59:40	64.40	15680.01	4.8778	0.6882	55.29	1.7427
20:59:50	64.40	15684.66	4.8806	0.6885	59.94	1.7777
21:00:00	64.40	15690.75	4.8833	0.6887	66.03	1.8197
21:00:10	64.40	15690.26	4.8861	0.6890	65.54	1.8165
21:00:20	64.40	15692.83	4.8889	0.6892	68.11	1.8332
21:00:30	64.40	15696.04	4.8917	0.6895	71.32	1.8532
21:00:40	64.43	15691.80	4.8944	0.6897	67.08	1.8266
21:00:50	64.40	15683.05	4.8972	0.6899	58.33	1.7659
21:01:00	64.40	15676.33	4.9000	0.6902	51.61	1.7127
21:01:10	64.40	15671.04	4.9028	0.6904	46.32	1.6657
21:01:20	64.40	15673.28	4.9056	0.6907	48.56	1.6863
21:01:30	64.43	15670.49	4.9083	0.6909	45.77	1.6606
21:01:40	64.43	15665.04	4.9111	0.6912	40.32	1.6056
21:01:50	64.40	15671.20	4.9139	0.6914	46.48	1.6673
21:02:00	64.43	15677.38	4.9167	0.6917	52.66	1.7215
21:02:10	64.43	15681.23	4.9194	0.6919	56.51	1.7521
21:02:20	64.43	15684.44	4.9222	0.6922	59.72	1.7761
21:02:30	64.43	15681.71	4.9250	0.6924	56.99	1.7558
21:02:40	64.43	15681.07	4.9278	0.6927	56.35	1.7509
21:02:50	64.43	15680.91	4.9306	0.6929	56.19	1.7496
21:03:00	64.46	15682.92	4.9333	0.6931	58.21	1.7650
21:03:10	64.43	15687.31	4.9361	0.6934	62.59	1.7965
21:03:20	64.46	15690.14	4.9389	0.6936	65.42	1.8157
21:03:30	64.46	15689.34	4.9417	0.6939	64.62	1.8104
21:03:40	64.43	15687.00	4.9444	0.6941	62.28	1.7943
21:03:50	64.46	15685.17	4.9472	0.6944	60.45	1.7814
21:04:00	64.46	15682.29	4.9500	0.6946	57.57	1.7602
21:04:10	64.43	15682.83	4.9528	0.6948	58.11	1.7643
21:04:20	64.46	15684.05	4.9556	0.6951	59.33	1.7732
21:04:30	64.46	15683.72	4.9583	0.6953	59.00	1.7709
21:04:40	64.46	15685.81	4.9611	0.6956	61.09	1.7860
21:04:50	64.46	15687.25	4.9639	0.6958	62.53	1.7961
21:05:00	64.46	15686.93	4.9667	0.6961	62.21	1.7939
21:05:10	64.46	15682.77	4.9694	0.6963	58.05	1.7638
21:05:20	64.46	15681.01	4.9722	0.6966	56.29	1.7504
21:05:30	64.46	15680.20	4.9750	0.6968	55.48	1.7442
21:05:40	64.48	15678.37	4.9778	0.6970	53.65	1.7296
21:05:50	64.46	15679.08	4.9806	0.6973	54.36	1.7353
21:06:00	64.46	15684.53	4.9833	0.6975	59.81	1.7768
21:06:10	64.48	15689.11	4.9861	0.6978	64.39	1.8088
21:06:20	64.48	15692.48	4.9889	0.6980	67.76	1.8310

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:06:30	64.48	15693.76	4.9917	0.6982	69.04	1.8391
21:06:40	64.48	15695.85	4.9944	0.6985	71.13	1.8520
21:06:50	64.48	15695.37	4.9972	0.6987	70.65	1.8491
21:07:00	64.48	15695.04	5.0000	0.6990	70.32	1.8471
21:07:10	64.48	15693.76	5.0028	0.6992	69.04	1.8391
21:07:20	64.51	15692.41	5.0056	0.6995	67.69	1.8305
21:07:30	64.48	15688.31	5.0083	0.6997	63.59	1.8034
21:07:40	64.48	15686.87	5.0111	0.6999	62.15	1.7934
21:07:50	64.51	15685.37	5.0139	0.7002	60.65	1.7828
21:08:00	64.48	15683.34	5.0167	0.7004	58.62	1.7681
21:08:10	64.48	15681.58	5.0194	0.7007	56.86	1.7548
21:08:20	64.51	15678.47	5.0222	0.7009	53.75	1.7304
21:08:30	64.51	15676.87	5.0250	0.7011	52.15	1.7173
21:08:40	64.51	15675.58	5.0278	0.7014	50.87	1.7064
21:08:50	64.51	15673.18	5.0306	0.7016	48.46	1.6854
21:09:00	64.51	15672.38	5.0333	0.7019	47.66	1.6782
21:09:10	64.51	15679.59	5.0361	0.7021	54.87	1.7394
21:09:20	64.51	15683.92	5.0389	0.7023	59.20	1.7723
21:09:30	64.54	15686.26	5.0417	0.7026	61.54	1.7891
21:09:40	64.51	15688.24	5.0444	0.7028	63.52	1.8029
21:09:50	64.51	15690.65	5.0472	0.7031	65.93	1.8191
21:10:00	64.54	15693.15	5.0500	0.7033	68.43	1.8353
21:10:10	64.51	15693.05	5.0528	0.7035	68.33	1.8346
21:10:20	64.54	15689.94	5.0556	0.7038	65.22	1.8144
21:10:30	64.54	15688.03	5.0583	0.7040	63.31	1.8014
21:10:40	64.54	15685.30	5.0611	0.7042	60.58	1.7823
21:10:50	64.51	15682.80	5.0639	0.7045	58.08	1.7640
21:11:00	64.54	15680.65	5.0667	0.7047	55.93	1.7476
21:11:10	64.54	15674.40	5.0694	0.7050	49.68	1.6962
21:11:20	64.56	15675.95	5.0722	0.7052	51.23	1.7095
21:11:30	64.56	15682.51	5.0750	0.7054	57.79	1.7619
21:11:40	64.56	15687.00	5.0778	0.7057	62.28	1.7944
21:11:50	64.54	15690.27	5.0806	0.7059	65.55	1.8166
21:12:00	64.56	15692.45	5.0833	0.7061	67.73	1.8308
21:12:10	64.54	15692.67	5.0861	0.7064	67.95	1.8322
21:12:20	64.54	15689.78	5.0889	0.7066	65.06	1.8133
21:12:30	64.54	15685.14	5.0917	0.7069	60.42	1.7812
21:12:40	64.54	15681.61	5.0944	0.7071	56.89	1.7550
21:12:50	64.56	15679.15	5.0972	0.7073	54.43	1.7358
21:13:00	64.54	15677.45	5.1000	0.7076	52.73	1.7220
21:13:10	64.56	15674.18	5.1028	0.7078	49.46	1.6943
21:13:20	64.56	15672.42	5.1056	0.7080	47.70	1.6785
21:13:30	64.56	15674.34	5.1083	0.7083	49.62	1.6957
21:13:40	64.56	15681.23	5.1111	0.7085	56.51	1.7521
21:13:50	64.56	15687.00	5.1139	0.7088	62.28	1.7944
21:14:00	64.56	15689.73	5.1167	0.7090	65.01	1.8130
21:14:10	64.56	15691.81	5.1194	0.7092	67.09	1.8267
21:14:20	64.59	15692.86	5.1222	0.7095	68.14	1.8334
21:14:30	64.59	15694.62	5.1250	0.7097	69.90	1.8445
21:14:40	64.59	15694.14	5.1278	0.7099	69.42	1.8415
21:14:50	64.56	15689.57	5.1306	0.7102	64.85	1.8119
21:15:00	64.56	15684.76	5.1333	0.7104	60.04	1.7784
21:15:10	64.59	15681.00	5.1361	0.7106	56.28	1.7504
21:15:20	64.59	15673.63	5.1389	0.7109	48.91	1.6894
21:15:30	64.59	15666.10	5.1417	0.7111	41.38	1.6168
21:15:40	64.59	15664.66	5.1444	0.7113	39.94	1.6014
21:15:50	64.59	15675.71	5.1472	0.7116	50.99	1.7075
21:16:00	64.59	15680.37	5.1500	0.7118	55.65	1.7454
21:16:10	64.59	15677.80	5.1528	0.7120	53.08	1.7249
21:16:20	64.59	15679.88	5.1556	0.7123	55.16	1.7416
21:16:30	64.59	15678.59	5.1583	0.7125	53.88	1.7314
21:16:40	64.59	15681.00	5.1611	0.7127	56.28	1.7504

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:16:50	64.59	15685.33	5.1639	0.7130	60.61	1.7825
21:17:00	64.59	15683.09	5.1667	0.7132	58.37	1.7662
21:17:10	64.59	15676.68	5.1694	0.7134	51.96	1.7156
21:17:20	64.59	15676.84	5.1722	0.7137	52.12	1.7170
21:17:30	64.59	15679.24	5.1750	0.7139	54.52	1.7365
21:17:40	64.59	15681.80	5.1778	0.7141	57.08	1.7565
21:17:50	64.59	15680.52	5.1806	0.7144	55.80	1.7466
21:18:00	64.59	15674.91	5.1833	0.7146	50.19	1.7006
21:18:10	64.59	15672.35	5.1861	0.7148	47.63	1.6779
21:18:20	64.62	15677.25	5.1889	0.7151	52.54	1.7205
21:18:30	64.59	15684.53	5.1917	0.7153	59.81	1.7768
21:18:40	64.59	15679.72	5.1944	0.7155	55.00	1.7404
21:18:50	64.59	15678.59	5.1972	0.7158	53.88	1.7314
21:19:00	64.59	15681.33	5.2000	0.7160	56.61	1.7529
21:19:10	64.59	15685.01	5.2028	0.7162	60.29	1.7802
21:19:20	64.59	15679.08	5.2056	0.7165	54.36	1.7353
21:19:30	64.59	15673.15	5.2083	0.7167	48.43	1.6852
21:19:40	64.62	15678.86	5.2111	0.7169	54.14	1.7335
21:19:50	64.59	15679.24	5.2139	0.7172	54.52	1.7365
21:20:00	64.62	15675.82	5.2167	0.7174	51.10	1.7084
21:20:10	64.59	15676.84	5.2194	0.7176	52.12	1.7170
21:20:20	64.59	15678.59	5.2222	0.7179	53.88	1.7314
21:20:30	64.59	15677.64	5.2250	0.7181	52.92	1.7236
21:20:40	64.59	15678.92	5.2278	0.7183	54.20	1.7340
21:20:50	64.59	15680.52	5.2306	0.7185	55.80	1.7466
21:21:00	64.59	15682.12	5.2333	0.7188	57.40	1.7589
21:21:10	64.59	15685.01	5.2361	0.7190	60.29	1.7802
21:21:20	64.59	15685.97	5.2389	0.7192	61.25	1.7871
21:21:30	64.62	15681.10	5.2417	0.7195	56.38	1.7512
21:21:40	64.62	15676.30	5.2444	0.7197	51.58	1.7124
21:21:50	64.59	15674.27	5.2472	0.7199	49.55	1.6951
21:22:00	64.62	15676.30	5.2500	0.7202	51.58	1.7124
21:22:10	64.62	15678.70	5.2528	0.7204	53.98	1.7323
21:22:20	64.62	15678.38	5.2556	0.7206	53.66	1.7297
21:22:30	64.62	15678.54	5.2583	0.7208	53.82	1.7309
21:22:40	64.62	15677.90	5.2611	0.7211	53.18	1.7257
21:22:50	64.59	15676.99	5.2639	0.7213	52.27	1.7183
21:23:00	64.62	15679.50	5.2667	0.7215	54.78	1.7386
21:23:10	64.62	15681.74	5.2694	0.7218	57.02	1.7561
21:23:20	64.62	15683.99	5.2722	0.7220	59.27	1.7728
21:23:30	64.62	15684.95	5.2750	0.7222	60.23	1.7798
21:23:40	64.65	15683.12	5.2778	0.7225	58.40	1.7664
21:23:50	64.62	15683.18	5.2806	0.7227	58.46	1.7669
21:24:00	64.62	15683.03	5.2833	0.7229	58.31	1.7657
21:24:10	64.62	15684.63	5.2861	0.7231	59.91	1.7775
21:24:20	64.62	15682.39	5.2889	0.7234	57.67	1.7609
21:24:30	64.62	15676.62	5.2917	0.7236	51.90	1.7151
21:24:40	64.65	15670.30	5.2944	0.7238	45.58	1.6587
21:24:50	64.62	15678.70	5.2972	0.7240	53.98	1.7323
21:25:00	64.62	15680.30	5.3000	0.7243	55.58	1.7449
21:25:10	64.65	15677.99	5.3028	0.7245	53.27	1.7265
21:25:20	64.62	15675.82	5.3056	0.7247	51.10	1.7084
21:25:30	64.65	15679.91	5.3083	0.7250	55.19	1.7419
21:25:40	64.65	15678.15	5.3111	0.7252	53.43	1.7278
21:25:50	64.65	15685.20	5.3139	0.7254	60.48	1.7816
21:26:00	64.65	15682.47	5.3167	0.7256	57.75	1.7616
21:26:10	64.65	15683.92	5.3194	0.7259	59.20	1.7723
21:26:20	64.65	15684.72	5.3222	0.7261	60.00	1.7781
21:26:30	64.65	15682.32	5.3250	0.7263	57.60	1.7604
21:26:40	64.67	15681.93	5.3278	0.7265	57.21	1.7575
21:26:50	64.67	15681.13	5.3306	0.7268	56.41	1.7514
21:27:00	64.65	15680.07	5.3333	0.7270	55.35	1.7431

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:27:10	64.65	15679.59	5.3361	0.7272	54.87	1.7393
21:27:20	64.67	15684.98	5.3389	0.7275	60.26	1.7800
21:27:30	64.67	15685.62	5.3417	0.7277	60.90	1.7846
21:27:40	64.67	15683.06	5.3444	0.7279	58.34	1.7659
21:27:50	64.65	15684.08	5.3472	0.7281	59.36	1.7735
21:28:00	64.67	15684.50	5.3500	0.7284	59.78	1.7766
21:28:10	64.67	15690.43	5.3528	0.7286	65.71	1.8176
21:28:20	64.67	15687.06	5.3556	0.7288	62.34	1.7948
21:28:30	64.67	15685.94	5.3583	0.7290	61.22	1.7869
21:28:40	64.67	15682.74	5.3611	0.7293	58.02	1.7636
21:28:50	64.67	15681.30	5.3639	0.7295	56.58	1.7527
21:29:00	64.67	15679.05	5.3667	0.7297	54.33	1.7351
21:29:10	64.67	15676.65	5.3694	0.7299	51.93	1.7154
21:29:20	64.70	15679.95	5.3722	0.7302	55.23	1.7422
21:29:30	64.67	15684.50	5.3750	0.7304	59.78	1.7766
21:29:40	64.67	15685.94	5.3778	0.7306	61.22	1.7869
21:29:50	64.70	15686.84	5.3806	0.7308	62.12	1.7933
21:30:00	64.70	15689.56	5.3833	0.7311	64.84	1.8119
21:30:10	64.67	15691.55	5.3861	0.7313	66.83	1.8250
21:30:20	64.70	15690.36	5.3889	0.7315	65.64	1.8172
21:30:30	64.70	15687.48	5.3917	0.7317	62.76	1.7977
21:30:40	64.67	15686.10	5.3944	0.7319	61.38	1.7880
21:30:50	64.70	15683.96	5.3972	0.7322	59.24	1.7726
21:31:00	64.70	15682.03	5.4000	0.7324	57.31	1.7582
21:31:10	64.70	15679.79	5.4028	0.7326	55.07	1.7409
21:31:20	64.70	15677.71	5.4056	0.7328	52.99	1.7242
21:31:30	64.70	15674.98	5.4083	0.7331	50.26	1.7012
21:31:40	64.70	15681.07	5.4111	0.7333	56.35	1.7509
21:31:50	64.70	15685.72	5.4139	0.7335	61.00	1.7853
21:32:00	64.73	15689.01	5.4167	0.7337	64.29	1.8082
21:32:10	64.70	15692.28	5.4194	0.7340	67.56	1.8297
21:32:20	64.73	15692.86	5.4222	0.7342	68.14	1.8334
21:32:30	64.70	15692.28	5.4250	0.7344	67.56	1.8297
21:32:40	64.70	15689.56	5.4278	0.7346	64.84	1.8119
21:32:50	64.73	15685.49	5.4306	0.7348	60.77	1.7837
21:33:00	64.73	15681.96	5.4333	0.7351	57.25	1.7577
21:33:10	64.70	15679.31	5.4361	0.7353	54.59	1.7371
21:33:20	64.73	15676.68	5.4389	0.7355	51.96	1.7156
21:33:30	64.70	15675.78	5.4417	0.7357	51.06	1.7081
21:33:40	64.73	15674.11	5.4444	0.7360	49.39	1.6936
21:33:50	64.73	15673.63	5.4472	0.7362	48.91	1.6894
21:34:00	64.73	15679.56	5.4500	0.7364	54.84	1.7391
21:34:10	64.73	15686.93	5.4528	0.7366	62.21	1.7939
21:34:20	64.73	15691.74	5.4556	0.7368	67.02	1.8262
21:34:30	64.73	15694.62	5.4583	0.7371	69.90	1.8445
21:34:40	64.75	15696.33	5.4611	0.7373	71.61	1.8550
21:34:50	64.73	15696.39	5.4639	0.7375	71.67	1.8553
21:35:00	64.73	15697.67	5.4667	0.7377	72.95	1.8630
21:35:10	64.73	15693.02	5.4694	0.7379	68.30	1.8344
21:35:20	64.73	15688.86	5.4722	0.7382	64.14	1.8071
21:35:30	64.75	15686.07	5.4750	0.7384	61.35	1.7878
21:35:40	64.73	15683.08	5.4778	0.7386	58.36	1.7661
21:35:50	64.75	15679.98	5.4806	0.7388	55.26	1.7424
21:36:00	64.75	15677.10	5.4833	0.7390	52.38	1.7191
21:36:10	64.75	15675.33	5.4861	0.7393	50.61	1.7043
21:36:20	64.75	15674.70	5.4889	0.7395	49.98	1.6988
21:36:30	64.75	15671.17	5.4917	0.7397	46.45	1.6670
21:36:40	64.75	15676.62	5.4944	0.7399	51.90	1.7151
21:36:50	64.75	15685.11	5.4972	0.7401	60.39	1.7810
21:37:00	64.75	15688.95	5.5000	0.7404	64.23	1.8077
21:37:10	64.75	15692.80	5.5028	0.7406	68.08	1.8330
21:37:20	64.75	15694.88	5.5056	0.7408	70.16	1.8461

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:37:30	64.75	15696.16	5.5083	0.7410	71.44	1.8540
21:37:40	64.75	15696.49	5.5111	0.7412	71.77	1.8559
21:37:50	64.78	15698.67	5.5139	0.7415	73.95	1.8689
21:38:00	64.75	15697.13	5.5167	0.7417	72.41	1.8598
21:38:10	64.78	15694.98	5.5194	0.7419	70.26	1.8467
21:38:20	64.78	15691.14	5.5222	0.7421	66.42	1.8223
21:38:30	64.78	15687.28	5.5250	0.7423	62.56	1.7963
21:38:40	64.75	15686.07	5.5278	0.7426	61.35	1.7878
21:38:50	64.78	15682.64	5.5306	0.7428	57.92	1.7628
21:39:00	64.78	15679.44	5.5333	0.7430	54.72	1.7381
21:39:10	64.78	15678.64	5.5361	0.7432	53.92	1.7317
21:39:20	64.78	15677.03	5.5389	0.7434	52.31	1.7186
21:39:30	64.78	15679.75	5.5417	0.7436	55.03	1.7406
21:39:40	64.78	15684.73	5.5444	0.7439	60.01	1.7782
21:39:50	64.78	15686.96	5.5472	0.7441	62.25	1.7941
21:40:00	64.78	15687.13	5.5500	0.7443	62.41	1.7953
21:40:10	64.81	15684.50	5.5528	0.7445	59.78	1.7765
21:40:20	64.78	15685.85	5.5556	0.7447	61.13	1.7862
21:40:30	64.81	15686.74	5.5583	0.7449	62.02	1.7925
21:40:40	64.78	15688.41	5.5611	0.7452	63.69	1.8041
21:40:50	64.81	15687.39	5.5639	0.7454	62.67	1.7970
21:41:00	64.81	15689.31	5.5667	0.7456	64.59	1.8102
21:41:10	64.78	15688.89	5.5694	0.7458	64.17	1.8073
21:41:20	64.78	15688.89	5.5722	0.7460	64.17	1.8073
21:41:30	64.81	15687.39	5.5750	0.7462	62.67	1.7970
21:41:40	64.78	15688.89	5.5778	0.7465	64.17	1.8073
21:41:50	64.78	15687.77	5.5806	0.7467	63.05	1.7997
21:42:00	64.81	15688.34	5.5833	0.7469	63.63	1.8036
21:42:10	64.81	15688.50	5.5861	0.7471	63.78	1.8047
21:42:20	64.81	15686.90	5.5889	0.7473	62.18	1.7937
21:42:30	64.81	15689.63	5.5917	0.7475	64.91	1.8123
21:42:40	64.81	15687.22	5.5944	0.7478	62.50	1.7959
21:42:50	64.81	15687.71	5.5972	0.7480	62.99	1.7992
21:43:00	64.81	15690.11	5.6000	0.7482	65.39	1.8155
21:43:10	64.81	15688.99	5.6028	0.7484	64.27	1.8080
21:43:20	64.81	15686.26	5.6056	0.7486	61.54	1.7892
21:43:30	64.81	15688.67	5.6083	0.7488	63.95	1.8058
21:43:40	64.83	15691.33	5.6111	0.7490	66.61	1.8235
21:43:50	64.81	15690.91	5.6139	0.7493	66.19	1.8208
21:44:00	64.83	15691.33	5.6167	0.7495	66.61	1.8235
21:44:10	64.81	15688.99	5.6194	0.7497	64.27	1.8080
21:44:20	64.81	15686.26	5.6222	0.7499	61.54	1.7892
21:44:30	64.83	15685.08	5.6250	0.7501	60.36	1.7807
21:44:40	64.83	15687.64	5.6278	0.7503	62.92	1.7988
21:44:50	64.83	15689.56	5.6306	0.7506	64.84	1.8118
21:45:00	64.83	15687.48	5.6333	0.7508	62.76	1.7977
21:45:10	64.83	15686.20	5.6361	0.7510	61.48	1.7887
21:45:20	64.83	15690.20	5.6389	0.7512	65.48	1.8161
21:45:30	64.83	15689.41	5.6417	0.7514	64.69	1.8108
21:45:40	64.83	15688.60	5.6444	0.7516	63.88	1.8054
21:45:50	64.83	15685.08	5.6472	0.7518	60.36	1.7807
21:46:00	64.83	15688.60	5.6500	0.7520	63.88	1.8054
21:46:10	64.86	15689.34	5.6528	0.7523	64.62	1.8104
21:46:20	64.83	15688.12	5.6556	0.7525	63.40	1.8021
21:46:30	64.83	15687.96	5.6583	0.7527	63.24	1.8010
21:46:40	64.83	15688.76	5.6611	0.7529	64.04	1.8065
21:46:50	64.83	15688.76	5.6639	0.7531	64.04	1.8065
21:47:00	64.86	15686.94	5.6667	0.7533	62.22	1.7939
21:47:10	64.83	15687.64	5.6694	0.7535	62.92	1.7988
21:47:20	64.86	15689.18	5.6722	0.7538	64.46	1.8093
21:47:30	64.83	15688.44	5.6750	0.7540	63.72	1.8043
21:47:40	64.86	15686.77	5.6778	0.7542	62.05	1.7928

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:47:50	64.86	15689.66	5.6806	0.7544	64.94	1.8125
21:48:00	64.86	15689.18	5.6833	0.7546	64.46	1.8093
21:48:10	64.86	15687.89	5.6861	0.7548	63.17	1.8005
21:48:20	64.86	15685.33	5.6889	0.7550	60.62	1.7826
21:48:30	64.86	15689.02	5.6917	0.7552	64.30	1.8082
21:48:40	64.86	15690.62	5.6944	0.7555	65.90	1.8189
21:48:50	64.86	15689.34	5.6972	0.7557	64.62	1.8104
21:49:00	64.89	15685.43	5.7000	0.7559	60.71	1.7833
21:49:10	64.89	15689.28	5.7028	0.7561	64.56	1.8099
21:49:20	64.89	15690.88	5.7056	0.7563	66.16	1.8206
21:49:30	64.86	15686.77	5.7083	0.7565	62.05	1.7928
21:49:40	64.89	15690.40	5.7111	0.7567	65.68	1.8174
21:49:50	64.89	15687.67	5.7139	0.7569	62.96	1.7990
21:50:00	64.89	15685.11	5.7167	0.7571	60.39	1.7809
21:50:10	64.86	15687.57	5.7194	0.7574	62.85	1.7983
21:50:20	64.89	15688.31	5.7222	0.7576	63.59	1.8034
21:50:30	64.86	15689.66	5.7250	0.7578	64.94	1.8125
21:50:40	64.89	15687.36	5.7278	0.7580	62.64	1.7968
21:50:50	64.89	15690.40	5.7306	0.7582	65.68	1.8174
21:51:00	64.89	15686.55	5.7333	0.7584	61.83	1.7912
21:51:10	64.89	15690.08	5.7361	0.7586	65.36	1.8153
21:51:20	64.89	15688.80	5.7389	0.7588	64.08	1.8067
21:51:30	64.89	15689.92	5.7417	0.7590	65.20	1.8142
21:51:40	64.89	15691.84	5.7444	0.7592	67.12	1.8269
21:51:50	64.89	15688.47	5.7472	0.7595	63.75	1.8045
21:52:00	64.92	15689.37	5.7500	0.7597	64.65	1.8106
21:52:10	64.89	15691.60	5.7528	0.7599	66.96	1.8258
21:52:20	64.89	15690.08	5.7556	0.7601	65.36	1.8153
21:52:30	64.92	15685.52	5.7583	0.7603	60.80	1.7839
21:52:40	64.89	15688.31	5.7611	0.7605	63.59	1.8034
21:52:50	64.89	15690.24	5.7639	0.7607	65.52	1.8164
21:53:00	64.89	15689.60	5.7667	0.7609	64.88	1.8121
21:53:10	64.92	15686.16	5.7694	0.7611	61.44	1.7885
21:53:20	64.92	15687.13	5.7722	0.7613	62.41	1.7952
21:53:30	64.89	15688.96	5.7750	0.7616	64.24	1.8078
21:53:40	64.89	15690.24	5.7778	0.7618	65.52	1.8164
21:53:50	64.92	15687.77	5.7806	0.7620	63.05	1.7997
21:54:00	64.92	15691.29	5.7833	0.7622	66.57	1.8233
21:54:10	64.89	15687.67	5.7861	0.7624	62.96	1.7990
21:54:20	64.92	15690.50	5.7889	0.7626	65.78	1.8181
21:54:30	64.92	15692.25	5.7917	0.7628	67.53	1.8295
21:54:40	64.92	15689.69	5.7944	0.7630	64.97	1.8127
21:54:50	64.92	15689.69	5.7972	0.7632	64.97	1.8127
21:55:00	64.92	15687.77	5.8000	0.7634	63.05	1.7997
21:55:10	64.92	15689.21	5.8028	0.7636	64.49	1.8095
21:55:20	64.92	15689.85	5.8056	0.7638	65.13	1.8138
21:55:30	64.92	15690.01	5.8083	0.7641	65.29	1.8149
21:55:40	64.92	15687.61	5.8111	0.7643	62.89	1.7986
21:55:50	64.92	15687.61	5.8139	0.7645	62.89	1.7986
21:56:00	64.92	15690.50	5.8167	0.7647	65.78	1.8181
21:56:10	64.94	15688.51	5.8194	0.7649	63.79	1.8047
21:56:20	64.94	15688.51	5.8222	0.7651	63.79	1.8047
21:56:30	64.94	15687.87	5.8250	0.7653	63.15	1.8004
21:56:40	64.94	15691.23	5.8278	0.7655	66.51	1.8229
21:56:50	64.92	15690.17	5.8306	0.7657	65.45	1.8159
21:57:00	64.94	15687.38	5.8333	0.7659	62.66	1.7970
21:57:10	64.94	15688.51	5.8361	0.7661	63.79	1.8047
21:57:20	64.94	15692.35	5.8389	0.7663	67.63	1.8302
21:57:30	64.94	15691.23	5.8417	0.7665	66.51	1.8229
21:57:40	64.94	15687.38	5.8444	0.7667	62.66	1.7970
21:57:50	64.94	15689.47	5.8472	0.7669	64.75	1.8113
21:58:00	64.94	15689.31	5.8500	0.7672	64.59	1.8102

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
21:58:10	64.94	15687.87	5.8528	0.7674	63.15	1.8004
21:58:20	64.94	15690.43	5.8556	0.7676	65.71	1.8176
21:58:30	64.94	15689.47	5.8583	0.7678	64.75	1.8113
21:58:40	64.97	15687.32	5.8611	0.7680	62.60	1.7966
21:58:50	64.94	15687.87	5.8639	0.7682	63.15	1.8004
21:59:00	64.94	15690.27	5.8667	0.7684	65.55	1.8166
21:59:10	64.97	15691.17	5.8694	0.7686	66.45	1.8225
21:59:20	64.94	15689.78	5.8722	0.7688	65.06	1.8133
21:59:30	64.97	15689.72	5.8750	0.7690	65.00	1.8129
21:59:40	64.97	15689.24	5.8778	0.7692	64.52	1.8097
21:59:50	64.94	15690.75	5.8806	0.7694	66.03	1.8197
22:00:00	64.97	15692.45	5.8833	0.7696	67.73	1.8308
22:00:10	64.97	15693.09	5.8861	0.7698	68.37	1.8349
22:00:20	64.97	15688.44	5.8889	0.7700	63.72	1.8043
22:00:30	64.94	15691.71	5.8917	0.7702	66.99	1.8260
22:00:40	64.97	15692.77	5.8944	0.7704	68.05	1.8328
22:00:50	64.94	15689.95	5.8972	0.7706	65.23	1.8145
22:01:00	64.97	15687.80	5.9000	0.7709	63.08	1.7999
22:01:10	64.97	15691.64	5.9028	0.7711	66.92	1.8256
22:01:20	64.97	15693.42	5.9056	0.7713	68.70	1.8369
22:01:30	64.97	15689.41	5.9083	0.7715	64.69	1.8108
22:01:40	64.97	15690.37	5.9111	0.7717	65.65	1.8172
22:01:50	64.97	15690.53	5.9139	0.7719	65.81	1.8183
22:02:00	64.97	15692.29	5.9167	0.7721	67.57	1.8297
22:02:10	64.97	15690.85	5.9194	0.7723	66.13	1.8204
22:02:20	64.97	15692.61	5.9222	0.7725	67.89	1.8318
22:02:30	64.97	15693.42	5.9250	0.7727	68.70	1.8369
22:02:40	65.00	15691.11	5.9278	0.7729	66.39	1.8221
22:02:50	65.00	15686.94	5.9306	0.7731	62.22	1.7939
22:03:00	64.97	15692.13	5.9333	0.7733	67.41	1.8287
22:03:10	64.97	15693.73	5.9361	0.7735	69.01	1.8389
22:03:20	64.97	15690.21	5.9389	0.7737	65.49	1.8162
22:03:30	65.00	15688.86	5.9417	0.7739	64.14	1.8071
22:03:40	65.00	15691.11	5.9444	0.7741	66.39	1.8221
22:03:50	64.97	15692.61	5.9472	0.7743	67.89	1.8318
22:04:00	65.00	15693.19	5.9500	0.7745	68.47	1.8355
22:04:10	64.97	15690.53	5.9528	0.7747	65.81	1.8183
22:04:20	65.00	15691.26	5.9556	0.7749	66.54	1.8231
22:04:30	65.00	15692.86	5.9583	0.7751	68.14	1.8334
22:04:40	65.00	15690.78	5.9611	0.7753	66.06	1.8200
22:04:50	65.00	15691.58	5.9639	0.7755	66.86	1.8252
22:05:00	65.00	15692.55	5.9667	0.7757	67.83	1.8314
22:05:10	65.00	15692.23	5.9694	0.7759	67.51	1.8293
22:05:20	65.02	15693.45	5.9722	0.7761	68.73	1.8371
22:05:30	65.00	15692.86	5.9750	0.7763	68.14	1.8334
22:05:40	65.00	15689.50	5.9778	0.7765	64.78	1.8115
22:05:50	65.00	15694.15	5.9806	0.7767	69.43	1.8415
22:06:00	65.00	15693.83	5.9833	0.7769	69.11	1.8395
22:06:10	65.00	15691.43	5.9861	0.7771	66.71	1.8242
22:06:20	65.02	15692.64	5.9889	0.7773	67.92	1.8320
22:06:30	65.02	15693.92	5.9917	0.7775	69.20	1.8401
22:06:40	65.00	15691.26	5.9944	0.7777	66.54	1.8231
22:06:50	65.00	15692.39	5.9972	0.7780	67.67	1.8304
22:07:00	65.02	15692.96	6.0000	0.7782	68.24	1.8341
22:07:10	65.02	15694.25	6.0028	0.7784	69.53	1.8422
22:07:20	65.02	15691.85	6.0056	0.7786	67.13	1.8269
22:07:30	65.02	15692.96	6.0083	0.7788	68.24	1.8341
22:07:40	65.00	15694.31	6.0111	0.7790	69.59	1.8425
22:07:50	65.02	15694.09	6.0139	0.7792	69.37	1.8412
22:08:00	65.02	15692.32	6.0167	0.7794	67.60	1.8300
22:08:10	65.02	15693.45	6.0194	0.7796	68.73	1.8371
22:08:20	65.02	15691.37	6.0222	0.7798	66.65	1.8238

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
22:08:30	65.02	15692.81	6.0250	0.7800	68.09	1.8331
22:08:40	65.02	15693.45	6.0278	0.7802	68.73	1.8371
22:08:50	65.02	15693.92	6.0306	0.7804	69.20	1.8401
22:09:00	65.02	15691.04	6.0333	0.7806	66.33	1.8217
22:09:10	65.02	15694.25	6.0361	0.7808	69.53	1.8422
22:09:20	65.05	15691.29	6.0389	0.7810	66.57	1.8233
22:09:30	65.05	15692.42	6.0417	0.7812	67.70	1.8306
22:09:40	65.02	15694.73	6.0444	0.7814	70.01	1.8452
22:09:50	65.02	15693.13	6.0472	0.7816	68.41	1.8351
22:10:00	65.05	15694.50	6.0500	0.7818	69.78	1.8437
22:10:10	65.05	15691.29	6.0528	0.7820	66.57	1.8233
22:10:20	65.05	15694.82	6.0556	0.7822	70.10	1.8457
22:10:30	65.05	15691.46	6.0583	0.7824	66.74	1.8244
22:10:40	65.05	15694.98	6.0611	0.7826	70.26	1.8467
22:10:50	65.05	15694.50	6.0639	0.7828	69.78	1.8437
22:11:00	65.05	15691.46	6.0667	0.7830	66.74	1.8244
22:11:10	65.05	15694.50	6.0694	0.7831	69.78	1.8437
22:11:20	65.05	15691.93	6.0722	0.7833	67.21	1.8275
22:11:30	65.05	15694.18	6.0750	0.7835	69.46	1.8417
22:11:40	65.05	15694.02	6.0778	0.7837	69.30	1.8407
22:11:50	65.05	15695.46	6.0806	0.7839	70.74	1.8497
22:12:00	65.05	15692.58	6.0833	0.7841	67.86	1.8316
22:12:10	65.05	15692.90	6.0861	0.7843	68.18	1.8336
22:12:20	65.08	15694.28	6.0889	0.7845	69.56	1.8423
22:12:30	65.08	15694.44	6.0917	0.7847	69.72	1.8433
22:12:40	65.05	15695.46	6.0944	0.7849	70.74	1.8497
22:12:50	65.08	15696.20	6.0972	0.7851	71.48	1.8542
22:13:00	65.08	15692.19	6.1000	0.7853	67.47	1.8291
22:13:10	65.05	15691.61	6.1028	0.7855	66.89	1.8254
22:13:20	65.08	15693.32	6.1056	0.7857	68.60	1.8363
22:13:30	65.08	15692.36	6.1083	0.7859	67.64	1.8302
22:13:40	65.08	15694.60	6.1111	0.7861	69.88	1.8443
22:13:50	65.08	15693.47	6.1139	0.7863	68.75	1.8373
22:14:00	65.08	15693.16	6.1167	0.7865	68.44	1.8353
22:14:10	65.08	15693.80	6.1194	0.7867	69.08	1.8393
22:14:20	65.08	15691.87	6.1222	0.7869	67.15	1.8270
22:14:30	65.08	15695.72	6.1250	0.7871	71.00	1.8513
22:14:40	65.08	15695.24	6.1278	0.7873	70.52	1.8483
22:14:50	65.08	15694.12	6.1306	0.7875	69.40	1.8413
22:15:00	65.08	15691.55	6.1333	0.7877	66.83	1.8250
22:15:10	65.08	15695.08	6.1361	0.7879	70.36	1.8473
22:15:20	65.08	15696.36	6.1389	0.7881	71.64	1.8552
22:15:30	65.08	15692.04	6.1417	0.7883	67.32	1.8281
22:15:40	65.08	15692.51	6.1444	0.7885	67.79	1.8312
22:15:50	65.08	15693.96	6.1472	0.7887	69.24	1.8404
22:16:00	65.10	15694.21	6.1500	0.7889	69.49	1.8419
22:16:10	65.08	15693.47	6.1528	0.7891	68.75	1.8373
22:16:20	65.08	15693.80	6.1556	0.7893	69.08	1.8393
22:16:30	65.10	15695.33	6.1583	0.7895	70.61	1.8489
22:16:40	65.10	15696.62	6.1611	0.7897	71.90	1.8567
22:16:50	65.10	15696.46	6.1639	0.7899	71.74	1.8557
22:17:00	65.10	15692.13	6.1667	0.7901	67.41	1.8287
22:17:10	65.10	15692.61	6.1694	0.7902	67.89	1.8318
22:17:20	65.10	15693.90	6.1722	0.7904	69.18	1.8400
22:17:30	65.10	15693.41	6.1750	0.7906	68.69	1.8369
22:17:40	65.10	15694.53	6.1778	0.7908	69.81	1.8439
22:17:50	65.10	15694.85	6.1806	0.7910	70.13	1.8459
22:18:00	65.10	15694.21	6.1833	0.7912	69.49	1.8419
22:18:10	65.10	15695.98	6.1861	0.7914	71.26	1.8528
22:18:20	65.13	15696.24	6.1889	0.7916	71.52	1.8544
22:18:30	65.13	15693.83	6.1917	0.7918	69.11	1.8395
22:18:40	65.10	15694.69	6.1944	0.7920	69.97	1.8449

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
22:18:50	65.10	15696.46	6.1972	0.7922	71.74	1.8557
22:19:00	65.10	15693.73	6.2000	0.7924	69.01	1.8389
22:19:10	65.10	15694.69	6.2028	0.7926	69.97	1.8449
22:19:20	65.13	15694.15	6.2056	0.7928	69.43	1.8415
22:19:30	65.13	15692.86	6.2083	0.7930	68.14	1.8334
22:19:40	65.13	15696.71	6.2111	0.7932	72.00	1.8573
22:19:50	65.13	15692.71	6.2139	0.7934	67.99	1.8324
22:20:00	65.13	15695.43	6.2167	0.7936	70.71	1.8495
22:20:10	65.13	15695.59	6.2194	0.7938	70.87	1.8505
22:20:20	65.13	15695.43	6.2222	0.7939	70.71	1.8495
22:20:30	65.13	15692.54	6.2250	0.7941	67.82	1.8314
22:20:40	65.13	15696.39	6.2278	0.7943	71.67	1.8553
22:20:50	65.13	15693.03	6.2306	0.7945	68.31	1.8345
22:21:00	65.13	15694.95	6.2333	0.7947	70.23	1.8465
22:21:10	65.13	15696.24	6.2361	0.7949	71.52	1.8544
22:21:20	65.13	15693.19	6.2389	0.7951	68.47	1.8355
22:21:30	65.13	15694.63	6.2417	0.7953	69.91	1.8446
22:21:40	65.16	15697.29	6.2444	0.7955	72.57	1.8608
22:21:50	65.16	15695.85	6.2472	0.7957	71.13	1.8521
22:22:00	65.16	15691.37	6.2500	0.7959	66.65	1.8238
22:22:10	65.13	15695.75	6.2528	0.7961	71.03	1.8514
22:22:20	65.13	15697.35	6.2556	0.7963	72.63	1.8611
22:22:30	65.16	15692.97	6.2583	0.7965	68.25	1.8341
22:22:40	65.16	15692.80	6.2611	0.7967	68.08	1.8330
22:22:50	65.13	15696.71	6.2639	0.7968	72.00	1.8573
22:23:00	65.13	15695.43	6.2667	0.7970	70.71	1.8495
22:23:10	65.16	15691.68	6.2694	0.7972	66.96	1.8258
22:23:20	65.13	15695.59	6.2722	0.7974	70.87	1.8505
22:23:30	65.16	15694.41	6.2750	0.7976	69.69	1.8431
22:23:40	65.16	15696.65	6.2778	0.7978	71.93	1.8569
22:23:50	65.13	15697.84	6.2806	0.7980	73.12	1.8640
22:24:00	65.16	15697.78	6.2833	0.7982	73.06	1.8637
22:24:10	65.16	15695.05	6.2861	0.7984	70.33	1.8471
22:24:20	65.18	15691.62	6.2889	0.7986	66.90	1.8254
22:24:30	65.16	15693.12	6.2917	0.7988	68.40	1.8351
22:24:40	65.16	15694.72	6.2944	0.7990	70.00	1.8451
22:24:50	65.16	15696.65	6.2972	0.7991	71.93	1.8569
22:25:00	65.16	15695.85	6.3000	0.7993	71.13	1.8521
22:25:10	65.16	15693.45	6.3028	0.7995	68.73	1.8371
22:25:20	65.16	15696.97	6.3056	0.7997	72.25	1.8588
22:25:30	65.16	15694.41	6.3083	0.7999	69.69	1.8431
22:25:40	65.16	15695.37	6.3111	0.8001	70.65	1.8491
22:25:50	65.16	15695.05	6.3139	0.8003	70.33	1.8471
22:26:00	65.16	15696.49	6.3167	0.8005	71.77	1.8559
22:26:10	65.16	15694.08	6.3194	0.8007	69.36	1.8411
22:26:20	65.16	15697.13	6.3222	0.8009	72.41	1.8598
22:26:30	65.16	15693.93	6.3250	0.8011	69.21	1.8402
22:26:40	65.16	15695.69	6.3278	0.8013	70.97	1.8511
22:26:50	65.18	15692.74	6.3306	0.8014	68.02	1.8327
22:27:00	65.18	15695.31	6.3333	0.8016	70.59	1.8487
22:27:10	65.16	15696.33	6.3361	0.8018	71.61	1.8550
22:27:20	65.18	15698.03	6.3389	0.8020	73.31	1.8652
22:27:30	65.18	15695.47	6.3417	0.8022	70.75	1.8497
22:27:40	65.18	15692.59	6.3444	0.8024	67.87	1.8317
22:27:50	65.18	15693.71	6.3472	0.8026	68.99	1.8388
22:28:00	65.21	15696.53	6.3500	0.8028	71.81	1.8562
22:28:10	65.18	15695.63	6.3528	0.8030	70.91	1.8507
22:28:20	65.18	15692.91	6.3556	0.8032	68.19	1.8337
22:28:30	65.18	15694.83	6.3583	0.8033	70.11	1.8458
22:28:40	65.18	15695.79	6.3611	0.8035	71.07	1.8517
22:28:50	65.18	15697.07	6.3639	0.8037	72.35	1.8594
22:29:00	65.18	15692.91	6.3667	0.8039	68.19	1.8337

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
22:29:10	65.18	15694.67	6.3694	0.8041	69.95	1.8448
22:29:20	65.21	15695.08	6.3722	0.8043	70.36	1.8473
22:29:30	65.18	15693.38	6.3750	0.8045	68.67	1.8367
22:29:40	65.18	15694.67	6.3778	0.8047	69.95	1.8448
22:29:50	65.21	15697.00	6.3806	0.8049	72.28	1.8590
22:30:00	65.18	15696.91	6.3833	0.8050	72.19	1.8585
22:30:10	65.21	15694.76	6.3861	0.8052	70.04	1.8453
22:30:20	65.21	15697.33	6.3889	0.8054	72.61	1.8610
22:30:30	65.21	15694.60	6.3917	0.8056	69.88	1.8444
22:30:40	65.21	15693.16	6.3944	0.8058	68.44	1.8353
22:30:50	65.21	15697.33	6.3972	0.8060	72.61	1.8610
22:31:00	65.18	15694.99	6.4000	0.8062	70.27	1.8468
22:31:10	65.21	15696.04	6.4028	0.8064	71.33	1.8532
22:31:20	65.21	15696.53	6.4056	0.8066	71.81	1.8562
22:31:30	65.21	15697.00	6.4083	0.8067	72.28	1.8590
22:31:40	65.21	15697.81	6.4111	0.8069	73.09	1.8639
22:31:50	65.21	15695.25	6.4139	0.8071	70.53	1.8484
22:32:00	65.21	15695.08	6.4167	0.8073	70.36	1.8473
22:32:10	65.21	15695.56	6.4194	0.8075	70.84	1.8503
22:32:20	65.21	15696.68	6.4222	0.8077	71.96	1.8571
22:32:30	65.21	15697.65	6.4250	0.8079	72.93	1.8629
22:32:40	65.24	15695.18	6.4278	0.8081	70.46	1.8480
22:32:50	65.21	15695.72	6.4306	0.8082	71.00	1.8513
22:33:00	65.21	15698.29	6.4333	0.8084	73.57	1.8667
22:33:10	65.24	15698.39	6.4361	0.8086	73.67	1.8673
22:33:20	65.21	15696.04	6.4389	0.8088	71.33	1.8532
22:33:30	65.24	15693.42	6.4417	0.8090	68.70	1.8369
22:33:40	65.21	15695.56	6.4444	0.8092	70.84	1.8503
22:33:50	65.21	15696.36	6.4472	0.8094	71.64	1.8552
22:34:00	65.24	15696.94	6.4500	0.8096	72.22	1.8587
22:34:10	65.21	15695.56	6.4528	0.8097	70.84	1.8503
22:34:20	65.21	15696.36	6.4556	0.8099	71.64	1.8552
22:34:30	65.24	15695.18	6.4583	0.8101	70.46	1.8480
22:34:40	65.24	15696.47	6.4611	0.8103	71.75	1.8558
22:34:50	65.24	15698.07	6.4639	0.8105	73.35	1.8654
22:35:00	65.24	15695.34	6.4667	0.8107	70.62	1.8489
22:35:10	65.24	15695.82	6.4694	0.8109	71.10	1.8519
22:35:20	65.24	15696.79	6.4722	0.8111	72.07	1.8577
22:35:30	65.24	15696.94	6.4750	0.8112	72.22	1.8587
22:35:40	65.24	15695.66	6.4778	0.8114	70.94	1.8509
22:35:50	65.24	15694.22	6.4806	0.8116	69.50	1.8420
22:36:00	65.24	15695.66	6.4833	0.8118	70.94	1.8509
22:36:10	65.24	15695.50	6.4861	0.8120	70.78	1.8499
22:36:20	65.24	15697.59	6.4889	0.8122	72.87	1.8625
22:36:30	65.24	15697.59	6.4917	0.8124	72.87	1.8625
22:36:40	65.24	15694.70	6.4944	0.8125	69.98	1.8450
22:36:50	65.24	15696.94	6.4972	0.8127	72.22	1.8587
22:37:00	65.27	15698.48	6.5000	0.8129	73.76	1.8678
22:37:10	65.27	15695.60	6.5028	0.8131	70.88	1.8505
22:37:20	65.24	15695.50	6.5056	0.8133	70.78	1.8499
22:37:30	65.24	15695.34	6.5083	0.8135	70.62	1.8489
22:37:40	65.27	15697.20	6.5111	0.8137	72.48	1.8602
22:37:50	65.24	15697.90	6.5139	0.8138	73.18	1.8644
22:38:00	65.27	15695.44	6.5167	0.8140	70.72	1.8495
22:38:10	65.27	15695.92	6.5194	0.8142	71.20	1.8525
22:38:20	65.27	15698.33	6.5222	0.8144	73.61	1.8669
22:38:30	65.27	15695.92	6.5250	0.8146	71.20	1.8525
22:38:40	65.24	15693.90	6.5278	0.8148	69.18	1.8400
22:38:50	65.27	15697.04	6.5306	0.8150	72.32	1.8593
22:39:00	65.24	15698.55	6.5333	0.8151	73.83	1.8682
22:39:10	65.27	15696.24	6.5361	0.8153	71.52	1.8544
22:39:20	65.27	15694.95	6.5389	0.8155	70.23	1.8465

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
22:39:30	65.27	15696.08	6.5417	0.8157	71.36	1.8535
22:39:40	65.27	15697.20	6.5444	0.8159	72.48	1.8602
22:39:50	65.27	15698.00	6.5472	0.8161	73.28	1.8650
22:40:00	65.27	15696.08	6.5500	0.8162	71.36	1.8535
22:40:10	65.27	15695.76	6.5528	0.8164	71.04	1.8515
22:40:20	65.27	15698.16	6.5556	0.8166	73.44	1.8659
22:40:30	65.27	15696.24	6.5583	0.8168	71.52	1.8544
22:40:40	65.29	15697.93	6.5611	0.8170	73.21	1.8646
22:40:50	65.27	15694.63	6.5639	0.8172	69.91	1.8446
22:41:00	65.27	15697.20	6.5667	0.8173	72.48	1.8602
22:41:10	65.27	15697.52	6.5694	0.8175	72.80	1.8621
22:41:20	65.29	15697.77	6.5722	0.8177	73.05	1.8636
22:41:30	65.27	15696.72	6.5750	0.8179	72.00	1.8574
22:41:40	65.29	15698.25	6.5778	0.8181	73.53	1.8665
22:41:50	65.29	15698.74	6.5806	0.8183	74.02	1.8693
22:42:00	65.29	15699.21	6.5833	0.8184	74.49	1.8721
22:42:10	65.29	15694.89	6.5861	0.8186	70.17	1.8461
22:42:20	65.29	15696.65	6.5889	0.8188	71.93	1.8569
22:42:30	65.29	15698.57	6.5917	0.8190	73.85	1.8684
22:42:40	65.29	15698.42	6.5944	0.8192	73.70	1.8674
22:42:50	65.29	15695.53	6.5972	0.8194	70.81	1.8501
22:43:00	65.29	15695.53	6.6000	0.8195	70.81	1.8501
22:43:10	65.29	15697.77	6.6028	0.8197	73.05	1.8636
22:43:20	65.29	15697.77	6.6056	0.8199	73.05	1.8636
22:43:30	65.29	15699.54	6.6083	0.8201	74.82	1.8740
22:43:40	65.29	15696.01	6.6111	0.8203	71.29	1.8530
22:43:50	65.29	15697.93	6.6139	0.8205	73.21	1.8646
22:44:00	65.29	15698.89	6.6167	0.8206	74.17	1.8703
22:44:10	65.29	15695.69	6.6194	0.8208	70.97	1.8511
22:44:20	65.29	15696.81	6.6222	0.8210	72.09	1.8579
22:44:30	65.29	15698.89	6.6250	0.8212	74.17	1.8703
22:44:40	65.29	15696.17	6.6278	0.8214	71.45	1.8540
22:44:50	65.29	15697.46	6.6306	0.8215	72.74	1.8617
22:45:00	65.29	15698.09	6.6333	0.8217	73.37	1.8655
22:45:10	65.29	15698.09	6.6361	0.8219	73.37	1.8655
22:45:20	65.29	15697.13	6.6389	0.8221	72.41	1.8598
22:45:30	65.29	15698.89	6.6417	0.8223	74.17	1.8703
22:45:40	65.32	15696.27	6.6444	0.8225	71.55	1.8546
22:45:50	65.32	15698.67	6.6472	0.8226	73.95	1.8690
22:46:00	65.29	15700.34	6.6500	0.8228	75.62	1.8786
22:46:10	65.32	15696.90	6.6528	0.8230	72.18	1.8584
22:46:20	65.29	15698.25	6.6556	0.8232	73.53	1.8665
22:46:30	65.32	15695.79	6.6583	0.8234	71.07	1.8517
22:46:40	65.29	15696.81	6.6611	0.8235	72.09	1.8579
22:46:50	65.32	15697.07	6.6639	0.8237	72.35	1.8594
22:47:00	65.32	15697.71	6.6667	0.8239	72.99	1.8633
22:47:10	65.32	15697.23	6.6694	0.8241	72.51	1.8604
22:47:20	65.32	15697.07	6.6722	0.8243	72.35	1.8594
22:47:30	65.32	15698.19	6.6750	0.8245	73.47	1.8661
22:47:40	65.32	15698.67	6.6778	0.8246	73.95	1.8690
22:47:50	65.32	15698.51	6.6806	0.8248	73.79	1.8680
22:48:00	65.32	15694.82	6.6833	0.8250	70.10	1.8457
22:48:10	65.35	15698.29	6.6861	0.8252	73.57	1.8667
22:48:20	65.32	15699.63	6.6889	0.8254	74.91	1.8746
22:48:30	65.32	15696.59	6.6917	0.8255	71.87	1.8565
22:48:40	65.35	15696.20	6.6944	0.8257	71.48	1.8542
22:48:50	65.35	15698.61	6.6972	0.8259	73.89	1.8686
22:49:00	65.32	15696.75	6.7000	0.8261	72.03	1.8575
22:49:10	65.32	15698.03	6.7028	0.8263	73.31	1.8652
22:49:20	65.35	15698.29	6.7056	0.8264	73.57	1.8667
22:49:30	65.35	15695.41	6.7083	0.8266	70.69	1.8493
22:49:40	65.35	15697.81	6.7111	0.8268	73.09	1.8638

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
22:49:50	65.32	15698.51	6.7139	0.8270	73.79	1.8680
22:50:00	65.35	15696.68	6.7167	0.8272	71.96	1.8571
22:50:10	65.35	15696.68	6.7194	0.8273	71.96	1.8571
22:50:20	65.35	15698.61	6.7222	0.8275	73.89	1.8686
22:50:30	65.32	15696.11	6.7250	0.8277	71.39	1.8536
22:50:40	65.32	15698.19	6.7278	0.8279	73.47	1.8661
22:50:50	65.35	15698.61	6.7306	0.8281	73.89	1.8686
22:51:00	65.35	15698.61	6.7333	0.8282	73.89	1.8686
22:51:10	65.35	15696.04	6.7361	0.8284	71.32	1.8532
22:51:20	65.35	15698.29	6.7389	0.8286	73.57	1.8667
22:51:30	65.35	15695.88	6.7417	0.8288	71.16	1.8523
22:51:40	65.35	15698.45	6.7444	0.8289	73.73	1.8676
22:51:50	65.35	15698.45	6.7472	0.8291	73.73	1.8676
22:52:00	65.35	15698.29	6.7500	0.8293	73.57	1.8667
22:52:10	65.37	15699.83	6.7528	0.8295	75.11	1.8757
22:52:20	65.37	15696.46	6.7556	0.8297	71.74	1.8558
22:52:30	65.35	15697.81	6.7583	0.8298	73.09	1.8638
22:52:40	65.35	15698.61	6.7611	0.8300	73.89	1.8686
22:52:50	65.37	15699.98	6.7639	0.8302	75.26	1.8766
22:53:00	65.35	15698.77	6.7667	0.8304	74.05	1.8695
22:53:10	65.35	15695.56	6.7694	0.8306	70.84	1.8503
22:53:20	65.35	15696.20	6.7722	0.8307	71.48	1.8542
22:53:30	65.37	15698.06	6.7750	0.8309	73.34	1.8654
22:53:40	65.37	15695.18	6.7778	0.8311	70.46	1.8479
22:53:50	65.37	15699.18	6.7806	0.8313	74.46	1.8719
22:54:00	65.37	15699.67	6.7833	0.8314	74.95	1.8748
22:54:10	65.37	15697.27	6.7861	0.8316	72.55	1.8606
22:54:20	65.37	15698.87	6.7889	0.8318	74.15	1.8701
22:54:30	65.35	15699.73	6.7917	0.8320	75.01	1.8751
22:54:40	65.37	15696.94	6.7944	0.8322	72.22	1.8587
22:54:50	65.35	15697.33	6.7972	0.8323	72.61	1.8610
22:55:00	65.35	15697.16	6.8000	0.8325	72.44	1.8600
22:55:10	65.37	15699.02	6.8028	0.8327	74.30	1.8710
22:55:20	65.37	15695.98	6.8056	0.8329	71.26	1.8529
22:55:30	65.37	15696.30	6.8083	0.8330	71.58	1.8548
22:55:40	65.37	15698.23	6.8111	0.8332	73.51	1.8663
22:55:50	65.37	15699.50	6.8139	0.8334	74.78	1.8738
22:56:00	65.37	15697.90	6.8167	0.8336	73.18	1.8644
22:56:10	65.35	15697.49	6.8194	0.8337	72.77	1.8619
22:56:20	65.37	15697.90	6.8222	0.8339	73.18	1.8644
22:56:30	65.37	15699.83	6.8250	0.8341	75.11	1.8757
22:56:40	65.37	15697.75	6.8278	0.8343	73.03	1.8635
22:56:50	65.37	15699.67	6.8306	0.8345	74.95	1.8748
22:57:00	65.37	15701.11	6.8333	0.8346	76.39	1.8830
22:57:10	65.37	15699.35	6.8361	0.8348	74.63	1.8729
22:57:20	65.37	15695.50	6.8389	0.8350	70.78	1.8499
22:57:30	65.40	15698.32	6.8417	0.8352	73.60	1.8669
22:57:40	65.37	15697.42	6.8444	0.8353	72.70	1.8615
22:57:50	65.37	15699.50	6.8472	0.8355	74.78	1.8738
22:58:00	65.40	15698.48	6.8500	0.8357	73.76	1.8678
22:58:10	65.37	15699.50	6.8528	0.8359	74.78	1.8738
22:58:20	65.40	15696.56	6.8556	0.8360	71.84	1.8564
22:58:30	65.37	15697.42	6.8583	0.8362	72.70	1.8615
22:58:40	65.37	15699.67	6.8611	0.8364	74.95	1.8748
22:58:50	65.37	15697.42	6.8639	0.8366	72.70	1.8615
22:59:00	65.37	15698.87	6.8667	0.8367	74.15	1.8701
22:59:10	65.40	15700.24	6.8694	0.8369	75.52	1.8781
22:59:20	65.40	15698.80	6.8722	0.8371	74.08	1.8697
22:59:30	65.37	15699.18	6.8750	0.8373	74.46	1.8719
22:59:40	65.40	15697.36	6.8778	0.8374	72.64	1.8612
22:59:50	65.40	15699.12	6.8806	0.8376	74.40	1.8716
23:00:00	65.40	15699.76	6.8833	0.8378	75.04	1.8753

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:00:10	65.40	15699.92	6.8861	0.8380	75.20	1.8762
23:00:20	65.40	15697.20	6.8889	0.8381	72.48	1.8602
23:00:30	65.40	15697.84	6.8917	0.8393	73.12	1.8640
23:00:40	65.40	15699.92	6.8944	0.8385	75.20	1.8762
23:00:50	65.43	15700.50	6.8972	0.8387	75.78	1.8796
23:01:00	65.40	15697.20	6.9000	0.8388	72.48	1.8602
23:01:10	65.40	15696.88	6.9028	0.8390	72.16	1.8583
23:01:20	65.40	15699.76	6.9056	0.8392	75.04	1.8753
23:01:30	65.40	15697.68	6.9083	0.8394	72.96	1.8631
23:01:40	65.43	15700.18	6.9111	0.8395	75.46	1.8777
23:01:50	65.43	15697.30	6.9139	0.8397	72.58	1.8608
23:02:00	65.40	15698.48	6.9167	0.8399	73.76	1.8678
23:02:10	65.40	15699.76	6.9194	0.8401	75.04	1.8753
23:02:20	65.43	15696.17	6.9222	0.8402	71.45	1.8540
23:02:30	65.43	15699.70	6.9250	0.8404	74.98	1.8749
23:02:40	65.43	15700.66	6.9278	0.8406	75.94	1.8805
23:02:50	65.40	15698.64	6.9306	0.8408	73.92	1.8688
23:03:00	65.40	15699.28	6.9333	0.8409	74.56	1.8725
23:03:10	65.40	15697.68	6.9361	0.8411	72.96	1.8631
23:03:20	65.40	15700.57	6.9389	0.8413	75.85	1.8799
23:03:30	65.43	15697.78	6.9417	0.8415	73.06	1.8637
23:03:40	65.43	15698.58	6.9444	0.8416	73.86	1.8684
23:03:50	65.43	15699.86	6.9472	0.8418	75.14	1.8759
23:04:00	65.40	15700.24	6.9500	0.8420	75.52	1.8781

CLIENT: NORSE HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, FINAL BUILD-UP

[130] T0=15-APR-84 23:04:00

P0=15700.2

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:04:10	65.43	15756.44	0.0028	-2.5563	56.20	1.7497
23:04:20	65.43	15760.28	0.0056	-2.2553	60.04	1.7784
23:04:30	65.43	15761.56	0.0083	-2.0792	61.32	1.7876
23:04:40	65.43	15762.20	0.0111	-1.9542	61.96	1.7921
23:04:50	65.45	15762.78	0.0139	-1.8573	62.54	1.7962
23:05:00	65.45	15763.10	0.0167	-1.7782	62.86	1.7984
23:05:10	65.45	15763.26	0.0194	-1.7112	63.02	1.7995
23:05:20	65.43	15763.33	0.0222	-1.6532	63.09	1.7999
23:05:30	65.43	15763.65	0.0250	-1.6021	63.41	1.8022
23:05:40	65.45	15763.58	0.0278	-1.5563	63.34	1.8017
23:05:50	65.45	15763.90	0.0306	-1.5149	63.66	1.8039
23:06:00	65.45	15763.90	0.0333	-1.4771	63.66	1.8039
23:06:10	65.45	15763.74	0.0361	-1.4424	63.50	1.8028
23:06:20	65.43	15764.61	0.0389	-1.4102	64.37	1.8087
23:06:30	65.43	15764.76	0.0417	-1.3802	64.52	1.8097
23:06:40	65.43	15764.76	0.0444	-1.3522	64.52	1.8097
23:06:50	65.43	15764.76	0.0472	-1.3259	64.52	1.8097
23:07:00	65.43	15765.25	0.0500	-1.3010	65.01	1.8130
23:07:10	65.43	15765.25	0.0528	-1.2775	65.01	1.8130
23:07:20	65.43	15765.41	0.0556	-1.2553	65.17	1.8140
23:07:30	65.43	15765.73	0.0583	-1.2341	65.49	1.8162
23:07:40	65.43	15765.88	0.0611	-1.2139	65.64	1.8172
23:07:50	65.43	15765.88	0.0639	-1.1946	65.64	1.8172
23:08:00	65.43	15765.88	0.0667	-1.1761	65.64	1.8172
23:08:10	65.43	15766.05	0.0694	-1.1584	65.81	1.8183
23:08:20	65.43	15766.37	0.0722	-1.1413	66.13	1.8204
23:08:30	65.40	15766.60	0.0750	-1.1249	66.36	1.8219
23:08:40	65.40	15766.75	0.0778	-1.1091	66.51	1.8229
23:08:50	65.40	15766.92	0.0806	-1.0939	66.68	1.8240
23:09:00	65.37	15767.14	0.0833	-1.0792	66.90	1.8254
23:09:10	65.37	15767.46	0.0861	-1.0649	67.22	1.8275
23:09:20	65.37	15767.62	0.0889	-1.0512	67.38	1.8285
23:09:30	65.37	15767.62	0.0917	-1.0378	67.38	1.8285
23:09:40	65.37	15767.94	0.0944	-1.0248	67.70	1.8306
23:09:50	65.37	15767.94	0.0972	-1.0122	67.70	1.8306
23:10:00	65.37	15768.26	0.1000	-1.0000	68.02	1.8326
23:10:10	65.37	15768.26	0.1028	-0.9881	68.02	1.8326
23:10:20	65.35	15768.65	0.1056	-0.9765	68.41	1.8351
23:10:30	65.35	15768.65	0.1083	-0.9652	68.41	1.8351
23:10:40	65.35	15768.80	0.1111	-0.9542	68.56	1.8361
23:10:50	65.35	15768.80	0.1139	-0.9435	68.56	1.8361
23:11:00	65.32	15769.03	0.1167	-0.9331	68.79	1.8375
23:11:10	65.32	15769.19	0.1194	-0.9228	68.95	1.8385
23:11:20	65.32	15769.03	0.1222	-0.9128	68.79	1.8375
23:11:30	65.29	15769.09	0.1250	-0.9031	68.85	1.8379
23:11:40	65.29	15768.93	0.1278	-0.8935	68.69	1.8369
23:11:50	65.27	15769.00	0.1306	-0.8842	68.76	1.8374
23:12:00	65.27	15768.84	0.1333	-0.8751	68.60	1.8363
23:12:10	65.24	15768.74	0.1361	-0.8661	68.50	1.8357
23:12:20	65.24	15768.74	0.1389	-0.8573	68.50	1.8357
23:12:30	65.24	15768.42	0.1417	-0.8487	68.18	1.8337
23:12:40	65.21	15768.48	0.1444	-0.8403	68.24	1.8341
23:12:50	65.21	15768.48	0.1472	-0.8320	68.24	1.8341
23:13:00	65.21	15768.32	0.1500	-0.8239	68.08	1.8330
23:13:10	65.21	15768.00	0.1528	-0.8159	67.76	1.8310
23:13:20	65.18	15767.91	0.1556	-0.8081	67.67	1.8304
23:13:30	65.18	15767.91	0.1583	-0.8004	67.67	1.8304
23:13:40	65.18	15767.74	0.1611	-0.7929	67.50	1.8293
23:13:50	65.18	15768.13	0.1639	-0.7855	67.89	1.8318
23:14:00	65.13	15768.03	0.1667	-0.7782	67.79	1.8312

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:14:10	65.16	15767.81	0.1694	-0.7710	67.57	1.8297
23:14:20	65.13	15768.03	0.1722	-0.7639	67.79	1.8312
23:14:30	65.13	15768.03	0.1750	-0.7570	67.79	1.8312
23:14:40	65.10	15767.93	0.1778	-0.7501	67.69	1.8305
23:14:50	65.10	15767.93	0.1806	-0.7434	67.69	1.8305
23:15:00	65.08	15768.16	0.1833	-0.7368	67.92	1.8320
23:15:10	65.08	15768.32	0.1861	-0.7302	68.08	1.8330
23:15:20	65.08	15768.32	0.1889	-0.7238	68.08	1.8330
23:15:30	65.05	15768.38	0.1917	-0.7175	68.14	1.8334
23:15:40	65.05	15768.38	0.1944	-0.7112	68.14	1.8334
23:15:50	65.05	15768.38	0.1972	-0.7050	68.14	1.8334
23:16:00	65.02	15768.62	0.2000	-0.6990	68.38	1.8349
23:16:10	65.02	15768.62	0.2028	-0.6930	68.38	1.8349
23:16:20	65.02	15768.62	0.2056	-0.6871	68.38	1.8349
23:16:30	65.02	15768.62	0.2083	-0.6812	68.38	1.8349
23:16:40	65.02	15768.62	0.2111	-0.6755	68.38	1.8349
23:16:50	65.02	15768.77	0.2139	-0.6698	68.53	1.8359
23:17:00	65.00	15768.99	0.2167	-0.6642	68.75	1.8373
23:17:10	65.02	15768.93	0.2194	-0.6587	68.69	1.8369
23:17:20	65.00	15769.15	0.2222	-0.6532	68.91	1.8383
23:17:30	65.00	15769.15	0.2250	-0.6478	68.91	1.8383
23:17:40	65.00	15769.31	0.2278	-0.6425	69.07	1.8393
23:17:50	64.97	15769.53	0.2306	-0.6372	69.29	1.8407
23:18:00	65.00	15769.63	0.2333	-0.6320	69.39	1.8413
23:18:10	64.97	15769.85	0.2361	-0.6269	69.61	1.8427
23:18:20	64.97	15770.02	0.2389	-0.6218	69.78	1.8437
23:18:30	64.97	15770.17	0.2417	-0.6168	69.93	1.8447
23:18:40	64.97	15770.34	0.2444	-0.6118	70.10	1.8457
23:18:50	64.94	15770.56	0.2472	-0.6069	70.32	1.8471
23:19:00	64.94	15770.88	0.2500	-0.6021	70.64	1.8491
23:19:10	64.97	15770.82	0.2528	-0.5973	70.58	1.8487
23:19:20	64.94	15771.04	0.2556	-0.5925	70.80	1.8501
23:19:30	64.92	15771.26	0.2583	-0.5878	71.02	1.8514
23:19:40	64.94	15771.36	0.2611	-0.5832	71.12	1.8520
23:19:50	64.92	15771.58	0.2639	-0.5786	71.34	1.8533
23:20:00	64.92	15771.75	0.2667	-0.5740	71.51	1.8543
23:20:10	64.89	15771.97	0.2694	-0.5695	71.73	1.8557
23:20:20	64.89	15772.13	0.2722	-0.5651	71.89	1.8567
23:20:30	64.92	15772.22	0.2750	-0.5607	71.98	1.8572
23:20:40	64.89	15772.45	0.2778	-0.5563	72.21	1.8586
23:20:50	64.89	15772.61	0.2806	-0.5520	72.37	1.8596
23:21:00	64.89	15772.77	0.2833	-0.5477	72.53	1.8605
23:21:10	64.86	15772.83	0.2861	-0.5435	72.59	1.8609
23:21:20	64.86	15773.00	0.2889	-0.5393	72.76	1.8619
23:21:30	64.86	15773.16	0.2917	-0.5351	72.92	1.8628
23:21:40	64.86	15773.16	0.2944	-0.5310	72.92	1.8628
23:21:50	64.86	15773.32	0.2972	-0.5269	73.08	1.8638
23:22:00	64.83	15773.54	0.3000	-0.5229	73.30	1.8651
23:22:10	64.83	15773.54	0.3028	-0.5189	73.30	1.8651
23:22:20	64.83	15773.54	0.3056	-0.5149	73.30	1.8651
23:22:30	64.83	15773.70	0.3083	-0.5110	73.46	1.8661
23:22:40	64.81	15773.92	0.3111	-0.5071	73.68	1.8674
23:22:50	64.81	15774.09	0.3139	-0.5032	73.85	1.8683
23:23:00	64.81	15774.24	0.3167	-0.4994	74.00	1.8692
23:23:10	64.81	15774.24	0.3194	-0.4956	74.00	1.8692
23:23:20	64.81	15774.41	0.3222	-0.4918	74.17	1.8702
23:23:30	64.78	15774.63	0.3250	-0.4881	74.39	1.8715
23:23:40	64.78	15774.63	0.3278	-0.4844	74.39	1.8715
23:23:50	64.78	15774.79	0.3306	-0.4808	74.55	1.8725
23:24:00	64.75	15775.01	0.3333	-0.4771	74.77	1.8737
23:24:10	64.75	15775.17	0.3361	-0.4735	74.93	1.8747
23:24:20	64.75	15775.17	0.3389	-0.4699	74.93	1.8747

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:24:30	64.73	15775.40	0.3417	-0.4664	75.16	1.8760
23:24:40	64.73	15775.23	0.3444	-0.4629	74.99	1.8750
23:24:50	64.73	15775.55	0.3472	-0.4594	75.31	1.8769
23:25:00	64.73	15775.72	0.3500	-0.4559	75.48	1.8778
23:25:10	64.73	15775.72	0.3528	-0.4525	75.48	1.8778
23:25:20	64.70	15775.94	0.3556	-0.4491	75.70	1.8791
23:25:30	64.70	15775.94	0.3583	-0.4457	75.70	1.8791
23:25:40	64.70	15776.11	0.3611	-0.4424	75.87	1.8800
23:25:50	64.67	15776.33	0.3639	-0.4390	76.09	1.8813
23:26:00	64.67	15776.33	0.3667	-0.4357	76.09	1.8813
23:26:10	64.67	15776.49	0.3694	-0.4325	76.25	1.8822
23:26:20	64.67	15776.49	0.3722	-0.4292	76.25	1.8822
23:26:30	64.65	15776.55	0.3750	-0.4260	76.31	1.8826
23:26:40	64.67	15776.81	0.3778	-0.4228	76.57	1.8841
23:26:50	64.65	15776.87	0.3806	-0.4196	76.63	1.8844
23:27:00	64.65	15777.03	0.3833	-0.4164	76.79	1.8853
23:27:10	64.62	15777.26	0.3861	-0.4133	77.02	1.8866
23:27:20	64.62	15777.26	0.3889	-0.4102	77.02	1.8866
23:27:30	64.62	15777.42	0.3917	-0.4071	77.18	1.8875
23:27:40	64.62	15777.58	0.3944	-0.4040	77.34	1.8884
23:27:50	64.59	15777.64	0.3972	-0.4010	77.40	1.8887
23:28:00	64.59	15777.64	0.4000	-0.3979	77.40	1.8887
23:28:10	64.59	15777.64	0.4028	-0.3949	77.40	1.8887
23:28:20	64.59	15777.96	0.4056	-0.3919	77.72	1.8905
23:28:30	64.59	15777.96	0.4083	-0.3890	77.72	1.8905
23:28:40	64.56	15778.03	0.4111	-0.3860	77.79	1.8909
23:28:50	64.56	15778.19	0.4139	-0.3831	77.95	1.8918
23:29:00	64.56	15778.19	0.4167	-0.3802	77.95	1.8918
23:29:10	64.56	15778.35	0.4194	-0.3773	78.11	1.8927
23:29:20	64.56	15778.35	0.4222	-0.3745	78.11	1.8927
23:29:30	64.54	15778.73	0.4250	-0.3716	78.49	1.8948
23:29:40	64.54	15778.73	0.4278	-0.3688	78.49	1.8948
23:29:50	64.54	15778.89	0.4306	-0.3660	78.65	1.8957
23:30:00	64.54	15779.05	0.4333	-0.3632	78.81	1.8966
23:30:10	64.51	15779.11	0.4361	-0.3604	78.87	1.8969
23:30:20	64.54	15779.21	0.4389	-0.3576	78.97	1.8975
23:30:30	64.51	15779.27	0.4417	-0.3549	79.03	1.8978
23:30:40	64.48	15779.50	0.4444	-0.3522	79.26	1.8991
23:30:50	64.48	15779.34	0.4472	-0.3495	79.10	1.8982
23:31:00	64.51	15779.60	0.4500	-0.3468	79.36	1.8996
23:31:10	64.48	15779.82	0.4528	-0.3441	79.58	1.9008
23:31:20	64.48	15779.82	0.4556	-0.3415	79.58	1.9008
23:31:30	64.48	15779.98	0.4583	-0.3388	79.74	1.9017
23:31:40	64.46	15780.05	0.4611	-0.3362	79.81	1.9020
23:31:50	64.46	15780.05	0.4639	-0.3336	79.81	1.9020
23:32:00	64.46	15780.37	0.4667	-0.3310	80.13	1.9038
23:32:10	64.43	15780.43	0.4694	-0.3284	80.19	1.9041
23:32:20	64.43	15780.59	0.4722	-0.3259	80.35	1.9050
23:32:30	64.43	15780.59	0.4750	-0.3233	80.35	1.9050
23:32:40	64.43	15780.75	0.4778	-0.3208	80.51	1.9058
23:32:50	64.40	15780.81	0.4806	-0.3183	80.57	1.9062
23:33:00	64.40	15780.98	0.4833	-0.3158	80.74	1.9071
23:33:10	64.43	15780.91	0.4861	-0.3133	80.67	1.9067
23:33:20	64.40	15781.13	0.4889	-0.3108	80.89	1.9079
23:33:30	64.40	15781.30	0.4917	-0.3083	81.06	1.9088
23:33:40	64.40	15781.13	0.4944	-0.3059	80.89	1.9079
23:33:50	64.38	15781.37	0.4972	-0.3034	81.13	1.9092
23:34:00	64.38	15781.52	0.5000	-0.3010	81.28	1.9100
23:34:10	64.35	15781.58	0.5028	-0.2986	81.34	1.9103
23:34:20	64.35	15781.90	0.5056	-0.2962	81.66	1.9120
23:34:30	64.35	15781.74	0.5083	-0.2939	81.50	1.9112
23:34:40	64.35	15781.90	0.5111	-0.2915	81.66	1.9120

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:34:50	64.35	15781.90	0.5139	-0.2891	81.66	1.9120
23:35:00	64.32	15782.13	0.5167	-0.2868	81.89	1.9132
23:35:10	64.32	15782.29	0.5194	-0.2845	82.05	1.9141
23:35:20	64.32	15782.45	0.5222	-0.2821	82.21	1.9149
23:35:30	64.32	15782.45	0.5250	-0.2798	82.21	1.9149
23:35:40	64.32	15782.45	0.5278	-0.2775	82.21	1.9149
23:35:50	64.32	15782.61	0.5306	-0.2753	82.37	1.9158
23:36:00	64.30	15782.67	0.5333	-0.2730	82.43	1.9161
23:36:10	64.30	15782.83	0.5361	-0.2707	82.59	1.9169
23:36:20	64.27	15783.06	0.5389	-0.2685	82.82	1.9181
23:36:30	64.27	15783.06	0.5417	-0.2663	82.82	1.9181
23:36:40	64.27	15783.22	0.5444	-0.2640	82.98	1.9190
23:36:50	64.27	15783.22	0.5472	-0.2618	82.98	1.9190
23:37:00	64.27	15783.22	0.5500	-0.2596	82.98	1.9190
23:37:10	64.24	15783.44	0.5528	-0.2574	83.20	1.9201
23:37:20	64.27	15783.54	0.5556	-0.2553	83.30	1.9206
23:37:30	64.24	15783.60	0.5583	-0.2531	83.36	1.9209
23:37:40	64.21	15783.83	0.5611	-0.2510	83.59	1.9222
23:37:50	64.21	15783.83	0.5639	-0.2488	83.59	1.9222
23:38:00	64.21	15783.98	0.5667	-0.2467	83.74	1.9230
23:38:10	64.21	15783.98	0.5694	-0.2445	83.74	1.9230
23:38:20	64.21	15783.98	0.5722	-0.2424	83.74	1.9230
23:38:30	64.21	15784.15	0.5750	-0.2403	83.91	1.9238
23:38:40	64.19	15784.37	0.5778	-0.2382	84.13	1.9249
23:38:50	64.19	15784.37	0.5806	-0.2362	84.13	1.9249
23:39:00	64.19	15784.37	0.5833	-0.2341	84.13	1.9249
23:39:10	64.16	15784.44	0.5861	-0.2320	84.20	1.9253
23:39:20	64.16	15784.59	0.5889	-0.2300	84.35	1.9261
23:39:30	64.16	15784.76	0.5917	-0.2279	84.52	1.9270
23:39:40	64.16	15784.76	0.5944	-0.2259	84.52	1.9270
23:39:50	64.13	15784.83	0.5972	-0.2239	84.59	1.9273
23:40:00	64.16	15784.92	0.6000	-0.2218	84.68	1.9278
23:40:10	64.13	15784.98	0.6028	-0.2198	84.74	1.9281
23:40:20	64.13	15785.30	0.6056	-0.2178	85.06	1.9297
23:40:30	64.13	15785.30	0.6083	-0.2159	85.06	1.9297
23:40:40	64.13	15785.15	0.6111	-0.2139	84.91	1.9289
23:40:50	64.13	15785.30	0.6139	-0.2119	85.06	1.9297
23:41:00	64.11	15785.53	0.6167	-0.2099	85.29	1.9309
23:41:10	64.11	15785.69	0.6194	-0.2080	85.45	1.9317
23:41:20	64.08	15785.75	0.6222	-0.2061	85.51	1.9320
23:41:30	64.08	15785.91	0.6250	-0.2041	85.67	1.9328
23:41:40	64.08	15785.91	0.6278	-0.2022	85.67	1.9328
23:41:50	64.08	15785.91	0.6306	-0.2003	85.67	1.9328
23:42:00	64.08	15786.07	0.6333	-0.1984	85.83	1.9336
23:42:10	64.08	15786.23	0.6361	-0.1965	85.99	1.9345
23:42:20	64.05	15786.30	0.6389	-0.1946	86.06	1.9348
23:42:30	64.05	15786.30	0.6417	-0.1927	86.06	1.9348
23:42:40	64.03	15786.36	0.6444	-0.1908	86.12	1.9351
23:42:50	64.05	15786.62	0.6472	-0.1889	86.38	1.9364
23:43:00	64.05	15786.62	0.6500	-0.1871	86.38	1.9364
23:43:10	64.05	15786.62	0.6528	-0.1852	86.38	1.9364
23:43:20	64.03	15786.84	0.6556	-0.1834	86.60	1.9375
23:43:30	64.03	15786.84	0.6583	-0.1816	86.60	1.9375
23:43:40	64.00	15787.07	0.6611	-0.1797	86.83	1.9386
23:43:50	64.03	15787.00	0.6639	-0.1779	86.76	1.9383
23:44:00	64.03	15787.00	0.6667	-0.1761	86.76	1.9383
23:44:10	63.97	15787.30	0.6694	-0.1743	87.06	1.9398
23:44:20	64.00	15787.38	0.6722	-0.1725	87.14	1.9402
23:44:30	64.00	15787.38	0.6750	-0.1707	87.14	1.9402
23:44:40	63.97	15787.45	0.6778	-0.1689	87.21	1.9406
23:44:50	63.97	15787.45	0.6806	-0.1671	87.21	1.9406
23:45:00	63.97	15787.62	0.6833	-0.1654	87.38	1.9414

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:45:10	63.97	15787.62	0.6861	-0.1636	87.38	1.9414
23:45:20	63.94	15787.83	0.6889	-0.1619	87.59	1.9425
23:45:30	63.94	15788.00	0.6917	-0.1601	87.76	1.9433
23:45:40	63.94	15788.00	0.6944	-0.1584	87.76	1.9433
23:45:50	63.92	15788.06	0.6972	-0.1566	87.82	1.9436
23:46:00	63.94	15788.16	0.7000	-0.1549	87.92	1.9441
23:46:10	63.92	15788.22	0.7028	-0.1532	87.98	1.9444
23:46:20	63.92	15788.38	0.7056	-0.1515	88.14	1.9452
23:46:30	63.92	15788.38	0.7083	-0.1498	88.14	1.9452
23:46:40	63.92	15788.54	0.7111	-0.1481	88.30	1.9460
23:46:50	63.89	15788.60	0.7139	-0.1464	88.36	1.9463
23:47:00	63.89	15788.77	0.7167	-0.1447	88.53	1.9471
23:47:10	63.89	15788.77	0.7194	-0.1430	88.53	1.9471
23:47:20	63.86	15788.83	0.7222	-0.1413	88.59	1.9474
23:47:30	63.89	15788.93	0.7250	-0.1397	88.69	1.9479
23:47:40	63.86	15789.15	0.7278	-0.1380	88.91	1.9489
23:47:50	63.86	15789.15	0.7306	-0.1363	88.91	1.9489
23:48:00	63.86	15789.31	0.7333	-0.1347	89.07	1.9497
23:48:10	63.86	15789.31	0.7361	-0.1331	89.07	1.9497
23:48:20	63.84	15789.38	0.7389	-0.1314	89.13	1.9500
23:48:30	63.86	15789.31	0.7417	-0.1298	89.07	1.9497
23:48:40	63.84	15789.53	0.7444	-0.1282	89.29	1.9508
23:48:50	63.84	15789.53	0.7472	-0.1266	89.29	1.9508
23:49:00	63.84	15789.69	0.7500	-0.1249	89.45	1.9516
23:49:10	63.84	15789.69	0.7528	-0.1233	89.45	1.9516
23:49:20	63.81	15789.92	0.7556	-0.1217	89.68	1.9527
23:49:30	63.81	15789.92	0.7583	-0.1201	89.68	1.9527
23:49:40	63.81	15790.08	0.7611	-0.1186	89.84	1.9535
23:49:50	63.78	15789.98	0.7639	-0.1170	89.74	1.9530
23:50:00	63.78	15790.15	0.7667	-0.1154	89.91	1.9538
23:50:10	63.78	15790.30	0.7694	-0.1138	90.06	1.9545
23:50:20	63.78	15790.30	0.7722	-0.1123	90.06	1.9545
23:50:30	63.78	15790.30	0.7750	-0.1107	90.06	1.9545
23:50:40	63.76	15790.53	0.7778	-0.1091	90.29	1.9557
23:50:50	63.76	15790.69	0.7806	-0.1076	90.45	1.9564
23:51:00	63.76	15790.69	0.7833	-0.1061	90.45	1.9564
23:51:10	63.76	15790.85	0.7861	-0.1045	90.61	1.9572
23:51:20	63.76	15790.69	0.7889	-0.1030	90.45	1.9564
23:51:30	63.76	15790.85	0.7917	-0.1015	90.61	1.9572
23:51:40	63.73	15790.92	0.7944	-0.0999	90.68	1.9575
23:51:50	63.73	15791.08	0.7972	-0.0984	90.84	1.9583
23:52:00	63.70	15791.14	0.8000	-0.0969	90.90	1.9586
23:52:10	63.70	15791.30	0.8028	-0.0954	91.06	1.9593
23:52:20	63.70	15791.30	0.8056	-0.0939	91.06	1.9593
23:52:30	63.70	15791.30	0.8083	-0.0924	91.06	1.9593
23:52:40	63.70	15791.62	0.8111	-0.0909	91.38	1.9609
23:52:50	63.70	15791.62	0.8139	-0.0894	91.38	1.9609
23:53:00	63.70	15791.47	0.8167	-0.0880	91.23	1.9601
23:53:10	63.68	15791.85	0.8194	-0.0865	91.61	1.9619
23:53:20	63.68	15791.85	0.8222	-0.0850	91.61	1.9619
23:53:30	63.68	15791.85	0.8250	-0.0835	91.61	1.9619
23:53:40	63.65	15792.23	0.8278	-0.0821	91.99	1.9638
23:53:50	63.68	15792.17	0.8306	-0.0806	91.93	1.9634
23:54:00	63.68	15792.17	0.8333	-0.0792	91.93	1.9634
23:54:10	63.65	15792.39	0.8361	-0.0777	92.15	1.9645
23:54:20	63.65	15792.23	0.8389	-0.0763	91.99	1.9638
23:54:30	63.65	15792.39	0.8417	-0.0749	92.15	1.9645
23:54:40	63.65	15792.55	0.8444	-0.0734	92.31	1.9653
23:54:50	63.62	15792.62	0.8472	-0.0720	92.38	1.9656
23:55:00	63.62	15792.78	0.8500	-0.0706	92.54	1.9663
23:55:10	63.62	15792.78	0.8528	-0.0692	92.54	1.9663
23:55:20	63.62	15792.78	0.8556	-0.0678	92.54	1.9663

TIME 15-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
23:55:30	63.59	15793.00	0.8583	-0.0663	92.76	1.9674
23:55:40	63.59	15793.00	0.8611	-0.0649	92.76	1.9674
23:55:50	63.62	15792.94	0.8639	-0.0635	92.70	1.9671
23:56:00	63.59	15793.16	0.8667	-0.0621	92.92	1.9681
23:56:10	63.57	15793.22	0.8694	-0.0608	92.98	1.9684
23:56:20	63.59	15793.32	0.8722	-0.0594	93.08	1.9689
23:56:30	63.57	15793.38	0.8750	-0.0580	93.14	1.9691
23:56:40	63.57	15793.54	0.8778	-0.0566	93.30	1.9699
23:56:50	63.57	15793.70	0.8806	-0.0552	93.46	1.9706
23:57:00	63.54	15793.61	0.8833	-0.0539	93.37	1.9702
23:57:10	63.57	15793.70	0.8861	-0.0525	93.46	1.9706
23:57:20	63.57	15793.70	0.8889	-0.0512	93.46	1.9706
23:57:30	63.57	15793.87	0.8917	-0.0498	93.63	1.9714
23:57:40	63.54	15794.08	0.8944	-0.0484	93.84	1.9724
23:57:50	63.54	15793.93	0.8972	-0.0471	93.69	1.9717
23:58:00	63.54	15794.08	0.9000	-0.0458	93.84	1.9724
23:58:10	63.54	15794.25	0.9028	-0.0444	94.01	1.9732
23:58:20	63.54	15794.25	0.9056	-0.0431	94.01	1.9732
23:58:30	63.51	15794.32	0.9083	-0.0418	94.08	1.9735
23:58:40	63.51	15794.32	0.9111	-0.0404	94.08	1.9735
23:58:50	63.51	15794.47	0.9139	-0.0391	94.23	1.9742
23:59:00	63.51	15794.64	0.9167	-0.0378	94.40	1.9750
23:59:10	63.51	15794.64	0.9194	-0.0365	94.40	1.9750
23:59:20	63.49	15794.86	0.9222	-0.0352	94.62	1.9760
23:59:30	63.49	15794.86	0.9250	-0.0339	94.62	1.9760
23:59:40	63.49	15794.86	0.9278	-0.0326	94.62	1.9760
23:59:50	63.49	15794.86	0.9306	-0.0313	94.62	1.9760
00:00:00	63.49	15795.18	0.9333	-0.0300	94.94	1.9774
00:00:10	63.49	15795.02	0.9361	-0.0287	94.78	1.9767
00:00:20	63.46	15795.25	0.9389	-0.0274	95.01	1.9778
00:00:30	63.46	15795.40	0.9417	-0.0261	95.16	1.9785
00:00:40	63.43	15795.47	0.9444	-0.0248	95.23	1.9788
00:00:50	63.46	15795.57	0.9472	-0.0235	95.33	1.9792
00:01:00	63.43	15795.64	0.9500	-0.0223	95.40	1.9795
00:01:10	63.43	15795.64	0.9528	-0.0210	95.40	1.9795
00:01:20	63.43	15795.64	0.9556	-0.0197	95.40	1.9795
00:01:30	63.43	15795.79	0.9583	-0.0185	95.55	1.9802
00:01:40	63.43	15795.79	0.9611	-0.0172	95.55	1.9802
00:01:50	63.43	15795.95	0.9639	-0.0160	95.71	1.9810
00:02:00	63.41	15796.02	0.9667	-0.0147	95.78	1.9813
00:02:10	63.41	15796.18	0.9694	-0.0135	95.94	1.9820
00:02:20	63.41	15796.02	0.9722	-0.0122	95.78	1.9813
00:02:30	63.38	15796.40	0.9750	-0.0110	96.16	1.9830
00:02:40	63.38	15796.24	0.9778	-0.0098	96.00	1.9823
00:02:50	63.38	15796.40	0.9806	-0.0085	96.16	1.9830
00:03:00	63.38	15796.40	0.9833	-0.0073	96.16	1.9830
00:03:10	63.38	15796.56	0.9861	-0.0061	96.32	1.9837
00:03:20	63.38	15796.72	0.9889	-0.0049	96.48	1.9845
00:03:30	63.38	15796.72	0.9917	-0.0036	96.48	1.9845
00:03:40	63.35	15796.79	0.9944	-0.0024	96.54	1.9847
00:03:50	63.35	15796.94	0.9972	-0.0012	96.70	1.9854
00:04:00	63.35	15796.94	1.0000	0.0000	96.70	1.9854
00:04:10	63.35	15796.94	1.0028	0.0012	96.70	1.9854
00:04:20	63.35	15797.11	1.0056	0.0024	96.87	1.9862
00:04:30	63.35	15797.11	1.0083	0.0036	96.87	1.9862
00:04:40	63.35	15797.26	1.0111	0.0048	97.02	1.9869
00:04:50	63.32	15797.33	1.0139	0.0060	97.09	1.9872
00:05:00	63.32	15797.33	1.0167	0.0072	97.09	1.9872
00:05:10	63.32	15797.50	1.0194	0.0084	97.25	1.9879
00:05:20	63.30	15797.56	1.0222	0.0095	97.32	1.9882
00:05:30	63.32	15797.50	1.0250	0.0107	97.25	1.9879
00:05:40	63.30	15797.72	1.0278	0.0119	97.48	1.9889

TIME 16-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
00:05:50	63.30	15797.88	1.0306	0.0131	97.64	1.9896
00:06:00	63.30	15797.88	1.0333	0.0142	97.64	1.9896
00:06:10	63.30	15797.88	1.0361	0.0154	97.64	1.9896
00:06:20	63.30	15797.88	1.0389	0.0166	97.64	1.9896
00:06:30	63.30	15798.04	1.0417	0.0177	97.80	1.9903
00:06:40	63.27	15798.26	1.0444	0.0189	98.02	1.9913
00:06:50	63.27	15798.26	1.0472	0.0200	98.02	1.9913
00:07:00	63.27	15798.26	1.0500	0.0212	98.02	1.9913
00:07:10	63.24	15798.49	1.0528	0.0223	98.25	1.9923
00:07:20	63.27	15798.43	1.0556	0.0235	98.19	1.9921
00:07:30	63.24	15798.49	1.0583	0.0246	98.25	1.9923
00:07:40	63.24	15798.81	1.0611	0.0258	98.57	1.9937
00:07:50	63.24	15798.81	1.0639	0.0269	98.57	1.9937
00:08:00	63.24	15798.65	1.0667	0.0280	98.41	1.9930
00:08:10	63.24	15798.97	1.0694	0.0292	98.73	1.9944
00:08:20	63.24	15798.97	1.0722	0.0303	98.73	1.9944
00:08:30	63.24	15798.97	1.0750	0.0314	98.73	1.9944
00:08:40	63.22	15799.19	1.0778	0.0325	98.95	1.9954
00:08:50	63.22	15799.19	1.0806	0.0336	98.95	1.9954
00:09:00	63.22	15799.35	1.0833	0.0348	99.11	1.9961
00:09:10	63.19	15799.42	1.0861	0.0359	99.18	1.9964
00:09:20	63.19	15799.58	1.0889	0.0370	99.34	1.9971
00:09:30	63.19	15799.58	1.0917	0.0381	99.34	1.9971
00:09:40	63.19	15799.58	1.0944	0.0392	99.34	1.9971
00:09:50	63.19	15799.73	1.0972	0.0403	99.49	1.9978
00:10:00	63.19	15799.73	1.1000	0.0414	99.49	1.9978
00:10:10	63.19	15799.73	1.1028	0.0425	99.49	1.9978
00:10:20	63.16	15799.97	1.1056	0.0436	99.73	1.9988
00:10:30	63.16	15800.13	1.1083	0.0447	99.88	1.9995
00:10:40	63.19	15800.06	1.1111	0.0458	99.82	1.9992
00:10:50	63.16	15800.13	1.1139	0.0468	99.88	1.9995
00:11:00	63.16	15800.13	1.1167	0.0479	99.88	1.9995
00:11:10	63.16	15800.29	1.1194	0.0490	100.05	2.0002
00:11:20	63.16	15800.29	1.1222	0.0501	100.05	2.0002
00:11:30	63.14	15800.51	1.1250	0.0512	100.27	2.0012
00:11:40	63.14	15800.51	1.1278	0.0522	100.27	2.0012
00:11:50	63.14	15800.67	1.1306	0.0533	100.43	2.0018
00:12:00	63.14	15800.67	1.1333	0.0544	100.43	2.0018
00:12:10	63.14	15800.83	1.1361	0.0554	100.59	2.0026
00:12:20	63.14	15800.83	1.1389	0.0565	100.59	2.0026
00:12:30	63.11	15800.90	1.1417	0.0575	100.66	2.0028
00:12:40	63.14	15800.99	1.1444	0.0586	100.75	2.0032
00:12:50	63.11	15801.05	1.1472	0.0596	100.81	2.0035
00:13:00	63.11	15801.22	1.1500	0.0607	100.98	2.0042
00:13:10	63.11	15801.22	1.1528	0.0617	100.98	2.0042
00:13:20	63.11	15801.22	1.1556	0.0628	100.98	2.0042
00:13:30	63.11	15801.54	1.1583	0.0638	101.29	2.0056
00:13:40	63.08	15801.60	1.1611	0.0649	101.36	2.0059
00:13:50	63.08	15801.60	1.1639	0.0659	101.36	2.0059
00:14:00	63.08	15801.76	1.1667	0.0669	101.52	2.0066
00:14:10	63.08	15801.76	1.1694	0.0680	101.52	2.0066
00:14:20	63.08	15801.93	1.1722	0.0690	101.69	2.0073
00:14:30	63.08	15802.25	1.1750	0.0700	102.01	2.0086
00:14:40	63.06	15802.31	1.1778	0.0711	102.07	2.0089
00:14:50	63.06	15802.31	1.1806	0.0721	102.07	2.0089
00:15:00	63.06	15802.46	1.1833	0.0731	102.22	2.0096
00:15:10	63.06	15802.63	1.1861	0.0741	102.39	2.0103
00:15:20	63.03	15802.85	1.1889	0.0751	102.61	2.0112
00:15:30	63.06	15802.78	1.1917	0.0762	102.54	2.0109
00:15:40	63.06	15802.63	1.1944	0.0772	102.39	2.0103
00:15:50	63.03	15802.85	1.1972	0.0782	102.61	2.0112
00:16:00	63.03	15802.85	1.2000	0.0792	102.61	2.0112

TIME 16-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
00:16:10	63.03	15802.85	1.2028	0.0802	102.61	2.0112
00:16:20	63.03	15802.85	1.2056	0.0812	102.61	2.0112
00:16:30	63.03	15802.85	1.2083	0.0822	102.61	2.0112
00:16:40	63.00	15802.92	1.2111	0.0832	102.68	2.0115
00:16:50	63.03	15802.85	1.2139	0.0842	102.61	2.0112
00:17:00	63.00	15802.92	1.2167	0.0852	102.68	2.0115
00:17:10	63.00	15802.92	1.2194	0.0862	102.68	2.0115
00:17:20	62.97	15802.82	1.2222	0.0872	102.58	2.0111
00:17:30	63.00	15802.92	1.2250	0.0881	102.68	2.0115
00:17:40	62.97	15802.98	1.2278	0.0891	102.74	2.0118
00:17:50	62.97	15802.98	1.2306	0.0901	102.74	2.0118
00:18:00	63.00	15802.76	1.2333	0.0911	102.52	2.0108
00:18:10	62.97	15802.98	1.2361	0.0921	102.74	2.0118
00:18:20	62.97	15802.98	1.2389	0.0930	102.74	2.0118
00:18:30	62.97	15802.98	1.2417	0.0940	102.74	2.0118
00:18:40	62.97	15802.82	1.2444	0.0950	102.58	2.0111
00:18:50	62.95	15802.89	1.2472	0.0959	102.65	2.0113
00:19:00	62.97	15802.82	1.2500	0.0969	102.58	2.0111
00:19:10	62.95	15802.89	1.2528	0.0979	102.65	2.0113
00:19:20	62.95	15802.89	1.2556	0.0988	102.65	2.0113
00:19:30	62.95	15803.05	1.2583	0.0998	102.81	2.0120
00:19:40	62.95	15803.05	1.2611	0.1008	102.81	2.0120
00:19:50	62.95	15802.89	1.2639	0.1017	102.65	2.0113
00:20:00	62.95	15802.89	1.2667	0.1027	102.65	2.0113
00:20:10	62.95	15802.89	1.2694	0.1036	102.65	2.0113
00:20:20	62.92	15802.95	1.2722	0.1046	102.71	2.0116
00:20:30	62.95	15802.72	1.2750	0.1055	102.48	2.0107
00:20:40	62.92	15802.95	1.2778	0.1065	102.71	2.0116
00:20:50	62.92	15802.95	1.2806	0.1074	102.71	2.0116
00:21:00	62.89	15803.02	1.2833	0.1083	102.78	2.0119
00:21:10	62.92	15802.79	1.2861	0.1093	102.55	2.0109
00:21:20	62.89	15802.86	1.2889	0.1102	102.62	2.0112
00:21:30	62.89	15803.02	1.2917	0.1112	102.78	2.0119
00:21:40	62.89	15802.86	1.2944	0.1121	102.62	2.0112
00:21:50	62.89	15803.02	1.2972	0.1130	102.78	2.0119
00:22:00	62.87	15803.08	1.3000	0.1139	102.84	2.0122
00:22:10	62.87	15803.08	1.3028	0.1149	102.84	2.0122
00:22:20	62.87	15802.92	1.3056	0.1158	102.68	2.0115
00:22:30	62.87	15803.08	1.3083	0.1167	102.84	2.0122
00:22:40	62.87	15802.92	1.3111	0.1176	102.68	2.0115
00:22:50	62.87	15802.92	1.3139	0.1186	102.68	2.0115
00:23:00	62.87	15802.92	1.3167	0.1195	102.68	2.0115
00:23:10	62.84	15803.15	1.3194	0.1204	102.91	2.0124
00:23:20	62.87	15802.92	1.3222	0.1213	102.68	2.0115
00:23:30	62.84	15802.83	1.3250	0.1222	102.58	2.0111
00:23:40	62.87	15802.92	1.3278	0.1231	102.68	2.0115
00:23:50	62.84	15803.15	1.3306	0.1240	102.91	2.0124
00:24:00	62.84	15802.98	1.3333	0.1249	102.74	2.0118
00:24:10	62.84	15802.83	1.3361	0.1258	102.58	2.0111
00:24:20	62.81	15803.04	1.3389	0.1267	102.80	2.0120
00:24:30	62.84	15802.98	1.3417	0.1276	102.74	2.0118
00:24:40	62.84	15802.98	1.3444	0.1285	102.74	2.0118
00:24:50	62.81	15802.89	1.3472	0.1294	102.65	2.0114
00:25:00	62.81	15802.89	1.3500	0.1303	102.65	2.0114
00:25:10	62.81	15803.04	1.3528	0.1312	102.80	2.0120
00:25:20	62.81	15802.89	1.3556	0.1321	102.65	2.0114
00:25:30	62.81	15803.04	1.3583	0.1330	102.80	2.0120
00:25:40	62.79	15802.96	1.3611	0.1339	102.72	2.0116
00:25:50	62.79	15803.12	1.3639	0.1348	102.88	2.0123
00:26:00	62.79	15803.12	1.3667	0.1357	102.88	2.0123
00:26:10	62.81	15803.04	1.3694	0.1365	102.80	2.0120
00:26:20	62.81	15802.89	1.3722	0.1374	102.65	2.0114

TIME 16-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
00:26:30	62.79	15802.96	1.3750	0.1383	102.72	2.0116
00:26:40	62.79	15802.96	1.3778	0.1392	102.72	2.0116
00:26:50	62.79	15802.96	1.3806	0.1401	102.72	2.0116
00:27:00	62.79	15802.96	1.3833	0.1409	102.72	2.0116
00:27:10	62.76	15803.02	1.3861	0.1418	102.78	2.0119
00:27:20	62.79	15802.96	1.3889	0.1427	102.72	2.0116
00:27:30	62.76	15803.02	1.3917	0.1435	102.78	2.0119
00:27:40	62.76	15803.02	1.3944	0.1444	102.78	2.0119
00:27:50	62.73	15803.08	1.3972	0.1453	102.84	2.0122
00:28:00	62.76	15803.02	1.4000	0.1461	102.78	2.0119
00:28:10	62.76	15803.02	1.4028	0.1470	102.78	2.0119
00:28:20	62.73	15803.08	1.4056	0.1478	102.84	2.0122
00:28:30	62.73	15803.08	1.4083	0.1487	102.84	2.0122
00:28:40	62.76	15802.86	1.4111	0.1496	102.62	2.0112
00:28:50	62.73	15803.08	1.4139	0.1504	102.84	2.0122
00:29:00	62.73	15802.93	1.4167	0.1513	102.69	2.0115
00:29:10	62.73	15802.93	1.4194	0.1521	102.69	2.0115
00:29:20	62.73	15803.08	1.4222	0.1530	102.84	2.0122
00:29:30	62.73	15802.93	1.4250	0.1538	102.69	2.0115
00:29:40	62.71	15802.99	1.4278	0.1547	102.75	2.0118
00:29:50	62.71	15802.99	1.4306	0.1555	102.75	2.0118
00:30:00	62.71	15802.99	1.4333	0.1563	102.75	2.0118
00:30:10	62.71	15802.99	1.4361	0.1572	102.75	2.0118
00:30:20	62.71	15802.99	1.4389	0.1580	102.75	2.0118
00:30:30	62.71	15802.99	1.4417	0.1589	102.75	2.0118
00:30:40	62.71	15802.99	1.4444	0.1597	102.75	2.0118
00:30:50	62.71	15802.99	1.4472	0.1605	102.75	2.0118
00:31:00	62.71	15802.99	1.4500	0.1614	102.75	2.0118
00:31:10	62.68	15802.90	1.4528	0.1622	102.66	2.0114
00:31:20	62.68	15803.06	1.4556	0.1630	102.82	2.0121
00:31:30	62.68	15803.06	1.4583	0.1639	102.82	2.0121
00:31:40	62.68	15802.90	1.4611	0.1647	102.66	2.0114
00:31:50	62.65	15802.96	1.4639	0.1655	102.72	2.0117
00:32:00	62.68	15803.06	1.4667	0.1663	102.82	2.0121
00:32:10	62.65	15802.96	1.4694	0.1672	102.72	2.0117
00:32:20	62.68	15803.06	1.4722	0.1680	102.82	2.0121
00:32:30	62.65	15802.96	1.4750	0.1688	102.72	2.0117
00:32:40	62.65	15802.96	1.4778	0.1696	102.72	2.0117
00:32:50	62.65	15802.96	1.4806	0.1704	102.72	2.0117
00:33:00	62.65	15802.96	1.4833	0.1712	102.72	2.0117
00:33:10	62.62	15803.02	1.4861	0.1721	102.78	2.0119
00:33:20	62.62	15803.19	1.4889	0.1729	102.95	2.0126
00:33:30	62.62	15803.02	1.4917	0.1737	102.78	2.0119
00:33:40	62.62	15803.19	1.4944	0.1745	102.95	2.0126
00:33:50	62.62	15803.02	1.4972	0.1753	102.78	2.0119
00:34:00	62.62	15803.02	1.5000	0.1761	102.78	2.0119
00:34:10	62.60	15803.09	1.5028	0.1769	102.85	2.0122
00:34:20	62.62	15803.02	1.5056	0.1777	102.78	2.0119
00:34:30	62.60	15802.93	1.5083	0.1785	102.69	2.0115
00:34:40	62.60	15802.93	1.5111	0.1793	102.69	2.0115
00:34:50	62.62	15802.87	1.5139	0.1801	102.63	2.0113
00:35:00	62.60	15802.93	1.5167	0.1809	102.69	2.0115
00:35:10	62.60	15802.93	1.5194	0.1817	102.69	2.0115
00:35:20	62.60	15802.93	1.5222	0.1825	102.69	2.0115
00:35:30	62.60	15803.09	1.5250	0.1833	102.85	2.0122
00:35:40	62.60	15802.93	1.5278	0.1841	102.69	2.0115
00:35:50	62.57	15803.00	1.5306	0.1848	102.76	2.0118
00:36:00	62.57	15803.00	1.5333	0.1856	102.76	2.0118
00:36:10	62.57	15803.00	1.5361	0.1864	102.76	2.0118
00:36:20	62.57	15802.83	1.5389	0.1872	102.59	2.0111
00:36:30	62.57	15802.83	1.5417	0.1880	102.59	2.0111
00:36:40	62.57	15803.00	1.5444	0.1888	102.76	2.0118

TIME 16-APR-84	SDT degC	SDP kPa	t-t0 HR	L(t-t0)	P-P0 kPa	L(P-P0)
00:36:50	62.57	15802.83	1.5472	0.1896	102.59	2.0111
00:37:00	62.54	15802.90	1.5500	0.1903	102.66	2.0114
00:37:10	62.54	15803.07	1.5528	0.1911	102.83	2.0121
00:37:20	62.57	15802.83	1.5556	0.1919	102.59	2.0111
00:37:30	62.54	15803.07	1.5583	0.1927	102.83	2.0121
00:37:40	62.54	15803.07	1.5611	0.1934	102.83	2.0121
00:37:50	62.54	15802.90	1.5639	0.1942	102.66	2.0114
00:38:00	62.52	15803.13	1.5667	0.1950	102.89	2.0124
00:38:10	62.54	15802.90	1.5694	0.1957	102.66	2.0114
00:38:20	62.54	15802.90	1.5722	0.1965	102.66	2.0114
00:38:30	62.54	15803.07	1.5750	0.1973	102.83	2.0121
00:38:40	62.52	15802.96	1.5778	0.1980	102.72	2.0117
00:38:50	62.54	15802.90	1.5806	0.1988	102.66	2.0114
00:39:00	62.52	15802.96	1.5833	0.1996	102.72	2.0117
00:39:10	62.52	15802.96	1.5861	0.2003	102.72	2.0117
00:39:20	62.52	15802.96	1.5889	0.2011	102.72	2.0117
00:39:30	62.52	15802.96	1.5917	0.2019	102.72	2.0117
00:39:40	62.52	15802.96	1.5944	0.2026	102.72	2.0117
00:39:50	62.52	15802.96	1.5972	0.2034	102.72	2.0117
00:40:00	62.49	15803.02	1.6000	0.2041	102.78	2.0119
00:40:10	62.49	15803.02	1.6028	0.2049	102.78	2.0119
00:40:20	62.49	15802.87	1.6056	0.2056	102.63	2.0113
00:40:30	62.49	15803.02	1.6083	0.2064	102.78	2.0119
00:40:40	62.46	15803.10	1.6111	0.2071	102.86	2.0123
00:40:50	62.49	15803.02	1.6139	0.2079	102.78	2.0119

Memory space filled up in SDP/CRG 82802

TECHNICAL DATA

GAUGE

Type	:	SDP/CRG
Transducer module	:	82802
Recorder module	:	82015

OPERATION SET UP

Delay time	:	4 hrs.
Scanning rate	:	10 sec.
Averaging	:	NOT USED
Relative values	:	NOT USED
Compression algorithm	:	NOT USED
Compression level	:	-

CALIBRATION DATA

Before job:

Ambiant pressure	:	13.56 PSIA
Ambiant Temperature	:	19.34 °C

After job:

Ambient pressure	:	19.10 PSIA
Ambient temperature	:	20.30 °C

Date last calibration	:	14.02.84
-----------------------	---	----------

CLIENT: NORSE HYDRO, WELL: 31/3-2, PRE-GRAVEL PACK, SDP/CRG 82802

[120] START TIME: 15-APR-84 11:40:00

15-APR-84	SDT degF	SDP psia
15:40:00	130.19	2270.41
15:40:10	130.24	2270.37
15:40:20	130.19	2270.36
15:40:30	130.19	2270.31
15:40:40	130.19	2270.24
15:40:50	130.19	2270.27
15:41:00	130.19	2270.24
15:41:10	130.24	2270.21
15:41:20	130.19	2270.22
15:41:30	130.19	2270.15
15:41:40	130.19	2270.11
15:41:50	130.19	2270.13
15:42:00	130.24	2270.17
15:42:10	130.19	2270.18
15:42:20	130.19	2270.15
15:42:30	130.19	2270.11
15:42:40	130.19	2270.08
15:42:50	130.14	2270.07
15:43:00	130.19	2270.13
15:43:10	130.19	2270.13
15:43:20	130.19	2270.22
15:43:30	130.19	2270.20
15:43:40	130.19	2270.18
15:43:50	130.19	2270.11
15:44:00	130.19	2270.06
15:44:10	130.19	2269.99
15:44:20	130.14	2269.98
15:44:30	130.14	2269.95
15:44:40	130.14	2269.95
15:44:50	130.19	2269.92
15:45:00	130.19	2269.92
15:45:10	130.19	2269.92
15:45:20	130.19	2269.87
15:45:30	130.14	2269.91
15:45:40	130.14	2269.91
15:45:50	130.14	2269.91
15:46:00	130.14	2269.88
15:46:10	130.14	2269.88
15:46:20	130.14	2269.88
15:46:30	130.14	2269.86
15:46:40	130.10	2269.85
15:46:50	130.14	2269.86
15:47:00	130.14	2269.84
15:47:10	130.14	2269.84
15:47:20	130.10	2269.82
15:47:30	130.10	2269.82
15:47:40	130.14	2269.81
15:47:50	130.10	2269.75
15:48:00	130.10	2269.73
15:48:10	130.14	2269.67
15:48:20	130.14	2269.63
15:48:30	130.14	2269.60
15:48:40	130.10	2269.57
15:48:50	130.14	2269.51
15:49:00	130.10	2269.45
15:49:10	130.10	2269.43
15:49:20	130.14	2269.42
15:49:30	130.10	2269.40
15:49:40	130.10	2269.34
15:49:50	130.10	2269.31

15-APR-84	SDT degF	SDP psia
15:50:00	130.10	2269.29
15:50:10	130.14	2269.26
15:50:20	130.10	2269.27
15:50:30	130.10	2269.20
15:50:40	130.10	2269.15
15:50:50	130.10	2269.13
15:51:00	130.10	2269.10
15:51:10	130.10	2269.03
15:51:20	130.10	2269.03
15:51:30	130.05	2269.00
15:51:40	130.10	2268.94
15:51:50	130.05	2268.88
15:52:00	130.10	2268.87
15:52:10	130.10	2268.87
15:52:20	130.10	2268.89
15:52:30	130.05	2268.86
15:52:40	130.10	2268.82
15:52:50	130.10	2268.78
15:53:00	130.05	2268.72
15:53:10	130.05	2268.69
15:53:20	130.05	2268.67
15:53:30	130.10	2268.64
15:53:40	130.05	2268.58
15:53:50	130.05	2268.53
15:54:00	130.05	2268.55
15:54:10	130.05	2268.49
15:54:20	130.10	2268.43
15:54:30	130.05	2268.42
15:54:40	130.05	2268.39
15:54:50	130.05	2268.39
15:55:00	130.05	2268.35
15:55:10	130.05	2268.32
15:55:20	130.05	2268.28
15:55:30	130.05	2268.28
15:55:40	130.00	2268.24
15:55:50	130.05	2268.18
15:56:00	130.05	2268.18
15:56:10	130.05	2268.09
15:56:20	130.05	2268.09
15:56:30	130.00	2268.10
15:56:40	130.00	2268.05
15:56:50	130.00	2268.01
15:57:00	130.05	2267.93
15:57:10	130.00	2267.94
15:57:20	130.00	2267.89
15:57:30	130.05	2267.86
15:57:40	130.05	2267.81
15:57:50	130.05	2267.72
15:58:00	130.05	2267.74
15:58:10	130.00	2267.77
15:58:20	130.05	2267.76
15:58:30	130.05	2267.79
15:58:40	130.00	2267.77
15:58:50	130.00	2267.77
15:59:00	130.00	2267.80
15:59:10	130.00	2267.80
15:59:20	130.00	2267.73
15:59:30	130.00	2267.64
15:59:40	130.00	2267.57
15:59:50	130.00	2267.54
16:00:00	129.95	2267.51
16:00:10	130.00	2267.45

15-APR-84	SDT degF	SDP psia
16:00:20	130.00	2267.45
16:00:30	129.95	2267.41
16:00:40	130.00	2267.36
16:00:50	130.00	2267.33
16:01:00	129.95	2267.30
16:01:10	130.00	2267.26
16:01:20	129.95	2267.25
16:01:30	129.95	2267.20
16:01:40	129.95	2267.16
16:01:50	129.95	2267.16
16:02:00	129.95	2267.11
16:02:10	129.95	2267.06
16:02:20	130.00	2267.01
16:02:30	129.90	2267.01
16:02:40	129.95	2266.97
16:02:50	129.95	2266.95
16:03:00	129.90	2266.91
16:03:10	129.95	2266.86
16:03:20	129.90	2266.87
16:03:30	129.95	2266.81
16:03:40	129.90	2266.82
16:03:50	129.90	2266.77
16:04:00	129.95	2266.72
16:04:10	129.95	2266.69
16:04:20	129.95	2266.65
16:04:30	129.90	2266.63
16:04:40	129.90	2266.61
16:04:50	129.90	2266.56
16:05:00	129.90	2266.54
16:05:10	129.90	2266.56
16:05:20	129.90	2266.54
16:05:30	129.90	2266.45
16:05:40	129.90	2266.45
16:05:50	129.90	2266.45
16:06:00	129.90	2266.40
16:06:10	129.90	2266.31
16:06:20	129.90	2266.33
16:06:30	129.90	2266.29
16:06:40	129.90	2266.03
16:06:50	129.85	2266.09
16:07:00	129.90	2266.05
16:07:10	129.90	2266.05
16:07:20	129.85	2266.06
16:07:30	129.90	2266.10
16:07:40	129.90	2266.10
16:07:50	129.90	2266.05
16:08:00	129.85	2266.02
16:08:10	129.90	2265.96
16:08:20	129.90	2266.03
16:08:30	129.85	2266.04
16:08:40	129.90	2265.98
16:08:50	129.85	2266.02
16:09:00	129.85	2266.16
16:09:10	129.85	2266.16
16:09:20	129.85	2266.23
16:09:30	129.85	2266.20
16:09:40	129.85	2266.18
16:09:50	129.85	2266.18
16:10:00	129.85	2266.30
16:10:10	129.85	2266.48
16:10:20	129.81	2266.72
16:10:30	129.85	2266.92

15-APR-84	SDT degF	SDP psia
16:10:40	129.81	2267.19
16:10:50	129.85	2267.36
16:11:00	129.85	2267.50
16:11:10	129.81	2267.63
16:11:20	129.85	2267.67
16:11:30	129.85	2267.69
16:11:40	129.81	2267.65
16:11:50	129.81	2267.61
16:12:00	129.85	2267.55
16:12:10	129.81	2267.44
16:12:20	129.81	2267.33
16:12:30	129.85	2267.13
16:12:40	129.81	2266.93
16:12:50	129.81	2266.77
16:13:00	129.81	2266.56
16:13:10	129.81	2266.40
16:13:20	129.81	2266.21
16:13:30	129.81	2265.91
16:13:40	129.81	2265.75
16:13:50	129.81	2265.61
16:14:00	129.76	2265.36
16:14:10	129.81	2265.24
16:14:20	129.81	2265.14
16:14:30	129.81	2265.03
16:14:40	129.76	2264.99
16:14:50	129.81	2264.89
16:15:00	129.76	2264.78
16:15:10	129.76	2264.76
16:15:20	129.76	2264.71
16:15:30	129.76	2264.64
16:15:40	129.81	2264.61
16:15:50	129.76	2264.57
16:16:00	129.76	2264.55
16:16:10	129.76	2264.57
16:16:20	129.76	2264.52
16:16:30	129.76	2264.43
16:16:40	129.76	2264.08
16:16:50	129.76	2263.85
16:17:00	129.76	2263.64
16:17:10	129.71	2263.54
16:17:20	129.71	2263.47
16:17:30	129.76	2263.46
16:17:40	129.76	2263.39
16:17:50	129.76	2263.41
16:18:00	129.71	2263.37
16:18:10	129.71	2263.37
16:18:20	129.76	2263.39
16:18:30	129.71	2263.44
16:18:40	129.71	2263.44
16:18:50	129.71	2263.42
16:19:00	129.71	2263.44
16:19:10	129.66	2263.48
16:19:20	129.66	2263.41
16:19:30	129.71	2263.47
16:19:40	129.71	2263.47
16:19:50	129.71	2263.47
16:20:00	129.71	2263.44
16:20:10	129.71	2263.47
16:20:20	129.71	2263.49
16:20:30	129.66	2263.45
16:20:40	129.66	2263.50
16:20:50	129.66	2263.43

15-APR-84	SDT degF	SDP psia
16:21:00	129.66	2263.34
16:21:10	129.66	2263.31
16:21:20	129.66	2263.38
16:21:30	129.66	2263.50
16:21:40	129.66	2263.52
16:21:50	129.66	2263.66
16:22:00	129.61	2263.72
16:22:10	129.66	2263.75
16:22:20	129.61	2263.67
16:22:30	129.66	2263.66
16:22:40	129.66	2263.59
16:22:50	129.61	2263.58
16:23:00	129.61	2263.53
16:23:10	129.66	2263.59
16:23:20	129.61	2263.63
16:23:30	129.66	2263.64
16:23:40	129.66	2263.69
16:23:50	129.61	2263.67
16:24:00	129.66	2263.64
16:24:10	129.61	2263.65
16:24:20	129.66	2263.59
16:24:30	129.66	2263.57
16:24:40	129.61	2263.58
16:24:50	129.61	2263.58
16:25:00	129.61	2263.49
16:25:10	129.61	2263.46
16:25:20	129.61	2263.39
16:25:30	129.61	2263.35
16:25:40	129.61	2263.32
16:25:50	129.61	2263.35
16:26:00	129.61	2263.44
16:26:10	129.61	2263.39
16:26:20	129.61	2263.35
16:26:30	129.61	2263.35
16:26:40	129.61	2263.23
16:26:50	129.61	2263.16
16:27:00	129.56	2262.98
16:27:10	129.61	2262.88
16:27:20	129.61	2263.00
16:27:30	129.56	2262.98
16:27:40	129.61	2262.98
16:27:50	129.61	2262.91
16:28:00	129.61	2262.86
16:28:10	129.56	2262.75
16:28:20	129.56	2262.68
16:28:30	129.56	2262.64
16:28:40	129.61	2262.72
16:28:50	129.56	2262.82
16:29:00	129.61	2262.74
16:29:10	129.61	2262.67
16:29:20	129.61	2262.74
16:29:30	129.56	2262.61
16:29:40	129.56	2262.59
16:29:50	129.56	2262.54
16:30:00	129.56	2262.50
16:30:10	129.56	2262.47
16:30:20	129.56	2262.45
16:30:30	129.56	2262.47
16:30:40	129.56	2262.45
16:30:50	129.56	2262.43
16:31:00	129.56	2262.08
16:31:10	129.52	2262.11

15-APR-84	SDT degF	SDP psia
16:31:20	129.56	2262.08
16:31:30	129.56	2262.08
16:31:40	129.56	2262.13
16:31:50	129.56	2262.08
16:32:00	129.56	2262.08
16:32:10	129.56	2262.10
16:32:20	129.56	2262.13
16:32:30	129.56	2262.15
16:32:40	129.52	2262.14
16:32:50	129.52	2262.07
16:33:00	129.56	2261.85
16:33:10	129.56	2261.80
16:33:20	129.56	2261.78
16:33:30	129.56	2261.71
16:33:40	129.56	2261.64
16:33:50	129.56	2261.68
16:34:00	129.56	2261.78
16:34:10	129.61	2261.81
16:34:20	129.61	2261.95
16:34:30	129.56	2262.01
16:34:40	129.56	2262.10
16:34:50	129.61	2262.07
16:35:00	129.61	2262.07
16:35:10	129.66	2262.11
16:35:20	129.61	2262.18
16:35:30	129.61	2262.39
16:35:40	129.61	2262.49
16:35:50	129.66	2262.55
16:36:00	129.66	2262.43
16:36:10	129.66	2262.48
16:36:20	129.66	2262.48
16:36:30	129.66	2262.31
16:36:40	129.71	2262.23
16:36:50	129.71	2262.16
16:37:00	129.71	2262.14
16:37:10	129.76	2262.13
16:37:20	129.76	2262.18
16:37:30	129.71	2262.21
16:37:40	129.71	2262.10
16:37:50	129.76	2262.06
16:38:00	129.76	2262.15
16:38:10	129.76	2262.04
16:38:20	129.76	2261.92
16:38:30	129.76	2261.88
16:38:40	129.76	2261.97
16:38:50	129.76	2262.04
16:39:00	129.76	2262.09
16:39:10	129.76	2262.13
16:39:20	129.76	2262.20
16:39:30	129.76	2262.27
16:39:40	129.76	2262.27
16:39:50	129.76	2262.34
16:40:00	129.76	2262.34
16:40:10	129.76	2262.32
16:40:20	129.76	2262.29
16:40:30	129.76	2262.29
16:40:40	129.76	2262.04
16:40:50	129.76	2262.11
16:41:00	129.76	2262.15
16:41:10	129.76	2262.20
16:41:20	129.81	2262.17
16:41:30	129.76	2262.25

15-APR-84	SDT degF	SDP psia
16:41:40	129.81	2262.15
16:41:50	129.81	2262.12
16:42:00	129.76	2262.11
16:42:10	129.81	2262.15
16:42:20	129.76	2262.15
16:42:30	129.81	2262.17
16:42:40	129.76	2262.18
16:42:50	129.81	2262.12
16:43:00	129.81	2261.70
16:43:10	129.81	2261.52
16:43:20	129.81	2261.40
16:43:30	129.81	2261.15
16:43:40	129.81	2261.03
16:43:50	129.81	2261.01
16:44:00	129.76	2261.16
16:44:10	129.76	2261.48
16:44:20	129.81	2261.77
16:44:30	129.81	2261.96
16:44:40	129.81	2262.17
16:44:50	129.85	2262.23
16:45:00	129.81	2262.31
16:45:10	129.81	2262.40
16:45:20	129.85	2262.41
16:45:30	129.85	2262.37
16:45:40	129.90	2262.31
16:45:50	129.85	2262.30
16:46:00	129.85	2262.25
16:46:10	129.90	2262.22
16:46:20	129.90	2262.15
16:46:30	129.90	2262.13
16:46:40	129.90	2262.10
16:46:50	129.90	2262.08
16:47:00	129.90	2261.96
16:47:10	129.95	2261.58
16:47:20	129.95	2261.42
16:47:30	129.90	2261.45
16:47:40	129.95	2261.63
16:47:50	129.95	2261.79
16:48:00	129.95	2261.88
16:48:10	130.00	2261.99
16:48:20	130.00	2262.06
16:48:30	129.95	2262.09
16:48:40	130.00	2261.85
16:48:50	130.00	2261.71
16:49:00	130.00	2261.85
16:49:10	130.00	2261.99
16:49:20	130.05	2262.00
16:49:30	130.00	2262.08
16:49:40	130.05	2262.07
16:49:50	130.05	2261.77
16:50:00	130.05	2261.63
16:50:10	130.05	2261.79
16:50:20	130.05	2261.98
16:50:30	130.05	2262.02
16:50:40	130.10	2262.06
16:50:50	130.05	2262.12
16:51:00	130.05	2262.19
16:51:10	130.05	2262.19
16:51:20	130.05	2262.16
16:51:30	130.10	2262.15
16:51:40	130.05	2262.00
16:51:50	130.10	2261.36

15-APR-84	SDT degF	SDP psia
16:52:00	130.10	2261.60
16:52:10	130.05	2261.79
16:52:20	130.10	2261.92
16:52:30	130.10	2262.01
16:52:40	130.10	2262.08
16:52:50	130.10	2262.13
16:53:00	130.14	2262.14
16:53:10	130.14	2262.17
16:53:20	130.14	2262.17
16:53:30	130.10	2262.18
16:53:40	130.14	2262.14
16:53:50	130.14	2262.12
16:54:00	130.10	2262.06
16:54:10	130.14	2261.98
16:54:20	130.14	2262.03
16:54:30	130.14	2262.00
16:54:40	130.14	2262.03
16:54:50	130.14	2262.03
16:55:00	130.19	2262.02
16:55:10	130.14	2262.03
16:55:20	130.14	2261.98
16:55:30	130.19	2261.95
16:55:40	130.19	2261.97
16:55:50	130.19	2262.00
16:56:00	130.14	2262.00
16:56:10	130.19	2262.02
16:56:20	130.19	2262.02
16:56:30	130.19	2262.02
16:56:40	130.19	2262.02
16:56:50	130.19	2262.00
16:57:00	130.19	2262.04
16:57:10	130.19	2262.04
16:57:20	130.19	2262.02
16:57:30	130.24	2261.98
16:57:40	130.24	2261.89
16:57:50	130.24	2261.87
16:58:00	130.19	2261.88
16:58:10	130.24	2261.85
16:58:20	130.19	2261.88
16:58:30	130.19	2261.90
16:58:40	130.24	2261.94
16:58:50	130.24	2262.01
16:59:00	130.19	2262.04
16:59:10	130.24	2262.05
16:59:20	130.24	2262.05
16:59:30	130.24	2262.08
16:59:40	130.24	2262.08
16:59:50	130.24	2262.08
17:00:00	130.24	2262.05
17:00:10	130.24	2262.05
17:00:20	130.24	2262.03
17:00:30	130.24	2262.01
17:00:40	130.24	2262.01
17:00:50	130.29	2261.97
17:01:00	130.24	2262.01
17:01:10	130.24	2262.01
17:01:20	130.29	2261.97
17:01:30	130.24	2261.96
17:01:40	130.24	2261.98
17:01:50	130.29	2261.95
17:02:00	130.29	2261.95
17:02:10	130.24	2261.98

15-APR-84	SDT degF	SDP psia
17:02:20	130.29	2261.97
17:02:30	130.29	2261.95
17:02:40	130.29	2261.95
17:02:50	130.29	2261.90
17:03:00	130.24	2261.92
17:03:10	130.29	2261.93
17:03:20	130.29	2261.93
17:03:30	130.29	2261.97
17:03:40	130.29	2261.95
17:03:50	130.24	2261.94
17:04:00	130.24	2261.96
17:04:10	130.29	2261.28
17:04:20	130.29	2261.44
17:04:30	130.29	2261.56
17:04:40	130.29	2261.72
17:04:50	130.29	2261.86
17:05:00	130.29	2262.00
17:05:10	130.29	2262.02
17:05:20	130.29	2262.11
17:05:30	130.29	2262.11
17:05:40	130.29	2262.16
17:05:50	130.29	2262.09
17:06:00	130.34	2262.08
17:06:10	130.34	2262.06
17:06:20	130.34	2262.06
17:06:30	130.34	2262.03
17:06:40	130.34	2262.03
17:06:50	130.34	2262.03
17:07:00	130.34	2262.01
17:07:10	130.29	2262.02
17:07:20	130.34	2261.99
17:07:30	130.29	2261.95
17:07:40	130.34	2261.96
17:07:50	130.34	2261.94
17:08:00	130.29	2261.90
17:08:10	130.34	2261.87
17:08:20	130.34	2261.85
17:08:30	130.34	2261.85
17:08:40	130.34	2261.73
17:08:50	130.34	2261.57
17:09:00	130.29	2261.39
17:09:10	130.34	2261.36
17:09:20	130.34	2261.31
17:09:30	130.34	2261.38
17:09:40	130.34	2261.62
17:09:50	130.34	2261.83
17:10:00	130.34	2261.92
17:10:10	130.34	2261.99
17:10:20	130.34	2262.06
17:10:30	130.34	2262.06
17:10:40	130.34	2262.10
17:10:50	130.34	2262.08
17:11:00	130.34	2262.10
17:11:10	130.34	2262.08
17:11:20	130.34	2262.03
17:11:30	130.34	2262.01
17:11:40	130.34	2262.01
17:11:50	130.39	2261.95
17:12:00	130.34	2261.96
17:12:10	130.39	2261.21
17:12:20	130.34	2261.01
17:12:30	130.39	2261.05

15-APR-84	SDT degF	SDP psia
17:12:40	130.39	2261.21
17:12:50	130.39	2261.42
17:13:00	130.34	2261.66
17:13:10	130.34	2261.78
17:13:20	130.39	2261.88
17:13:30	130.34	2261.96
17:13:40	130.39	2261.81
17:13:50	130.39	2261.70
17:14:00	130.39	2261.58
17:14:10	130.39	2261.58
17:14:20	130.34	2261.66
17:14:30	130.39	2261.88
17:14:40	130.39	2262.02
17:14:50	130.39	2262.21
17:15:00	130.39	2262.37
17:15:10	130.39	2262.42
17:15:20	130.39	2262.44
17:15:30	130.39	2262.47
17:15:40	130.39	2262.49
17:15:50	130.39	2262.49
17:16:00	130.43	2262.48
17:16:10	130.43	2262.43
17:16:20	130.39	2262.33
17:16:30	130.39	2262.30
17:16:40	130.39	2262.26
17:16:50	130.43	2262.20
17:17:00	130.43	2262.15
17:17:10	130.43	2262.13
17:17:20	130.43	2262.13
17:17:30	130.39	2262.09
17:17:40	130.39	2262.09
17:17:50	130.43	2262.08
17:18:00	130.39	2262.07
17:18:10	130.43	2262.06
17:18:20	130.43	2262.04
17:18:30	130.43	2262.01
17:18:40	130.43	2262.01
17:18:50	130.43	2261.90
17:19:00	130.43	2261.64
17:19:10	130.43	2261.71
17:19:20	130.43	2261.83
17:19:30	130.43	2261.92
17:19:40	130.43	2261.94
17:19:50	130.43	2261.97
17:20:00	130.43	2261.99
17:20:10	130.43	2262.01
17:20:20	130.43	2262.01
17:20:30	130.43	2261.97
17:20:40	130.43	2261.97
17:20:50	130.43	2261.94
17:21:00	130.43	2261.94
17:21:10	130.43	2261.94
17:21:20	130.43	2261.88
17:21:30	130.43	2261.90
17:21:40	130.48	2261.89
17:21:50	130.48	2261.89
17:22:00	130.48	2261.87
17:22:10	130.43	2261.90
17:22:20	130.48	2261.87
17:22:30	130.43	2261.85
17:22:40	130.48	2261.84
17:22:50	130.43	2261.85

15-APR-84	SDT degF	SDP psia
17:23:00	130.43	2261.81
17:23:10	130.43	2261.83
17:23:20	130.43	2261.78
17:23:30	130.48	2261.79
17:23:40	130.43	2261.85
17:23:50	130.48	2261.89
17:24:00	130.48	2261.91
17:24:10	130.48	2261.96
17:24:20	130.48	2261.93
17:24:30	130.43	2261.94
17:24:40	130.48	2261.91
17:24:50	130.48	2261.89
17:25:00	130.43	2261.92
17:25:10	130.48	2261.89
17:25:20	130.48	2261.87
17:25:30	130.48	2261.87
17:25:40	130.48	2261.87
17:25:50	130.43	2261.85
17:26:00	130.48	2261.79
17:26:10	130.48	2261.79
17:26:20	130.48	2261.77
17:26:30	130.48	2261.77
17:26:40	130.48	2259.91
17:26:50	130.48	2248.57
17:27:00	130.48	2244.41
17:27:10	130.48	2246.29
17:27:20	130.48	2246.95
17:27:30	130.48	2248.27
17:27:40	130.48	2249.78
17:27:50	130.48	2251.92
17:28:00	130.53	2253.75
17:28:10	130.58	2254.66
17:28:20	130.68	2261.34
17:28:30	130.77	2263.29
17:28:40	130.92	2264.01
17:28:50	131.06	2264.19
17:29:00	131.21	2264.20
17:29:10	131.35	2263.52
17:29:20	131.50	2262.28
17:29:30	131.64	2261.83
17:29:40	131.74	2262.72
17:29:50	131.89	2263.09
17:30:00	132.03	2263.15
17:30:10	132.13	2262.87
17:30:20	132.32	2263.14
17:30:30	132.47	2263.48
17:30:40	132.56	2263.95
17:30:50	132.66	2264.32
17:31:00	132.81	2264.62
17:31:10	132.90	2264.78
17:31:20	133.00	2264.95
17:31:30	133.10	2265.14
17:31:40	133.14	2265.38
17:31:50	133.29	2265.52
17:32:00	133.39	2265.54
17:32:10	133.43	2265.53
17:32:20	133.48	2265.45
17:32:30	133.58	2265.46
17:32:40	133.63	2265.49
17:32:50	133.68	2265.69
17:33:00	133.73	2265.80
17:33:10	133.77	2265.88

15-APR-84	SDT degF	SDP psia
17:33:20	133.87	2265.77
17:33:30	133.92	2265.60
17:33:40	133.97	2265.59
17:33:50	134.02	2265.65
17:34:00	134.11	2265.67
17:34:10	134.16	2265.78
17:34:20	134.26	2265.60
17:34:30	134.31	2265.84
17:34:40	134.35	2266.09
17:34:50	134.45	2266.19
17:35:00	134.50	2266.15
17:35:10	134.60	2265.90
17:35:20	134.65	2265.80
17:35:30	134.74	2266.06
17:35:40	134.79	2266.21
17:35:50	134.89	2266.21
17:36:00	134.98	2266.12
17:36:10	135.03	2266.21
17:36:20	135.08	2266.22
17:36:30	135.18	2265.92
17:36:40	135.23	2266.10
17:36:50	135.32	2266.08
17:37:00	135.37	2266.14
17:37:10	135.42	2266.29
17:37:20	135.52	2266.39
17:37:30	135.52	2266.27
17:37:40	135.61	2266.21
17:37:50	135.71	2267.72
17:38:00	135.76	2269.64
17:38:10	135.81	2270.79
17:38:20	135.90	2271.21
17:38:30	136.00	2271.52
17:38:40	136.10	2271.66
17:38:50	136.15	2271.93
17:39:00	136.19	2272.08
17:39:10	136.29	2272.13
17:39:20	136.34	2271.99
17:39:30	136.39	2271.84
17:39:40	136.39	2271.79
17:39:50	136.44	2271.90
17:40:00	136.49	2271.91
17:40:10	136.53	2271.69
17:40:20	136.58	2271.38
17:40:30	136.58	2271.17
17:40:40	136.58	2271.17
17:40:50	136.63	2271.18
17:41:00	136.68	2271.24
17:41:10	136.68	2271.31
17:41:20	136.68	2271.38
17:41:30	136.68	2271.57
17:41:40	136.73	2271.70
17:41:50	136.73	2271.95
17:42:00	136.73	2272.19
17:42:10	136.78	2272.36
17:42:20	136.78	2272.48
17:42:30	136.82	2272.58
17:42:40	136.87	2272.62
17:42:50	136.87	2272.57
17:43:00	136.82	2272.44
17:43:10	136.87	2272.25
17:43:20	136.87	2272.18
17:43:30	136.92	2272.17

15-APR-84	SDT degF	SDP psia
17:43:40	136.92	2272.29
17:43:50	136.97	2272.51
17:44:00	136.97	2272.63
17:44:10	136.97	2272.53
17:44:20	137.02	2272.41
17:44:30	137.02	2272.29
17:44:40	137.02	2272.29
17:44:50	137.07	2272.33
17:45:00	137.07	2272.47
17:45:10	137.07	2272.37
17:45:20	137.07	2272.30
17:45:30	137.11	2272.18
17:45:40	137.11	2272.11
17:45:50	137.07	2272.09
17:46:00	137.11	2271.36
17:46:10	137.11	2270.67
17:46:20	137.11	2269.99
17:46:30	137.16	2269.54
17:46:40	137.16	2269.33
17:46:50	137.16	2269.33
17:47:00	137.21	2269.30
17:47:10	137.21	2269.49
17:47:20	137.21	2269.51
17:47:30	137.21	2269.65
17:47:40	137.21	2270.60
17:47:50	137.31	2271.44
17:48:00	137.31	2271.42
17:48:10	137.31	2271.81
17:48:20	137.31	2272.02
17:48:30	137.36	2271.99
17:48:40	137.41	2271.89
17:48:50	137.41	2271.96
17:49:00	137.45	2271.81
17:49:10	137.45	2271.67
17:49:20	137.45	2271.50
17:49:30	137.45	2271.41
17:49:40	137.50	2271.38
17:49:50	137.50	2271.43
17:50:00	137.55	2271.53
17:50:10	137.55	2271.63
17:50:20	137.60	2271.48
17:50:30	137.60	2271.34
17:50:40	137.60	2271.27
17:50:50	137.60	2271.34
17:51:00	137.60	2271.38
17:51:10	137.65	2271.47
17:51:20	137.65	2271.51
17:51:30	137.65	2271.35
17:51:40	137.65	2271.42
17:51:50	137.70	2271.43
17:52:00	137.70	2271.39
17:52:10	137.70	2271.32
17:52:20	137.70	2271.43
17:52:30	137.70	2271.46
17:52:40	137.74	2271.45
17:52:50	137.74	2271.45
17:53:00	137.79	2271.60
17:53:10	137.74	2271.49
17:53:20	137.79	2271.44
17:53:30	137.79	2271.48
17:53:40	137.84	2271.52
17:53:50	137.79	2271.51

15-APR-84	SDT degF	SDP psia
17:54:00	137.84	2271.47
17:54:10	137.84	2271.45
17:54:20	137.84	2271.36
17:54:30	137.84	2271.43
17:54:40	137.84	2271.45
17:54:50	137.89	2271.37
17:55:00	137.89	2271.39
17:55:10	137.89	2271.28
17:55:20	137.89	2271.23
17:55:30	137.89	2271.30
17:55:40	137.89	2271.18
17:55:50	137.94	2269.25
17:56:00	137.94	2268.39
17:56:10	137.94	2269.01
17:56:20	137.94	2269.41
17:56:30	137.99	2269.75
17:56:40	137.99	2270.05
17:56:50	137.99	2270.14
17:57:00	138.04	2270.29
17:57:10	138.04	2270.09
17:57:20	138.08	2269.77
17:57:30	138.08	2269.47
17:57:40	138.08	2269.31
17:57:50	138.13	2269.23
17:58:00	138.18	2268.85
17:58:10	138.18	2268.83
17:58:20	138.20	2268.77
17:58:30	138.23	2269.02
17:58:40	138.28	2269.29
17:58:50	138.28	2269.18
17:59:00	138.33	2269.17
17:59:10	138.37	2268.97
17:59:20	138.42	2268.73
17:59:30	138.42	2268.73
17:59:40	138.47	2268.72
17:59:50	138.52	2268.76
18:00:00	138.52	2268.83
18:00:10	138.62	2269.09
18:00:20	138.66	2269.05
18:00:30	138.71	2268.81
18:00:40	138.71	2268.88
18:00:50	138.76	2268.69
18:01:00	138.81	2268.54
18:01:10	138.86	2268.29
18:01:20	138.91	2268.33
18:01:30	138.91	2268.31
18:01:40	138.96	2268.18
18:01:50	139.05	2268.56
18:02:00	139.10	2268.50
18:02:10	139.15	2268.45
18:02:20	139.15	2268.14
18:02:30	139.25	2268.19
18:02:40	139.25	2268.59
18:02:50	139.34	2268.52
18:03:00	139.39	2268.72
18:03:10	139.39	2268.75
18:03:20	139.49	2268.66
18:03:30	139.54	2268.67
18:03:40	139.59	2268.59
18:03:50	139.63	2268.51
18:04:00	139.68	2268.57
18:04:10	139.68	2268.69

15-APR-84	SDT degF	SDP psia
18:04:20	139.78	2268.39
18:04:30	139.88	2268.44
18:04:40	139.88	2268.49
18:04:50	139.92	2268.45
18:05:00	139.97	2268.37
18:05:10	140.02	2268.48
18:05:20	140.07	2268.56
18:05:30	140.17	2268.85
18:05:40	140.22	2268.81
18:05:50	140.22	2268.65
18:06:00	140.26	2268.48
18:06:10	140.31	2268.96
18:06:20	140.36	2269.37
18:06:30	140.41	2269.89
18:06:40	140.46	2269.88
18:06:50	140.46	2270.28
18:07:00	140.51	2270.89
18:07:10	140.55	2271.12
18:07:20	140.55	2271.44
18:07:30	140.60	2271.32
18:07:40	140.65	2271.12
18:07:50	140.70	2270.23
18:08:00	140.70	2269.37
18:08:10	140.75	2269.48
18:08:20	140.75	2270.61
18:08:30	140.75	2270.01
18:08:40	140.75	2268.52
18:08:50	140.80	2268.07
18:09:00	140.80	2268.72
18:09:10	140.85	2268.81
18:09:20	140.85	2268.13
18:09:30	140.89	2267.70
18:09:40	140.89	2267.80
18:09:50	140.94	2267.88
18:10:00	140.94	2268.07
18:10:10	140.99	2269.33
18:10:20	140.99	2269.29
18:10:30	141.04	2269.37
18:10:40	141.04	2268.74
18:10:50	141.09	2269.06
18:11:00	141.09	2269.15
18:11:10	141.18	2268.39
18:11:20	141.14	2268.79
18:11:30	141.18	2268.37
18:11:40	141.23	2267.66
18:11:50	141.28	2267.81
18:12:00	141.28	2267.95
18:12:10	141.33	2268.18
18:12:20	141.33	2268.32
18:12:30	141.38	2268.51
18:12:40	141.38	2268.63
18:12:50	141.43	2268.48
18:13:00	141.48	2269.10
18:13:10	141.48	2269.33
18:13:20	141.52	2268.88
18:13:30	141.57	2269.47
18:13:40	141.62	2268.86
18:13:50	141.62	2268.33
18:14:00	141.62	2268.58
18:14:10	141.67	2269.22
18:14:20	141.67	2269.80
18:14:30	141.77	2268.83

15-APR-84	SDT degF	SDP psia
18:14:40	141.77	2268.23
18:14:50	141.81	2269.66
18:15:00	141.81	2269.29
18:15:10	141.86	2268.39
18:15:20	141.86	2268.33
18:15:30	141.86	2269.32
18:15:40	141.86	2269.91
18:15:50	141.96	2269.63
18:16:00	141.96	2269.14
18:16:10	141.96	2268.75
18:16:20	142.01	2269.41
18:16:30	142.06	2268.75
18:16:40	142.06	2268.29
18:16:50	142.06	2268.43
18:17:00	142.11	2269.37
18:17:10	142.11	2268.25
18:17:20	142.15	2268.17
18:17:30	142.15	2268.17
18:17:40	142.15	2268.13
18:17:50	142.20	2268.17
18:18:00	142.25	2268.83
18:18:10	142.25	2269.06
18:18:20	142.25	2268.60
18:18:30	142.30	2269.98
18:18:40	142.30	2270.56
18:18:50	142.35	2269.30
18:19:00	142.35	2268.93
18:19:10	142.40	2268.89
18:19:20	142.40	2268.41
18:19:30	142.40	2267.94
18:19:40	142.44	2267.98
18:19:50	142.44	2268.26
18:20:00	142.44	2268.28
18:20:10	142.49	2267.92
18:20:20	142.49	2267.90
18:20:30	142.54	2268.10
18:20:40	142.54	2267.98
18:20:50	142.54	2268.33
18:21:00	142.64	2268.96
18:21:10	142.59	2268.86
18:21:20	142.64	2269.64
18:21:30	142.69	2269.09
18:21:40	142.69	2268.46
18:21:50	142.74	2268.71
18:22:00	142.74	2269.20
18:22:10	142.78	2268.79
18:22:20	142.78	2268.79
18:22:30	142.78	2270.07
18:22:40	142.83	2269.16
18:22:50	142.78	2268.33
18:23:00	142.83	2267.83
18:23:10	142.83	2268.25
18:23:20	142.88	2268.33
18:23:30	142.88	2268.15
18:23:40	142.93	2268.19
18:23:50	142.93	2268.23
18:24:00	142.93	2268.00
18:24:10	142.93	2267.72
18:24:20	142.98	2267.99
18:24:30	142.98	2268.34
18:24:40	143.03	2268.03
18:24:50	143.03	2267.93

15-APR-84	SDT degF	SDP psia
18:25:00	143.08	2268.44
18:25:10	143.08	2268.46
18:25:20	143.08	2268.51
18:25:30	143.08	2268.62
18:25:40	143.12	2268.57
18:25:50	143.12	2267.96
18:26:00	143.12	2267.89
18:26:10	143.17	2268.28
18:26:20	143.22	2268.48
18:26:30	143.17	2268.65
18:26:40	143.22	2268.80
18:26:50	143.27	2268.86
18:27:00	143.27	2269.02
18:27:10	143.27	2269.16
18:27:20	143.32	2269.13
18:27:30	143.32	2269.18
18:27:40	143.32	2269.32
18:27:50	143.32	2268.88
18:28:00	143.37	2268.94
18:28:10	143.37	2268.68
18:28:20	143.37	2268.96
18:28:30	143.37	2269.12
18:28:40	143.37	2269.08
18:28:50	143.41	2269.74
18:29:00	143.46	2271.19
18:29:10	143.46	2272.24
18:29:20	143.46	2273.22
18:29:30	143.46	2273.52
18:29:40	143.51	2273.83
18:29:50	143.51	2274.16
18:30:00	143.56	2274.36
18:30:10	143.56	2273.99
18:30:20	143.61	2273.17
18:30:30	143.66	2272.71
18:30:40	143.61	2272.26
18:30:50	143.66	2272.25
18:31:00	143.66	2271.78
18:31:10	143.66	2271.69
18:31:20	143.71	2271.52
18:31:30	143.66	2270.74
18:31:40	143.66	2271.85
18:31:50	143.71	2273.70
18:32:00	143.71	2272.59
18:32:10	143.71	2271.73
18:32:20	143.71	2273.35
18:32:30	143.71	2273.01
18:32:40	143.71	2272.59
18:32:50	143.71	2273.66
18:33:00	143.71	2274.38
18:33:10	143.71	2274.35
18:33:20	143.71	2273.61
18:33:30	143.71	2273.75
18:33:40	143.71	2273.91
18:33:50	143.71	2274.01
18:34:00	143.71	2273.22
18:34:10	143.71	2272.84
18:34:20	143.75	2272.67
18:34:30	143.75	2272.76
18:34:40	143.71	2272.75
18:34:50	143.71	2273.08
18:35:00	143.71	2272.24
18:35:10	143.71	2272.01

15-APR-84	SDT degF	SDP psia
18:35:20	143.71	2271.17
18:35:30	143.71	2271.66
18:35:40	143.71	2272.22
18:35:50	143.71	2271.96
18:36:00	143.71	2272.17
18:36:10	143.71	2272.17
18:36:20	143.71	2271.40
18:36:30	143.71	2271.38
18:36:40	143.71	2271.73
18:36:50	143.66	2271.71
18:37:00	143.66	2271.30
18:37:10	143.66	2271.90
18:37:20	143.66	2272.60
18:37:30	143.66	2272.55
18:37:40	143.66	2272.30
18:37:50	143.61	2272.31
18:38:00	143.66	2271.92
18:38:10	143.66	2271.90
18:38:20	143.61	2271.82
18:38:30	143.61	2271.38
18:38:40	143.61	2271.72
18:38:50	143.61	2271.47
18:39:00	143.61	2271.47
18:39:10	143.61	2271.00
18:39:20	143.56	2270.90
18:39:30	143.56	2271.06
18:39:40	143.56	2271.27
18:39:50	143.56	2271.20
18:40:00	143.61	2271.54
18:40:10	143.61	2271.70
18:40:20	143.56	2271.69
18:40:30	143.61	2271.61
18:40:40	143.61	2272.00
18:40:50	143.61	2272.47
18:41:00	143.61	2272.42
18:41:10	143.56	2272.59
18:41:20	143.56	2272.41
18:41:30	143.61	2272.26
18:41:40	143.61	2272.10
18:41:50	143.61	2271.89
18:42:00	143.61	2271.56
18:42:10	143.61	2271.84
18:42:20	143.61	2271.86
18:42:30	143.61	2271.56
18:42:40	143.61	2272.00
18:42:50	143.61	2271.54
18:43:00	143.56	2271.41
18:43:10	143.61	2270.52
18:43:20	143.61	2271.17
18:43:30	143.61	2270.61
18:43:40	143.61	2270.54
18:43:50	143.61	2271.63
18:44:00	143.61	2271.65
18:44:10	143.61	2270.58
18:44:20	143.66	2270.74
18:44:30	143.66	2271.37
18:44:40	143.66	2271.23
18:44:50	143.71	2271.26
18:45:00	143.71	2271.75
18:45:10	143.71	2272.33
18:45:20	143.71	2272.82
18:45:30	143.71	2272.75

15-APR-84	SDT degF	SDP psia
18:45:40	143.71	2272.40
18:45:50	143.71	2271.80
18:46:00	143.75	2271.42
18:46:10	143.75	2271.39
18:46:20	143.75	2271.39
18:46:30	143.75	2271.51
18:46:40	143.80	2271.64
18:46:50	143.75	2271.56
18:47:00	143.80	2271.48
18:47:10	143.80	2271.48
18:47:20	143.80	2271.15
18:47:30	143.80	2271.17
18:47:40	143.80	2271.31
18:47:50	143.80	2271.41
18:48:00	143.80	2271.06
18:48:10	143.80	2270.99
18:48:20	143.85	2271.21
18:48:30	143.80	2271.01
18:48:40	143.80	2270.90
18:48:50	143.85	2270.28
18:49:00	143.80	2270.55
18:49:10	143.80	2271.29
18:49:20	143.85	2271.61
18:49:30	143.85	2271.56
18:49:40	143.90	2271.09
18:49:50	143.90	2270.69
18:50:00	143.85	2270.47
18:50:10	143.90	2270.74
18:50:20	143.90	2271.13
18:50:30	143.90	2271.11
18:50:40	143.95	2270.77
18:50:50	143.95	2270.89
18:51:00	143.95	2271.43
18:51:10	143.95	2271.61
18:51:20	143.95	2270.91
18:51:30	143.95	2270.94
18:51:40	144.00	2271.07
18:51:50	144.00	2270.74
18:52:00	144.04	2270.71
18:52:10	144.04	2270.59
18:52:20	144.04	2269.73
18:52:30	144.00	2269.32
18:52:40	144.04	2269.64
18:52:50	144.09	2270.65
18:53:00	144.04	2271.38
18:53:10	144.04	2271.94
18:53:20	144.09	2271.58
18:53:30	144.09	2271.35
18:53:40	144.09	2271.33
18:53:50	144.09	2270.93
18:54:00	144.14	2270.69
18:54:10	144.14	2270.34
18:54:20	144.09	2270.51
18:54:30	144.14	2270.76
18:54:40	144.14	2270.81
18:54:50	144.19	2271.31
18:55:00	144.14	2271.64
18:55:10	144.14	2271.85
18:55:20	144.19	2271.49
18:55:30	144.19	2270.82
18:55:40	144.24	2270.74
18:55:50	144.19	2270.45

15-APR-84	SDT degF	SDP psia
18:56:00	144.19	2271.12
18:56:10	144.24	2271.39
18:56:20	144.24	2271.58
18:56:30	144.24	2271.42
18:56:40	144.24	2271.51
18:56:50	144.24	2271.21
18:57:00	144.29	2271.13
18:57:10	144.29	2271.41
18:57:20	144.29	2271.34
18:57:30	144.29	2271.27
18:57:40	144.24	2271.28
18:57:50	144.29	2271.01
18:58:00	144.29	2270.38
18:58:10	144.29	2269.92
18:58:20	144.29	2269.80
18:58:30	144.29	2269.87
18:58:40	144.29	2270.27
18:58:50	144.34	2271.09
18:59:00	144.29	2270.71
18:59:10	144.29	2270.38
18:59:20	144.34	2270.47
18:59:30	144.34	2271.63
18:59:40	144.38	2272.60
18:59:50	144.38	2273.85
19:00:00	144.38	2273.48
19:00:10	144.43	2273.68
19:00:20	144.43	2273.45
19:00:30	144.48	2272.58
19:00:40	144.48	2272.44
19:00:50	144.48	2271.90
19:01:00	144.48	2271.55
19:01:10	144.48	2272.16
19:01:20	144.48	2271.95
19:01:30	144.48	2271.65
19:01:40	144.53	2271.47
19:01:50	144.48	2271.55
19:02:00	144.53	2270.96
19:02:10	144.53	2270.64
19:02:20	144.48	2270.69
19:02:30	144.53	2270.68
19:02:40	144.53	2270.57
19:02:50	144.53	2270.80
19:03:00	144.48	2270.21
19:03:10	144.53	2270.15
19:03:20	144.53	2270.48
19:03:30	144.53	2270.73
19:03:40	144.53	2271.47
19:03:50	144.53	2271.20
19:04:00	144.58	2271.09
19:04:10	144.58	2271.19
19:04:20	144.58	2271.67
19:04:30	144.63	2271.48
19:04:40	144.63	2270.83
19:04:50	144.58	2270.12
19:05:00	144.63	2269.83
19:05:10	144.63	2270.01
19:05:20	144.63	2270.94
19:05:30	144.68	2271.79
19:05:40	144.63	2271.39
19:05:50	144.68	2271.49
19:06:00	144.68	2271.19
19:06:10	144.72	2271.02

15-APR-84	SDT degF	SDP psia
19:06:20	144.68	2271.28
19:06:30	144.72	2270.44
19:06:40	144.72	2270.00
19:06:50	144.72	2269.86
19:07:00	144.72	2269.83
19:07:10	144.72	2269.86
19:07:20	144.77	2270.03
19:07:30	144.77	2270.06
19:07:40	144.77	2269.85
19:07:50	144.77	2269.71
19:08:00	144.77	2270.06
19:08:10	144.77	2270.03
19:08:20	144.77	2269.36
19:08:30	144.82	2269.47
19:08:40	144.82	2269.86
19:08:50	144.82	2269.54
19:09:00	144.87	2269.64
19:09:10	144.87	2269.73
19:09:20	144.87	2271.39
19:09:30	144.87	2272.57
19:09:40	144.92	2272.28
19:09:50	144.97	2271.99
19:10:00	144.97	2271.95
19:10:10	145.01	2271.75
19:10:20	144.97	2271.65
19:10:30	145.01	2271.33
19:10:40	145.01	2271.01
19:10:50	145.01	2270.50
19:11:00	145.06	2270.35
19:11:10	145.01	2270.27
19:11:20	145.06	2270.39
19:11:30	145.06	2270.25
19:11:40	145.06	2270.88
19:11:50	145.01	2271.61
19:12:00	145.06	2272.14
19:12:10	145.06	2273.00
19:12:20	145.11	2273.43
19:12:30	145.11	2273.15
19:12:40	145.11	2273.43
19:12:50	145.16	2274.58
19:13:00	145.21	2275.18
19:13:10	145.21	2274.97
19:13:20	145.21	2274.69
19:13:30	145.26	2274.52
19:13:40	145.26	2274.56
19:13:50	145.31	2274.65
19:14:00	145.31	2274.21
19:14:10	145.31	2273.02
19:14:20	145.31	2273.02
19:14:30	145.31	2273.60
19:14:40	145.31	2273.23
19:14:50	145.31	2273.32
19:15:00	145.35	2273.17
19:15:10	145.31	2272.88
19:15:20	145.35	2272.78
19:15:30	145.35	2273.15
19:15:40	145.35	2272.59
19:15:50	145.35	2271.94
19:16:00	145.35	2271.31
19:16:10	145.31	2271.32
19:16:20	145.35	2271.48
19:16:30	145.35	2271.85

15-APR-84	SDT degF	SDP psia
19:16:40	145.35	2271.08
19:16:50	145.35	2270.78
19:17:00	145.31	2270.72
19:17:10	145.35	2270.55
19:17:20	145.31	2270.53
19:17:30	145.31	2270.86
19:17:40	145.31	2270.63
19:17:50	145.35	2270.94
19:18:00	145.35	2270.78
19:18:10	145.35	2270.43
19:18:20	145.35	2270.20
19:18:30	145.35	2269.92
19:18:40	145.35	2269.69
19:18:50	145.35	2269.36
19:19:00	145.35	2269.39
19:19:10	145.35	2269.20
19:19:20	145.35	2269.20
19:19:30	145.35	2269.25
19:19:40	145.40	2270.07
19:19:50	145.40	2270.84
19:20:00	145.40	2271.70
19:20:10	145.40	2272.58
19:20:20	145.40	2273.30
19:20:30	145.40	2274.51
19:20:40	145.45	2275.57
19:20:50	145.45	2275.60
19:21:00	145.50	2275.56
19:21:10	145.50	2275.70
19:21:20	145.55	2275.83
19:21:30	145.55	2275.88
19:21:40	145.60	2275.50
19:21:50	145.60	2275.10
19:22:00	145.60	2275.10
19:22:10	145.60	2275.68
19:22:20	145.60	2276.03
19:22:30	145.60	2276.01
19:22:40	145.60	2275.61
19:22:50	145.60	2275.38
19:23:00	145.65	2274.93
19:23:10	145.60	2275.31
19:23:20	145.60	2275.29
19:23:30	145.60	2275.17
19:23:40	145.60	2275.52
19:23:50	145.65	2275.44
19:24:00	145.65	2275.14
19:24:10	145.65	2274.58
19:24:20	145.60	2274.10
19:24:30	145.65	2273.58
19:24:40	145.60	2272.80
19:24:50	145.60	2272.34
19:25:00	145.65	2272.26
19:25:10	145.60	2272.27
19:25:20	145.60	2272.31
19:25:30	145.60	2272.87
19:25:40	145.60	2273.33
19:25:50	145.60	2273.68
19:26:00	145.60	2273.94
19:26:10	145.55	2274.32
19:26:20	145.60	2274.26
19:26:30	145.60	2274.78
19:26:40	145.65	2275.14
19:26:50	145.60	2274.47

15-APR-84	SDT degF	SDP psia
19:27:00	145.60	2274.13
19:27:10	145.60	2273.96
19:27:20	145.60	2273.64
19:27:30	145.60	2273.33
19:27:40	145.65	2272.47
19:27:50	145.65	2272.07
19:28:00	145.65	2271.95
19:28:10	145.60	2272.48
19:28:20	145.65	2272.42
19:28:30	145.60	2272.38
19:28:40	145.65	2272.16
19:28:50	145.65	2272.00
19:29:00	145.65	2273.12
19:29:10	145.65	2273.88
19:29:20	145.65	2274.37
19:29:30	145.65	2274.51
19:29:40	145.65	2274.26
19:29:50	145.69	2274.48
19:30:00	145.65	2274.58
19:30:10	145.69	2273.18
19:30:20	145.69	2273.15
19:30:30	145.69	2272.57
19:30:40	145.69	2273.11
19:30:50	145.69	2273.85
19:31:00	145.74	2273.59
19:31:10	145.74	2272.66
19:31:20	145.74	2272.47
19:31:30	145.74	2272.98
19:31:40	145.74	2273.24
19:31:50	145.74	2272.68
19:32:00	145.79	2272.65
19:32:10	145.79	2273.76
19:32:20	145.74	2274.61
19:32:30	145.79	2274.81
19:32:40	145.79	2274.48
19:32:50	145.79	2274.30
19:33:00	145.79	2272.69
19:33:10	145.79	2272.76
19:33:20	145.79	2272.83
19:33:30	145.84	2273.52
19:33:40	145.84	2274.08
19:33:50	145.84	2274.33
19:34:00	145.84	2273.89
19:34:10	145.84	2273.45
19:34:20	145.84	2273.03
19:34:30	145.89	2272.35
19:34:40	145.84	2272.85
19:34:50	145.84	2272.96
19:35:00	145.84	2272.82
19:35:10	145.84	2272.82
19:35:20	145.84	2272.68
19:35:30	145.84	2272.64
19:35:40	145.79	2273.14
19:35:50	145.84	2273.48
19:36:00	145.84	2274.26
19:36:10	145.84	2274.75
19:36:20	145.84	2275.13
19:36:30	145.84	2275.33
19:36:40	145.84	2275.66
19:36:50	145.89	2276.09
19:37:00	145.89	2275.86
19:37:10	145.89	2275.49

15-APR-84	SDT degF	SDP psia
19:37:20	145.89	2275.25
19:37:30	145.94	2274.87
19:37:40	145.89	2277.97
19:37:50	145.89	2278.86
19:38:00	145.94	2278.78
19:38:10	145.94	2278.75
19:38:20	145.94	2278.75
19:38:30	145.89	2278.69
19:38:40	145.94	2278.61
19:38:50	145.94	2278.52
19:39:00	145.89	2278.28
19:39:10	145.94	2278.10
19:39:20	145.94	2278.15
19:39:30	145.89	2278.18
19:39:40	145.84	2278.22
19:39:50	145.89	2278.21
19:40:00	145.89	2278.18
19:40:10	145.84	2278.19
19:40:20	145.84	2278.22
19:40:30	145.84	2278.22
19:40:40	145.79	2278.20
19:40:50	145.84	2278.24
19:41:00	145.84	2278.26
19:41:10	145.79	2278.27
19:41:20	145.79	2278.34
19:41:30	145.74	2278.40
19:41:40	145.79	2278.41
19:41:50	145.74	2278.47
19:42:00	145.79	2278.46
19:42:10	145.74	2278.54
19:42:20	145.74	2278.54
19:42:30	145.74	2278.56
19:42:40	145.74	2278.58
19:42:50	145.74	2278.65
19:43:00	145.74	2278.68
19:43:10	145.74	2278.72
19:43:20	145.74	2278.70
19:43:30	145.69	2278.78
19:43:40	145.69	2278.80
19:43:50	145.69	2278.82
19:44:00	145.69	2278.85
19:44:10	145.69	2278.92
19:44:20	145.69	2278.94
19:44:30	145.69	2278.94
19:44:40	145.65	2279.00
19:44:50	145.65	2279.02
19:45:00	145.65	2275.05
19:45:10	145.65	2270.35
19:45:20	145.60	2267.13
19:45:30	145.55	2258.38
19:45:40	145.55	2256.54
19:45:50	145.55	2258.38
19:46:00	145.50	2262.52
19:46:10	145.50	2266.54
19:46:20	145.50	2268.15
19:46:30	145.50	2268.52
19:46:40	145.50	2268.68
19:46:50	145.55	2268.88
19:47:00	145.55	2268.30
19:47:10	145.60	2267.73
19:47:20	145.60	2267.97
19:47:30	145.60	2268.43

15-APR-84	SDT degF	SDP psia
19:47:40	145.65	2267.96
19:47:50	145.65	2268.00
19:48:00	145.65	2267.89
19:48:10	145.65	2267.05
19:48:20	145.69	2267.06
19:48:30	145.65	2266.98
19:48:40	145.69	2266.83
19:48:50	145.69	2266.72
19:49:00	145.74	2266.01
19:49:10	145.74	2265.96
19:49:20	145.74	2265.48
19:49:30	145.74	2264.24
19:49:40	145.74	2263.17
19:49:50	145.79	2262.77
19:50:00	145.79	2262.86
19:50:10	145.84	2262.27
19:50:20	145.84	2264.78
19:50:30	145.84	2268.34
19:50:40	145.89	2270.61
19:50:50	145.94	2271.25
19:51:00	145.94	2270.83
19:51:10	145.98	2270.12
19:51:20	145.94	2269.71
19:51:30	145.98	2269.17
19:51:40	146.03	2269.32
19:51:50	146.03	2268.37
19:52:00	146.03	2268.37
19:52:10	146.03	2267.05
19:52:20	146.08	2266.41
19:52:30	146.08	2266.87
19:52:40	146.13	2269.28
19:52:50	146.08	2268.64
19:53:00	146.13	2268.00
19:53:10	146.13	2267.58
19:53:20	146.18	2266.32
19:53:30	146.18	2265.86
19:53:40	146.13	2265.21
19:53:50	146.18	2265.60
19:54:00	146.18	2265.93
19:54:10	146.18	2264.97
19:54:20	146.18	2264.41
19:54:30	146.23	2264.71
19:54:40	146.23	2265.89
19:54:50	146.23	2268.03
19:55:00	146.23	2269.15
19:55:10	146.23	2267.91
19:55:20	146.23	2267.98
19:55:30	146.23	2267.43
19:55:40	146.28	2268.25
19:55:50	146.23	2269.49
19:56:00	146.23	2268.31
19:56:10	146.28	2268.95
19:56:20	146.28	2267.14
19:56:30	146.28	2268.35
19:56:40	146.23	2270.96
19:56:50	146.28	2272.00
19:57:00	146.28	2272.02
19:57:10	146.28	2271.23
19:57:20	146.28	2270.72
19:57:30	146.32	2268.38
19:57:40	146.32	2268.04
19:57:50	146.32	2269.50

15-APR-84	SDT degF	ODP psia
19:58:00	146.28	2270.16
19:58:10	146.32	2269.52
19:58:20	146.28	2270.86
19:58:30	146.28	2272.23
19:58:40	146.28	2272.46
19:58:50	146.32	2272.59
19:59:00	146.32	2272.26
19:59:10	146.32	2270.85
19:59:20	146.32	2271.20
19:59:30	146.28	2271.32
19:59:40	146.32	2269.71
19:59:50	146.28	2270.14
20:00:00	146.32	2267.76
20:00:10	146.28	2267.04
20:00:20	146.28	2267.79
20:00:30	146.28	2267.58
20:00:40	146.28	2268.39
20:00:50	146.28	2268.60
20:01:00	146.32	2267.43
20:01:10	146.28	2268.42
20:01:20	146.28	2266.93
20:01:30	146.32	2268.04
20:01:40	146.32	2266.94
20:01:50	146.32	2267.62
20:02:00	146.32	2267.64
20:02:10	146.32	2267.85
20:02:20	146.32	2267.24
20:02:30	146.32	2267.92
20:02:40	146.32	2268.48
20:02:50	146.37	2269.77
20:03:00	146.37	2268.65
20:03:10	146.37	2268.12
20:03:20	146.32	2268.87
20:03:30	146.37	2267.91
20:03:40	146.42	2267.20
20:03:50	146.37	2269.56
20:04:00	146.42	2269.97
20:04:10	146.42	2268.97
20:04:20	146.42	2270.20
20:04:30	146.42	2272.25
20:04:40	146.42	2273.41
20:04:50	146.47	2273.19
20:05:00	146.47	2272.00
20:05:10	146.42	2270.46
20:05:20	146.47	2269.10
20:05:30	146.47	2268.68
20:05:40	146.47	2269.26
20:05:50	146.47	2267.82
20:06:00	146.47	2267.80
20:06:10	146.47	2269.17
20:06:20	146.42	2270.99
20:06:30	146.47	2270.63
20:06:40	146.47	2271.38
20:06:50	146.47	2273.28
20:07:00	146.52	2274.25
20:07:10	146.52	2271.41
20:07:20	146.52	2271.41
20:07:30	146.52	2269.44
20:07:40	146.52	2267.72
20:07:50	146.52	2266.95
20:08:00	146.47	2269.59
20:08:10	146.52	2271.11

15-APR-84	SDT degF	SIP psia
20:08:20	146.52	2271.58
20:08:30	146.52	2271.55
20:08:40	146.52	2273.06
20:08:50	146.52	2273.72
20:09:00	146.52	2273.83
20:09:10	146.52	2273.13
20:09:20	146.52	2272.60
20:09:30	146.52	2271.95
20:09:40	146.57	2270.41
20:09:50	146.57	2271.40
20:10:00	146.52	2270.14
20:10:10	146.57	2269.94
20:10:20	146.57	2270.99
20:10:30	146.57	2271.89
20:10:40	146.57	2272.01
20:10:50	146.57	2272.36
20:11:00	146.57	2272.17
20:11:10	146.57	2270.99
20:11:20	146.62	2268.72
20:11:30	146.62	2270.35
20:11:40	146.62	2269.58
20:11:50	146.62	2269.61
20:12:00	146.57	2268.96
20:12:10	146.57	2270.48
20:12:20	146.62	2270.05
20:12:30	146.62	2269.91
20:12:40	146.62	2271.37
20:12:50	146.66	2272.18
20:13:00	146.62	2271.14
20:13:10	146.62	2270.84
20:13:20	146.62	2270.49
20:13:30	146.71	2268.80
20:13:40	146.66	2269.15
20:13:50	146.66	2269.97
20:14:00	146.66	2268.92
20:14:10	146.71	2269.40
20:14:20	146.71	2269.45
20:14:30	146.71	2269.61
20:14:40	146.71	2268.29
20:14:50	146.71	2270.03
20:15:00	146.71	2271.38
20:15:10	146.71	2270.38
20:15:20	146.71	2269.80
20:15:30	146.76	2271.44
20:15:40	146.76	2272.32
20:15:50	146.76	2271.46
20:16:00	146.76	2270.65
20:16:10	146.81	2269.59
20:16:20	146.76	2269.60
20:16:30	146.81	2269.78
20:16:40	146.81	2269.73
20:16:50	146.81	2271.36
20:17:00	146.81	2273.10
20:17:10	146.76	2272.25
20:17:20	146.81	2272.68
20:17:30	146.76	2272.99
20:17:40	146.81	2272.03
20:17:50	146.81	2270.10
20:18:00	146.86	2270.72
20:18:10	146.86	2271.16
20:18:20	146.86	2271.05
20:18:30	146.86	2272.46

15-APR-84	SDT degF	SDF psia
20:18:40	146.81	2272.36
20:18:50	146.86	2272.49
20:19:00	146.81	2271.33
20:19:10	146.86	2271.63
20:19:20	146.86	2271.35
20:19:30	146.86	2270.79
20:19:40	146.81	2270.41
20:19:50	146.86	2270.42
20:20:00	146.86	2270.88
20:20:10	146.86	2270.93
20:20:20	146.86	2270.21
20:20:30	146.86	2270.51
20:20:40	146.86	2271.21
20:20:50	146.86	2271.42
20:21:00	146.91	2270.62
20:21:10	146.86	2271.65
20:21:20	146.91	2272.83
20:21:30	146.91	2272.97
20:21:40	146.91	2270.39
20:21:50	146.91	2270.85
20:22:00	146.91	2270.13
20:22:10	146.96	2269.93
20:22:20	146.96	2270.01
20:22:30	146.96	2270.47
20:22:40	146.96	2271.42
20:22:50	146.91	2272.11
20:23:00	146.96	2269.08
20:23:10	146.96	2270.28
20:23:20	146.96	2271.82
20:23:30	146.96	2273.44
20:23:40	147.00	2273.16
20:23:50	146.96	2273.19
20:24:00	147.00	2272.95
20:24:10	147.00	2272.65
20:24:20	147.00	2271.34
20:24:30	147.00	2270.35
20:24:40	147.00	2269.74
20:24:50	147.00	2270.41
20:25:00	147.00	2270.30
20:25:10	147.00	2269.30
20:25:20	147.00	2270.76
20:25:30	147.00	2271.53
20:25:40	147.05	2271.87
20:25:50	147.00	2271.67
20:26:00	147.05	2270.68
20:26:10	147.05	2271.75
20:26:20	147.05	2271.66
20:26:30	147.05	2271.98
20:26:40	147.05	2272.03
20:26:50	147.05	2270.43
20:27:00	147.05	2271.64
20:27:10	147.10	2271.77
20:27:20	147.10	2271.95
20:27:30	147.10	2271.21
20:27:40	147.10	2271.58
20:27:50	147.10	2270.23
20:28:00	147.10	2271.05
20:28:10	147.10	2269.21
20:28:20	147.10	2269.05
20:28:30	147.10	2269.95
20:28:40	147.10	2271.33
20:28:50	147.15	2272.15

15-APR-84	SDT degF	SDP psia
20:29:00	147.10	2271.91
20:29:10	147.10	2271.26
20:29:20	147.10	2272.05
20:29:30	147.15	2272.32
20:29:40	147.15	2273.73
20:29:50	147.15	2272.73
20:30:00	147.20	2271.79
20:30:10	147.20	2272.44
20:30:20	147.20	2272.68
20:30:30	147.20	2271.26
20:30:40	147.15	2269.81
20:30:50	147.20	2269.28
20:31:00	147.20	2270.47
20:31:10	147.15	2270.20
20:31:20	147.15	2268.46
20:31:30	147.20	2270.54
20:31:40	147.20	2272.65
20:31:50	147.20	2274.28
20:32:00	147.20	2274.93
20:32:10	147.20	2275.07
20:32:20	147.20	2274.12
20:32:30	147.20	2272.33
20:32:40	147.25	2272.41
20:32:50	147.25	2271.48
20:33:00	147.25	2271.11
20:33:10	147.20	2270.91
20:33:20	147.25	2270.62
20:33:30	147.20	2271.05
20:33:40	147.25	2271.72
20:33:50	147.25	2270.86
20:34:00	147.25	2269.18
20:34:10	147.25	2270.41
20:34:20	147.25	2271.11
20:34:30	147.25	2272.23
20:34:40	147.25	2272.09
20:34:50	147.25	2273.04
20:35:00	147.29	2272.73
20:35:10	147.29	2273.03
20:35:20	147.29	2273.92
20:35:30	147.34	2274.39
20:35:40	147.34	2274.14
20:35:50	147.29	2272.87
20:36:00	147.29	2271.03
20:36:10	147.34	2270.47
20:36:20	147.29	2270.10
20:36:30	147.34	2271.60
20:36:40	147.34	2270.09
20:36:50	147.34	2268.12
20:37:00	147.34	2271.19
20:37:10	147.34	2273.09
20:37:20	147.34	2273.97
20:37:30	147.34	2274.11
20:37:40	147.34	2273.39
20:37:50	147.34	2272.30
20:38:00	147.39	2272.48
20:38:10	147.39	2272.11
20:38:20	147.39	2272.43
20:38:30	147.39	2272.69
20:38:40	147.39	2272.71
20:38:50	147.39	2272.83
20:39:00	147.39	2271.59
20:39:10	147.39	2270.43

15-APR-84	SDT degF	SDP psia
20:39:20	147.39	2270.60
20:39:30	147.39	2271.29
20:39:40	147.39	2271.52
20:39:50	147.39	2271.59
20:40:00	147.39	2272.38
20:40:10	147.39	2272.13
20:40:20	147.39	2273.73
20:40:30	147.44	2273.93
20:40:40	147.44	2274.28
20:40:50	147.44	2273.33
20:41:00	147.44	2272.70
20:41:10	147.44	2271.03
20:41:20	147.49	2271.11
20:41:30	147.44	2271.07
20:41:40	147.44	2272.51
20:41:50	147.44	2271.38
20:42:00	147.44	2271.79
20:42:10	147.49	2272.51
20:42:20	147.49	2271.60
20:42:30	147.44	2270.47
20:42:40	147.44	2269.47
20:42:50	147.49	2270.25
20:43:00	147.44	2272.05
20:43:10	147.49	2272.85
20:43:20	147.49	2273.67
20:43:30	147.49	2273.34
20:43:40	147.54	2272.77
20:43:50	147.49	2273.44
20:44:00	147.49	2273.88
20:44:10	147.49	2274.41
20:44:20	147.54	2274.01
20:44:30	147.54	2272.43
20:44:40	147.54	2270.59
20:44:50	147.54	2269.87
20:45:00	147.54	2269.82
20:45:10	147.54	2269.54
20:45:20	147.59	2270.35
20:45:30	147.54	2270.89
20:45:40	147.54	2272.61
20:45:50	147.54	2274.08
20:46:00	147.54	2275.38
20:46:10	147.54	2275.54
20:46:20	147.54	2275.61
20:46:30	147.59	2274.69
20:46:40	147.54	2273.57
20:46:50	147.59	2272.30
20:47:00	147.54	2272.94
20:47:10	147.59	2273.25
20:47:20	147.59	2272.05
20:47:30	147.59	2272.25
20:47:40	147.59	2271.09
20:47:50	147.59	2271.28
20:48:00	147.59	2271.02
20:48:10	147.63	2271.22
20:48:20	147.59	2271.70
20:48:30	147.59	2272.05
20:48:40	147.63	2272.83
20:48:50	147.59	2274.79
20:49:00	147.59	2274.35
20:49:10	147.63	2273.71
20:49:20	147.63	2274.31
20:49:30	147.63	2273.10

15-APR-84	SDT degF	SDP psia
20:49:40	147.63	2273.04
20:49:50	147.68	2272.79
20:50:00	147.63	2273.15
20:50:10	147.63	2273.59
20:50:20	147.68	2273.61
20:50:30	147.68	2272.70
20:50:40	147.68	2271.52
20:50:50	147.68	2271.56
20:51:00	147.68	2270.82
20:51:10	147.68	2272.40
20:51:20	147.68	2273.33
20:51:30	147.68	2273.70
20:51:40	147.73	2274.25
20:51:50	147.68	2273.63
20:52:00	147.73	2272.92
20:52:10	147.73	2272.74
20:52:20	147.68	2272.91
20:52:30	147.73	2273.46
20:52:40	147.68	2273.89
20:52:50	147.73	2273.95
20:53:00	147.68	2273.54
20:53:10	147.73	2272.76
20:53:20	147.73	2271.53
20:53:30	147.73	2270.60
20:53:40	147.73	2270.67
20:53:50	147.73	2270.95
20:54:00	147.73	2272.02
20:54:10	147.73	2272.53
20:54:20	147.78	2272.89
20:54:30	147.73	2273.48
20:54:40	147.78	2274.43
20:54:50	147.78	2275.12
20:55:00	147.78	2275.75
20:55:10	147.78	2275.77
20:55:20	147.78	2275.19
20:55:30	147.83	2274.02
20:55:40	147.78	2273.03
20:55:50	147.83	2271.16
20:56:00	147.83	2271.37
20:56:10	147.88	2271.62
20:56:20	147.83	2271.60
20:56:30	147.88	2271.34
20:56:40	147.83	2271.56
20:56:50	147.83	2271.63
20:57:00	147.88	2271.80
20:57:10	147.83	2272.28
20:57:20	147.88	2273.66
20:57:30	147.83	2274.97
20:57:40	147.88	2275.96
20:57:50	147.88	2276.43
20:58:00	147.88	2276.45
20:58:10	147.88	2276.15
20:58:20	147.88	2275.06
20:58:30	147.88	2274.64
20:58:40	147.93	2273.07
20:58:50	147.93	2271.63
20:59:00	147.93	2272.19
20:59:10	147.88	2272.41
20:59:20	147.93	2272.28
20:59:30	147.93	2272.75
20:59:40	147.93	2274.07
20:59:50	147.93	2274.75

15-APR-84	SDT degF	SDP psia
21:00:00	147.93	2275.63
21:00:10	147.93	2275.56
21:00:20	147.93	2275.93
21:00:30	147.93	2276.40
21:00:40	147.97	2275.78
21:00:50	147.93	2274.51
21:01:00	147.93	2273.54
21:01:10	147.93	2272.77
21:01:20	147.93	2273.10
21:01:30	147.97	2272.69
21:01:40	147.97	2271.90
21:01:50	147.93	2272.79
21:02:00	147.97	2273.69
21:02:10	147.97	2274.25
21:02:20	147.97	2274.71
21:02:30	147.97	2274.32
21:02:40	147.97	2274.23
21:02:50	147.97	2274.20
21:03:00	148.02	2274.49
21:03:10	147.97	2275.13
21:03:20	148.02	2275.54
21:03:30	148.02	2275.42
21:03:40	147.97	2275.08
21:03:50	148.02	2274.82
21:04:00	148.02	2274.40
21:04:10	147.97	2274.48
21:04:20	148.02	2274.66
21:04:30	148.02	2274.61
21:04:40	148.02	2274.91
21:04:50	148.02	2275.12
21:05:00	148.02	2275.08
21:05:10	148.02	2274.47
21:05:20	148.02	2274.22
21:05:30	148.02	2274.10
21:05:40	148.07	2273.83
21:05:50	148.02	2273.94
21:06:00	148.02	2274.73
21:06:10	148.07	2275.39
21:06:20	148.07	2275.88
21:06:30	148.07	2276.07
21:06:40	148.07	2276.37
21:06:50	148.07	2276.30
21:07:00	148.07	2276.25
21:07:10	148.07	2276.07
21:07:20	148.12	2275.87
21:07:30	148.07	2275.28
21:07:40	148.07	2275.07
21:07:50	148.12	2274.85
21:08:00	148.07	2274.56
21:08:10	148.07	2274.30
21:08:20	148.12	2273.85
21:08:30	148.12	2273.62
21:08:40	148.12	2273.43
21:08:50	148.12	2273.08
21:09:00	148.12	2272.97
21:09:10	148.12	2274.01
21:09:20	148.12	2274.64
21:09:30	148.17	2274.98
21:09:40	148.12	2275.27
21:09:50	148.12	2275.62
21:10:00	148.17	2275.98
21:10:10	148.12	2275.96

15-APR-84	SDT degF	SDP psia
21:10:20	148.17	2275.51
21:10:30	148.17	2275.23
21:10:40	148.17	2274.84
21:10:50	148.12	2274.48
21:11:00	148.17	2274.16
21:11:10	148.17	2273.26
21:11:20	148.22	2273.48
21:11:30	148.22	2274.44
21:11:40	148.22	2275.09
21:11:50	148.17	2275.56
21:12:00	148.22	2275.88
21:12:10	148.17	2275.91
21:12:20	148.17	2275.49
21:12:30	148.17	2274.82
21:12:40	148.17	2274.30
21:12:50	148.22	2273.95
21:13:00	148.17	2273.70
21:13:10	148.22	2273.23
21:13:20	148.22	2272.97
21:13:30	148.22	2273.25
21:13:40	148.22	2274.25
21:13:50	148.22	2275.09
21:14:00	148.22	2275.48
21:14:10	148.22	2275.78
21:14:20	148.27	2275.94
21:14:30	148.27	2276.19
21:14:40	148.27	2276.12
21:14:50	148.22	2275.46
21:15:00	148.22	2274.76
21:15:10	148.27	2274.22
21:15:20	148.27	2273.15
21:15:30	148.27	2272.05
21:15:40	148.27	2271.85
21:15:50	148.27	2273.45
21:16:00	148.27	2274.12
21:16:10	148.27	2273.75
21:16:20	148.27	2274.05
21:16:30	148.27	2273.87
21:16:40	148.27	2274.22
21:16:50	148.27	2274.84
21:17:00	148.27	2274.52
21:17:10	148.27	2273.59
21:17:20	148.27	2273.61
21:17:30	148.27	2273.96
21:17:40	148.27	2274.33
21:17:50	148.27	2274.15
21:18:00	148.27	2273.33
21:18:10	148.27	2272.96
21:18:20	148.31	2273.67
21:18:30	148.27	2274.73
21:18:40	148.27	2274.03
21:18:50	148.27	2273.87
21:19:00	148.27	2274.26
21:19:10	148.27	2274.80
21:19:20	148.27	2273.94
21:19:30	148.27	2273.08
21:19:40	148.31	2273.90
21:19:50	148.27	2273.96
21:20:00	148.31	2273.46
21:20:10	148.27	2273.61
21:20:20	148.27	2273.87
21:20:30	148.27	2273.73

15-APR-84	SDT degF	SDF psia
21:20:40	148.27	2273.91
21:20:50	148.27	2274.15
21:21:00	148.27	2274.38
21:21:10	148.27	2274.80
21:21:20	148.27	2274.94
21:21:30	148.31	2274.23
21:21:40	148.31	2273.53
21:21:50	148.27	2273.24
21:22:00	148.31	2273.53
21:22:10	148.31	2273.88
21:22:20	148.31	2273.84
21:22:30	148.31	2273.86
21:22:40	148.31	2273.77
21:22:50	148.27	2273.63
21:23:00	148.31	2274.00
21:23:10	148.31	2274.32
21:23:20	148.31	2274.65
21:23:30	148.31	2274.79
21:23:40	148.36	2274.52
21:23:50	148.31	2274.53
21:24:00	148.31	2274.51
21:24:10	148.31	2274.74
21:24:20	148.31	2274.42
21:24:30	148.31	2273.58
21:24:40	148.36	2272.66
21:24:50	148.31	2273.88
21:25:00	148.31	2274.11
21:25:10	148.36	2273.78
21:25:20	148.31	2273.46
21:25:30	148.36	2274.06
21:25:40	148.36	2273.80
21:25:50	148.36	2274.82
21:26:00	148.36	2274.43
21:26:10	148.36	2274.64
21:26:20	148.36	2274.75
21:26:30	148.36	2274.41
21:26:40	148.41	2274.35
21:26:50	148.41	2274.23
21:27:00	148.36	2274.08
21:27:10	148.36	2274.01
21:27:20	148.41	2274.79
21:27:30	148.41	2274.89
21:27:40	148.41	2274.51
21:27:50	148.36	2274.66
21:28:00	148.41	2274.72
21:28:10	148.41	2275.58
21:28:20	148.41	2275.09
21:28:30	148.41	2274.93
21:28:40	148.41	2274.47
21:28:50	148.41	2274.26
21:29:00	148.41	2273.93
21:29:10	148.41	2273.58
21:29:20	148.46	2274.06
21:29:30	148.41	2274.72
21:29:40	148.41	2274.93
21:29:50	148.46	2275.06
21:30:00	148.46	2275.46
21:30:10	148.41	2275.75
21:30:20	148.46	2275.57
21:30:30	148.46	2275.16
21:30:40	148.41	2274.96
21:30:50	148.46	2274.64

15-APR-84	SDT degF	SDP psia
21:31:00	148.46	2274.37
21:31:10	148.46	2274.04
21:31:20	148.46	2273.74
21:31:30	148.46	2273.34
21:31:40	148.46	2274.23
21:31:50	148.46	2274.90
21:32:00	148.51	2275.38
21:32:10	148.46	2275.85
21:32:20	148.51	2275.94
21:32:30	148.46	2275.85
21:32:40	148.46	2275.46
21:32:50	148.51	2274.87
21:33:00	148.51	2274.36
21:33:10	148.46	2273.97
21:33:20	148.51	2273.59
21:33:30	148.46	2273.46
21:33:40	148.51	2273.22
21:33:50	148.51	2273.15
21:34:00	148.51	2274.01
21:34:10	148.51	2275.08
21:34:20	148.51	2275.77
21:34:30	148.51	2276.19
21:34:40	148.56	2276.44
21:34:50	148.51	2276.45
21:35:00	148.51	2276.63
21:35:10	148.51	2275.96
21:35:20	148.51	2275.35
21:35:30	148.56	2274.95
21:35:40	148.51	2274.52
21:35:50	148.56	2274.07
21:36:00	148.56	2273.65
21:36:10	148.56	2273.39
21:36:20	148.56	2273.30
21:36:30	148.56	2272.79
21:36:40	148.56	2273.58
21:36:50	148.56	2274.81
21:37:00	148.56	2275.37
21:37:10	148.56	2275.93
21:37:20	148.56	2276.23
21:37:30	148.56	2276.41
21:37:40	148.56	2276.46
21:37:50	148.60	2276.78
21:38:00	148.56	2276.55
21:38:10	148.60	2276.24
21:38:20	148.60	2275.69
21:38:30	148.60	2275.13
21:38:40	148.56	2274.95
21:38:50	148.60	2274.45
21:39:00	148.60	2273.99
21:39:10	148.60	2273.87
21:39:20	148.60	2273.64
21:39:30	148.60	2274.03
21:39:40	148.60	2274.76
21:39:50	148.60	2275.08
21:40:00	148.60	2275.10
21:40:10	148.65	2274.72
21:40:20	148.60	2274.92
21:40:30	148.65	2275.05
21:40:40	148.60	2275.29
21:40:50	148.65	2275.14
21:41:00	148.65	2275.42
21:41:10	148.60	2275.36

15-APR-84	SDT degF	SIP psia
21:41:20	148.60	2275.36
21:41:30	148.65	2275.14
21:41:40	148.60	2275.36
21:41:50	148.60	2275.20
21:42:00	148.65	2275.28
21:42:10	148.65	2275.30
21:42:20	148.65	2275.07
21:42:30	148.65	2275.47
21:42:40	148.65	2275.12
21:42:50	148.65	2275.19
21:43:00	148.65	2275.54
21:43:10	148.65	2275.37
21:43:20	148.65	2274.98
21:43:30	148.65	2275.33
21:43:40	148.70	2275.71
21:43:50	148.65	2275.65
21:44:00	148.70	2275.71
21:44:10	148.65	2275.37
21:44:20	148.65	2274.98
21:44:30	148.70	2274.81
21:44:40	148.70	2275.18
21:44:50	148.70	2275.46
21:45:00	148.70	2275.16
21:45:10	148.70	2274.97
21:45:20	148.70	2275.55
21:45:30	148.70	2275.43
21:45:40	148.70	2275.32
21:45:50	148.70	2274.81
21:46:00	148.70	2275.32
21:46:10	148.75	2275.43
21:46:20	148.70	2275.25
21:46:30	148.70	2275.23
21:46:40	148.70	2275.34
21:46:50	148.70	2275.34
21:47:00	148.75	2275.08
21:47:10	148.70	2275.18
21:47:20	148.75	2275.40
21:47:30	148.70	2275.29
21:47:40	148.75	2275.05
21:47:50	148.75	2275.47
21:48:00	148.75	2275.40
21:48:10	148.75	2275.22
21:48:20	148.75	2274.84
21:48:30	148.75	2275.38
21:48:40	148.75	2275.61
21:48:50	148.75	2275.43
21:49:00	148.80	2274.86
21:49:10	148.80	2275.42
21:49:20	148.80	2275.65
21:49:30	148.75	2275.05
21:49:40	148.80	2275.58
21:49:50	148.80	2275.18
21:50:00	148.80	2274.81
21:50:10	148.75	2275.17
21:50:20	148.80	2275.28
21:50:30	148.75	2275.47
21:50:40	148.80	2275.14
21:50:50	148.80	2275.58
21:51:00	148.80	2275.02
21:51:10	148.80	2275.53
21:51:20	148.80	2275.35
21:51:30	148.80	2275.51

15-APR-84	SDT degF	SDP psia
21:51:40	148.80	2275.79
21:51:50	148.80	2275.30
21:52:00	148.85	2275.43
21:52:10	148.80	2275.76
21:52:20	148.80	2275.53
21:52:30	148.85	2274.87
21:52:40	148.80	2275.28
21:52:50	148.80	2275.56
21:53:00	148.80	2275.46
21:53:10	148.85	2274.96
21:53:20	148.85	2275.10
21:53:30	148.80	2275.37
21:53:40	148.80	2275.56
21:53:50	148.85	2275.20
21:54:00	148.85	2275.71
21:54:10	148.80	2275.18
21:54:20	148.85	2275.59
21:54:30	148.85	2275.85
21:54:40	148.85	2275.48
21:54:50	148.85	2275.48
21:55:00	148.85	2275.20
21:55:10	148.85	2275.41
21:55:20	148.85	2275.50
21:55:30	148.85	2275.52
21:55:40	148.85	2275.17
21:55:50	148.85	2275.17
21:56:00	148.85	2275.59
21:56:10	148.90	2275.30
21:56:20	148.90	2275.30
21:56:30	148.90	2275.21
21:56:40	148.90	2275.70
21:56:50	148.85	2275.55
21:57:00	148.90	2275.14
21:57:10	148.90	2275.30
21:57:20	148.90	2275.86
21:57:30	148.90	2275.70
21:57:40	148.90	2275.14
21:57:50	148.90	2275.44
21:58:00	148.90	2275.42
21:58:10	148.90	2275.21
21:58:20	148.90	2275.58
21:58:30	148.90	2275.44
21:58:40	148.94	2275.13
21:58:50	148.90	2275.21
21:59:00	148.90	2275.56
21:59:10	148.94	2275.69
21:59:20	148.90	2275.49
21:59:30	148.94	2275.48
21:59:40	148.94	2275.41
21:59:50	148.90	2275.63
22:00:00	148.94	2275.88
22:00:10	148.94	2275.97
22:00:20	148.94	2275.29
22:00:30	148.90	2275.77
22:00:40	148.94	2275.92
22:00:50	148.90	2275.51
22:01:00	148.94	2275.20
22:01:10	148.94	2275.76
22:01:20	148.94	2276.02
22:01:30	148.94	2275.43
22:01:40	148.94	2275.57
22:01:50	148.94	2275.60

15-APR-84	SDT degF	SDP psia
22:02:00	148.94	2275.85
22:02:10	148.94	2275.64
22:02:20	148.94	2275.90
22:02:30	148.94	2276.02
22:02:40	148.99	2275.68
22:02:50	148.99	2275.08
22:03:00	148.94	2275.83
22:03:10	148.94	2276.06
22:03:20	148.94	2275.55
22:03:30	148.99	2275.36
22:03:40	148.99	2275.68
22:03:50	148.94	2275.90
22:04:00	148.99	2275.98
22:04:10	148.94	2275.60
22:04:20	148.99	2275.70
22:04:30	148.99	2275.94
22:04:40	148.99	2275.63
22:04:50	148.99	2275.75
22:05:00	148.99	2275.89
22:05:10	148.99	2275.84
22:05:20	149.04	2276.02
22:05:30	148.99	2275.94
22:05:40	148.99	2275.45
22:05:50	148.99	2276.12
22:06:00	148.99	2276.08
22:06:10	148.99	2275.73
22:06:20	149.04	2275.90
22:06:30	149.04	2276.09
22:06:40	148.99	2275.70
22:06:50	148.99	2275.87
22:07:00	149.04	2275.95
22:07:10	149.04	2276.14
22:07:20	149.04	2275.79
22:07:30	149.04	2275.95
22:07:40	148.99	2276.15
22:07:50	149.04	2276.11
22:08:00	149.04	2275.86
22:08:10	149.04	2276.02
22:08:20	149.04	2275.72
22:08:30	149.04	2275.93
22:08:40	149.04	2276.02
22:08:50	149.04	2276.09
22:09:00	149.04	2275.67
22:09:10	149.04	2276.14
22:09:20	149.09	2275.71
22:09:30	149.09	2275.87
22:09:40	149.04	2276.21
22:09:50	149.04	2275.97
22:10:00	149.09	2276.17
22:10:10	149.09	2275.71
22:10:20	149.09	2276.22
22:10:30	149.09	2275.73
22:10:40	149.09	2276.24
22:10:50	149.09	2276.17
22:11:00	149.09	2275.73
22:11:10	149.09	2276.17
22:11:20	149.09	2275.80
22:11:30	149.09	2276.13
22:11:40	149.09	2276.10
22:11:50	149.09	2276.31
22:12:00	149.09	2275.89
22:12:10	149.09	2275.94

15-APR-84	SDT degF	SDF psia
22:12:20	149.14	2276.14
22:12:30	149.14	2276.16
22:12:40	149.09	2276.31
22:12:50	149.14	2276.42
22:13:00	149.14	2275.84
22:13:10	149.09	2275.75
22:13:20	149.14	2276.00
22:13:30	149.14	2275.86
22:13:40	149.14	2276.19
22:13:50	149.14	2276.02
22:14:00	149.14	2275.98
22:14:10	149.14	2276.07
22:14:20	149.14	2275.79
22:14:30	149.14	2276.35
22:14:40	149.14	2276.28
22:14:50	149.14	2276.12
22:15:00	149.14	2275.75
22:15:10	149.14	2276.26
22:15:20	149.14	2276.44
22:15:30	149.14	2275.82
22:15:40	149.14	2275.89
22:15:50	149.14	2276.10
22:16:00	149.19	2276.13
22:16:10	149.14	2276.02
22:16:20	149.14	2276.07
22:16:30	149.19	2276.29
22:16:40	149.19	2276.48
22:16:50	149.19	2276.46
22:17:00	149.19	2275.83
22:17:10	149.19	2275.90
22:17:20	149.19	2276.09
22:17:30	149.19	2276.02
22:17:40	149.19	2276.18
22:17:50	149.19	2276.22
22:18:00	149.19	2276.13
22:18:10	149.19	2276.39
22:18:20	149.24	2276.43
22:18:30	149.24	2276.08
22:18:40	149.19	2276.20
22:18:50	149.19	2276.46
22:19:00	149.19	2276.06
22:19:10	149.19	2276.20
22:19:20	149.24	2276.12
22:19:30	149.24	2275.94
22:19:40	149.24	2276.49
22:19:50	149.24	2275.91
22:20:00	149.24	2276.31
22:20:10	149.24	2276.33
22:20:20	149.24	2276.31
22:20:30	149.24	2275.89
22:20:40	149.24	2276.45
22:20:50	149.24	2275.96
22:21:00	149.24	2276.24
22:21:10	149.24	2276.43
22:21:20	149.24	2275.98
22:21:30	149.24	2276.19
22:21:40	149.28	2276.58
22:21:50	149.28	2276.37
22:22:00	149.28	2275.72
22:22:10	149.24	2276.35
22:22:20	149.24	2276.59
22:22:30	149.28	2275.95

15-APR-84	SDT degF	SDP psia
22:22:40	149.28	2275.93
22:22:50	149.24	2276.49
22:23:00	149.24	2276.31
22:23:10	149.28	2275.76
22:23:20	149.24	2276.33
22:23:30	149.28	2276.16
22:23:40	149.28	2276.49
22:23:50	149.24	2276.66
22:24:00	149.28	2276.65
22:24:10	149.28	2276.25
22:24:20	149.33	2275.76
22:24:30	149.28	2275.97
22:24:40	149.28	2276.21
22:24:50	149.28	2276.49
22:25:00	149.28	2276.37
22:25:10	149.28	2276.02
22:25:20	149.28	2276.53
22:25:30	149.28	2276.16
22:25:40	149.28	2276.30
22:25:50	149.28	2276.25
22:26:00	149.28	2276.46
22:26:10	149.28	2276.11
22:26:20	149.28	2276.56
22:26:30	149.28	2276.09
22:26:40	149.28	2276.35
22:26:50	149.33	2275.92
22:27:00	149.33	2276.29
22:27:10	149.28	2276.44
22:27:20	149.33	2276.69
22:27:30	149.33	2276.31
22:27:40	149.33	2275.90
22:27:50	149.33	2276.06
22:28:00	149.38	2276.47
22:28:10	149.33	2276.34
22:28:20	149.33	2275.94
22:28:30	149.33	2276.22
22:28:40	149.33	2276.36
22:28:50	149.33	2276.55
22:29:00	149.33	2275.94
22:29:10	149.33	2276.20
22:29:20	149.38	2276.26
22:29:30	149.33	2276.01
22:29:40	149.33	2276.20
22:29:50	149.38	2276.54
22:30:00	149.33	2276.52
22:30:10	149.38	2276.21
22:30:20	149.38	2276.58
22:30:30	149.38	2276.19
22:30:40	149.38	2275.98
22:30:50	149.38	2276.58
22:31:00	149.33	2276.24
22:31:10	149.38	2276.40
22:31:20	149.38	2276.47
22:31:30	149.38	2276.54
22:31:40	149.38	2276.65
22:31:50	149.38	2276.28
22:32:00	149.38	2276.26
22:32:10	149.38	2276.33
22:32:20	149.38	2276.49
22:32:30	149.38	2276.63
22:32:40	149.43	2276.27
22:32:50	149.38	2276.35

15-APR-84	SDT degF	SDP psia
22:33:00	149.38	2276.72
22:33:10	149.43	2276.74
22:33:20	149.38	2276.40
22:33:30	149.43	2276.02
22:33:40	149.38	2276.33
22:33:50	149.38	2276.44
22:34:00	149.43	2276.53
22:34:10	149.38	2276.33
22:34:20	149.38	2276.44
22:34:30	149.43	2276.27
22:34:40	149.43	2276.46
22:34:50	149.43	2276.69
22:35:00	149.43	2276.30
22:35:10	149.43	2276.37
22:35:20	149.43	2276.50
22:35:30	149.43	2276.53
22:35:40	149.43	2276.34
22:35:50	149.43	2276.13
22:36:00	149.43	2276.34
22:36:10	149.43	2276.32
22:36:20	149.43	2276.62
22:36:30	149.43	2276.62
22:36:40	149.43	2276.20
22:36:50	149.43	2276.53
22:37:00	149.48	2276.75
22:37:10	149.48	2276.33
22:37:20	149.43	2276.32
22:37:30	149.43	2276.30
22:37:40	149.48	2276.57
22:37:50	149.43	2276.67
22:38:00	149.48	2276.31
22:38:10	149.48	2276.38
22:38:20	149.48	2276.73
22:38:30	149.48	2276.38
22:38:40	149.43	2276.09
22:38:50	149.48	2276.54
22:39:00	149.43	2276.76
22:39:10	149.48	2276.43
22:39:20	149.48	2276.24
22:39:30	149.48	2276.40
22:39:40	149.48	2276.57
22:39:50	149.48	2276.68
22:40:00	149.48	2276.40
22:40:10	149.48	2276.36
22:40:20	149.48	2276.70
22:40:30	149.48	2276.43
22:40:40	149.53	2276.67
22:40:50	149.48	2276.19
22:41:00	149.48	2276.57
22:41:10	149.48	2276.61
22:41:20	149.53	2276.65
22:41:30	149.48	2276.50
22:41:40	149.53	2276.72
22:41:50	149.53	2276.79
22:42:00	149.53	2276.86
22:42:10	149.53	2276.23
22:42:20	149.53	2276.49
22:42:30	149.53	2276.76
22:42:40	149.53	2276.74
22:42:50	149.53	2276.32
22:43:00	149.53	2276.32
22:43:10	149.53	2276.65

15-APR-84	SDT degF	SIP psia
22:43:20	149.53	2276.65
22:43:30	149.53	2276.90
22:43:40	149.53	2276.39
22:43:50	149.53	2276.67
22:44:00	149.53	2276.81
22:44:10	149.53	2276.35
22:44:20	149.53	2276.51
22:44:30	149.53	2276.81
22:44:40	149.53	2276.42
22:44:50	149.53	2276.60
22:45:00	149.53	2276.69
22:45:10	149.53	2276.69
22:45:20	149.53	2276.56
22:45:30	149.53	2276.81
22:45:40	149.58	2276.43
22:45:50	149.58	2276.78
22:46:00	149.53	2277.02
22:46:10	149.58	2276.52
22:46:20	149.53	2276.72
22:46:30	149.58	2276.36
22:46:40	149.53	2276.51
22:46:50	149.58	2276.55
22:47:00	149.58	2276.64
22:47:10	149.58	2276.57
22:47:20	149.58	2276.55
22:47:30	149.58	2276.71
22:47:40	149.58	2276.78
22:47:50	149.58	2276.75
22:48:00	149.58	2276.22
22:48:10	149.62	2276.72
22:48:20	149.58	2276.92
22:48:30	149.58	2276.48
22:48:40	149.62	2276.42
22:48:50	149.62	2276.77
22:49:00	149.58	2276.50
22:49:10	149.58	2276.69
22:49:20	149.62	2276.72
22:49:30	149.62	2276.30
22:49:40	149.62	2276.65
22:49:50	149.58	2276.75
22:50:00	149.62	2276.49
22:50:10	149.62	2276.49
22:50:20	149.62	2276.77
22:50:30	149.58	2276.41
22:50:40	149.58	2276.71
22:50:50	149.62	2276.77
22:51:00	149.62	2276.77
22:51:10	149.62	2276.40
22:51:20	149.62	2276.72
22:51:30	149.62	2276.37
22:51:40	149.62	2276.75
22:51:50	149.62	2276.75
22:52:00	149.62	2276.72
22:52:10	149.67	2276.95
22:52:20	149.67	2276.46
22:52:30	149.62	2276.65
22:52:40	149.62	2276.77
22:52:50	149.67	2276.97
22:53:00	149.62	2276.79
22:53:10	149.62	2276.33
22:53:20	149.62	2276.42
22:53:30	149.67	2276.69

15-APR-84	SDT degF	SDP psia
22:53:40	149.67	2276.27
22:53:50	149.67	2276.85
22:54:00	149.67	2276.92
22:54:10	149.67	2276.57
22:54:20	149.67	2276.81
22:54:30	149.62	2276.93
22:54:40	149.67	2276.53
22:54:50	149.62	2276.58
22:55:00	149.62	2276.56
22:55:10	149.67	2276.83
22:55:20	149.67	2276.39
22:55:30	149.67	2276.43
22:55:40	149.67	2276.71
22:55:50	149.67	2276.90
22:56:00	149.67	2276.67
22:56:10	149.62	2276.61
22:56:20	149.67	2276.67
22:56:30	149.67	2276.95
22:56:40	149.67	2276.64
22:56:50	149.67	2276.92
22:57:00	149.67	2277.13
22:57:10	149.67	2276.88
22:57:20	149.67	2276.32
22:57:30	149.72	2276.73
22:57:40	149.67	2276.60
22:57:50	149.67	2276.90
22:58:00	149.72	2276.75
22:58:10	149.67	2276.90
22:58:20	149.72	2276.47
22:58:30	149.67	2276.60
22:58:40	149.67	2276.92
22:58:50	149.67	2276.60
22:59:00	149.67	2276.81
22:59:10	149.72	2277.01
22:59:20	149.72	2276.80
22:59:30	149.67	2276.85
22:59:40	149.72	2276.59
22:59:50	149.72	2276.84
23:00:00	149.72	2276.94
23:00:10	149.72	2276.96
23:00:20	149.72	2276.56
23:00:30	149.72	2276.66
23:00:40	149.72	2276.96
23:00:50	149.77	2277.04
23:01:00	149.72	2276.56
23:01:10	149.72	2276.52
23:01:20	149.72	2276.94
23:01:30	149.72	2276.63
23:01:40	149.77	2277.00
23:01:50	149.77	2276.58
23:02:00	149.72	2276.75
23:02:10	149.72	2276.94
23:02:20	149.77	2276.42
23:02:30	149.77	2276.93
23:02:40	149.77	2277.07
23:02:50	149.72	2276.77
23:03:00	149.72	2276.87
23:03:10	149.72	2276.63
23:03:20	149.72	2277.05
23:03:30	149.77	2276.65
23:03:40	149.77	2276.76
23:03:50	149.77	2276.95

15-APR-84	SDT degF	SDP psia
23:04:00	149.72	2277.01
23:04:10	149.77	2285.16
23:04:20	149.77	2285.71
23:04:30	149.77	2285.90
23:04:40	149.77	2285.99
23:04:50	149.82	2286.08
23:05:00	149.82	2286.12
23:05:10	149.82	2286.15
23:05:20	149.77	2286.16
23:05:30	149.77	2286.20
23:05:40	149.82	2286.19
23:05:50	149.82	2286.24
23:06:00	149.82	2286.24
23:06:10	149.82	2286.22
23:06:20	149.77	2286.34
23:06:30	149.77	2286.36
23:06:40	149.77	2286.36
23:06:50	149.77	2286.36
23:07:00	149.77	2286.43
23:07:10	149.77	2286.43
23:07:20	149.77	2286.46
23:07:30	149.77	2286.50
23:07:40	149.77	2286.53
23:07:50	149.77	2286.53
23:08:00	149.77	2286.53
23:08:10	149.77	2286.55
23:08:20	149.77	2286.60
23:08:30	149.72	2286.63
23:08:40	149.72	2286.65
23:08:50	149.72	2286.68
23:09:00	149.67	2286.71
23:09:10	149.67	2286.75
23:09:20	149.67	2286.78
23:09:30	149.67	2286.78
23:09:40	149.67	2286.82
23:09:50	149.67	2286.82
23:10:00	149.67	2286.87
23:10:10	149.67	2286.87
23:10:20	149.62	2286.93
23:10:30	149.62	2286.93
23:10:40	149.62	2286.95
23:10:50	149.62	2286.95
23:11:00	149.58	2286.98
23:11:10	149.58	2287.01
23:11:20	149.58	2286.98
23:11:30	149.53	2286.99
23:11:40	149.53	2286.97
23:11:50	149.48	2286.98
23:12:00	149.48	2286.96
23:12:10	149.43	2286.94
23:12:20	149.43	2286.94
23:12:30	149.43	2286.89
23:12:40	149.38	2286.90
23:12:50	149.38	2286.90
23:13:00	149.38	2286.88
23:13:10	149.38	2286.83
23:13:20	149.33	2286.82
23:13:30	149.33	2286.82
23:13:40	149.33	2286.80
23:13:50	149.28	2286.85
23:14:00	149.24	2286.84
23:14:10	149.28	2286.81

15-APR-84	SDT degF	SDP psia
23:14:20	149.24	2286.84
23:14:30	149.24	2286.84
23:14:40	149.19	2286.82
23:14:50	149.19	2286.82
23:15:00	149.14	2286.86
23:15:10	149.14	2286.88
23:15:20	149.14	2286.88
23:15:30	149.09	2286.89
23:15:40	149.09	2286.89
23:15:50	149.09	2286.89
23:16:00	149.04	2286.92
23:16:10	149.04	2286.92
23:16:20	149.04	2286.92
23:16:30	149.04	2286.92
23:16:40	149.04	2286.92
23:16:50	149.04	2286.94
23:17:00	148.99	2286.98
23:17:10	149.04	2286.97
23:17:20	148.99	2287.00
23:17:30	148.99	2287.00
23:17:40	148.99	2287.02
23:17:50	148.94	2287.06
23:18:00	148.99	2287.07
23:18:10	148.94	2287.10
23:18:20	148.94	2287.13
23:18:30	148.94	2287.15
23:18:40	148.94	2287.17
23:18:50	148.90	2287.20
23:19:00	148.90	2287.25
23:19:10	148.94	2287.24
23:19:20	148.90	2287.27
23:19:30	148.85	2287.31
23:19:40	148.90	2287.32
23:19:50	148.85	2287.35
23:20:00	148.85	2287.38
23:20:10	148.80	2287.41
23:20:20	148.80	2287.43
23:20:30	148.85	2287.45
23:20:40	148.80	2287.48
23:20:50	148.80	2287.50
23:21:00	148.80	2287.53
23:21:10	148.75	2287.53
23:21:20	148.75	2287.56
23:21:30	148.75	2287.58
23:21:40	148.75	2287.58
23:21:50	148.75	2287.60
23:22:00	148.70	2287.64
23:22:10	148.70	2287.64
23:22:20	148.70	2287.64
23:22:30	148.70	2287.66
23:22:40	148.65	2287.69
23:22:50	148.65	2287.72
23:23:00	148.65	2287.74
23:23:10	148.65	2287.74
23:23:20	148.65	2287.76
23:23:30	148.60	2287.79
23:23:40	148.60	2287.79
23:23:50	148.60	2287.82
23:24:00	148.56	2287.85
23:24:10	148.56	2287.87
23:24:20	148.56	2287.87
23:24:30	148.51	2287.91

15-APR-84	SDT degF	SDP psia
23:24:40	148.51	2287.88
23:24:50	148.51	2287.93
23:25:00	148.51	2287.95
23:25:10	148.51	2287.95
23:25:20	148.46	2287.99
23:25:30	148.46	2287.99
23:25:40	148.46	2288.01
23:25:50	148.41	2288.04
23:26:00	148.41	2288.04
23:26:10	148.41	2288.06
23:26:20	148.41	2288.06
23:26:30	148.36	2288.07
23:26:40	148.41	2288.11
23:26:50	148.36	2288.12
23:27:00	148.36	2288.14
23:27:10	148.31	2288.18
23:27:20	148.31	2288.18
23:27:30	148.31	2288.20
23:27:40	148.31	2288.22
23:27:50	148.27	2288.23
23:28:00	148.27	2288.23
23:28:10	148.27	2288.23
23:28:20	148.27	2288.28
23:28:30	148.27	2288.28
23:28:40	148.22	2288.29
23:28:50	148.22	2288.31
23:29:00	148.22	2288.31
23:29:10	148.22	2288.33
23:29:20	148.22	2288.33
23:29:30	148.17	2288.39
23:29:40	148.17	2288.39
23:29:50	148.17	2288.41
23:30:00	148.17	2288.44
23:30:10	148.12	2288.44
23:30:20	148.17	2288.46
23:30:30	148.12	2288.47
23:30:40	148.07	2288.50
23:30:50	148.07	2288.48
23:31:00	148.12	2288.52
23:31:10	148.07	2288.55
23:31:20	148.07	2288.55
23:31:30	148.07	2288.57
23:31:40	148.02	2288.58
23:31:50	148.02	2288.58
23:32:00	148.02	2288.63
23:32:10	147.97	2288.64
23:32:20	147.97	2288.66
23:32:30	147.97	2288.66
23:32:40	147.97	2288.68
23:32:50	147.93	2288.69
23:33:00	147.93	2288.72
23:33:10	147.97	2288.71
23:33:20	147.93	2288.74
23:33:30	147.93	2288.76
23:33:40	147.93	2288.74
23:33:50	147.88	2288.77
23:34:00	147.88	2288.79
23:34:10	147.83	2288.80
23:34:20	147.83	2288.85
23:34:30	147.83	2288.83
23:34:40	147.83	2288.85
23:34:50	147.83	2288.85

15-APR-84	SDT degF	SDP psia
23:35:00	147.78	2288.88
23:35:10	147.78	2288.91
23:35:20	147.78	2288.93
23:35:30	147.78	2288.93
23:35:40	147.78	2288.93
23:35:50	147.78	2288.95
23:36:00	147.73	2288.96
23:36:10	147.73	2288.98
23:36:20	147.68	2289.02
23:36:30	147.68	2289.02
23:36:40	147.68	2289.04
23:36:50	147.68	2289.04
23:37:00	147.68	2289.04
23:37:10	147.63	2289.07
23:37:20	147.68	2289.09
23:37:30	147.63	2289.10
23:37:40	147.59	2289.13
23:37:50	147.59	2289.13
23:38:00	147.59	2289.15
23:38:10	147.59	2289.15
23:38:20	147.59	2289.15
23:38:30	147.59	2289.18
23:38:40	147.54	2289.21
23:38:50	147.54	2289.21
23:39:00	147.54	2289.21
23:39:10	147.49	2289.22
23:39:20	147.49	2289.24
23:39:30	147.49	2289.26
23:39:40	147.49	2289.26
23:39:50	147.44	2289.27
23:40:00	147.49	2289.29
23:40:10	147.44	2289.30
23:40:20	147.44	2289.34
23:40:30	147.44	2289.34
23:40:40	147.44	2289.32
23:40:50	147.44	2289.34
23:41:00	147.39	2289.38
23:41:10	147.39	2289.40
23:41:20	147.34	2289.41
23:41:30	147.34	2289.43
23:41:40	147.34	2289.43
23:41:50	147.34	2289.43
23:42:00	147.34	2289.45
23:42:10	147.34	2289.48
23:42:20	147.29	2289.49
23:42:30	147.29	2289.49
23:42:40	147.25	2289.50
23:42:50	147.29	2289.53
23:43:00	147.29	2289.53
23:43:10	147.29	2289.53
23:43:20	147.25	2289.56
23:43:30	147.25	2289.56
23:43:40	147.20	2289.60
23:43:50	147.25	2289.59
23:44:00	147.25	2289.59
23:44:10	147.15	2289.63
23:44:20	147.20	2289.64
23:44:30	147.20	2289.64
23:44:40	147.15	2289.65
23:44:50	147.15	2289.65
23:45:00	147.15	2289.68
23:45:10	147.15	2289.68

15-APR-84	SDT degF	SDP psia
23:45:20	147.10	2289.71
23:45:30	147.10	2289.73
23:45:40	147.10	2289.73
23:45:50	147.05	2289.74
23:46:00	147.10	2289.76
23:46:10	147.05	2289.77
23:46:20	147.05	2289.79
23:46:30	147.05	2289.79
23:46:40	147.05	2289.81
23:46:50	147.00	2289.82
23:47:00	147.00	2289.84
23:47:10	147.00	2289.84
23:47:20	146.96	2289.85
23:47:30	147.00	2289.87
23:47:40	146.96	2289.90
23:47:50	146.96	2289.90
23:48:00	146.96	2289.92
23:48:10	146.96	2289.92
23:48:20	146.91	2289.93
23:48:30	146.96	2289.92
23:48:40	146.91	2289.96
23:48:50	146.91	2289.96
23:49:00	146.91	2289.98
23:49:10	146.91	2289.98
23:49:20	146.86	2290.01
23:49:30	146.86	2290.01
23:49:40	146.86	2290.04
23:49:50	146.81	2290.02
23:50:00	146.81	2290.04
23:50:10	146.81	2290.07
23:50:20	146.81	2290.07
23:50:30	146.81	2290.07
23:50:40	146.76	2290.10
23:50:50	146.76	2290.12
23:51:00	146.76	2290.12
23:51:10	146.76	2290.15
23:51:20	146.76	2290.12
23:51:30	146.76	2290.15
23:51:40	146.71	2290.16
23:51:50	146.71	2290.18
23:52:00	146.66	2290.19
23:52:10	146.66	2290.21
23:52:20	146.66	2290.21
23:52:30	146.66	2290.21
23:52:40	146.66	2290.26
23:52:50	146.66	2290.26
23:53:00	146.66	2290.24
23:53:10	146.62	2290.29
23:53:20	146.62	2290.29
23:53:30	146.62	2290.29
23:53:40	146.57	2290.35
23:53:50	146.62	2290.34
23:54:00	146.62	2290.34
23:54:10	146.57	2290.37
23:54:20	146.57	2290.35
23:54:30	146.57	2290.37
23:54:40	146.57	2290.39
23:54:50	146.52	2290.40
23:55:00	146.52	2290.43
23:55:10	146.52	2290.43
23:55:20	146.52	2290.43
23:55:30	146.47	2290.46

15-APR-84	SDT degF	SDP psia
23:55:40	146.47	2290.46
23:55:50	146.52	2290.45
23:56:00	146.47	2290.48
23:56:10	146.42	2290.49
23:56:20	146.47	2290.51
23:56:30	146.42	2290.51
23:56:40	146.42	2290.54
23:56:50	146.42	2290.56
23:57:00	146.37	2290.55
23:57:10	146.42	2290.56
23:57:20	146.42	2290.56
23:57:30	146.42	2290.58
23:57:40	146.37	2290.62
23:57:50	146.37	2290.59
23:58:00	146.37	2290.62
23:58:10	146.37	2290.64
23:58:20	146.37	2290.64
23:58:30	146.32	2290.65
23:58:40	146.32	2290.65
23:58:50	146.32	2290.67
23:59:00	146.32	2290.70
23:59:10	146.32	2290.70
23:59:20	146.28	2290.73
23:59:30	146.28	2290.73
23:59:40	146.28	2290.73
23:59:50	146.28	2290.73
00:00:00	146.28	2290.77
00:00:10	146.28	2290.75
00:00:20	146.23	2290.79
00:00:30	146.23	2290.81
00:00:40	146.18	2290.82
00:00:50	146.23	2290.83
00:01:00	146.18	2290.84
00:01:10	146.18	2290.84
00:01:20	146.18	2290.84
00:01:30	146.18	2290.86
00:01:40	146.18	2290.86
00:01:50	146.18	2290.89
00:02:00	146.13	2290.90
00:02:10	146.13	2290.92
00:02:20	146.13	2290.90
00:02:30	146.08	2290.95
00:02:40	146.08	2290.93
00:02:50	146.08	2290.95
00:03:00	146.08	2290.95
00:03:10	146.08	2290.98
00:03:20	146.08	2291.00
00:03:30	146.08	2291.00
00:03:40	146.03	2291.01
00:03:50	146.03	2291.03
00:04:00	146.03	2291.03
00:04:10	146.03	2291.03
00:04:20	146.03	2291.05
00:04:30	146.03	2291.05
00:04:40	146.03	2291.08
00:04:50	145.98	2291.09
00:05:00	145.98	2291.09
00:05:10	145.98	2291.11
00:05:20	145.94	2291.12
00:05:30	145.98	2291.11
00:05:40	145.94	2291.14
00:05:50	145.94	2291.17

16-APR-84	SDT degF	SDP psia
00:06:00	145.94	2291.17
00:06:10	145.94	2291.17
00:06:20	145.94	2291.17
00:06:30	145.94	2291.19
00:06:40	145.89	2291.22
00:06:50	145.89	2291.22
00:07:00	145.89	2291.22
00:07:10	145.84	2291.26
00:07:20	145.89	2291.25
00:07:30	145.84	2291.26
00:07:40	145.84	2291.30
00:07:50	145.84	2291.30
00:08:00	145.84	2291.28
00:08:10	145.84	2291.32
00:08:20	145.84	2291.32
00:08:30	145.84	2291.32
00:08:40	145.79	2291.36
00:08:50	145.79	2291.36
00:09:00	145.79	2291.38
00:09:10	145.74	2291.39
00:09:20	145.74	2291.41
00:09:30	145.74	2291.41
00:09:40	145.74	2291.41
00:09:50	145.74	2291.44
00:10:00	145.74	2291.44
00:10:10	145.74	2291.44
00:10:20	145.69	2291.47
00:10:30	145.69	2291.49
00:10:40	145.74	2291.48
00:10:50	145.69	2291.49
00:11:00	145.69	2291.49
00:11:10	145.69	2291.52
00:11:20	145.69	2291.52
00:11:30	145.65	2291.55
00:11:40	145.65	2291.55
00:11:50	145.65	2291.57
00:12:00	145.65	2291.57
00:12:10	145.65	2291.59
00:12:20	145.65	2291.59
00:12:30	145.60	2291.60
00:12:40	145.65	2291.62
00:12:50	145.60	2291.63
00:13:00	145.60	2291.65
00:13:10	145.60	2291.65
00:13:20	145.60	2291.65
00:13:30	145.60	2291.70
00:13:40	145.55	2291.71
00:13:50	145.55	2291.71
00:14:00	145.55	2291.73
00:14:10	145.55	2291.73
00:14:20	145.55	2291.75
00:14:30	145.55	2291.80
00:14:40	145.50	2291.81
00:14:50	145.50	2291.81
00:15:00	145.50	2291.83
00:15:10	145.50	2291.86
00:15:20	145.45	2291.89
00:15:30	145.50	2291.88
00:15:40	145.50	2291.86
00:15:50	145.45	2291.89
00:16:00	145.45	2291.89
00:16:10	145.45	2291.89

16-APR-84	SDT degF	SDP psia
00:16:20	145.45	2291.89
00:16:30	145.45	2291.89
00:16:40	145.40	2291.90
00:16:50	145.45	2291.89
00:17:00	145.40	2291.90
00:17:10	145.40	2291.90
00:17:20	145.35	2291.88
00:17:30	145.40	2291.90
00:17:40	145.35	2291.91
00:17:50	145.35	2291.91
00:18:00	145.40	2291.87
00:18:10	145.35	2291.91
00:18:20	145.35	2291.91
00:18:30	145.35	2291.91
00:18:40	145.35	2291.88
00:18:50	145.31	2291.89
00:19:00	145.35	2291.88
00:19:10	145.31	2291.89
00:19:20	145.31	2291.89
00:19:30	145.31	2291.92
00:19:40	145.31	2291.92
00:19:50	145.31	2291.89
00:20:00	145.31	2291.89
00:20:10	145.31	2291.89
00:20:20	145.26	2291.90
00:20:30	145.31	2291.87
00:20:40	145.26	2291.90
00:20:50	145.26	2291.90
00:21:00	145.21	2291.91
00:21:10	145.26	2291.88
00:21:20	145.21	2291.89
00:21:30	145.21	2291.91
00:21:40	145.21	2291.89
00:21:50	145.21	2291.91
00:22:00	145.16	2291.92
00:22:10	145.16	2291.92
00:22:20	145.16	2291.90
00:22:30	145.16	2291.92
00:22:40	145.16	2291.90
00:22:50	145.16	2291.90
00:23:00	145.16	2291.90
00:23:10	145.11	2291.93
00:23:20	145.16	2291.90
00:23:30	145.11	2291.88
00:23:40	145.16	2291.90
00:23:50	145.11	2291.93
00:24:00	145.11	2291.91
00:24:10	145.11	2291.88
00:24:20	145.06	2291.92
00:24:30	145.11	2291.91
00:24:40	145.11	2291.91
00:24:50	145.06	2291.89
00:25:00	145.06	2291.89
00:25:10	145.06	2291.92
00:25:20	145.06	2291.89
00:25:30	145.06	2291.92
00:25:40	145.01	2291.90
00:25:50	145.01	2291.93
00:26:00	145.01	2291.93
00:26:10	145.06	2291.92
00:26:20	145.06	2291.89
00:26:30	145.01	2291.90

16-APR-84	SDT degF	SDP psia
00:26:40	145.01	2291.90
00:26:50	145.01	2291.90
00:27:00	145.01	2291.90
00:27:10	144.97	2291.91
00:27:20	145.01	2291.90
00:27:30	144.97	2291.91
00:27:40	144.97	2291.91
00:27:50	144.92	2291.92
00:28:00	144.97	2291.91
00:28:10	144.97	2291.91
00:28:20	144.92	2291.92
00:28:30	144.92	2291.92
00:28:40	144.97	2291.89
00:28:50	144.92	2291.92
00:29:00	144.92	2291.90
00:29:10	144.92	2291.90
00:29:20	144.92	2291.92
00:29:30	144.92	2291.90
00:29:40	144.87	2291.91
00:29:50	144.87	2291.91
00:30:00	144.87	2291.91
00:30:10	144.87	2291.91
00:30:20	144.87	2291.91
00:30:30	144.87	2291.91
00:30:40	144.87	2291.91
00:30:50	144.87	2291.91
00:31:00	144.87	2291.91
00:31:10	144.82	2291.89
00:31:20	144.82	2291.92
00:31:30	144.82	2291.92
00:31:40	144.82	2291.89
00:31:50	144.77	2291.90
00:32:00	144.82	2291.92
00:32:10	144.77	2291.90
00:32:20	144.82	2291.92
00:32:30	144.77	2291.90
00:32:40	144.77	2291.90
00:32:50	144.77	2291.90
00:33:00	144.77	2291.90
00:33:10	144.72	2291.91
00:33:20	144.72	2291.94
00:33:30	144.72	2291.91
00:33:40	144.72	2291.94
00:33:50	144.72	2291.91
00:34:00	144.72	2291.91
00:34:10	144.68	2291.92
00:34:20	144.72	2291.91
00:34:30	144.68	2291.90
00:34:40	144.68	2291.90
00:34:50	144.72	2291.89
00:35:00	144.68	2291.90
00:35:10	144.68	2291.90
00:35:20	144.68	2291.90
00:35:30	144.68	2291.92
00:35:40	144.68	2291.90
00:35:50	144.63	2291.91
00:36:00	144.63	2291.91
00:36:10	144.63	2291.91
00:36:20	144.63	2291.88
00:36:30	144.63	2291.88
00:36:40	144.63	2291.91
00:36:50	144.63	2291.88

16-APR-84	SDT degF	SDP psia
00:37:00	144.58	2291.90
00:37:10	144.58	2291.92
00:37:20	144.63	2291.88
00:37:30	144.58	2291.92
00:37:40	144.58	2291.92
00:37:50	144.58	2291.90
00:38:00	144.53	2291.93
00:38:10	144.58	2291.90
00:38:20	144.58	2291.90
00:38:30	144.58	2291.92
00:38:40	144.53	2291.90
00:38:50	144.58	2291.90
00:39:00	144.53	2291.90
00:39:10	144.53	2291.90
00:39:20	144.53	2291.90
00:39:30	144.53	2291.90
00:39:40	144.53	2291.90
00:39:50	144.53	2291.90
00:40:00	144.48	2291.91
00:40:10	144.48	2291.91
00:40:20	144.48	2291.89
00:40:30	144.48	2291.91
00:40:40	144.43	2291.92
00:40:50	144.48	2291.91