

Denne rapport
tilhører

 **STATOIL**

L&U DOK.SENTER

L.NR. 12384050083


KODE Well 31/3-1 nr. 33

Returneres etter bruk

STATOIL

WELL: 31/3-1

CORE GAMMA SURFACE LOG
AND
CORE GAMMA SPEC. LOG




GECO
GEOPHYSICAL COMPANY
OF NORWAY A/S



STATOIL

WELL: 31/3-1

CORE GAMMA SURFACE LOG
AND
CORE GAMMA SPEC. LOG



GECO

laboratory


COMPANY STATOIL FIELD TROLL FILE _____
 WELL 31/3-1 COUNTY NORWAY DATE JAN. 84
 LOCATION _____ STATE _____ ELEV. _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Statex laboratories and its officers and employees.

VERTICAL SCALE: 1 : 200

CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR)		DEPTH METER	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
GAMMA RAY RADIATION INCREASE → VOLTAGE INTEGRATING TIME COUNTS PER MINUTE	POTASSIUM		URANIUM	THORIUM	
		1351.00			
S.P.		54.00			
CORE 1		57.00			
S.P.		60.00			
		1363.00			
		1366.00			
CORE 2		69.00			
S.P.		1372.00			
		1373.00			
CORE 3		76.00			
S.P.		79.00			
S.P.		82.00			
S.P.		85.00			
		88.00			
S.P.		1391.00			
CORE 4		94.00			
S.P.		97.00			
		1400.00			
S.P.		03.00			
		1406.00			
CORE 5		09.00			
S.P.		12.00			
S.P.		15.00			
		18.00			
S.P.		21.00			
S.P.		1424.00			
LOGGED INTERVAL:					
CORE 1: 1351.00-1362.32					
CORE 2: 1366.00-1371.50					
CORE 3: 1372.90-1390.65					
CORE 4: 1391.00-1405.18					
CORE 5: 1406.00-1424.12					
S.P. = SEAL PEAL SAMPLES					



GECO

laboratory


COMPANY STATOIL FIELD TROLL FILE _____
 WELL B1/3-1 COUNTY NORWAY DATE JAN. 84
 LOCATION _____ STATE _____ ELEV _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Statex Laboratories and its officers and employees.

VERTICAL SCALE : 1 : 200

CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR)		DEPTH METER	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
GAMMA RAY RADIATION INCREASE → VOLTAGE INTEGRATING TIME COUNTS PER MINUTE	POTASSIUM		URANIUM	THORIUM	
		1424.00			
C O R E 6	S.P.	27.00			
	S.P.	30.00			
	S.P.	33.00			
	S.P.	36.00			
	S.P.	39.00			
		1442.00			
		1442.00			
C O R E 7	S.P.	45.00			
	S.P.	48.00			
	S.P.	51.00			
	S.P.	54.00			
	S.P.	57.00			
		1460.00			
		1461.00			
C O R E 8	S.P.	64.00			
	S.P.	67.00			
	S.P.	70.00			
	S.P.	73.00			
	S.P.	76.00			
		1479.00			
		1480.00			
C O R E 9	S.P.	83.00			
	S.P.	86.00			
	S.P.	89.00			
	S.P.	92.00			
	S.P.	95.00			
		1498.00			
LOGGED INTERVAL:					
CORE 6: 1424.60-1442.30					
CORE 7: 1442.60-1461.31					
CORE 8: 1461.00-1480.00					
CORE 9: 1480.00-1498.00					



GECO

laboratory

COMPANY STATOIL FIELD TROLL FILE _____
 WELL 31/3-1 COUNTY NORWAY DATE _____
 LOCATION _____ STATE _____ ELEV. _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Statex laboratories and its officers and employees.

VERTICAL SCALE : 1 : 200


C
O
R
E
10

C
O
R
E
11

C
O
R
E
12

C
O
R
E
13

CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR) GAMMA RAY RADIATION INCREASE → VOLTAGE INTEGRATING TIME COUNTS PER MINUTE	DEPTH METER	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
		POTASSIUM	URANIUM	THORIUM
	1498.00			
S.P.	1501.00			
	04.00			
S.P.	07.00			
S.P.	10.00			
S.P.	13.00			
S.P.	1516.00			
	1517.00			
S.P.	20.00			
S.P.	23.00			
S.P.	26.00			
	29.00			
S.P.	32.00			
	1535.00			
	1536.00			
S.P.	39.00			
S.P.	42.00			
S.P.	45.00			
S.P.	48.00			
	1551.00			
	1554.00			
S.P.	57.00			
S.P.	60.00			
	63.00			
	66.00			
S.P.	69.00			
S.P.	1572.00			
LOGGED INTERVAL:				
CORE 10: 1498.00-1516.63				
CORE 11: 1516.83-1535.40				
CORE 12: 1535.43-1553.60				
CORE 13: 1554.23-1572.59				



GECO

laboratory

COMPANY STATOIL FIELD TROLL FILE _____
 WELL 31/3-1 COUNTY NORWAY DATE _____
 LOCATION _____ STATE _____ ELEV _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Statex laboratories and its officers and employees.

VERTICAL SCALE : 1 : 200

CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR) GAMMA RAY RADIATION INCREASE → VOLTAGE INTEGRATING TIME COUNTS PER MINUTE	DEPTH METER	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
		POTASSIUM	URANIUM	THORIUM
	1572.00			
S.P.	75.00			
S.P.	78.00			
S.P.	81.00			
S.P.	84.00			
S.P.	87.00			
S.P.	1590.00			
	1591.00			
	94.00			
	97.00			
	1600.00			
	03.00			
	06.00			
	1609.00			
LOGGED INTERVAL: CORE 14: 1572.59-1590.97				
CORE 15: 1591.34-1609.96				

C
O
R
E
1
4

C
O
R
E
1
5