

FLOPET

Denne rapport
tilhører

 **STATOIL**

L&U DOK. SENTER

L. NR. 12383420080

KODE Well 31/3-1 nr.23

Returneres etter bruk

**HIGH ACCURACY
PRESSURE TEMPERATURE
MEASUREMENTS**

Company : STATOIL

Country : NORWAY DST No 2

Field : TROLL

Well : 31/3-1

Zone : JURASSIC

Date : 1-OCT 5-OCT 83

FLOPETROL JOHNSTON

Schlumberger

FLOPETROL

DISTRICT : EMR/NSD
BASE : NWB
REPORT No. : ELS 83.52 C

HIGH ACCURACY PRESSURE TEMPERATURE MEASUREMENTS

Company :	STATOIL	Country :	NORWAY	DST No	2
Field :	TROLL	Well :	31/3-1		
Zone :	JURASSIC	Date :	1-OCT	5-OCT	83

GENERAL INFORMATION

1.1	service	:SDP PRESSURE AND TEMPERATURE SURVEY
1.2	company	:STATOIL
1.3	well	:31/3-1
1.4	field	:TROLL
1.6	country	:NORWAY
1.7	tested zone	:JURASSIC
1.8	lat.,long.	:60*46'47.9" NORTH , 03*44'03.1" EAST

OPERATION DATA

2.1	date of test	:01-OCT TO 05-OCT-83
2.2	report nbr.	:ELS 83.52 C
2.3	base	:NWB
2.4	district	:EMR/NSD
2.5	recorded by	:Stein Løvrik
2.6	witnessed by	:Kjell A. Grini

EQUIPMENT DATA

3.3	surface equipt.	:PCS-B No.1135 & HP 9876 A No.1135
3.4	downhole equipt.	:SDP No.83051, RM No. 83055

DEPTH INFORMATION

4.1	depth unit	:Meter
4.2	permanent datum	:RKB
4.3	elevation	:23 m MSL
4.11	gauge set at	:1350.39 m RKB

WELL DATA

5.1	well type	:EXPLORATION
5.2	fluid type	:GAS
5.5	production interval	:1373.0 - 1383.0 m RKB
5.7	O.H. size	:12 1/4" , 9 5/8" CASING
5.8	tbq. size	:3 1/2" HYDRILL
5.9	tbq. shoe at	:1345.91 m RKB
5.10	min. restriction	:1.791"
5.13	B.H.T.	:59.82 DEGC
5.14	B.H.P.	:20432 BARS


SEQUENCE OF EVENTS

01-OCT-83	17:17:00	POWER ON SDP NO. 83051, RM NO. 83055
	17:45:00	GAUGES IN NO GO RN NIPPLE
02-OCT-83	04:52:00	LANDED TEST STRING
	06:17:00	SDP NO. 83051 START RECORDING DATA
	17:32:00	OPEN PCT VALVE
	17:33:00	OPEN CHOKE ON 8/64" ADJUSTABLE
	17:36:00	INCREASE CHOKE TO 24/64" ADJUSTABLE
	17:57:00	GAS TO SURFACE
	18:01:00	INCREASE CHOKE TO 28/64" ADJUSTABLE
	18:09:00	INCREASE CHOKE TO 32/64" ADJUSTABLE
	18:25:00	CLOSED CHOKE MANIFOLD DUE TO LEAK
	18:42:00	OPEN WELL ON 64/64", FLOW THROUGH HEATER ON 2*20/64" ADJUSTABLE CHOKE
	18:45:00	CHOKE MANIFOLD FULLY OPEN (128/64")
	20:23:00	INCREASE HEATER CHOKE TO 2*32/64" ADJUSTABLE
	21:46:00	INCREASE HEATER CHOKE TO 2*48/64" ADJUSTABLE
	22:32:00	INCREASE HEATER CHOKE TO 2*64/64" ADJUSTABLE
03-OCT-83	00:35:00	START DECREASING ADJUSTABLE CHOKE ON HEATER TO 2*48/64"
	00:39:00	HEATER CHOKE ON 2*32/64" ADJUSTABLE
	00:43:00	HEATER CHOKE ON 2*20/64" ADJUSTABLE
	00:50:00	CLOSED IN WELL AT CHOKE MANIFOLD FOR ACID JOB FT = 232 MIN
	00:51:00	CLOSED PCT VALVE
	02:46:00	OPEN PCT VALVE
	02:47:00	OPEN WELL ON 24/64" ADJUSTABLE CHOKE
	03:04:00	DIRECT FLOW THROUGH HEATER ON 2*20/64" ADJ. CHOKE
	03:05:00	CHOKE MANIFOLD FULLY OPEN (128/64")
	04:04:00	INCREASE HEATER CHOKE TO 2*32/64" ADJUSTABLE
	04:50:00	INCREASE HEATER CHOKE TO 2*48/64" ADJUSTABLE
	05:32:00	INCREASE HEATER CHOKE TO 2*64/64" ADJUSTABLE
	18:02:00	START DECREASING HEATER CHOKE TO 2*32/64" ADJUSTABLE
	18:07:00	HEATER CHOKE ON 2*20/64" ADJUSTABLE
	18:11:00	CLOSED IN WELL AT CHOKE MANIFOLD FOR BUILD UP FT = 856 MIN
	18:12:00	CLOSED PCT VALVE
04-OCT-83	01:56:00	OPEN PCT VALVE
	01:57:00	OPEN WELL ON 28/64" ADJUSTABLE CHOKE
	02:00:00	FLOW THROUGH HEATER ON 2*20/64" ADJUSTABLE CHOKE
	02:02:00	CHOKE MANIFOLD FULLY OPEN (128/64")
	06:49:00	INCREASE HEATER CHOKE TO 2*32/64" ADJUSTABLE
	11:02:00	GRADUALLY INCREASE HEATER CHOKE
	11:07:00	HEATER CHOKE ON 2*128/64" ADJUSTABLE
	15:03:00	SHUT IN WELL AT CHOKE MANIFOLD FOR BUILD UP FT = 517 MIN
	15:05:00	CLOSED PCT VALVE
	21:12:00	START RIG UP WIRELINE FOR P.O.O.H THE GAUGES
	22:28:00	OPEN PCT VALVE
	22:31:00	R.I.H TO RETRIEVE B.H.P GAUGES
	22:54:00	GRADIENT STOP AT 1335 M
	22:57:00	GRADIENT STOP AT 1330 M
	23:02:00	GRADIENT STOP AT 1320 M
	23:07:00	GRADIENT STOP AT 1310 M
	23:12:00	GRADIENT STOP AT 1300 M
	23:27:00	GRADIENT STOP AT 1000 M
	23:36:00	GRADIENT STOP AT 700 M
	23:47:00	GRADIENT STOP AT 400 M
	23:57:00	GRADIENT STOP AT 100 M
05-OCT-83	00:06:00	GAUGES IN WIRE LINE LUBRICATOR
	00:40:00	GAUGES OUT OF HOLE
	00:46:00	DISCONNECT BATTERY ON SDP NO. 83051

NOTE: ALL FLOWTIMES FOR HORNER GIVEN BY K. GRINI, STATOIL

EXPANDED SCALE OF GRADIENT STOPS

[371] VERSUS TIME LOGGING START TIME: 04-OCT-83 22:38:00 SCALE: 720. sec/inch




DST No. 2 , POST GRAVEL PACK

[186] HORNER PLOT T0=03-OCT-83 00:49:38

FT=003:52:00

SIDP (bars)	
148.	158.
[149.62]	

03-OCT-83 00:50:08



03-OCT-83 02:01:08


IST No. 2 , POST GRAVEL PACK

[191] LOG-LOG PLOT T0=03-OCT-83 00:49:38

P0=147.75

P-P0 (bars)		
7.5338E-2	1.	10. 20.
[1.8661]		

03-OCT-83 00:50:08



03-OCT-83 02:01:08

DST No. 2 . POST ACID TEST No. 1

(197) HORNER PLOT T0=03-OCT-83 18:10:38

FT=014:16:00

150.	SDP (bars)	158.
[153.17]		

03-OCT-83 18:10:38

THIS PLOT MADE BY REQUEST
AND IS NOT NECESSARILY
RELEVANT TO THIS PARTICULAR
TEST INTERPRETATION.

10000.

1000.

100.

10.

04-OCT-83 01:56:08


DST No. 2 . POST ACID TEST No. 1

[200] LOG-LOG PLOT T0=03-OCT-83 18:10:38

P0=152.93

P-P0 (bars)		
7.5338E-2	1.	10. 20.
[.23744]		

03-OCT-83 18:10:38



04-OCT-83 01:56:08

DST No. 2 .MULTIRATE FLOW No. 1

[206] HORNER PLOT T0=04-OCT-83 15:02:38

FT=008:37:00

SDF (bars)

137.

157.

[145.4]

04-OCT-83 15:03:08

1000.

100.

10.

THIS PLOT MADE BY REQUEST
AND IS NOT NECESSARILY
RELEVANT TO THIS PARTICULAR
TEST INTERPRETATION.

04-OCT-83 22:27:08


IST No. 2 .MULTIRATE FLOW No. 1

[209] LOG-LOG PLOT T0=04-OCT-83 15:02:38

P0=138.8

P-P0 (bars)			
9.4173E-2	1.	10.	25.
[6.6008]			

04-OCT-83 15:03:08



04-OCT-83 22:27:08

02-OCT-83	SDT degC	SDP bars
17:00:08	47.87	154.49
17:01:08	47.78	154.53
17:01:38	47.78	154.54
17:02:38	47.78	154.54
17:03:38	47.78	154.55
17:04:08	47.87	154.56
17:05:08	47.78	154.60
17:09:08	47.78	154.69
17:09:38	47.78	154.70
17:10:08	47.78	154.76
17:10:38	47.87	155.17
17:11:08	47.87	155.37
17:11:38	47.78	155.31
17:12:38	47.78	155.25
17:16:38	47.78	155.11
17:18:38	47.87	155.05
17:20:38	47.87	155.01
17:21:38	47.87	154.99
17:22:08	47.87	154.97
17:22:38	47.87	154.91
17:23:08	47.87	154.43
17:24:08	47.87	154.50
17:26:08	47.87	154.48
17:26:38	47.78	154.44
17:28:38	47.87	154.42
17:29:38	47.87	154.41
17:30:08	47.87	154.40
17:30:38	47.87	154.37
17:31:08	47.87	154.37
17:31:38	47.87	153.50
17:32:08	47.87	152.52
17:32:38	47.87	152.86
17:33:08	47.87	152.30
17:33:38	47.87	152.52
17:34:08	47.87	152.62
17:35:08	47.87	152.71
17:35:38	47.87	152.68
17:36:08	47.87	149.40
17:36:38	47.87	143.24
17:37:08	47.87	138.90
17:37:38	47.87	139.58
17:38:08	47.87	139.78
17:38:38	47.95	139.78
17:39:08	47.87	139.55
17:40:08	47.87	138.91
17:40:38	47.78	139.27
17:41:08	47.78	138.84
17:41:38	47.78	138.75
17:42:08	47.70	138.62
17:42:38	47.70	138.44
17:43:38	47.53	138.19
17:44:08	47.53	138.03
17:44:38	47.35	137.93
17:45:08	47.27	137.85
17:45:38	47.18	137.61
17:46:08	47.01	137.10
17:46:38	46.93	136.69
17:47:08	46.75	136.40
17:48:08	46.41	135.95
17:49:08	46.07	135.42
17:49:38	45.81	133.90
17:50:08	45.64	134.09

02-OCT-83	SDT degC	SIP bara
17:50:38	45.38	134.23
17:51:08	45.21	134.30
17:51:38	45.04	135.69
17:52:08	44.86	137.66
17:52:38	44.69	139.35
17:53:08	44.43	140.77
17:53:38	44.18	141.74
17:54:08	44.00	143.32
17:54:38	43.92	145.63
17:55:08	43.83	147.50
17:55:38	43.66	148.89
17:56:08	43.57	149.85
17:56:38	43.49	150.70
17:57:08	43.32	151.15
17:57:38	43.40	151.39
17:58:08	43.32	151.66
17:58:38	43.32	151.90
17:59:08	43.23	152.09
18:00:08	43.14	152.35
18:00:38	43.14	152.45
18:01:08	43.14	150.39
18:01:38	43.14	146.65
18:02:08	43.14	143.97
18:02:38	43.14	143.48
18:03:08	43.06	143.10
18:03:38	43.06	144.19
18:04:08	43.06	144.77
18:04:38	42.97	145.33
18:05:08	42.97	145.57
18:05:38	42.97	145.68
18:06:08	42.97	145.59
18:07:08	42.88	148.22
18:07:38	42.88	149.26
18:08:08	42.80	150.11
18:08:38	42.80	150.81
18:09:08	42.80	151.31
18:09:38	42.80	150.68
18:10:08	42.88	150.00
18:10:38	42.80	149.50
18:11:08	42.80	149.18
18:11:38	42.80	148.92
18:12:08	42.80	148.38
18:12:38	42.80	146.77
18:13:08	42.80	146.34
18:13:38	42.80	145.40
18:14:08	42.80	143.95
18:14:38	42.80	142.88
18:15:08	42.71	142.04
18:15:38	42.71	141.32
18:16:08	42.63	141.26
18:16:38	42.63	141.31
18:17:08	42.71	141.45
18:17:38	42.63	141.61
18:18:08	42.63	141.79
18:18:38	42.54	141.91
18:19:08	42.45	141.47
18:19:38	42.45	141.20
18:20:08	42.45	141.28
18:20:38	42.37	141.55
18:21:38	42.28	142.15
18:22:08	42.28	142.46
18:22:38	42.20	142.70

02-OCT-83	SDT degC	SDP bara
18:23:00	42.20	142.88
18:23:38	42.11	142.99
18:24:00	42.02	143.11
18:24:38	41.94	143.26
18:25:00	41.94	144.42
18:25:38	41.94	147.00
18:26:00	41.85	148.89
18:26:38	41.85	150.20
18:27:00	41.76	151.24
18:27:38	41.76	152.04
18:28:00	41.68	152.63
18:28:38	41.76	153.02
18:29:00	41.76	153.27
18:29:38	41.76	153.44
18:30:00	41.76	153.54
18:30:38	41.85	153.59
18:31:00	41.85	153.59
18:31:38	41.94	153.56
18:32:00	42.02	153.45
18:33:38	42.11	153.28
18:34:38	42.28	153.07
18:35:00	42.28	150.20
18:35:38	42.37	141.32
18:36:00	42.45	137.07
18:36:38	42.37	141.70
18:37:00	42.54	145.04
18:37:38	42.45	147.53
18:38:00	42.45	149.46
18:38:38	42.45	150.82
18:39:00	42.54	151.80
18:39:38	42.54	152.53
18:40:00	42.54	153.05
18:40:38	42.63	153.33
18:41:00	42.54	153.50
18:41:38	42.63	153.64

OPEN WELL ON 64/64" adjustable choke

[258] T0=02-OCT-83 18:42:00

P0=153.64

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
18:42:00	42.63	151.43	0.0022	-2.6532	2.21	0.3448
18:42:38	42.63	141.71	0.0106	-1.9765	11.93	1.0766
18:43:00	42.63	139.22	0.0189	-1.7238	14.42	1.1590
18:43:38	42.63	139.28	0.0272	-1.5651	14.36	1.1571
18:44:00	42.63	139.44	0.0356	-1.4491	14.20	1.1522
18:44:38	42.63	139.34	0.0439	-1.3576	14.30	1.1554
18:45:00	42.54	139.96	0.0522	-1.2821	13.68	1.1360
18:45:38	42.54	140.86	0.0606	-1.2178	12.78	1.1065
18:46:00	42.54	141.50	0.0689	-1.1619	12.14	1.0841
18:46:38	42.45	141.85	0.0772	-1.1123	11.79	1.0715
18:47:00	42.45	141.97	0.0856	-1.0678	11.67	1.0669
18:47:38	42.37	142.15	0.0939	-1.0274	11.49	1.0603
18:48:00	42.37	142.64	0.1022	-0.9905	11.00	1.0413
18:48:38	42.28	143.07	0.1106	-0.9564	10.57	1.0243
18:49:00	42.20	143.33	0.1189	-0.9249	10.31	1.0131
18:49:38	42.11	143.51	0.1272	-0.8954	10.13	1.0054
18:50:00	42.11	143.55	0.1356	-0.8679	10.09	1.0039
18:50:38	41.94	143.52	0.1439	-0.8420	10.12	1.0051
18:51:00	41.85	143.43	0.1522	-0.8175	10.21	1.0090
18:51:38	41.76	143.29	0.1606	-0.7944	10.35	1.0148
18:52:38	41.59	143.11	0.1772	-0.7515	10.53	1.0223

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
18:53:08	41.51	143.00	0.1856	-0.7315	10.64	1.0268
18:54:08	41.33	142.90	0.2022	-0.6942	10.74	1.0312
18:54:38	41.25	142.81	0.2106	-0.6766	10.83	1.0348
18:55:08	41.16	142.66	0.2189	-0.6598	10.98	1.0406
18:55:38	41.07	142.54	0.2272	-0.6435	11.10	1.0453
18:56:08	40.99	142.69	0.2356	-0.6279	10.95	1.0393
18:56:38	40.90	142.94	0.2439	-0.6128	10.70	1.0295
18:57:08	40.90	143.25	0.2522	-0.5982	10.39	1.0166
18:57:38	40.81	143.76	0.2606	-0.5841	9.88	0.9950
18:58:08	40.73	144.14	0.2689	-0.5704	9.50	0.9778
18:58:38	40.73	144.36	0.2772	-0.5572	9.28	0.9675
18:59:08	40.64	144.47	0.2856	-0.5443	9.17	0.9624
18:59:38	40.56	144.50	0.2939	-0.5318	9.14	0.9610
19:00:08	40.56	144.37	0.3022	-0.5197	9.27	0.9670
19:00:38	40.47	144.14	0.3106	-0.5079	9.50	0.9775
19:01:08	40.47	143.89	0.3189	-0.4964	9.75	0.9892
19:02:08	40.47	143.50	0.3356	-0.4742	10.14	1.0062
19:02:38	40.38	143.42	0.3439	-0.4636	10.22	1.0094
19:03:08	40.30	143.43	0.3522	-0.4532	10.21	1.0090
19:03:38	40.38	143.48	0.3606	-0.4430	10.16	1.0071
19:04:08	40.30	143.50	0.3689	-0.4331	10.14	1.0059
19:04:38	40.30	143.51	0.3772	-0.4234	10.13	1.0055
19:05:08	40.30	143.49	0.3856	-0.4139	10.15	1.0065
19:05:38	40.21	143.42	0.3939	-0.4046	10.22	1.0095
19:06:08	40.21	143.43	0.4022	-0.3955	10.21	1.0091
19:06:38	40.21	143.50	0.4106	-0.3866	10.14	1.0060
19:07:08	40.12	143.56	0.4189	-0.3779	10.08	1.0033
19:09:08	40.12	143.57	0.4522	-0.3446	10.07	1.0029
19:09:38	40.21	143.72	0.4606	-0.3367	9.92	0.9967
19:10:08	40.12	144.20	0.4689	-0.3289	9.44	0.9752
19:10:38	40.12	144.59	0.4772	-0.3213	9.05	0.9566
19:11:08	40.12	144.88	0.4856	-0.3138	8.76	0.9424
19:11:38	40.12	145.21	0.4939	-0.3064	8.43	0.9257
19:12:08	40.12	145.51	0.5022	-0.2991	8.13	0.9103
19:12:38	40.12	145.68	0.5106	-0.2920	7.96	0.9011
19:13:08	40.12	145.57	0.5189	-0.2849	8.07	0.9068
19:13:38	40.12	145.37	0.5272	-0.2780	8.27	0.9174
19:14:38	40.12	144.91	0.5439	-0.2645	8.73	0.9409
19:15:08	40.12	144.71	0.5522	-0.2579	8.93	0.9507
19:15:38	40.12	144.54	0.5606	-0.2514	9.10	0.9590
19:16:08	40.04	144.44	0.5689	-0.2450	9.20	0.9640
19:16:38	40.12	144.36	0.5772	-0.2387	9.28	0.9678
19:17:08	40.12	144.33	0.5856	-0.2324	9.31	0.9691
19:17:38	40.04	144.42	0.5939	-0.2263	9.22	0.9647
19:18:08	40.12	144.66	0.6022	-0.2202	8.98	0.9533
19:19:08	40.12	145.20	0.6189	-0.2084	8.44	0.9261
19:19:38	40.12	145.40	0.6272	-0.2026	8.24	0.9161
19:20:08	40.12	145.52	0.6356	-0.1968	8.12	0.9098
19:21:08	40.21	145.65	0.6522	-0.1856	7.99	0.9023
19:21:38	40.21	145.71	0.6606	-0.1801	7.93	0.8992
19:22:08	40.21	145.74	0.6689	-0.1746	7.90	0.8978
19:22:38	40.12	145.75	0.6772	-0.1693	7.89	0.8972
19:23:08	40.21	145.69	0.6856	-0.1640	7.95	0.9001
19:24:08	40.21	145.66	0.7022	-0.1535	7.98	0.9021
19:24:38	40.21	145.66	0.7106	-0.1484	7.98	0.9020
19:25:38	40.30	145.69	0.7272	-0.1383	7.95	0.9002
19:26:38	40.21	145.76	0.7439	-0.1285	7.88	0.8964
19:27:08	40.30	145.77	0.7522	-0.1237	7.87	0.8961
19:27:38	40.30	145.93	0.7606	-0.1189	7.71	0.8871
19:28:38	40.21	146.12	0.7772	-0.1095	7.52	0.8760
19:29:08	40.30	146.19	0.7856	-0.1048	7.45	0.8723
19:29:38	40.38	146.23	0.7939	-0.1002	7.41	0.8697

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
19:30:38	40.30	146.27	0.8106	-0.0912	7.37	0.8676
19:31:38	40.38	146.26	0.8272	-0.0824	7.38	0.8678
19:32:08	40.38	146.28	0.8356	-0.0780	7.36	0.8669
19:34:08	40.38	146.28	0.8689	-0.0610	7.36	0.8666
19:35:08	40.47	146.21	0.8856	-0.0528	7.43	0.8710
19:35:38	40.47	146.16	0.8939	-0.0487	7.48	0.8739
19:36:08	40.47	146.15	0.9022	-0.0447	7.49	0.8745
19:36:38	40.47	146.18	0.9106	-0.0407	7.46	0.8726
19:37:08	40.47	146.18	0.9189	-0.0367	7.46	0.8729
19:37:38	40.47	146.20	0.9272	-0.0328	7.44	0.8714
19:38:38	40.47	146.22	0.9439	-0.0251	7.42	0.8707
19:39:08	40.47	146.25	0.9522	-0.0213	7.39	0.8684
19:41:08	40.56	146.35	0.9856	-0.0063	7.29	0.8627
19:43:08	40.64	146.42	1.0189	0.0081	7.22	0.8585
19:45:08	40.64	146.58	1.0522	0.0221	7.06	0.8489
19:45:38	40.64	146.54	1.0606	0.0255	7.10	0.8513
19:46:08	40.64	146.45	1.0689	0.0289	7.19	0.8570
19:46:38	40.64	146.41	1.0772	0.0323	7.23	0.8593
19:47:38	40.64	146.43	1.0939	0.0390	7.21	0.8581
19:48:08	40.64	146.47	1.1022	0.0423	7.17	0.8555
19:48:38	40.64	146.48	1.1106	0.0455	7.16	0.8548
19:49:08	40.73	146.53	1.1189	0.0488	7.11	0.8517
19:50:08	40.73	146.49	1.1356	0.0552	7.15	0.8542
19:50:38	40.64	146.46	1.1439	0.0584	7.18	0.8563
19:51:08	40.64	146.45	1.1522	0.0615	7.19	0.8568
19:51:38	40.73	146.48	1.1606	0.0647	7.16	0.8547
19:53:38	40.73	146.44	1.1939	0.0770	7.20	0.8576
19:54:08	40.73	146.38	1.2022	0.0800	7.26	0.8611
19:55:08	40.73	146.37	1.2189	0.0860	7.27	0.8614
19:55:38	40.64	146.33	1.2272	0.0889	7.31	0.8638
19:56:08	40.81	146.25	1.2356	0.0919	7.39	0.8685
19:57:08	40.73	146.23	1.2522	0.0977	7.41	0.8696
19:57:38	40.73	146.24	1.2606	0.1006	7.40	0.8694
19:58:38	40.73	146.13	1.2772	0.1063	7.51	0.8756
19:59:38	40.81	146.08	1.2939	0.1119	7.56	0.8786
20:00:38	40.73	146.06	1.3106	0.1175	7.58	0.8794
20:01:38	40.81	146.09	1.3272	0.1229	7.55	0.8780
20:02:38	40.81	146.15	1.3439	0.1284	7.49	0.8745
20:03:38	40.81	146.25	1.3606	0.1337	7.39	0.8688
20:04:08	40.73	146.27	1.3689	0.1364	7.37	0.8672
20:04:38	40.81	146.32	1.3772	0.1390	7.32	0.8648
20:05:08	40.81	146.33	1.3856	0.1416	7.31	0.8638
20:06:08	40.73	146.34	1.4022	0.1468	7.30	0.8636
20:06:38	40.73	146.35	1.4106	0.1494	7.29	0.8629
20:07:08	40.81	146.33	1.4189	0.1519	7.31	0.8637
20:07:38	40.73	146.23	1.4272	0.1545	7.41	0.8696
20:08:38	40.81	146.12	1.4439	0.1595	7.52	0.8763
20:09:08	40.73	146.09	1.4522	0.1620	7.55	0.8779
20:11:08	40.73	146.06	1.4856	0.1719	7.58	0.8797
20:11:38	40.73	146.06	1.4939	0.1743	7.58	0.8798
20:12:38	40.81	146.02	1.5106	0.1791	7.62	0.8820
20:13:08	40.73	146.04	1.5189	0.1815	7.60	0.8810
20:14:08	40.73	146.02	1.5356	0.1863	7.62	0.8818
20:14:38	40.73	146.00	1.5439	0.1886	7.64	0.8830
20:15:08	40.73	146.00	1.5522	0.1910	7.64	0.8830
20:16:08	40.73	146.06	1.5689	0.1956	7.58	0.8795
20:17:08	40.73	146.09	1.5856	0.2002	7.55	0.8778
20:17:38	40.73	146.09	1.5939	0.2025	7.55	0.8780
20:18:08	40.73	146.11	1.6022	0.2047	7.53	0.8767
20:18:38	40.73	146.11	1.6106	0.2070	7.53	0.8766
20:19:38	40.73	146.07	1.6272	0.2114	7.57	0.8791
20:20:38	40.73	145.98	1.6439	0.2159	7.66	0.8842

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
20:21:08	40.73	145.88	1.6522	0.2181	7.76	0.8899
20:21:38	40.73	145.71	1.6606	0.2203	7.93	0.8993
20:22:08	40.73	145.61	1.6689	0.2224	8.03	0.9049
20:22:38	40.73	145.54	1.6772	0.2246	8.10	0.9085
20:23:08	40.73	144.24	1.6856	0.2267	9.40	0.9732
20:23:38	40.73	140.52	1.6939	0.2289	13.12	1.1180
20:24:08	40.64	138.84	1.7022	0.2310	14.80	1.1703
20:24:38	40.64	138.31	1.7106	0.2331	15.33	1.1855
20:25:08	40.64	137.96	1.7189	0.2352	15.68	1.1953
20:25:38	40.73	137.70	1.7272	0.2373	15.94	1.2025
20:26:08	40.64	137.53	1.7356	0.2394	16.11	1.2071
20:26:38	40.56	137.48	1.7439	0.2415	16.16	1.2084
20:27:08	40.47	137.55	1.7522	0.2436	16.09	1.2065
20:27:38	40.47	137.65	1.7606	0.2456	15.99	1.2039
20:28:08	40.38	137.86	1.7689	0.2477	15.78	1.1981
20:28:38	40.30	137.98	1.7772	0.2497	15.66	1.1947
20:29:38	40.04	138.01	1.7939	0.2538	15.63	1.1940
20:30:38	39.95	138.07	1.8106	0.2578	15.57	1.1922
20:31:08	39.78	138.13	1.8189	0.2598	15.51	1.1906
20:31:38	39.78	138.22	1.8272	0.2618	15.42	1.1880
20:32:08	39.61	138.39	1.8356	0.2638	15.25	1.1833
20:33:08	39.43	138.78	1.8522	0.2677	14.86	1.1721
20:34:08	39.26	139.25	1.8689	0.2716	14.39	1.1582
20:34:38	39.17	139.41	1.8772	0.2735	14.23	1.1531
20:35:08	39.17	139.74	1.8856	0.2754	13.90	1.1432
20:35:38	39.09	140.31	1.8939	0.2774	13.33	1.1247
20:36:08	39.00	140.62	1.9022	0.2793	13.02	1.1145
20:36:38	39.00	140.49	1.9106	0.2812	13.15	1.1188
20:37:08	39.00	140.28	1.9189	0.2830	13.36	1.1257
20:37:38	38.91	140.16	1.9272	0.2849	13.48	1.1297
20:38:08	38.91	140.10	1.9356	0.2868	13.54	1.1316
20:39:08	38.83	139.86	1.9522	0.2905	13.78	1.1392
20:39:38	38.83	139.66	1.9606	0.2924	13.98	1.1454
20:40:08	38.83	139.62	1.9689	0.2942	14.02	1.1469
20:40:38	38.74	139.67	1.9772	0.2961	13.97	1.1451
20:41:38	38.74	139.72	1.9939	0.2997	13.92	1.1436
20:42:08	38.74	139.69	2.0022	0.3015	13.95	1.1445
20:42:38	38.83	139.62	2.0106	0.3033	14.02	1.1468
20:43:08	38.83	139.51	2.0189	0.3051	14.13	1.1502
20:43:38	38.74	139.29	2.0272	0.3069	14.35	1.1569
20:44:08	38.74	139.19	2.0356	0.3087	14.45	1.1598
20:44:38	38.74	139.19	2.0439	0.3105	14.45	1.1598
20:45:38	38.74	139.29	2.0606	0.3140	14.35	1.1569
20:46:38	38.74	139.36	2.0772	0.3175	14.28	1.1546
20:47:38	38.83	139.24	2.0939	0.3210	14.40	1.1583
20:48:08	38.74	139.21	2.1022	0.3227	14.43	1.1592
20:49:08	38.83	139.08	2.1189	0.3261	14.56	1.1631
20:49:38	38.83	139.02	2.1272	0.3278	14.62	1.1649
20:51:38	38.83	138.93	2.1606	0.3346	14.71	1.1677
20:52:08	38.83	138.89	2.1689	0.3362	14.75	1.1688
20:52:38	38.83	138.80	2.1772	0.3379	14.84	1.1715
20:53:08	38.83	138.77	2.1856	0.3396	14.87	1.1724
20:53:38	38.83	138.81	2.1939	0.3412	14.83	1.1712
20:54:08	38.91	138.77	2.2022	0.3429	14.87	1.1723
20:54:38	38.91	138.63	2.2106	0.3445	15.01	1.1764
20:55:08	38.83	138.63	2.2189	0.3461	15.01	1.1765
20:55:38	38.91	138.47	2.2272	0.3478	15.17	1.1811
20:56:08	38.83	138.54	2.2356	0.3494	15.10	1.1788
20:56:38	38.91	138.45	2.2439	0.3510	15.19	1.1815
20:57:08	38.91	138.33	2.2522	0.3526	15.31	1.1850
20:57:38	38.91	138.12	2.2606	0.3542	15.52	1.1910
20:58:08	38.91	138.01	2.2689	0.3558	15.63	1.1940

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
20:58:38	38.91	138.03	2.2772	0.3574	15.61	1.1933
20:59:08	38.91	137.95	2.2856	0.3590	15.69	1.1957
20:59:38	38.91	137.82	2.2939	0.3606	15.82	1.1991
21:00:08	38.91	137.73	2.3022	0.3621	15.91	1.2017
21:00:38	39.00	137.68	2.3106	0.3637	15.96	1.2031
21:01:08	38.91	137.67	2.3189	0.3653	15.97	1.2034
21:01:38	38.91	137.57	2.3272	0.3668	16.07	1.2059
21:02:38	39.00	137.50	2.3439	0.3699	16.14	1.2080
21:03:08	38.91	137.53	2.3522	0.3715	16.11	1.2072
21:03:38	39.00	137.41	2.3606	0.3730	16.23	1.2104
21:04:08	39.00	137.44	2.3689	0.3745	16.20	1.2096
21:04:38	39.00	137.41	2.3772	0.3761	16.23	1.2104
21:05:08	38.91	137.44	2.3856	0.3776	16.20	1.2095
21:05:38	39.00	137.44	2.3939	0.3791	16.20	1.2094
21:06:08	39.00	137.53	2.4022	0.3806	16.11	1.2072
21:06:38	39.00	137.46	2.4106	0.3821	16.18	1.2091
21:07:08	39.00	137.45	2.4189	0.3836	16.19	1.2093
21:07:38	38.91	137.47	2.4272	0.3851	16.17	1.2088
21:08:08	38.91	137.54	2.4356	0.3866	16.10	1.2070
21:08:38	39.00	137.48	2.4439	0.3881	16.16	1.2085
21:09:08	39.00	137.48	2.4522	0.3896	16.16	1.2083
21:09:38	39.00	137.52	2.4606	0.3910	16.12	1.2073
21:10:08	39.00	137.52	2.4689	0.3925	16.12	1.2073
21:10:38	39.09	137.55	2.4772	0.3940	16.09	1.2066
21:11:08	39.00	137.56	2.4856	0.3954	16.08	1.2063
21:11:38	39.09	137.62	2.4939	0.3969	16.02	1.2047
21:12:08	39.09	137.56	2.5022	0.3983	16.08	1.2063
21:13:08	39.09	137.57	2.5189	0.4012	16.07	1.2062
21:13:38	39.09	137.66	2.5272	0.4026	15.98	1.2036
21:14:08	39.09	137.68	2.5356	0.4041	15.96	1.2032
21:14:38	39.09	137.74	2.5439	0.4055	15.90	1.2015
21:15:38	39.17	137.78	2.5606	0.4083	15.86	1.2004
21:16:08	39.17	137.86	2.5689	0.4097	15.78	1.1982
21:17:08	39.17	137.84	2.5856	0.4126	15.80	1.1988
21:17:38	39.17	137.88	2.5939	0.4140	15.76	1.1974
21:18:08	39.26	137.86	2.6022	0.4153	15.78	1.1981
21:18:38	39.26	137.95	2.6106	0.4167	15.69	1.1955
21:19:08	39.26	137.94	2.6189	0.4181	15.70	1.1959
21:19:38	39.35	137.95	2.6272	0.4195	15.69	1.1955
21:20:08	39.26	138.01	2.6356	0.4209	15.63	1.1941
21:20:38	39.26	138.00	2.6439	0.4222	15.64	1.1942
21:21:38	39.35	138.03	2.6606	0.4250	15.61	1.1934
21:22:08	39.35	138.04	2.6689	0.4263	15.60	1.1930
21:22:38	39.35	138.02	2.6772	0.4277	15.62	1.1938
21:23:38	39.43	137.93	2.6939	0.4304	15.71	1.1963
21:24:08	39.43	137.90	2.7022	0.4317	15.74	1.1971
21:25:08	39.52	137.90	2.7189	0.4344	15.74	1.1969
21:25:38	39.52	137.81	2.7272	0.4357	15.83	1.1996
21:26:08	39.52	137.76	2.7356	0.4370	15.88	1.2007
21:26:38	39.52	137.80	2.7439	0.4384	15.84	1.1996
21:27:08	39.61	137.83	2.7522	0.4397	15.81	1.1991
21:27:38	39.52	137.80	2.7606	0.4410	15.84	1.1999
21:28:08	39.61	137.82	2.7689	0.4423	15.82	1.1992
21:28:38	39.61	137.80	2.7772	0.4436	15.84	1.1998
21:29:08	39.61	137.73	2.7856	0.4449	15.91	1.2017
21:29:38	39.61	137.76	2.7939	0.4462	15.88	1.2009
21:30:08	39.69	137.70	2.8022	0.4475	15.94	1.2025
21:31:08	39.61	137.75	2.8189	0.4501	15.89	1.2012
21:32:08	39.69	137.67	2.8356	0.4526	15.97	1.2032
21:32:38	39.78	137.67	2.8439	0.4539	15.97	1.2032
21:33:08	39.69	137.63	2.8522	0.4552	16.01	1.2044
21:33:38	39.78	137.68	2.8606	0.4565	15.96	1.2031

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
21:34:38	39.78	137.67	2.8772	0.4590	15.97	1.2032
21:35:08	39.78	137.63	2.8856	0.4602	16.01	1.2043
21:35:38	39.86	137.63	2.8939	0.4615	16.01	1.2045
21:36:08	39.86	137.59	2.9022	0.4627	16.05	1.2056
21:37:08	39.86	137.63	2.9189	0.4652	16.01	1.2044
21:38:08	39.95	137.55	2.9356	0.4677	16.09	1.2065
21:38:38	39.95	137.57	2.9439	0.4689	16.07	1.2059
21:39:38	39.95	137.56	2.9606	0.4714	16.08	1.2063
21:40:08	39.95	137.56	2.9689	0.4726	16.08	1.2063
21:41:08	40.04	137.42	2.9856	0.4750	16.22	1.2100
21:41:38	40.04	137.38	2.9939	0.4762	16.26	1.2111
21:42:08	40.04	137.38	3.0022	0.4774	16.26	1.2111
21:42:38	40.12	137.42	3.0106	0.4786	16.22	1.2102
21:43:08	40.04	137.41	3.0189	0.4798	16.23	1.2104
21:43:38	40.12	137.42	3.0272	0.4810	16.22	1.2102
21:44:08	40.12	137.45	3.0356	0.4822	16.19	1.2093
21:45:08	40.12	137.47	3.0522	0.4846	16.17	1.2088
21:45:38	40.21	137.52	3.0606	0.4858	16.12	1.2072
21:46:08	40.21	137.54	3.0689	0.4870	16.10	1.2067
21:46:38	40.12	136.18	3.0772	0.4882	17.46	1.2421
21:47:08	40.21	133.70	3.0856	0.4893	19.94	1.2997
21:47:38	40.12	130.94	3.0939	0.4905	22.70	1.3560
21:48:08	40.12	128.89	3.1022	0.4917	24.75	1.3936
21:48:38	40.12	128.04	3.1106	0.4928	25.60	1.4082
21:49:08	40.12	127.74	3.1189	0.4940	25.90	1.4134
21:49:38	39.95	127.70	3.1272	0.4952	25.94	1.4139
21:50:08	39.86	127.75	3.1356	0.4963	25.89	1.4131
21:50:38	39.86	127.83	3.1439	0.4975	25.81	1.4119
21:51:08	39.78	127.92	3.1522	0.4986	25.72	1.4103
21:51:38	39.69	128.05	3.1606	0.4998	25.59	1.4080
21:52:08	39.61	128.09	3.1689	0.5009	25.55	1.4074
21:52:38	39.43	128.07	3.1772	0.5020	25.57	1.4078
21:53:38	39.26	127.99	3.1939	0.5043	25.65	1.4090
21:55:38	39.00	127.82	3.2272	0.5088	25.82	1.4120
21:57:38	38.83	127.76	3.2606	0.5133	25.88	1.4129
21:59:38	38.74	127.66	3.2939	0.5177	25.98	1.4147
22:00:38	38.65	127.60	3.3106	0.5199	26.04	1.4156
22:04:38	38.57	127.50	3.3772	0.5286	26.14	1.4173
22:05:08	38.57	127.48	3.3856	0.5296	26.16	1.4177
22:06:08	38.57	127.48	3.4022	0.5318	26.16	1.4176
22:08:08	38.65	127.41	3.4356	0.5360	26.23	1.4188
22:10:08	38.74	127.40	3.4689	0.5402	26.24	1.4189
22:11:08	38.83	127.37	3.4856	0.5423	26.27	1.4195
22:11:38	38.74	127.38	3.4939	0.5433	26.26	1.4193
22:12:08	38.83	127.40	3.5022	0.5443	26.24	1.4189
22:12:38	38.83	127.42	3.5106	0.5454	26.22	1.4187
22:13:08	38.91	127.40	3.5189	0.5464	26.24	1.4189
22:13:38	38.91	127.43	3.5272	0.5474	26.21	1.4185
22:14:38	39.00	127.44	3.5439	0.5495	26.20	1.4183
22:16:38	39.09	127.44	3.5772	0.5535	26.20	1.4184
22:17:08	39.17	127.42	3.5856	0.5546	26.22	1.4187
22:18:08	39.26	127.41	3.6022	0.5566	26.23	1.4188
22:19:08	39.35	127.42	3.6189	0.5586	26.22	1.4186
22:20:08	39.35	127.40	3.6356	0.5606	26.24	1.4190
22:20:38	39.35	127.38	3.6439	0.5616	26.26	1.4193
22:21:38	39.43	127.39	3.6606	0.5635	26.25	1.4191
22:22:38	39.52	127.38	3.6772	0.5655	26.26	1.4193
22:23:08	39.61	127.37	3.6856	0.5665	26.27	1.4194
22:24:08	39.69	127.40	3.7022	0.5685	26.24	1.4189
22:25:08	39.69	127.41	3.7189	0.5704	26.23	1.4188
22:26:08	39.78	127.46	3.7356	0.5724	26.18	1.4180
22:27:08	39.86	127.49	3.7522	0.5743	26.15	1.4175

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
22:27:38	39.95	127.51	3.7606	0.5753	26.13	1.4171
22:29:38	40.04	127.59	3.7939	0.5791	26.05	1.4159
22:30:38	40.12	127.63	3.8106	0.5810	26.01	1.4151
22:31:08	40.21	127.66	3.8189	0.5819	25.98	1.4147
22:31:38	40.21	127.64	3.8272	0.5829	26.00	1.4150
22:32:08	40.21	127.48	3.8356	0.5838	26.16	1.4176
22:32:38	40.21	127.18	3.8439	0.5848	26.46	1.4225
22:33:08	40.38	126.97	3.8522	0.5857	26.67	1.4260
22:34:08	40.38	126.87	3.8689	0.5876	26.77	1.4276
22:34:38	40.47	126.87	3.8772	0.5885	26.77	1.4276
22:35:08	40.47	126.90	3.8856	0.5895	26.74	1.4272
22:36:08	40.56	126.87	3.9022	0.5913	26.77	1.4277
22:36:38	40.56	126.94	3.9106	0.5922	26.70	1.4265
22:37:08	40.56	126.96	3.9189	0.5932	26.68	1.4262
22:38:08	40.64	126.94	3.9356	0.5950	26.70	1.4265
22:38:38	40.64	126.96	3.9439	0.5959	26.68	1.4262
22:39:08	40.73	126.96	3.9522	0.5968	26.68	1.4262
22:39:38	40.73	126.94	3.9606	0.5978	26.70	1.4265
22:40:08	40.81	126.94	3.9689	0.5987	26.70	1.4265
22:40:38	40.73	126.87	3.9772	0.5996	26.77	1.4276
22:41:08	40.81	126.83	3.9856	0.6005	26.81	1.4284
22:43:08	40.90	126.77	4.0189	0.6041	26.87	1.4293
22:44:08	40.99	126.72	4.0356	0.6059	26.92	1.4301
22:44:38	40.99	126.72	4.0439	0.6068	26.92	1.4300
22:45:08	41.07	126.75	4.0522	0.6077	26.89	1.4296
22:45:38	41.16	126.74	4.0606	0.6086	26.90	1.4298
22:46:08	41.16	126.71	4.0689	0.6095	26.93	1.4302
22:46:38	41.16	126.71	4.0772	0.6104	26.93	1.4303
22:47:08	41.16	126.74	4.0856	0.6113	26.90	1.4297
22:47:38	41.16	126.72	4.0939	0.6121	26.92	1.4301
22:48:08	41.25	126.71	4.1022	0.6130	26.93	1.4303
22:49:08	41.25	126.75	4.1189	0.6148	26.89	1.4297
22:50:08	41.33	126.72	4.1356	0.6165	26.92	1.4300
22:50:38	41.42	126.74	4.1439	0.6174	26.90	1.4297
22:51:08	41.42	126.74	4.1522	0.6183	26.90	1.4298
22:51:38	41.51	126.72	4.1606	0.6192	26.92	1.4302
22:52:08	41.51	126.76	4.1689	0.6200	26.88	1.4295
22:52:38	41.51	126.76	4.1772	0.6209	26.88	1.4294
22:53:38	41.59	126.73	4.1939	0.6226	26.91	1.4299
22:54:08	41.59	126.77	4.2022	0.6235	26.87	1.4293
22:55:08	41.76	126.76	4.2189	0.6252	26.88	1.4295
22:55:38	41.76	126.77	4.2272	0.6261	26.87	1.4293
22:56:08	41.76	126.82	4.2356	0.6269	26.82	1.4285
22:56:38	41.76	126.81	4.2439	0.6278	26.83	1.4286
22:57:08	41.85	126.83	4.2522	0.6286	26.81	1.4283
22:57:38	41.85	126.88	4.2606	0.6295	26.76	1.4274
22:58:08	41.85	126.96	4.2689	0.6303	26.68	1.4262
22:59:08	41.94	127.17	4.2856	0.6320	26.47	1.4227
22:59:38	41.94	127.27	4.2939	0.6329	26.37	1.4212
23:00:08	42.02	127.34	4.3022	0.6337	26.30	1.4200
23:00:38	42.11	127.39	4.3106	0.6345	26.25	1.4191
23:01:38	42.11	127.44	4.3272	0.6362	26.20	1.4182
23:02:38	42.20	127.47	4.3439	0.6379	26.17	1.4178
23:03:38	42.28	127.48	4.3606	0.6395	26.16	1.4176
23:04:08	42.28	127.47	4.3689	0.6404	26.17	1.4177
23:06:08	42.45	127.36	4.4022	0.6437	26.28	1.4197
23:08:08	42.54	127.27	4.4356	0.6469	26.37	1.4210
23:09:08	42.71	127.26	4.4522	0.6486	26.38	1.4213
23:10:08	42.71	127.21	4.4689	0.6502	26.43	1.4221
23:11:08	42.80	127.19	4.4856	0.6518	26.45	1.4225
23:12:08	42.88	127.22	4.5022	0.6534	26.42	1.4220
23:12:38	42.88	127.22	4.5106	0.6542	26.42	1.4220

TIME 02-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
23:13:38	43.06	127.18	4.5272	0.6558	26.46	1.4226
23:15:38	43.06	127.19	4.5606	0.6590	26.45	1.4224
23:19:38	43.23	127.16	4.6272	0.6653	26.48	1.4229
23:20:38	43.40	127.18	4.6439	0.6669	26.46	1.4226
23:22:38	43.49	127.18	4.6772	0.6700	26.46	1.4225
23:23:38	43.57	127.23	4.6939	0.6715	26.41	1.4218
23:24:38	43.66	127.23	4.7106	0.6731	26.41	1.4217
23:25:38	43.66	127.27	4.7272	0.6746	26.37	1.4211
23:27:38	43.75	127.28	4.7606	0.6777	26.36	1.4209
23:28:38	43.83	127.30	4.7772	0.6792	26.34	1.4207
23:29:08	43.83	127.31	4.7856	0.6799	26.33	1.4204
23:30:08	43.92	127.30	4.8022	0.6814	26.34	1.4206
23:31:08	44.00	127.32	4.8189	0.6829	26.32	1.4203
23:32:08	44.00	127.36	4.8356	0.6844	26.28	1.4196
23:33:08	44.09	127.37	4.8522	0.6859	26.27	1.4194
23:35:08	44.26	127.44	4.8856	0.6889	26.20	1.4183
23:37:08	44.35	127.50	4.9189	0.6919	26.14	1.4174
23:38:08	44.43	127.55	4.9356	0.6933	26.09	1.4165
23:39:08	44.43	127.57	4.9522	0.6948	26.07	1.4161
23:43:08	44.69	127.36	5.0189	0.7006	26.28	1.4196
23:45:08	44.78	127.34	5.0522	0.7035	26.30	1.4199
23:45:38	44.78	127.35	5.0606	0.7042	26.29	1.4198
23:46:08	44.86	127.39	5.0689	0.7049	26.25	1.4191
23:47:08	44.95	127.53	5.0856	0.7063	26.11	1.4167
23:48:08	44.95	127.64	5.1022	0.7078	26.00	1.4149
23:49:08	45.04	127.72	5.1189	0.7092	25.92	1.4137
23:50:08	45.12	127.77	5.1356	0.7106	25.87	1.4128
23:51:08	45.21	127.80	5.1522	0.7120	25.84	1.4123
23:52:08	45.21	127.81	5.1689	0.7134	25.83	1.4122
23:54:08	45.29	127.71	5.2022	0.7162	25.93	1.4137
23:56:08	45.47	127.65	5.2356	0.7190	25.99	1.4147
23:58:08	45.55	127.64	5.2689	0.7217	26.00	1.4151
23:59:08	45.64	127.62	5.2856	0.7231	26.02	1.4153
00:00:08	45.72	127.65	5.3022	0.7245	25.99	1.4149
00:02:08	45.81	127.66	5.3356	0.7272	25.98	1.4147
00:02:38	45.81	127.65	5.3439	0.7279	25.99	1.4149
00:04:38	45.89	127.67	5.3772	0.7306	25.97	1.4145
00:05:38	45.89	127.66	5.3939	0.7319	25.98	1.4146
00:06:38	46.07	127.70	5.4106	0.7332	25.94	1.4140
00:07:38	46.07	127.76	5.4272	0.7346	25.88	1.4129
00:09:38	46.15	127.85	5.4606	0.7372	25.79	1.4114
00:11:38	46.32	127.97	5.4939	0.7399	25.67	1.4095
00:12:38	46.41	128.01	5.5106	0.7412	25.63	1.4087
00:14:38	46.41	128.18	5.5439	0.7438	25.46	1.4059
00:15:08	46.50	128.21	5.5522	0.7445	25.43	1.4053
00:17:08	46.58	128.26	5.5856	0.7471	25.38	1.4045
00:18:08	46.58	128.28	5.6022	0.7484	25.36	1.4042
00:19:08	46.75	128.26	5.6189	0.7497	25.38	1.4044
00:20:08	46.75	128.20	5.6356	0.7509	25.44	1.4055
00:22:08	46.75	128.04	5.6689	0.7535	25.60	1.4083
00:23:08	46.84	127.98	5.6856	0.7548	25.66	1.4093
00:25:08	47.01	127.91	5.7189	0.7573	25.73	1.4104
00:27:08	47.10	127.88	5.7522	0.7598	25.76	1.4110
00:29:08	47.18	127.93	5.7856	0.7623	25.71	1.4100
00:31:08	47.27	127.95	5.8189	0.7648	25.69	1.4097
00:32:08	47.27	127.60	5.8356	0.7661	26.04	1.4156
00:32:38	47.27	127.52	5.8439	0.7667	26.12	1.4170
00:33:08	47.27	127.47	5.8522	0.7673	26.17	1.4179
00:34:08	47.35	127.42	5.8689	0.7686	26.22	1.4186
00:35:08	47.44	127.43	5.8856	0.7698	26.21	1.4184
00:35:38	47.44	127.45	5.8939	0.7704	26.19	1.4181
00:36:38	47.35	127.63	5.9106	0.7716	26.01	1.4151

[258] T0=02-OCT-83 18:42:00

P0=153.64

page 11

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
00:37:08	47.35	127.68	5.9189	0.7722	25.96	1.4143
00:38:08	47.53	127.73	5.9356	0.7735	25.91	1.4135
00:38:38	47.53	127.74	5.9439	0.7741	25.90	1.4132
00:39:08	47.44	127.81	5.9522	0.7747	25.83	1.4122
00:39:38	47.61	128.25	5.9606	0.7753	25.39	1.4047
00:40:08	47.53	128.72	5.9689	0.7759	24.92	1.3966
00:40:38	47.53	129.84	5.9772	0.7765	23.80	1.3765
00:41:08	47.61	131.09	5.9856	0.7771	22.55	1.3531
00:41:38	47.70	131.97	5.9939	0.7777	21.67	1.3359
00:42:08	47.70	132.46	6.0022	0.7783	21.18	1.3259
00:42:38	47.70	132.76	6.0106	0.7789	20.88	1.3197
00:43:08	47.78	133.22	6.0189	0.7795	20.42	1.3102
00:43:38	47.87	137.81	6.0272	0.7801	15.83	1.1994
00:44:08	48.04	142.00	6.0356	0.7807	11.64	1.0660
00:44:38	48.13	144.48	6.0439	0.7813	9.16	0.9621
00:45:08	48.30	145.87	6.0522	0.7819	7.77	0.8903
00:45:38	48.38	146.66	6.0606	0.7825	6.98	0.8440
00:46:08	48.64	147.10	6.0689	0.7831	6.54	0.8155
00:46:38	48.72	147.35	6.0772	0.7837	6.29	0.7988
00:47:08	48.90	147.50	6.0856	0.7843	6.14	0.7885
00:47:38	49.07	147.58	6.0939	0.7849	6.06	0.7823
00:48:08	49.24	147.64	6.1022	0.7855	6.00	0.7779
00:49:08	49.58	147.72	6.1189	0.7867	5.92	0.7724
00:49:38	49.75	147.75	6.1272	0.7873	5.89	0.7704

CLOSED IN WELL AT CHOKE MANIFOLD FOR ACID JOB

[260] T0=03-OCT-83 00:49:38

P0=147.75 FT=003:52:00

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)	L(Horn)
00:50:08	49.84	149.38	0.0083	-2.0792	1.63	0.2129	2.6675
00:50:38	50.01	153.94	0.0167	-1.7782	6.19	0.7918	2.3674
00:51:08	50.26	155.61	0.0250	-1.6021	7.86	0.8955	2.1922
00:52:08	50.52	155.64	0.0417	-1.3802	7.89	0.8973	1.9722
00:54:08	50.95	155.65	0.0750	-1.1249	7.90	0.8977	1.7206
01:02:08	51.63	155.55	0.2083	-0.6812	7.80	0.8920	1.2914
01:06:08	51.55	155.51	0.2750	-0.5607	7.76	0.8901	1.1778
01:14:08	51.20	155.49	0.4083	-0.3890	7.74	0.8885	1.0199
01:46:08	49.92	155.49	0.9417	-0.0261	7.74	0.8885	0.7081
01:54:08	49.67	155.49	1.0750	0.0314	7.74	0.8887	0.6625
01:58:08	49.58	155.50	1.1417	0.0575	7.75	0.8893	0.6422
01:58:38	49.58	155.51	1.1500	0.0607	7.76	0.8900	0.6397
01:59:08	49.58	155.49	1.1583	0.0638	7.74	0.8886	0.6373
02:00:08	49.50	155.48	1.1750	0.0700	7.73	0.8879	0.6325
02:00:38	49.50	155.44	1.1833	0.0731	7.69	0.8859	0.6302
02:01:08	49.50	155.45	1.1917	0.0762	7.70	0.8863	0.6279

[262] START TIME:03-OCT-83 02:01:38

TIME 03-OCT-83	SDT degC	SDP bara
02:02:08	49.41	158.68
02:02:38	49.32	162.25
02:03:08	49.41	167.97
02:03:38	49.32	174.10
02:04:08	49.32	181.94
02:04:38	49.24	191.21
02:05:08	49.24	196.53
02:05:38	49.15	199.85
02:06:08	49.07	203.57
02:06:38	49.07	204.00

	SDT degC	SDP bara
03-OCT-83		
02:07:08	48.98	203.66
02:07:38	48.90	200.06
02:08:08	48.81	193.51
02:08:38	48.64	187.48
02:09:08	48.47	181.14
02:09:38	48.47	178.72
02:10:08	48.21	169.14
02:10:38	47.95	164.01
02:11:08	47.78	161.15
02:11:38	47.61	159.23
02:12:08	47.35	157.86
02:12:38	47.18	156.96
02:13:08	46.93	155.82
02:13:38	46.75	154.95
02:14:08	46.50	154.83
02:15:08	46.24	154.50
02:15:38	46.07	154.36
02:16:38	45.72	154.12
02:17:38	45.55	153.92
02:18:38	45.38	153.76
02:19:08	45.21	153.69
02:20:08	45.21	153.64
02:21:08	44.95	153.57
02:23:08	44.86	153.50
02:27:08	44.69	153.45
02:35:08	44.86	153.42
02:43:08	45.04	153.43
02:45:08	45.04	153.43
02:45:38	45.04	150.74
02:46:08	45.12	153.54
02:46:38	45.12	153.61

OPEN WELL ON 24/64" ADJUSTABLE CHOKE AFTER ACID JOB

[264] T0=03-OCT-83 02:46:38

P0=153.61

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
02:47:08	45.04	150.66	0.0083	-2.0792	2.95	0.4697
02:47:38	45.04	150.91	0.0167	-1.7782	2.70	0.4310
02:48:08	45.12	150.83	0.0250	-1.6021	2.78	0.4435
02:48:38	45.21	150.94	0.0333	-1.4771	2.67	0.4268
02:49:08	45.21	151.12	0.0417	-1.3802	2.49	0.3969
02:50:08	45.47	151.35	0.0583	-1.2341	2.26	0.3548
02:51:08	45.64	151.53	0.0750	-1.1249	2.08	0.3175
02:51:38	45.81	151.60	0.0833	-1.0792	2.01	0.3035
02:52:08	45.98	151.63	0.0917	-1.0378	1.98	0.2965
02:53:08	46.41	151.57	0.1083	-0.9652	2.04	0.3098
02:54:08	46.75	151.61	0.1250	-0.9031	2.00	0.3013
02:56:08	47.53	151.62	0.1583	-0.8004	1.99	0.2997
02:56:38	47.87	151.60	0.1667	-0.7782	2.01	0.3039
02:57:08	48.04	151.54	0.1750	-0.7570	2.07	0.3154
02:57:38	48.30	151.59	0.1833	-0.7368	2.02	0.3045
02:58:08	48.47	151.35	0.1917	-0.7175	2.26	0.3538
02:58:38	48.64	150.49	0.2000	-0.6990	3.12	0.4947
02:59:08	48.90	150.57	0.2083	-0.6812	3.04	0.4833
02:59:38	49.15	150.80	0.2167	-0.6642	2.81	0.4490
03:00:08	49.32	151.43	0.2250	-0.6478	2.18	0.3392
03:00:38	49.58	151.17	0.2333	-0.6320	2.44	0.3875
03:01:08	49.84	150.90	0.2417	-0.6168	2.71	0.4336
03:02:08	50.18	150.48	0.2583	-0.5878	3.13	0.4959
03:03:08	50.61	150.19	0.2750	-0.5607	3.42	0.5342
03:03:38	50.78	150.17	0.2833	-0.5477	3.44	0.5363

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
03:04:08	50.95	150.11	0.2917	-0.5351	3.50	0.5437
03:04:38	51.12	150.21	0.3000	-0.5229	3.40	0.5311
03:05:08	51.29	151.22	0.3083	-0.5110	2.39	0.3775
03:05:38	51.46	151.93	0.3167	-0.4994	1.68	0.2260
03:06:08	51.63	152.21	0.3250	-0.4881	1.40	0.1466
03:06:38	51.80	152.19	0.3333	-0.4771	1.42	0.1522
03:07:08	51.89	152.05	0.3417	-0.4664	1.56	0.1940
03:07:38	51.97	151.93	0.3500	-0.4559	1.68	0.2255
03:08:08	52.14	151.89	0.3583	-0.4457	1.72	0.2367
03:09:08	52.40	151.77	0.3750	-0.4260	1.84	0.2651
03:09:38	52.48	151.65	0.3833	-0.4164	1.96	0.2916
03:10:08	52.57	151.58	0.3917	-0.4071	2.03	0.3078
03:10:38	52.66	151.54	0.4000	-0.3979	2.07	0.3155
03:11:38	52.83	151.57	0.4167	-0.3882	2.04	0.3086
03:12:08	52.91	151.53	0.4250	-0.3716	2.08	0.3188
03:13:08	53.00	151.50	0.4417	-0.3549	2.11	0.3242
03:14:08	53.17	151.44	0.4583	-0.3388	2.17	0.3362
03:15:08	53.25	151.42	0.4750	-0.3233	2.19	0.3408
03:15:38	53.34	151.40	0.4833	-0.3158	2.21	0.3434
03:16:08	53.34	151.37	0.4917	-0.3083	2.24	0.3506
03:17:08	53.51	151.39	0.5083	-0.2939	2.22	0.3471
03:18:08	53.51	151.37	0.5250	-0.2798	2.24	0.3498
03:19:08	53.59	151.39	0.5417	-0.2663	2.22	0.3463
03:19:38	53.68	151.39	0.5500	-0.2596	2.22	0.3470
03:20:08	53.68	151.40	0.5583	-0.2531	2.21	0.3443
03:20:38	53.76	151.44	0.5667	-0.2467	2.17	0.3359
03:21:38	53.76	151.47	0.5833	-0.2341	2.14	0.3306
03:22:38	53.85	151.46	0.6000	-0.2218	2.15	0.3321
03:23:38	53.85	151.43	0.6167	-0.2099	2.18	0.3389
03:24:08	53.93	151.40	0.6250	-0.2041	2.21	0.3437
03:24:38	53.85	151.40	0.6333	-0.1984	2.21	0.3438
03:25:08	53.93	151.57	0.6417	-0.1927	2.04	0.3105
03:25:38	54.02	151.61	0.6500	-0.1871	2.00	0.3002
03:26:08	53.93	151.50	0.6583	-0.1816	2.11	0.3240
03:26:38	54.02	151.37	0.6667	-0.1761	2.24	0.3507
03:27:08	54.02	151.28	0.6750	-0.1707	2.33	0.3671
03:27:38	54.02	151.31	0.6833	-0.1654	2.30	0.3613
03:28:08	54.02	151.39	0.6917	-0.1601	2.22	0.3471
03:28:38	54.10	151.53	0.7000	-0.1549	2.08	0.3187
03:29:08	54.10	151.59	0.7083	-0.1498	2.02	0.3064
03:29:38	54.02	151.48	0.7167	-0.1447	2.13	0.3282
03:30:38	54.10	151.56	0.7333	-0.1347	2.05	0.3111
03:31:08	54.10	151.53	0.7417	-0.1298	2.08	0.3189
03:31:38	54.10	151.53	0.7500	-0.1249	2.08	0.3187
03:32:08	54.10	151.48	0.7583	-0.1201	2.13	0.3274
03:32:38	54.19	151.47	0.7667	-0.1154	2.14	0.3297
03:33:38	54.19	151.48	0.7833	-0.1061	2.13	0.3289
03:35:38	54.27	151.42	0.8167	-0.0880	2.19	0.3412
03:36:38	54.27	151.38	0.8333	-0.0792	2.23	0.3486
03:38:38	54.27	151.35	0.8667	-0.0621	2.26	0.3544
03:40:38	54.36	151.26	0.9000	-0.0458	2.35	0.3719
03:41:38	54.27	151.22	0.9167	-0.0378	2.39	0.3777
03:42:38	54.36	151.22	0.9333	-0.0300	2.39	0.3787
03:44:38	54.36	151.17	0.9667	-0.0147	2.44	0.3883
03:46:38	54.36	151.08	1.0000	0.0000	2.53	0.4034
03:47:38	54.36	151.03	1.0167	0.0072	2.58	0.4109
03:49:38	54.36	151.02	1.0500	0.0212	2.59	0.4140
03:50:38	54.44	151.03	1.0667	0.0280	2.58	0.4121
03:51:38	54.44	151.00	1.0833	0.0348	2.61	0.4171
03:52:38	54.44	151.01	1.1000	0.0414	2.60	0.4157
03:54:38	54.44	151.05	1.1333	0.0544	2.56	0.4084
03:55:38	54.53	151.07	1.1500	0.0607	2.54	0.4045

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
03:57:38	54.44	151.07	1.1833	0.0731	2.54	0.4043
03:58:38	54.44	151.10	1.2000	0.0792	2.51	0.4002
03:59:08	54.44	151.13	1.2083	0.0822	2.48	0.3949
03:59:38	54.53	151.14	1.2167	0.0852	2.47	0.3922
04:00:38	54.53	151.21	1.2333	0.0911	2.40	0.3810
04:02:38	54.53	151.29	1.2667	0.1027	2.32	0.3657
04:03:08	54.61	151.31	1.2750	0.1055	2.30	0.3619
04:03:38	54.53	151.00	1.2833	0.1083	2.61	0.4161
04:04:08	54.53	148.46	1.2917	0.1112	5.15	0.7122
04:04:38	54.53	146.57	1.3000	0.1139	7.04	0.8478
04:05:08	54.44	146.01	1.3083	0.1167	7.60	0.8808
04:05:38	54.53	145.78	1.3167	0.1195	7.83	0.8936
04:06:08	54.36	145.68	1.3250	0.1222	7.93	0.8992
04:07:08	54.36	145.59	1.3417	0.1276	8.02	0.9043
04:08:08	54.19	145.47	1.3583	0.1330	8.14	0.9108
04:08:38	54.10	145.45	1.3667	0.1357	8.16	0.9114
04:09:08	54.02	145.48	1.3750	0.1383	8.13	0.9100
04:09:38	54.02	145.48	1.3833	0.1409	8.13	0.9104
04:10:08	53.93	145.43	1.3917	0.1435	8.18	0.9126
04:11:08	53.93	145.27	1.4083	0.1487	8.34	0.9210
04:12:08	53.76	145.18	1.4250	0.1538	8.43	0.9259
04:13:08	53.76	145.14	1.4417	0.1589	8.47	0.9277
04:14:08	53.59	145.17	1.4583	0.1639	8.44	0.9263
04:15:08	53.59	145.24	1.4750	0.1688	8.37	0.9228
04:17:08	53.51	145.42	1.5083	0.1785	8.19	0.9134
04:19:08	53.51	145.51	1.5417	0.1880	8.10	0.9087
04:21:08	53.51	145.55	1.5750	0.1973	8.06	0.9063
04:21:38	53.51	145.56	1.5833	0.1996	8.05	0.9059
04:23:38	53.51	145.50	1.6167	0.2086	8.11	0.9091
04:24:38	53.51	145.47	1.6333	0.2131	8.14	0.9105
04:25:38	53.59	145.47	1.6500	0.2175	8.14	0.9108
04:27:38	53.51	145.50	1.6833	0.2262	8.11	0.9092
04:29:38	53.59	145.58	1.7167	0.2347	8.03	0.9045
04:30:38	53.59	145.62	1.7333	0.2389	7.99	0.9023
04:32:38	53.68	145.62	1.7667	0.2472	7.99	0.9023
04:33:38	53.76	145.60	1.7803	0.2512	8.01	0.9038
04:34:38	53.76	145.53	1.8000	0.2553	8.08	0.9073
04:35:38	53.76	145.45	1.8167	0.2593	8.16	0.9116
04:36:38	53.76	145.34	1.8333	0.2632	8.27	0.9174
04:37:38	53.76	145.26	1.8500	0.2672	8.35	0.9218
04:38:38	53.85	145.22	1.8667	0.2711	8.39	0.9237
04:40:38	53.93	145.22	1.9000	0.2788	8.39	0.9239
04:41:08	53.93	145.22	1.9083	0.2807	8.39	0.9237
04:43:08	54.02	145.36	1.9417	0.2882	8.25	0.9166
04:44:08	53.93	145.42	1.9583	0.2919	8.19	0.9134
04:44:38	53.93	145.46	1.9667	0.2937	8.15	0.9112
04:45:38	54.02	145.51	1.9833	0.2974	8.10	0.9087
04:47:38	54.10	145.47	2.0167	0.3046	8.14	0.9107
04:48:38	54.10	145.47	2.0333	0.3082	8.14	0.9108
04:49:08	54.19	144.81	2.0417	0.3100	8.80	0.9444
04:49:38	54.19	143.33	2.0500	0.3118	10.28	1.0118
04:50:08	54.10	142.29	2.0583	0.3135	11.32	1.0538
04:50:38	54.10	141.99	2.0667	0.3153	11.62	1.0651
04:51:08	54.02	142.00	2.0750	0.3170	11.61	1.0648
04:52:08	54.02	141.95	2.0917	0.3205	11.66	1.0666
04:52:38	54.02	141.90	2.1000	0.3222	11.71	1.0685
04:53:38	54.02	141.96	2.1167	0.3257	11.65	1.0665
04:54:08	53.93	141.91	2.1250	0.3274	11.70	1.0680
04:55:08	53.93	141.73	2.1417	0.3308	11.88	1.0747
04:55:38	53.93	141.65	2.1500	0.3324	11.96	1.0776
04:56:38	53.85	141.56	2.1667	0.3358	12.05	1.0811
04:57:38	53.85	141.50	2.1833	0.3391	12.11	1.0833

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
04:59:38	53.76	141.45	2.2167	0.3457	12.16	1.0851
05:00:38	53.85	141.44	2.2333	0.3490	12.17	1.0853
05:01:38	53.76	141.39	2.2500	0.3522	12.22	1.0869
05:05:38	53.85	141.29	2.3167	0.3649	12.32	1.0907
05:07:38	53.76	141.22	2.3500	0.3711	12.39	1.0931
05:09:38	53.85	141.20	2.3833	0.3772	12.41	1.0938
05:10:38	53.85	141.20	2.4000	0.3802	12.41	1.0938
05:12:38	53.93	141.17	2.4333	0.3862	12.44	1.0949
05:13:38	53.93	141.17	2.4500	0.3892	12.44	1.0948
05:14:38	53.93	141.15	2.4667	0.3921	12.46	1.0954
05:15:38	54.02	141.12	2.4833	0.3950	12.49	1.0964
05:17:38	54.10	141.10	2.5167	0.4008	12.51	1.0972
05:18:38	54.10	141.08	2.5333	0.4037	12.53	1.0978
05:19:38	54.10	141.09	2.5500	0.4065	12.52	1.0977
05:21:38	54.19	141.05	2.5833	0.4122	12.56	1.0988
05:23:38	54.27	141.05	2.6167	0.4177	12.56	1.0989
05:25:38	54.27	141.00	2.6500	0.4232	12.61	1.1006
05:29:38	54.36	140.98	2.7167	0.4340	12.63	1.1015
05:31:38	54.44	140.93	2.7500	0.4393	12.68	1.1031
05:32:08	54.53	140.67	2.7583	0.4406	12.94	1.1118
05:32:38	54.44	140.28	2.7667	0.4420	13.33	1.1247
05:33:08	54.44	140.14	2.7750	0.4433	13.47	1.1294
05:33:38	54.44	140.12	2.7833	0.4446	13.49	1.1300
05:34:08	54.44	140.13	2.7917	0.4459	13.48	1.1298
05:35:08	54.44	140.10	2.8083	0.4484	13.51	1.1308
05:35:38	54.44	140.08	2.8167	0.4497	13.53	1.1313
05:36:38	54.44	140.08	2.8333	0.4523	13.53	1.1312
05:37:38	54.44	140.02	2.8500	0.4548	13.59	1.1331
05:38:08	54.53	139.99	2.8583	0.4561	13.62	1.1341
05:39:08	54.53	139.96	2.8750	0.4586	13.65	1.1350
05:40:08	54.44	139.95	2.8917	0.4611	13.66	1.1355
05:42:08	54.44	139.89	2.9250	0.4661	13.72	1.1373
05:44:08	54.53	139.88	2.9583	0.4710	13.73	1.1377
05:46:08	54.61	139.84	2.9917	0.4759	13.77	1.1390
05:46:38	54.53	139.82	3.0000	0.4771	13.79	1.1396
05:48:38	54.61	139.88	3.0333	0.4819	13.73	1.1378
05:49:38	54.61	139.89	3.0500	0.4843	13.72	1.1374
05:51:38	54.70	139.94	3.0833	0.4890	13.67	1.1356
05:52:38	54.61	139.93	3.1000	0.4914	13.68	1.1362
05:54:38	54.78	139.89	3.1333	0.4960	13.72	1.1375
05:55:38	54.78	139.85	3.1500	0.4983	13.76	1.1385
05:57:38	54.78	139.86	3.1833	0.5029	13.75	1.1384
05:58:08	54.78	139.85	3.1917	0.5040	13.76	1.1387
05:59:08	54.78	139.86	3.2083	0.5063	13.75	1.1382
06:00:08	54.87	139.86	3.2250	0.5085	13.75	1.1383
06:04:08	54.87	139.78	3.2917	0.5174	13.83	1.1409
06:06:08	54.96	139.68	3.3250	0.5218	13.93	1.1439
06:07:08	54.96	139.65	3.3417	0.5240	13.96	1.1450
06:11:08	54.96	139.59	3.4083	0.5325	14.02	1.1469
06:13:08	54.96	139.58	3.4417	0.5368	14.03	1.1472
06:14:08	55.04	139.58	3.4583	0.5389	14.03	1.1472
06:16:08	55.04	139.55	3.4917	0.5430	14.06	1.1480
06:16:38	55.04	139.55	3.5000	0.5441	14.06	1.1481
06:17:08	55.04	139.53	3.5083	0.5451	14.08	1.1487
06:19:08	55.04	139.53	3.5417	0.5492	14.08	1.1485
06:21:08	55.04	139.56	3.5750	0.5533	14.05	1.1478
06:22:08	55.13	139.57	3.5917	0.5553	14.04	1.1472
06:24:08	55.21	139.57	3.6250	0.5593	14.04	1.1475
06:24:38	55.13	139.57	3.6333	0.5603	14.04	1.1474
06:25:38	55.13	139.55	3.6500	0.5623	14.06	1.1479
06:26:38	55.13	139.57	3.6667	0.5643	14.04	1.1475
06:27:08	55.21	139.57	3.6750	0.5653	14.04	1.1472

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
06:29:08	55.21	139.54	3.7083	0.5692	14.07	1.1483
06:31:08	55.21	139.47	3.7417	0.5731	14.14	1.1504
06:33:08	55.30	139.43	3.7750	0.5769	14.18	1.1517
06:37:08	55.30	139.37	3.8417	0.5845	14.24	1.1534
06:39:08	55.30	139.35	3.8750	0.5883	14.26	1.1540
06:40:08	55.30	139.34	3.8917	0.5901	14.27	1.1543
06:44:08	55.38	139.42	3.9583	0.5975	14.19	1.1518
06:44:38	55.38	139.44	3.9667	0.5984	14.17	1.1513
06:46:38	55.38	139.46	4.0000	0.6021	14.15	1.1509
06:50:38	55.47	139.53	4.0667	0.6092	14.08	1.1487
06:51:38	55.47	139.54	4.0833	0.6110	14.07	1.1482
06:52:38	55.47	139.58	4.1000	0.6128	14.03	1.1471
06:53:38	55.47	139.64	4.1167	0.6145	13.97	1.1452
06:55:38	55.55	139.70	4.1500	0.6180	13.91	1.1433
06:56:38	55.47	139.74	4.1667	0.6198	13.87	1.1421
06:58:38	55.55	139.77	4.2000	0.6232	13.84	1.1412
06:59:38	55.55	139.76	4.2167	0.6250	13.85	1.1414
07:01:38	55.55	139.69	4.2500	0.6284	13.92	1.1438
07:02:38	55.55	139.69	4.2667	0.6301	13.92	1.1437
07:04:38	55.64	139.73	4.3000	0.6335	13.88	1.1423
07:05:38	55.64	139.77	4.3167	0.6351	13.84	1.1412
07:07:38	55.72	139.80	4.3500	0.6385	13.81	1.1401
07:08:08	55.64	139.81	4.3583	0.6393	13.80	1.1399
07:12:08	55.64	139.79	4.4250	0.6459	13.82	1.1404
07:14:08	55.64	139.80	4.4583	0.6492	13.81	1.1402
07:14:38	55.72	139.81	4.4667	0.6500	13.80	1.1400
07:15:38	55.72	139.79	4.4833	0.6516	13.82	1.1404
07:16:08	55.72	139.79	4.4917	0.6524	13.82	1.1406
07:20:08	55.81	139.82	4.5583	0.6588	13.79	1.1395
07:24:08	55.81	139.90	4.6250	0.6651	13.71	1.1370
07:26:08	55.81	139.95	4.6583	0.6682	13.66	1.1354
07:27:08	55.89	139.97	4.6750	0.6698	13.64	1.1347
07:27:38	55.81	139.99	4.6833	0.6706	13.62	1.1341
07:31:38	55.89	140.02	4.7500	0.6767	13.59	1.1332
07:33:38	55.98	140.04	4.7833	0.6797	13.57	1.1325
07:34:08	55.89	140.05	4.7917	0.6805	13.56	1.1324
07:34:38	55.89	140.02	4.8000	0.6812	13.59	1.1331
07:35:38	55.89	140.03	4.8167	0.6827	13.58	1.1327
07:36:08	55.98	140.04	4.8250	0.6835	13.57	1.1325
07:38:08	55.98	139.97	4.8583	0.6865	13.64	1.1347
07:38:38	55.89	139.97	4.8667	0.6872	13.64	1.1347
07:39:38	55.98	139.95	4.8833	0.6887	13.66	1.1356
07:41:38	55.98	139.99	4.9167	0.6917	13.62	1.1341
07:43:38	55.98	140.02	4.9500	0.6946	13.59	1.1331
07:45:38	55.98	140.00	4.9833	0.6975	13.61	1.1339
07:46:38	55.98	139.98	5.0000	0.6990	13.63	1.1344
07:47:08	55.98	139.96	5.0083	0.6997	13.65	1.1351
07:48:08	56.06	139.96	5.0250	0.7011	13.65	1.1352
07:49:08	55.98	139.97	5.0417	0.7026	13.64	1.1349
07:49:38	55.98	139.97	5.0500	0.7033	13.64	1.1349
07:50:08	55.98	139.99	5.0583	0.7040	13.62	1.1342
07:52:08	56.06	140.00	5.0917	0.7069	13.61	1.1340
07:54:08	56.06	139.99	5.1250	0.7097	13.62	1.1343
07:58:08	56.06	140.02	5.1917	0.7153	13.59	1.1332
08:00:08	56.06	140.04	5.2250	0.7181	13.57	1.1326
08:00:38	56.06	140.06	5.2333	0.7188	13.55	1.1320
08:01:08	56.06	140.05	5.2417	0.7195	13.56	1.1324
08:03:08	56.15	140.06	5.2750	0.7222	13.55	1.1320
08:04:08	56.06	140.05	5.2917	0.7236	13.56	1.1322
08:04:38	56.06	140.07	5.3000	0.7243	13.54	1.1317
08:05:08	56.15	140.07	5.3083	0.7250	13.54	1.1317
08:05:38	56.15	140.09	5.3167	0.7256	13.52	1.1311

TIME 03-OCT-83	SDT degC	SDF bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
08:06:08	56.15	140.07	5.3250	0.7263	13.54	1.1315
08:07:08	56.15	140.10	5.3417	0.7277	13.51	1.1308
08:08:08	56.06	140.08	5.3583	0.7290	13.53	1.1314
08:08:38	56.15	140.07	5.3667	0.7297	13.54	1.1318
08:09:38	56.15	140.08	5.3833	0.7311	13.53	1.1313
08:11:38	56.15	140.06	5.4167	0.7337	13.55	1.1320
08:13:38	56.15	140.07	5.4500	0.7364	13.54	1.1316
08:14:08	56.15	140.07	5.4583	0.7371	13.54	1.1315
08:16:08	56.15	140.05	5.4917	0.7397	13.56	1.1323
08:17:08	56.23	140.03	5.5083	0.7410	13.58	1.1328
08:19:08	56.15	140.06	5.5417	0.7436	13.55	1.1318
08:21:08	56.15	140.07	5.5750	0.7462	13.54	1.1317
08:21:38	56.15	140.09	5.5833	0.7469	13.52	1.1311
08:22:08	56.15	140.08	5.5917	0.7475	13.53	1.1314
08:22:38	56.15	140.09	5.6000	0.7482	13.52	1.1310
08:23:38	56.23	140.09	5.6167	0.7495	13.52	1.1309
08:24:08	56.15	140.08	5.6250	0.7501	13.53	1.1314
08:24:38	56.15	140.09	5.6333	0.7508	13.52	1.1310
08:25:38	56.15	140.10	5.6500	0.7520	13.51	1.1307
08:26:08	56.23	140.09	5.6583	0.7527	13.52	1.1309
08:26:38	56.23	140.10	5.6667	0.7533	13.51	1.1305
08:27:08	56.23	140.08	5.6750	0.7540	13.53	1.1311
08:29:08	56.23	140.13	5.7083	0.7565	13.48	1.1298
08:30:08	56.23	140.12	5.7250	0.7578	13.49	1.1301
08:30:38	56.23	140.11	5.7333	0.7584	13.50	1.1302
08:31:08	56.15	140.14	5.7417	0.7590	13.47	1.1293
08:32:08	56.23	140.14	5.7583	0.7603	13.47	1.1294
08:32:38	56.23	140.13	5.7667	0.7609	13.48	1.1298
08:34:38	56.23	140.14	5.8000	0.7634	13.47	1.1295
08:36:38	56.23	140.10	5.8333	0.7659	13.51	1.1306
08:37:38	56.32	140.13	5.8500	0.7672	13.48	1.1297
08:38:38	56.23	140.09	5.8667	0.7684	13.52	1.1309
08:39:08	56.23	140.12	5.8750	0.7690	13.49	1.1300
08:40:08	56.32	140.12	5.8917	0.7702	13.49	1.1300
08:40:38	56.32	140.10	5.9000	0.7709	13.51	1.1306
08:42:38	56.32	140.13	5.9333	0.7733	13.48	1.1296
08:43:38	56.32	140.12	5.9500	0.7745	13.49	1.1299
08:44:08	56.32	140.14	5.9583	0.7751	13.47	1.1293
08:44:38	56.23	140.12	5.9667	0.7757	13.49	1.1301
08:46:38	56.23	140.15	6.0000	0.7782	13.46	1.1292
08:48:38	56.32	140.14	6.0333	0.7806	13.47	1.1294
08:49:08	56.32	140.15	6.0417	0.7812	13.46	1.1290
08:51:08	56.32	140.13	6.0750	0.7835	13.48	1.1298
08:51:38	56.32	140.13	6.0833	0.7841	13.48	1.1295
08:52:38	56.32	140.13	6.1000	0.7853	13.48	1.1297
08:53:38	56.40	140.11	6.1167	0.7865	13.50	1.1303
08:54:08	56.32	140.12	6.1250	0.7871	13.49	1.1301
08:54:38	56.32	140.10	6.1333	0.7877	13.51	1.1306
08:55:08	56.32	140.12	6.1417	0.7883	13.49	1.1301
08:55:38	56.32	140.11	6.1500	0.7889	13.50	1.1303
08:56:38	56.32	140.14	6.1667	0.7901	13.47	1.1292
08:57:08	56.32	140.15	6.1750	0.7906	13.46	1.1291
08:58:08	56.40	140.13	6.1917	0.7918	13.48	1.1297
08:59:08	56.32	140.15	6.2083	0.7930	13.46	1.1289
08:59:38	56.40	140.16	6.2167	0.7936	13.45	1.1288
09:00:08	56.32	140.13	6.2250	0.7941	13.48	1.1297
09:01:08	56.32	140.13	6.2417	0.7953	13.48	1.1298
09:01:38	56.32	140.16	6.2500	0.7959	13.45	1.1287
09:02:08	56.32	140.14	6.2583	0.7965	13.47	1.1292
09:02:38	56.40	140.16	6.2667	0.7970	13.45	1.1288
09:03:08	56.32	140.12	6.2750	0.7976	13.49	1.1301
09:03:38	56.40	140.15	6.2833	0.7982	13.46	1.1291

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
09:04:38	56.32	140.16	6.3000	0.7993	13.45	1.1289
09:05:38	56.32	140.13	6.3167	0.8005	13.48	1.1296
09:06:08	56.40	140.15	6.3250	0.8011	13.46	1.1291
09:06:38	56.32	140.13	6.3333	0.8016	13.48	1.1298
09:07:38	56.32	140.14	6.3500	0.8028	13.47	1.1293
09:08:38	56.32	140.12	6.3667	0.8039	13.49	1.1300
09:09:38	56.40	140.14	6.3833	0.8050	13.47	1.1295
09:10:08	56.32	140.12	6.3917	0.8056	13.49	1.1301
09:11:08	56.40	140.13	6.4083	0.8067	13.48	1.1295
09:11:38	56.40	140.11	6.4167	0.8073	13.50	1.1305
09:12:08	56.32	140.12	6.4250	0.8079	13.49	1.1301
09:12:38	56.40	140.11	6.4333	0.8084	13.50	1.1305
09:13:08	56.40	140.12	6.4417	0.8090	13.49	1.1301
09:13:38	56.40	140.10	6.4500	0.8096	13.51	1.1306
09:14:08	56.40	140.11	6.4583	0.8101	13.50	1.1305
09:14:38	56.40	140.05	6.4667	0.8107	13.56	1.1323
09:15:08	56.40	140.09	6.4750	0.8112	13.52	1.1311
09:15:38	56.40	140.08	6.4833	0.8118	13.53	1.1314
09:16:08	56.40	140.10	6.4917	0.8124	13.51	1.1306
09:16:38	56.40	140.05	6.5000	0.8129	13.56	1.1322
09:17:08	56.40	140.07	6.5083	0.8135	13.54	1.1316
09:17:38	56.40	140.05	6.5167	0.8140	13.56	1.1324
09:18:08	56.32	140.04	6.5250	0.8146	13.57	1.1324
09:18:38	56.40	140.07	6.5333	0.8151	13.54	1.1317
09:19:08	56.40	140.05	6.5417	0.8157	13.56	1.1323
09:21:08	56.40	140.02	6.5750	0.8179	13.59	1.1331
09:21:38	56.32	140.03	6.5833	0.8184	13.58	1.1328
09:22:08	56.40	140.02	6.5917	0.8190	13.59	1.1332
09:22:38	56.40	140.04	6.6000	0.8195	13.57	1.1327
09:23:38	56.40	140.01	6.6167	0.8206	13.60	1.1334
09:24:08	56.49	140.02	6.6250	0.8212	13.59	1.1332
09:24:38	56.40	140.06	6.6333	0.8217	13.55	1.1320
09:26:38	56.40	140.05	6.6667	0.8239	13.56	1.1324
09:27:08	56.49	140.06	6.6750	0.8245	13.55	1.1319
09:28:08	56.32	140.04	6.6917	0.8255	13.57	1.1327
09:29:08	56.40	140.00	6.7083	0.8266	13.61	1.1338
09:30:08	56.40	140.01	6.7250	0.8277	13.60	1.1336
09:30:38	56.40	139.99	6.7333	0.8282	13.62	1.1341
09:31:08	56.40	140.00	6.7417	0.8288	13.61	1.1339
09:31:38	56.40	139.98	6.7500	0.8293	13.63	1.1344
09:32:08	56.40	139.99	6.7583	0.8298	13.62	1.1341
09:33:08	56.40	139.98	6.7750	0.8309	13.63	1.1345
09:34:08	56.40	140.00	6.7917	0.8320	13.61	1.1339
09:34:38	56.40	139.98	6.8000	0.8325	13.63	1.1346
09:35:38	56.40	139.98	6.8167	0.8336	13.63	1.1346
09:36:08	56.49	140.00	6.8250	0.8341	13.61	1.1340
09:36:38	56.49	139.98	6.8333	0.8346	13.63	1.1346
09:37:38	56.40	139.98	6.8500	0.8357	13.63	1.1346
09:38:08	56.49	140.02	6.8583	0.8362	13.59	1.1332
09:40:08	56.40	140.00	6.8917	0.8383	13.61	1.1339
09:41:08	56.49	140.01	6.9083	0.8394	13.60	1.1337
09:41:38	56.40	139.98	6.9167	0.8399	13.63	1.1344
09:42:38	56.40	139.97	6.9333	0.8409	13.64	1.1349
09:43:08	56.40	139.98	6.9417	0.8415	13.63	1.1346
09:44:08	56.40	139.96	6.9583	0.8425	13.65	1.1350
09:45:08	56.49	139.90	6.9750	0.8435	13.71	1.1371
09:46:08	56.49	139.89	6.9917	0.8446	13.72	1.1374
09:46:38	56.40	139.87	7.0000	0.8451	13.74	1.1380
09:47:08	56.40	139.88	7.0083	0.8456	13.73	1.1377
09:47:38	56.40	139.87	7.0167	0.8461	13.74	1.1381
09:48:38	56.49	139.88	7.0333	0.8472	13.73	1.1377
09:49:08	56.40	139.86	7.0417	0.8477	13.75	1.1382

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
09:50:08	56.40	139.90	7.0583	0.8487	13.71	1.1370
09:52:08	56.49	139.90	7.0917	0.8507	13.71	1.1372
09:52:38	56.49	139.89	7.1000	0.8513	13.72	1.1374
09:53:08	56.49	139.90	7.1083	0.8518	13.71	1.1371
09:54:08	56.40	139.87	7.1250	0.8528	13.74	1.1379
09:54:38	56.40	139.86	7.1333	0.8533	13.75	1.1383
09:55:08	56.40	139.88	7.1417	0.8538	13.73	1.1377
09:57:08	56.49	139.84	7.1750	0.8558	13.77	1.1389
09:57:38	56.40	139.82	7.1833	0.8563	13.79	1.1395
09:58:08	56.40	139.84	7.1917	0.8568	13.77	1.1390
09:59:08	56.40	139.82	7.2083	0.8578	13.79	1.1395
09:59:38	56.49	139.83	7.2167	0.8583	13.78	1.1394
10:00:38	56.49	139.80	7.2333	0.8593	13.81	1.1403
10:01:08	56.40	139.82	7.2417	0.8598	13.79	1.1397
10:02:08	56.40	139.80	7.2583	0.8608	13.81	1.1402
10:02:38	56.49	139.79	7.2667	0.8613	13.82	1.1406
10:03:08	56.49	139.80	7.2750	0.8618	13.81	1.1401
10:05:08	56.49	139.77	7.3083	0.8638	13.84	1.1411
10:06:08	56.49	139.79	7.3250	0.8648	13.82	1.1405
10:06:38	56.49	139.77	7.3333	0.8653	13.84	1.1410
10:07:38	56.49	139.79	7.3500	0.8663	13.82	1.1407
10:09:38	56.49	139.77	7.3833	0.8683	13.84	1.1411
10:10:38	56.49	139.78	7.4000	0.8692	13.83	1.1409
10:11:38	56.40	139.76	7.4167	0.8702	13.85	1.1415
10:12:08	56.40	139.77	7.4250	0.8707	13.84	1.1412
10:12:38	56.49	139.75	7.4333	0.8712	13.86	1.1416
10:14:38	56.49	139.79	7.4667	0.8731	13.82	1.1406
10:15:08	56.49	139.77	7.4750	0.8736	13.84	1.1411
10:16:08	56.49	139.78	7.4917	0.8746	13.83	1.1409
10:17:08	56.49	139.80	7.5083	0.8755	13.81	1.1401
10:17:38	56.49	139.81	7.5167	0.8760	13.80	1.1398
10:18:08	56.49	139.80	7.5250	0.8765	13.81	1.1400
10:18:38	56.40	139.81	7.5333	0.8770	13.80	1.1396
10:19:08	56.49	139.81	7.5417	0.8775	13.80	1.1398
10:19:38	56.49	139.79	7.5500	0.8779	13.82	1.1406
10:20:38	56.49	139.78	7.5667	0.8789	13.83	1.1409
10:21:38	56.49	139.70	7.5833	0.8799	13.91	1.1432
10:22:08	56.49	139.71	7.5917	0.8803	13.90	1.1431
10:24:08	56.49	139.67	7.6250	0.8822	13.94	1.1443
10:25:08	56.49	139.67	7.6417	0.8832	13.94	1.1443
10:26:08	56.49	139.64	7.6583	0.8841	13.97	1.1452
10:26:38	56.49	139.65	7.6667	0.8846	13.96	1.1449
10:27:08	56.49	139.64	7.6750	0.8851	13.97	1.1451
10:28:08	56.40	139.66	7.6917	0.8860	13.95	1.1445
10:29:08	56.49	139.64	7.7083	0.8870	13.97	1.1451
10:29:38	56.49	139.67	7.7167	0.8874	13.94	1.1441
10:30:38	56.49	139.69	7.7333	0.8884	13.92	1.1435
10:31:38	56.49	139.67	7.7500	0.8893	13.94	1.1442
10:32:38	56.49	139.67	7.7667	0.8902	13.94	1.1442
10:33:08	56.49	139.66	7.7750	0.8907	13.95	1.1445
10:33:38	56.49	139.69	7.7833	0.8912	13.92	1.1437
10:34:08	56.49	139.68	7.7917	0.8916	13.93	1.1438
10:34:38	56.49	139.70	7.8000	0.8921	13.91	1.1433
10:35:38	56.49	139.72	7.8167	0.8930	13.89	1.1428
10:36:08	56.49	139.71	7.8250	0.8935	13.90	1.1430
10:38:08	56.49	139.61	7.8583	0.8953	14.00	1.1461
10:39:08	56.57	139.63	7.8750	0.8963	13.98	1.1455
10:39:38	56.49	139.63	7.8833	0.8967	13.98	1.1454
10:40:38	56.49	139.60	7.9000	0.8976	14.01	1.1464
10:41:08	56.49	139.59	7.9083	0.8981	14.02	1.1469
10:41:38	56.49	139.59	7.9167	0.8985	14.02	1.1466
10:42:38	56.49	139.56	7.9333	0.8995	14.05	1.1476

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
10:43:08	56.49	139.57	7.9417	0.8999	14.04	1.1473
10:44:08	56.49	139.56	7.9583	0.9008	14.05	1.1475
10:45:08	56.49	139.57	7.9750	0.9017	14.04	1.1473
10:47:08	56.49	139.54	8.0083	0.9035	14.07	1.1484
10:48:08	56.57	139.53	8.0250	0.9044	14.08	1.1486
10:49:08	56.57	139.54	8.0417	0.9053	14.07	1.1483
10:50:08	56.57	139.49	8.0583	0.9062	14.12	1.1498
10:54:08	56.49	139.46	8.1250	0.9098	14.15	1.1508
10:55:08	56.49	139.43	8.1417	0.9107	14.18	1.1516
10:55:38	56.49	139.42	8.1500	0.9112	14.19	1.1519
10:56:08	56.49	139.43	8.1583	0.9116	14.18	1.1516
10:57:08	56.49	139.42	8.1750	0.9125	14.19	1.1521
10:57:38	56.49	139.42	8.1833	0.9129	14.19	1.1519
10:58:38	56.49	139.39	8.2000	0.9138	14.22	1.1529
11:00:38	56.49	139.39	8.2333	0.9156	14.22	1.1528
11:01:38	56.49	139.39	8.2500	0.9165	14.22	1.1530
11:02:08	56.49	139.41	8.2583	0.9169	14.20	1.1524
11:03:08	56.49	139.41	8.2750	0.9178	14.20	1.1522
11:04:08	56.49	139.37	8.2917	0.9186	14.24	1.1534
11:04:38	56.49	139.38	8.3000	0.9191	14.23	1.1532
11:05:08	56.49	139.35	8.3083	0.9195	14.26	1.1540
11:06:08	56.49	139.41	8.3250	0.9204	14.20	1.1524
11:06:38	56.49	139.42	8.3333	0.9208	14.19	1.1521
11:07:38	56.49	139.40	8.3500	0.9217	14.21	1.1527
11:08:08	56.49	139.41	8.3583	0.9221	14.20	1.1523
11:09:08	56.49	139.40	8.3750	0.9230	14.21	1.1527
11:09:38	56.49	139.42	8.3833	0.9234	14.19	1.1521
11:10:08	56.49	139.40	8.3917	0.9238	14.21	1.1527
11:10:38	56.57	139.42	8.4000	0.9243	14.19	1.1519
11:11:08	56.40	139.41	8.4083	0.9247	14.20	1.1524
11:11:38	56.57	139.38	8.4167	0.9251	14.23	1.1531
11:12:38	56.57	139.49	8.4333	0.9260	14.12	1.1498
11:13:08	56.49	139.45	8.4417	0.9264	14.16	1.1512
11:14:08	56.49	139.41	8.4583	0.9273	14.20	1.1523
11:14:38	56.49	139.35	8.4667	0.9277	14.26	1.1541
11:15:08	56.49	139.37	8.4750	0.9281	14.24	1.1534
11:15:38	56.49	139.46	8.4833	0.9286	14.15	1.1506
11:16:08	56.57	139.53	8.4917	0.9290	14.08	1.1487
11:16:38	56.57	139.53	8.5000	0.9294	14.08	1.1485
11:17:38	56.57	139.50	8.5167	0.9303	14.11	1.1497
11:18:08	56.57	139.45	8.5250	0.9307	14.16	1.1510
11:18:38	56.49	139.26	8.5333	0.9311	14.35	1.1567
11:19:08	56.57	139.17	8.5417	0.9315	14.44	1.1596
11:19:38	56.49	139.36	8.5500	0.9320	14.25	1.1537
11:20:08	56.49	139.52	8.5583	0.9324	14.09	1.1488
11:20:38	56.57	139.67	8.5667	0.9328	13.94	1.1444
11:21:08	56.57	139.50	8.5750	0.9332	14.11	1.1497
11:21:38	56.57	139.23	8.5833	0.9337	14.38	1.1577
11:22:08	56.49	138.94	8.5917	0.9341	14.67	1.1663
11:23:08	56.49	139.49	8.6083	0.9349	14.12	1.1498
11:23:38	56.49	139.66	8.6167	0.9353	13.95	1.1446
11:24:08	56.57	139.60	8.6250	0.9358	14.01	1.1464
11:24:38	56.57	139.02	8.6333	0.9362	14.59	1.1640
11:25:08	56.49	138.66	8.6417	0.9366	14.95	1.1747
11:25:38	56.49	139.19	8.6500	0.9370	14.42	1.1589
11:26:08	56.57	139.46	8.6583	0.9374	14.15	1.1509
11:26:38	56.49	139.55	8.6667	0.9379	14.06	1.1479
11:27:08	56.57	139.62	8.6750	0.9383	13.99	1.1459
11:27:38	56.57	138.73	8.6833	0.9387	14.88	1.1726
11:28:08	56.57	138.41	8.6917	0.9391	15.20	1.1818
11:28:38	56.49	139.06	8.7000	0.9395	14.55	1.1627
11:29:08	56.49	139.38	8.7083	0.9399	14.23	1.1531

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
11:29:38	56.49	139.48	8.7167	0.9404	14.13	1.1502
11:30:08	56.57	139.61	8.7250	0.9408	14.00	1.1460
11:30:38	56.49	138.98	8.7333	0.9412	14.63	1.1653
11:31:08	56.49	138.28	8.7417	0.9416	15.33	1.1854
11:31:38	56.57	138.88	8.7500	0.9420	14.73	1.1682
11:32:08	56.49	139.34	8.7583	0.9424	14.27	1.1544
11:32:38	56.49	139.44	8.7667	0.9428	14.17	1.1515
11:33:08	56.57	139.56	8.7750	0.9432	14.05	1.1477
11:33:38	56.49	139.18	8.7833	0.9437	14.43	1.1592
11:34:08	56.49	138.46	8.7917	0.9441	15.15	1.1803
11:34:38	56.49	138.68	8.8000	0.9445	14.93	1.1740
11:35:08	56.49	139.27	8.8083	0.9449	14.34	1.1565
11:35:38	56.49	139.39	8.8167	0.9453	14.22	1.1529
11:36:08	56.49	139.53	8.8250	0.9457	14.08	1.1485
11:36:38	56.49	139.40	8.8333	0.9461	14.21	1.1527
11:37:08	56.49	138.52	8.8417	0.9465	15.09	1.1787
11:37:38	56.49	138.49	8.8500	0.9469	15.12	1.1795
11:38:08	56.49	139.15	8.8583	0.9474	14.46	1.1601
11:38:38	56.49	139.38	8.8667	0.9478	14.23	1.1532
11:39:08	56.49	139.53	8.8750	0.9482	14.08	1.1487
11:39:38	56.49	139.57	8.8833	0.9486	14.04	1.1473
11:40:08	56.49	138.67	8.8917	0.9490	14.94	1.1744
11:40:38	56.49	138.40	8.9000	0.9494	15.21	1.1821
11:41:08	56.49	138.96	8.9083	0.9498	14.65	1.1658
11:41:38	56.49	139.29	8.9167	0.9502	14.32	1.1559
11:42:38	56.49	139.49	8.9333	0.9510	14.12	1.1498
11:43:08	56.57	138.94	8.9417	0.9514	14.67	1.1666
11:43:38	56.49	138.48	8.9500	0.9518	15.13	1.1798
11:44:08	56.49	138.78	8.9583	0.9522	14.83	1.1712
11:44:38	56.49	139.24	8.9667	0.9526	14.37	1.1576
11:45:08	56.49	139.37	8.9750	0.9530	14.24	1.1534
11:45:38	56.49	139.44	8.9833	0.9534	14.17	1.1515
11:46:38	56.49	138.50	9.0000	0.9542	15.11	1.1793
11:47:08	56.49	138.61	9.0083	0.9546	15.00	1.1761
11:47:38	56.49	138.93	9.0167	0.9550	14.68	1.1667
11:48:08	56.49	139.20	9.0250	0.9554	14.41	1.1585
11:48:38	56.49	139.29	9.0333	0.9558	14.32	1.1559
11:49:08	56.49	139.04	9.0417	0.9562	14.57	1.1634
11:49:38	56.49	138.57	9.0500	0.9566	15.04	1.1773
11:50:08	56.49	138.57	9.0583	0.9570	15.04	1.1772
11:50:38	56.49	138.76	9.0667	0.9574	14.85	1.1717
11:51:08	56.49	138.86	9.0750	0.9578	14.75	1.1688
11:51:38	56.49	139.15	9.0833	0.9582	14.46	1.1602
11:52:08	56.49	139.06	9.0917	0.9586	14.55	1.1630
11:52:38	56.49	138.69	9.1000	0.9590	14.92	1.1738
11:53:08	56.49	138.64	9.1083	0.9594	14.97	1.1751
11:53:38	56.49	138.74	9.1167	0.9598	14.87	1.1724
11:54:38	56.49	138.75	9.1333	0.9606	14.86	1.1721
11:55:38	56.40	138.79	9.1500	0.9614	14.82	1.1709
11:56:08	56.49	138.80	9.1583	0.9618	14.81	1.1705
11:58:08	56.49	138.75	9.1917	0.9634	14.86	1.1720
11:59:08	56.49	138.72	9.2083	0.9642	14.89	1.1730
12:00:08	56.49	138.71	9.2250	0.9650	14.90	1.1731
12:00:38	56.49	138.72	9.2333	0.9654	14.89	1.1729
12:01:38	56.49	138.69	9.2500	0.9661	14.92	1.1737
12:03:38	56.40	138.69	9.2833	0.9677	14.92	1.1739
12:05:38	56.49	138.74	9.3167	0.9693	14.87	1.1722
12:07:38	56.40	138.73	9.3500	0.9708	14.88	1.1725
12:09:38	56.40	138.76	9.3833	0.9724	14.85	1.1717
12:13:38	56.49	138.71	9.4500	0.9754	14.90	1.1732
12:14:38	56.40	138.71	9.4667	0.9762	14.90	1.1732
12:15:08	56.49	138.70	9.4750	0.9766	14.91	1.1734

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
12:16:08	56.49	138.66	9.4917	0.9773	14.95	1.1747
12:18:08	56.49	138.61	9.5250	0.9789	15.00	1.1760
12:19:08	56.40	138.63	9.5417	0.9796	14.98	1.1756
12:20:08	56.49	138.67	9.5583	0.9804	14.94	1.1744
12:21:08	56.49	138.69	9.5750	0.9811	14.92	1.1739
12:22:08	56.49	138.68	9.5917	0.9819	14.93	1.1740
12:22:38	56.49	138.66	9.6000	0.9823	14.95	1.1745
12:23:38	56.49	138.61	9.6167	0.9830	15.00	1.1762
12:25:38	56.40	138.52	9.6500	0.9845	15.09	1.1786
12:27:38	56.49	138.49	9.6833	0.9860	15.12	1.1796
12:29:38	56.49	138.52	9.7167	0.9875	15.09	1.1787
12:30:38	56.40	138.53	9.7333	0.9883	15.08	1.1785
12:32:38	56.49	138.51	9.7667	0.9897	15.10	1.1790
12:33:38	56.49	138.51	9.7833	0.9905	15.10	1.1788
12:35:38	56.40	138.48	9.8167	0.9920	15.13	1.1798
12:39:38	56.49	138.51	9.8833	0.9949	15.10	1.1788
12:40:38	56.40	138.52	9.9000	0.9956	15.09	1.1786
12:48:38	56.49	138.52	10.0333	1.0014	15.09	1.1787
12:49:38	56.49	138.53	10.0500	1.0022	15.08	1.1785
12:51:38	56.49	138.49	10.0833	1.0036	15.12	1.1796
12:53:38	56.49	138.47	10.1167	1.0050	15.14	1.1802
12:55:38	56.49	138.42	10.1500	1.0065	15.19	1.1816
12:57:38	56.49	138.39	10.1833	1.0079	15.22	1.1823
12:58:38	56.49	138.37	10.2000	1.0086	15.24	1.1830
12:59:08	56.49	138.37	10.2083	1.0090	15.24	1.1828
13:00:08	56.49	138.35	10.2250	1.0097	15.26	1.1835
13:01:08	56.40	138.36	10.2417	1.0104	15.25	1.1834
13:01:38	56.40	138.36	10.2500	1.0107	15.25	1.1833
13:02:38	56.49	138.42	10.2667	1.0114	15.19	1.1815
13:03:08	56.49	138.45	10.2750	1.0118	15.16	1.1808
13:03:38	56.49	138.44	10.2833	1.0121	15.17	1.1810
13:04:38	56.40	138.37	10.3000	1.0128	15.24	1.1829
13:05:38	56.49	138.33	10.3167	1.0135	15.28	1.1841
13:06:38	56.49	138.31	10.3333	1.0142	15.30	1.1846
13:08:38	56.40	138.33	10.3667	1.0156	15.28	1.1841
13:09:38	56.40	138.32	10.3833	1.0163	15.29	1.1843
13:10:08	56.49	138.31	10.3917	1.0167	15.30	1.1848
13:11:08	56.40	138.30	10.4083	1.0174	15.31	1.1850
13:13:08	56.49	138.35	10.4417	1.0188	15.26	1.1837
13:15:08	56.40	138.36	10.4750	1.0202	15.25	1.1832
13:17:08	56.49	138.37	10.5083	1.0215	15.24	1.1831
13:18:08	56.40	138.36	10.5250	1.0222	15.25	1.1832
13:18:38	56.49	138.38	10.5333	1.0226	15.23	1.1827
13:19:38	56.49	138.37	10.5500	1.0233	15.24	1.1830
13:20:08	56.49	138.39	10.5583	1.0236	15.22	1.1825
13:22:08	56.49	138.36	10.5917	1.0250	15.25	1.1833
13:23:08	56.49	138.36	10.6083	1.0256	15.25	1.1834
13:24:08	56.49	138.31	10.6250	1.0263	15.30	1.1847
13:26:08	56.49	138.30	10.6583	1.0277	15.31	1.1850
13:30:08	56.49	138.21	10.7250	1.0304	15.40	1.1876
13:32:08	56.49	138.19	10.7583	1.0317	15.42	1.1880
13:33:08	56.49	138.22	10.7750	1.0324	15.39	1.1872
13:35:08	56.49	138.21	10.8083	1.0338	15.40	1.1875
13:36:08	56.57	138.20	10.8250	1.0344	15.41	1.1879
13:40:08	56.49	138.17	10.8917	1.0371	15.44	1.1885
13:42:08	56.49	138.16	10.9250	1.0384	15.45	1.1890
13:43:08	56.49	138.14	10.9417	1.0391	15.47	1.1894
13:51:08	56.49	138.19	11.0750	1.0443	15.42	1.1880
13:53:08	56.49	138.18	11.1083	1.0456	15.43	1.1883
13:55:08	56.49	138.21	11.1417	1.0470	15.40	1.1876
13:56:08	56.49	138.23	11.1583	1.0476	15.38	1.1871
13:56:38	56.49	138.21	11.1667	1.0479	15.40	1.1875

TIME 03-OCT-83	SDT degC	SIP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
13:57:38	56.49	138.12	11.1833	1.0486	15.49	1.1900
13:58:08	56.49	138.09	11.1917	1.0489	15.52	1.1909
13:58:38	56.49	138.08	11.2000	1.0492	15.53	1.1913
13:59:08	56.49	138.04	11.2083	1.0495	15.57	1.1922
13:59:38	56.49	138.03	11.2167	1.0499	15.58	1.1925
14:00:08	56.49	138.05	11.2250	1.0502	15.56	1.1921
14:01:08	56.49	138.15	11.2417	1.0508	15.46	1.1892
14:02:08	56.40	138.24	11.2583	1.0515	15.37	1.1868
14:02:38	56.49	138.24	11.2667	1.0518	15.37	1.1866
14:04:38	56.40	138.10	11.3000	1.0531	15.51	1.1905
14:05:38	56.49	138.06	11.3167	1.0537	15.55	1.1917
14:07:38	56.49	138.07	11.3500	1.0550	15.54	1.1916
14:11:38	56.49	138.05	11.4167	1.0575	15.56	1.1921
14:15:38	56.49	138.12	11.4833	1.0601	15.49	1.1902
14:17:38	56.49	138.13	11.5167	1.0613	15.48	1.1898
14:19:38	56.49	138.05	11.5500	1.0626	15.56	1.1920
14:20:38	56.49	138.04	11.5667	1.0632	15.57	1.1922
14:22:38	56.49	138.07	11.6000	1.0645	15.54	1.1913
14:23:38	56.49	138.10	11.6167	1.0651	15.51	1.1907
14:25:38	56.49	138.09	11.6500	1.0663	15.52	1.1909
14:26:38	56.49	138.07	11.6667	1.0669	15.54	1.1915
14:28:38	56.49	138.05	11.7000	1.0682	15.56	1.1921
14:30:38	56.49	138.04	11.7333	1.0694	15.57	1.1922
14:32:38	56.49	138.02	11.7667	1.0707	15.59	1.1927
14:33:38	56.49	138.02	11.7833	1.0713	15.59	1.1929
14:34:08	56.49	138.02	11.7917	1.0716	15.59	1.1929
14:38:08	56.49	137.97	11.8583	1.0740	15.64	1.1943
14:40:08	56.49	137.99	11.8917	1.0752	15.62	1.1938
14:42:08	56.57	137.98	11.9250	1.0765	15.63	1.1940
14:46:08	56.49	137.92	11.9917	1.0789	15.69	1.1956
14:47:08	56.57	137.92	12.0083	1.0795	15.69	1.1956
14:51:08	56.57	137.99	12.0750	1.0819	15.62	1.1938
14:52:08	56.49	137.98	12.0917	1.0825	15.63	1.1939
14:53:08	56.49	138.01	12.1083	1.0831	15.60	1.1932
14:55:08	56.57	138.02	12.1417	1.0843	15.59	1.1929
14:57:08	56.57	137.95	12.1750	1.0855	15.66	1.1947
15:01:08	56.49	137.94	12.2417	1.0878	15.67	1.1950
15:02:08	56.57	137.93	12.2583	1.0884	15.68	1.1954
15:06:08	56.49	137.91	12.3250	1.0908	15.70	1.1960
15:10:08	56.49	137.86	12.3917	1.0931	15.75	1.1971
15:12:08	56.49	137.83	12.4250	1.0943	15.78	1.1982
15:12:38	56.49	137.84	12.4333	1.0946	15.77	1.1978
15:14:38	56.49	137.84	12.4667	1.0958	15.77	1.1978
15:15:38	56.57	137.84	12.4833	1.0963	15.77	1.1978
15:16:38	56.49	137.82	12.5000	1.0969	15.79	1.1984
15:18:38	56.49	137.83	12.5333	1.0981	15.78	1.1980
15:20:38	56.49	137.88	12.5667	1.0992	15.73	1.1968
15:22:38	56.57	137.89	12.6000	1.1004	15.72	1.1964
15:23:38	56.49	137.91	12.6167	1.1009	15.70	1.1960
15:25:38	56.49	137.88	12.6500	1.1021	15.73	1.1968
15:26:08	56.49	137.86	12.6583	1.1024	15.75	1.1972
15:28:08	56.49	137.89	12.6917	1.1035	15.72	1.1964
15:29:08	56.49	137.90	12.7083	1.1041	15.71	1.1963
15:29:38	56.49	137.90	12.7167	1.1044	15.71	1.1961
15:31:38	56.49	137.86	12.7500	1.1055	15.75	1.1972
15:32:08	56.49	137.87	12.7583	1.1058	15.74	1.1970
15:34:08	56.49	137.84	12.7917	1.1069	15.77	1.1978
15:34:38	56.49	137.83	12.8000	1.1072	15.78	1.1982
15:36:38	56.49	137.81	12.8333	1.1083	15.80	1.1987
15:37:38	56.57	137.80	12.8500	1.1089	15.81	1.1990
15:41:38	56.57	137.81	12.9167	1.1112	15.80	1.1987
15:43:38	56.49	137.77	12.9500	1.1123	15.84	1.1997

TIME 03-OCT-83	SDT degC	SDF bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
15:45:38	56.49	137.77	12.9833	1.1134	15.84	1.1997
15:46:38	56.57	137.81	13.0000	1.1139	15.80	1.1988
15:48:38	56.57	137.83	13.0333	1.1151	15.78	1.1980
15:52:38	56.57	137.83	13.1000	1.1173	15.78	1.1981
15:56:38	56.57	137.85	13.1667	1.1195	15.76	1.1975
15:58:38	56.57	137.86	13.2000	1.1206	15.75	1.1973
15:59:38	56.57	137.82	13.2167	1.1211	15.79	1.1984
16:00:38	56.49	137.80	13.2333	1.1217	15.81	1.1989
16:01:38	56.57	137.76	13.2500	1.1222	15.85	1.1999
16:02:38	56.49	137.74	13.2667	1.1228	15.87	1.2006
16:03:08	56.57	137.74	13.2750	1.1230	15.87	1.2006
16:03:38	56.49	137.71	13.2833	1.1233	15.90	1.2013
16:07:38	56.57	137.70	13.3500	1.1255	15.91	1.2018
16:08:38	56.49	137.67	13.3667	1.1260	15.94	1.2024
16:09:38	56.49	137.67	13.3833	1.1266	15.94	1.2024
16:10:08	56.49	137.68	13.3917	1.1268	15.93	1.2021
16:14:08	56.57	137.67	13.4583	1.1290	15.94	1.2024
16:18:08	56.57	137.71	13.5250	1.1311	15.90	1.2015
16:19:08	56.57	137.72	13.5417	1.1317	15.89	1.2010
16:19:38	56.57	137.73	13.5500	1.1319	15.88	1.2010
16:20:38	56.57	137.75	13.5667	1.1325	15.86	1.2002
16:22:38	56.49	137.74	13.6000	1.1335	15.87	1.2006
16:23:38	56.49	137.74	13.6167	1.1341	15.87	1.2006
16:24:38	56.49	137.72	13.6333	1.1346	15.89	1.2011
16:25:08	56.57	137.72	13.6417	1.1349	15.89	1.2011
16:26:08	56.57	137.69	13.6583	1.1354	15.92	1.2020
16:28:08	56.57	137.66	13.6917	1.1365	15.95	1.2028
16:30:08	56.49	137.66	13.7250	1.1375	15.95	1.2027
16:30:38	56.57	137.64	13.7333	1.1378	15.97	1.2034
16:31:38	56.49	137.63	13.7500	1.1383	15.98	1.2035
16:32:08	56.57	137.63	13.7583	1.1386	15.98	1.2036
16:34:08	56.49	137.67	13.7917	1.1396	15.94	1.2026
16:35:08	56.49	137.69	13.8083	1.1401	15.92	1.2020
16:35:38	56.57	137.70	13.8167	1.1404	15.91	1.2018
16:37:38	56.57	137.68	13.8500	1.1414	15.93	1.2023
16:39:38	56.57	137.72	13.8833	1.1425	15.89	1.2010
16:40:38	56.49	137.75	13.9000	1.1430	15.86	1.2004
16:41:08	56.57	137.73	13.9083	1.1433	15.88	1.2008
16:43:08	56.57	137.73	13.9417	1.1443	15.88	1.2009
16:45:08	56.57	137.67	13.9750	1.1454	15.94	1.2024
16:47:08	56.49	137.66	14.0083	1.1464	15.95	1.2028
16:48:08	56.57	137.64	14.0250	1.1469	15.97	1.2033
16:49:08	56.49	137.65	14.0417	1.1474	15.96	1.2031
16:50:08	56.57	137.69	14.0583	1.1479	15.92	1.2020
16:51:08	56.57	137.68	14.0750	1.1484	15.93	1.2021
16:51:38	56.57	137.69	14.0833	1.1487	15.92	1.2020
16:52:38	56.57	137.68	14.1000	1.1492	15.93	1.2022
16:53:08	56.57	137.67	14.1083	1.1495	15.94	1.2025
16:55:08	56.57	137.60	14.1417	1.1505	16.01	1.2044
16:59:08	56.57	137.54	14.2083	1.1525	16.07	1.2061
17:00:08	56.57	137.54	14.2250	1.1531	16.07	1.2059
17:00:38	56.57	137.56	14.2333	1.1533	16.05	1.2056
17:01:38	56.57	137.53	14.2500	1.1538	16.08	1.2064
17:09:38	56.57	137.52	14.3833	1.1579	16.09	1.2066
17:10:38	56.49	137.54	14.4000	1.1584	16.07	1.2060
17:12:38	56.57	137.56	14.4333	1.1594	16.05	1.2055
17:13:38	56.57	137.57	14.4500	1.1599	16.04	1.2053
17:14:08	56.57	137.58	14.4583	1.1601	16.03	1.2050
17:16:08	56.57	137.58	14.4917	1.1611	16.03	1.2050
17:17:08	56.49	137.57	14.5083	1.1616	16.04	1.2051
17:18:08	56.49	137.60	14.5250	1.1621	16.01	1.2044

[332] T0=03-OCT-83 02:46:38

P0=153.61

page 25

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
17:18:38	56.57	137.59	14.5333	1.1624	16.02	1.2046
17:20:38	56.57	137.59	14.5667	1.1634	16.02	1.2046
17:22:38	56.57	137.55	14.6000	1.1644	16.06	1.2056
17:26:38	56.57	137.60	14.6667	1.1663	16.01	1.2043
17:28:38	56.57	137.59	14.7000	1.1673	16.02	1.2048
17:29:38	56.57	137.58	14.7167	1.1678	16.03	1.2049
17:30:00	56.57	137.57	14.7250	1.1681	16.04	1.2052
17:30:38	56.49	137.54	14.7333	1.1683	16.07	1.2060
17:31:38	56.57	137.55	14.7500	1.1688	16.06	1.2056
17:32:38	56.57	137.53	14.7667	1.1693	16.08	1.2062
17:33:38	56.49	137.53	14.7833	1.1698	16.08	1.2062
17:34:38	56.57	137.51	14.8000	1.1703	16.10	1.2069
17:35:38	56.57	137.53	14.8167	1.1708	16.08	1.2063
17:39:38	56.57	137.53	14.8833	1.1727	16.08	1.2063
17:41:38	56.57	137.52	14.9167	1.1737	16.09	1.2067
17:45:38	56.57	137.54	14.9833	1.1756	16.07	1.2061
17:47:38	56.57	137.55	15.0167	1.1766	16.06	1.2058
17:51:38	56.57	137.55	15.0833	1.1785	16.06	1.2059
17:52:38	56.57	137.53	15.1000	1.1790	16.08	1.2063
17:53:38	56.49	137.49	15.1167	1.1795	16.12	1.2073
17:55:38	56.49	137.48	15.1500	1.1804	16.13	1.2075
17:57:38	56.57	137.52	15.1833	1.1814	16.09	1.2066
17:58:00	56.57	137.53	15.1917	1.1816	16.08	1.2062
18:00:00	56.49	137.52	15.2250	1.1826	16.09	1.2067
18:00:38	56.49	137.52	15.2333	1.1828	16.09	1.2064
18:01:00	56.57	137.44	15.2417	1.1830	16.17	1.2087
18:01:38	56.57	137.38	15.2500	1.1833	16.23	1.2102
18:02:00	56.57	137.56	15.2583	1.1835	16.05	1.2056
18:02:38	56.57	137.95	15.2667	1.1837	15.66	1.1948
18:03:00	56.57	139.49	15.2750	1.1840	14.12	1.1497
18:03:38	56.65	142.13	15.2833	1.1842	11.48	1.0598
18:04:00	56.65	143.38	15.2917	1.1845	10.23	1.0098
18:04:38	56.65	143.91	15.3000	1.1847	9.70	0.9869
18:05:00	56.74	144.11	15.3083	1.1849	9.50	0.9776
18:05:38	56.74	144.19	15.3167	1.1852	9.42	0.9741
18:06:00	56.82	144.23	15.3250	1.1854	9.38	0.9721
18:06:38	56.91	144.39	15.3333	1.1856	9.22	0.9647
18:07:00	56.99	148.41	15.3417	1.1859	5.20	0.7161
18:07:38	57.08	150.71	15.3500	1.1861	2.90	0.4631
18:08:00	57.16	151.33	15.3583	1.1863	2.28	0.3578
18:08:38	57.25	151.52	15.3667	1.1866	2.09	0.3192
18:09:00	57.33	151.62	15.3750	1.1868	1.99	0.2979
18:10:00	57.50	151.73	15.3917	1.1873	1.88	0.2735

CLOSED IN WELL FOR BUILD UP

[336] T0=03-OCT-83 18:10:38

P0=152.93 FT=014:16:00

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)	L(Horn)
18:10:38	57.59	152.93	0.0000	-5.0000	0.00	-2.8079	6.1543
18:11:00	57.76	155.57	0.0083	-2.0792	2.64	0.4223	3.2338
18:11:38	57.84	155.64	0.0167	-1.7782	2.71	0.4337	2.9330
18:13:38	58.18	155.65	0.0500	-1.3010	2.73	0.4354	2.4569
18:14:38	58.35	155.65	0.0667	-1.1761	2.72	0.4345	2.3324
18:15:38	58.44	155.66	0.0833	-1.0792	2.73	0.4359	2.2360
18:19:38	58.69	155.62	0.1500	-0.8239	2.69	0.4294	1.9828
18:23:38	58.69	155.59	0.2167	-0.6642	2.66	0.4246	1.8251
18:25:38	58.61	155.57	0.2500	-0.6021	2.64	0.4218	1.7639
18:26:38	58.61	155.56	0.2667	-0.5740	2.63	0.4208	1.7364
18:27:00	58.52	155.57	0.2750	-0.5607	2.64	0.4212	1.7233
18:31:00	58.35	155.54	0.3417	-0.4664	2.61	0.4164	1.6310
19:03:00	56.99	155.54	0.8750	-0.0580	2.61	0.4161	1.2382

TIME 03-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)	L(Horn)
20:07:08	55.38	155.54	1.9417	0.2882	2.61	0.4170	0.9216
21:11:08	54.44	155.53	3.0083	0.4783	2.60	0.4147	0.7591
21:43:08	54.19	155.52	3.5417	0.5492	2.59	0.4132	0.7014
21:59:08	54.02	155.52	3.8083	0.5807	2.59	0.4140	0.6763
22:03:08	53.93	155.53	3.8750	0.5883	2.60	0.4143	0.6704
22:07:08	54.02	155.52	3.9417	0.5957	2.59	0.4126	0.6646
22:11:08	53.93	155.53	4.0083	0.6030	2.60	0.4156	0.6589
22:15:08	53.93	155.53	4.0750	0.6101	2.60	0.4142	0.6533
22:19:08	53.93	155.53	4.1417	0.6172	2.60	0.4157	0.6478
22:21:08	53.93	155.52	4.1750	0.6207	2.59	0.4140	0.6451
22:29:08	53.85	155.53	4.3083	0.6343	2.60	0.4153	0.6346
22:45:08	53.76	155.52	4.5750	0.6604	2.59	0.4141	0.6147
22:53:08	53.68	155.53	4.7083	0.6729	2.60	0.4150	0.6053
23:57:08	53.42	155.53	5.7750	0.7616	2.60	0.4148	0.5404
23:59:08	53.34	155.52	5.8083	0.7641	2.59	0.4125	0.5386
00:00:08	53.34	155.52	5.8250	0.7653	2.59	0.4139	0.5377
00:00:08	53.34	155.52	5.9583	0.7751	2.59	0.4130	0.5308
00:12:08	53.25	155.52	6.0250	0.7800	2.59	0.4127	0.5274
00:13:08	53.25	155.51	6.0417	0.7812	2.58	0.4115	0.5265
00:13:38	53.25	155.50	6.0500	0.7818	2.57	0.4104	0.5261
00:14:08	53.25	155.51	6.0583	0.7824	2.58	0.4124	0.5257
01:18:08	53.00	155.52	7.1250	0.8528	2.59	0.4132	0.4775
01:50:08	52.91	155.52	7.6583	0.8841	2.59	0.4133	0.4568
01:54:08	52.91	155.52	7.7250	0.8879	2.59	0.4126	0.4544
01:55:08	53.00	155.52	7.7417	0.8888	2.59	0.4141	0.4538
01:55:38	52.91	154.76	7.7500	0.8893	1.83	0.2624	0.4534
01:56:08	52.83	155.49	7.7583	0.8898	2.56	0.4079	0.4531

OPEN WELL ON 28/64" ADJUSTABLE CHOKE

[268] T0=04-OCT-83 01:57:08

P0=155.49

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
01:57:08	52.91	153.94	0.0000	-5.0000	1.55	0.1890
01:57:38	52.91	153.90	0.0083	-2.0792	1.59	0.2017
01:58:08	52.91	153.17	0.0167	-1.7782	2.32	0.3651
01:58:38	53.00	153.14	0.0250	-1.6021	2.35	0.3708
01:59:08	53.00	153.28	0.0333	-1.4771	2.21	0.3443
01:59:38	53.08	152.88	0.0417	-1.3802	2.61	0.4171
02:00:08	53.25	152.58	0.0500	-1.3010	2.91	0.4637
02:00:38	53.42	152.41	0.0583	-1.2341	3.08	0.4889
02:01:08	53.51	152.30	0.0667	-1.1761	3.19	0.5036
02:01:38	53.76	151.95	0.0750	-1.1249	3.54	0.5494
02:02:08	54.02	152.81	0.0833	-1.0792	2.68	0.4281
02:02:38	54.19	153.02	0.0917	-1.0378	2.47	0.3930
02:03:38	54.61	153.01	0.1083	-0.9652	2.48	0.3948
02:04:08	54.87	152.98	0.1167	-0.9331	2.51	0.4003
02:04:38	54.96	152.91	0.1250	-0.9031	2.58	0.4113
02:06:38	55.81	152.58	0.1583	-0.8004	2.91	0.4644
02:07:38	56.06	152.38	0.1750	-0.7570	3.11	0.4922
02:08:08	56.23	152.28	0.1833	-0.7368	3.21	0.5071
02:09:08	56.49	152.09	0.2000	-0.6990	3.40	0.5311
02:09:38	56.65	152.02	0.2083	-0.6812	3.47	0.5399
02:10:08	56.82	151.97	0.2167	-0.6642	3.52	0.5464
02:10:38	56.91	151.96	0.2250	-0.6478	3.53	0.5480
02:11:08	56.99	152.00	0.2333	-0.6320	3.49	0.5426
02:12:08	57.16	152.14	0.2500	-0.6021	3.35	0.5247
02:13:08	57.42	152.35	0.2667	-0.5740	3.14	0.4967
02:13:38	57.50	152.43	0.2750	-0.5607	3.06	0.4861
02:14:38	57.59	152.52	0.2917	-0.5351	2.97	0.4734
02:15:08	57.76	152.54	0.3000	-0.5229	2.95	0.4694
02:16:08	57.93	152.55	0.3167	-0.4994	2.94	0.4690

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
02:17:08	58.01	152.58	0.3333	-0.4771	2.91	0.4641
02:19:08	58.18	152.60	0.3667	-0.4357	2.89	0.4606
02:20:08	58.27	152.62	0.3833	-0.4164	2.87	0.4586
02:20:38	58.35	152.63	0.3917	-0.4071	2.86	0.4565
02:21:08	58.35	152.57	0.4000	-0.3979	2.92	0.4647
02:22:08	58.44	152.39	0.4167	-0.3802	3.10	0.4915
02:22:38	58.44	152.30	0.4250	-0.3716	3.19	0.5036
02:23:08	58.44	152.27	0.4333	-0.3632	3.22	0.5083
02:23:38	58.52	152.28	0.4417	-0.3549	3.21	0.5069
02:24:08	58.52	152.32	0.4500	-0.3468	3.17	0.5013
02:26:08	58.61	152.57	0.4833	-0.3158	2.92	0.4658
02:26:38	58.69	152.63	0.4917	-0.3083	2.86	0.4570
02:27:08	58.61	152.65	0.5000	-0.3010	2.84	0.4536
02:28:08	58.69	152.66	0.5167	-0.2868	2.83	0.4524
02:29:08	58.78	152.60	0.5333	-0.2730	2.89	0.4607
02:29:38	58.78	152.56	0.5417	-0.2663	2.93	0.4672
02:31:38	58.78	152.33	0.5750	-0.2403	3.16	0.5003
02:32:38	58.78	152.18	0.5917	-0.2279	3.31	0.5193
02:33:38	58.86	152.07	0.6083	-0.2159	3.42	0.5340
02:34:38	58.86	151.97	0.6250	-0.2041	3.52	0.5462
02:35:38	58.86	151.91	0.6417	-0.1927	3.58	0.5544
02:37:38	58.94	151.85	0.6750	-0.1707	3.64	0.5615
02:38:08	58.94	151.85	0.6833	-0.1654	3.64	0.5607
02:42:08	59.03	152.04	0.7500	-0.1249	3.45	0.5373
02:43:08	59.03	152.06	0.7667	-0.1154	3.43	0.5352
02:43:38	58.94	152.05	0.7750	-0.1107	3.44	0.5363
02:44:38	59.03	152.09	0.7917	-0.1015	3.40	0.5310
02:46:38	59.03	152.43	0.8250	-0.0835	3.06	0.4851
02:47:38	59.03	152.56	0.8417	-0.0749	2.93	0.4676
02:48:38	59.11	152.64	0.8583	-0.0663	2.85	0.4555
02:49:38	59.11	152.67	0.8750	-0.0580	2.82	0.4506
02:50:38	59.11	152.67	0.8917	-0.0498	2.82	0.4507
02:51:08	59.11	152.66	0.9000	-0.0458	2.83	0.4519
02:53:08	59.11	152.55	0.9333	-0.0300	2.94	0.4677
02:54:08	59.11	152.50	0.9500	-0.0223	2.99	0.4754
02:55:08	59.11	152.43	0.9667	-0.0147	3.06	0.4853
02:56:08	59.20	152.38	0.9833	-0.0073	3.11	0.4921
02:57:08	59.11	152.35	1.0000	0.0000	3.14	0.4963
02:59:08	59.20	152.34	1.0333	0.0142	3.15	0.4978
02:59:38	59.20	152.33	1.0417	0.0177	3.16	0.4993
03:01:38	59.20	152.35	1.0750	0.0314	3.14	0.4974
03:05:38	59.20	152.46	1.1417	0.0575	3.03	0.4818
03:07:38	59.20	152.49	1.1750	0.0700	3.00	0.4767
03:09:38	59.20	152.51	1.2083	0.0822	2.98	0.4741
03:10:38	59.28	152.53	1.2250	0.0881	2.96	0.4712
03:12:38	59.28	152.54	1.2583	0.0998	2.95	0.4703
03:13:38	59.20	152.54	1.2750	0.1055	2.95	0.4703
03:14:38	59.28	152.51	1.2917	0.1112	2.98	0.4738
03:16:38	59.28	152.49	1.3250	0.1222	3.00	0.4775
03:17:38	59.28	152.45	1.3417	0.1276	3.04	0.4828
03:21:38	59.20	152.41	1.4083	0.1487	3.08	0.4890
03:25:38	59.28	152.40	1.4750	0.1688	3.09	0.4907
03:27:38	59.28	152.41	1.5083	0.1785	3.08	0.4888
03:28:38	59.28	152.42	1.5250	0.1833	3.07	0.4869
03:29:08	59.28	152.42	1.5333	0.1856	3.07	0.4866
03:29:38	59.28	152.44	1.5417	0.1880	3.05	0.4837
03:30:38	59.20	152.45	1.5583	0.1927	3.04	0.4835
03:31:08	59.28	152.46	1.5667	0.1950	3.03	0.4816
03:32:08	59.37	152.53	1.5833	0.1996	2.96	0.4716
03:36:08	59.37	152.70	1.6500	0.2175	2.79	0.4452
03:38:08	59.37	152.78	1.6833	0.2262	2.71	0.4330
03:40:08	59.28	152.79	1.7167	0.2347	2.70	0.4310

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
03:41:08	59.37	152.79	1.7333	0.2389	2.70	0.4308
03:42:08	59.37	152.74	1.7500	0.2430	2.75	0.4387
03:43:08	59.37	152.68	1.7667	0.2472	2.81	0.4491
03:45:08	59.37	152.50	1.8000	0.2553	2.99	0.4755
03:46:08	59.37	152.42	1.8167	0.2593	3.07	0.4866
03:47:08	59.37	152.33	1.8333	0.2632	3.16	0.4998
03:48:08	59.37	152.25	1.8500	0.2672	3.24	0.5103
03:49:08	59.37	152.20	1.8667	0.2711	3.29	0.5167
03:49:38	59.37	152.19	1.8750	0.2730	3.30	0.5190
03:50:38	59.37	152.24	1.8917	0.2768	3.25	0.5119
03:51:38	59.28	152.34	1.9083	0.2807	3.15	0.4990
03:52:08	59.28	152.37	1.9167	0.2825	3.12	0.4939
03:52:38	59.37	152.39	1.9250	0.2844	3.10	0.4912
03:54:38	59.37	152.33	1.9583	0.2919	3.16	0.4990
03:55:38	59.28	152.39	1.9750	0.2956	3.10	0.4916
03:57:38	59.37	152.62	2.0083	0.3028	2.87	0.4577
03:58:38	59.28	152.70	2.0250	0.3064	2.79	0.4459
04:00:38	59.37	152.81	2.0583	0.3135	2.68	0.4286
04:01:38	59.37	152.78	2.0750	0.3170	2.71	0.4329
04:02:38	59.37	152.72	2.0917	0.3205	2.77	0.4428
04:03:08	59.37	152.69	2.1000	0.3222	2.80	0.4468
04:04:08	59.37	152.60	2.1167	0.3257	2.89	0.4603
04:06:08	59.28	152.38	2.1500	0.3324	3.11	0.4932
04:08:08	59.37	152.13	2.1833	0.3391	3.36	0.5264
04:08:38	59.28	152.08	2.1917	0.3408	3.41	0.5324
04:09:08	59.45	152.07	2.2000	0.3424	3.42	0.5336
04:09:38	59.28	152.10	2.2083	0.3441	3.39	0.5296
04:10:38	59.28	152.24	2.2250	0.3473	3.25	0.5123
04:11:38	59.37	152.41	2.2417	0.3506	3.08	0.4880
04:12:08	59.37	152.59	2.2500	0.3522	2.90	0.4623
04:12:38	59.37	152.80	2.2583	0.3538	2.69	0.4292
04:13:08	59.37	153.09	2.2667	0.3554	2.40	0.3800
04:13:38	59.37	153.36	2.2750	0.3570	2.13	0.3284
04:14:08	59.37	153.54	2.2833	0.3586	1.95	0.2901
04:14:38	59.37	153.36	2.2917	0.3602	2.13	0.3284
04:15:08	59.37	152.85	2.3000	0.3617	2.64	0.4215
04:15:38	59.37	152.54	2.3083	0.3633	2.95	0.4697
04:16:08	59.37	152.40	2.3167	0.3649	3.09	0.4903
04:16:38	59.37	152.34	2.3250	0.3664	3.15	0.4976
04:17:08	59.37	152.35	2.3333	0.3680	3.14	0.4974
04:18:08	59.37	152.41	2.3500	0.3711	3.08	0.4889
04:18:38	59.37	152.45	2.3583	0.3726	3.04	0.4828
04:19:38	59.37	152.51	2.3750	0.3757	2.98	0.4738
04:20:38	59.45	152.54	2.3917	0.3787	2.95	0.4699
04:21:38	59.45	152.50	2.4083	0.3817	2.99	0.4761
04:22:38	59.37	152.43	2.4250	0.3847	3.06	0.4862
04:24:38	59.37	152.23	2.4583	0.3906	3.26	0.5134
04:25:38	59.37	152.11	2.4750	0.3936	3.38	0.5294
04:26:38	59.37	152.00	2.4917	0.3965	3.49	0.5425
04:27:08	59.37	151.97	2.5000	0.3979	3.52	0.5463
04:27:38	59.37	151.99	2.5083	0.3994	3.50	0.5439
04:28:08	59.37	152.04	2.5167	0.4008	3.45	0.5379
04:28:38	59.37	152.15	2.5250	0.4023	3.34	0.5236
04:29:08	59.37	152.23	2.5333	0.4037	3.26	0.5130
04:29:38	59.37	152.20	2.5417	0.4051	3.29	0.5168
04:30:08	59.37	152.16	2.5500	0.4065	3.33	0.5228
04:31:08	59.37	152.29	2.5667	0.4094	3.20	0.5046
04:31:38	59.45	152.38	2.5750	0.4108	3.11	0.4925
04:32:38	59.37	152.33	2.5917	0.4136	3.16	0.5003
04:33:08	59.37	152.29	2.6000	0.4150	3.20	0.5054
04:33:38	59.37	152.29	2.6083	0.4164	3.20	0.5054
04:34:38	59.37	152.38	2.6250	0.4191	3.11	0.4925

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
04:35:38	59.37	152.45	2.6417	0.4219	3.04	0.4828
04:37:38	59.37	152.47	2.6750	0.4273	3.02	0.4806
04:38:38	59.45	152.44	2.6917	0.4300	3.05	0.4848
04:39:38	59.37	152.38	2.7083	0.4327	3.11	0.4926
04:40:38	59.37	152.31	2.7250	0.4354	3.18	0.5027
04:41:08	59.37	152.30	2.7333	0.4367	3.19	0.5040
04:42:08	59.37	152.33	2.7500	0.4393	3.16	0.4990
04:43:08	59.37	152.30	2.7667	0.4420	3.19	0.5034
04:45:08	59.37	152.34	2.8000	0.4472	3.15	0.4989
04:47:08	59.45	152.27	2.8333	0.4523	3.22	0.5082
04:47:38	59.37	152.26	2.8417	0.4536	3.23	0.5093
04:48:38	59.37	152.31	2.8583	0.4561	3.18	0.5019
04:49:38	59.45	152.43	2.8750	0.4586	3.06	0.4850
04:50:08	59.37	152.51	2.8833	0.4599	2.98	0.4749
04:51:08	59.37	152.62	2.9000	0.4624	2.87	0.4585
04:51:38	59.37	152.66	2.9083	0.4636	2.83	0.4514
04:52:38	59.37	152.72	2.9250	0.4661	2.77	0.4425
04:53:08	59.37	152.74	2.9333	0.4674	2.75	0.4387
04:55:08	59.37	152.77	2.9667	0.4723	2.72	0.4342
04:56:08	59.45	152.76	2.9833	0.4747	2.73	0.4356
04:56:38	59.45	152.74	2.9917	0.4759	2.75	0.4401
04:57:08	59.45	152.69	3.0000	0.4771	2.80	0.4472
04:58:08	59.45	152.53	3.0167	0.4795	2.96	0.4711
04:59:08	59.45	152.40	3.0333	0.4819	3.09	0.4903
04:59:38	59.45	152.37	3.0417	0.4831	3.12	0.4942
05:00:08	59.45	152.36	3.0500	0.4843	3.13	0.4957
05:00:38	59.45	152.37	3.0583	0.4855	3.12	0.4948
05:01:38	59.37	152.32	3.0750	0.4878	3.17	0.5007
05:02:38	59.37	152.31	3.0917	0.4902	3.18	0.5024
05:03:38	59.37	152.32	3.1083	0.4925	3.17	0.5009
05:04:08	59.45	152.34	3.1167	0.4937	3.15	0.4985
05:06:08	59.45	152.34	3.1500	0.4983	3.15	0.4988
05:07:08	59.45	152.38	3.1667	0.5006	3.11	0.4932
05:08:08	59.45	152.39	3.1833	0.5029	3.10	0.4910
05:10:08	59.45	152.48	3.2167	0.5074	3.01	0.4782
05:12:08	59.45	152.52	3.2500	0.5119	2.97	0.4724
05:12:38	59.45	152.53	3.2583	0.5130	2.96	0.4720
05:13:38	59.45	152.50	3.2750	0.5152	2.99	0.4752
05:14:08	59.45	152.48	3.2833	0.5163	3.01	0.4779
05:15:08	59.45	152.42	3.3000	0.5185	3.07	0.4878
05:15:38	59.45	152.38	3.3083	0.5196	3.11	0.4927
05:16:08	59.37	152.32	3.3167	0.5207	3.17	0.5009
05:16:38	59.37	152.31	3.3250	0.5218	3.18	0.5028
05:17:08	59.45	152.32	3.3333	0.5229	3.17	0.5011
05:18:08	59.45	152.40	3.3500	0.5250	3.09	0.4893
05:18:38	59.45	152.46	3.3583	0.5261	3.03	0.4811
05:19:08	59.45	152.46	3.3667	0.5272	3.03	0.4815
05:20:08	59.45	152.40	3.3833	0.5293	3.09	0.4893
05:22:08	59.45	152.43	3.4167	0.5336	3.06	0.4860
05:22:38	59.45	152.46	3.4250	0.5347	3.03	0.4808
05:23:38	59.45	152.56	3.4417	0.5368	2.93	0.4666
05:24:08	59.37	152.59	3.4500	0.5378	2.90	0.4623
05:24:38	59.45	152.61	3.4583	0.5389	2.88	0.4601
05:25:38	59.45	152.59	3.4750	0.5410	2.90	0.4625
05:27:38	59.54	152.47	3.5083	0.5451	3.02	0.4796
05:28:38	59.45	152.39	3.5250	0.5472	3.10	0.4910
05:29:38	59.37	152.29	3.5417	0.5492	3.20	0.5047
05:30:08	59.45	152.27	3.5500	0.5502	3.22	0.5073
05:30:38	59.45	152.32	3.5583	0.5512	3.17	0.5009
05:31:38	59.45	152.37	3.5750	0.5533	3.12	0.4940
05:33:38	59.45	152.40	3.6083	0.5573	3.09	0.4904
05:35:38	59.45	152.40	3.6417	0.5613	3.09	0.4899

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
05:39:38	59.45	152.50	3.7083	0.5692	2.99	0.4750
05:41:38	59.45	152.55	3.7417	0.5731	2.94	0.4680
05:42:38	59.45	152.58	3.7583	0.5750	2.91	0.4638
05:43:38	59.45	152.59	3.7750	0.5769	2.90	0.4622
05:44:08	59.54	152.62	3.7833	0.5779	2.87	0.4584
05:45:08	59.45	152.61	3.8000	0.5798	2.88	0.4594
05:45:38	59.54	152.62	3.8083	0.5807	2.87	0.4580
05:46:08	59.54	152.61	3.8167	0.5817	2.88	0.4598
05:48:08	59.45	152.62	3.8500	0.5855	2.87	0.4579
05:56:08	59.45	152.61	3.9833	0.6002	2.88	0.4598
05:58:08	59.45	152.58	4.0167	0.6039	2.91	0.4637
06:00:08	59.54	152.58	4.0500	0.6075	2.91	0.4635
06:02:08	59.45	152.63	4.0833	0.6110	2.86	0.4562
06:03:08	59.45	152.65	4.1000	0.6128	2.84	0.4528
06:07:08	59.45	152.69	4.1667	0.6198	2.80	0.4476
06:09:08	59.54	152.70	4.2000	0.6232	2.79	0.4455
06:11:08	59.45	152.72	4.2333	0.6267	2.77	0.4421
06:15:08	59.45	152.75	4.3000	0.6335	2.74	0.4382
06:19:08	59.54	152.81	4.3667	0.6402	2.68	0.4277
06:21:08	59.54	152.87	4.4000	0.6435	2.62	0.4183
06:23:08	59.54	152.91	4.4333	0.6467	2.58	0.4123
06:24:08	59.54	152.92	4.4500	0.6484	2.57	0.4092
06:24:38	59.54	152.94	4.4583	0.6492	2.55	0.4062
06:28:38	59.54	152.92	4.5250	0.6556	2.57	0.4098
06:30:38	59.54	152.89	4.5583	0.6588	2.60	0.4157
06:31:38	59.54	152.85	4.5750	0.6604	2.64	0.4223
06:33:38	59.54	152.82	4.6083	0.6635	2.67	0.4265
06:34:38	59.62	152.80	4.6250	0.6651	2.69	0.4291
06:38:38	59.54	152.57	4.6917	0.6713	2.92	0.4661
06:39:38	59.54	152.49	4.7083	0.6729	3.00	0.4771
06:41:38	59.54	152.51	4.7417	0.6759	2.98	0.4742
06:42:38	59.54	152.54	4.7583	0.6775	2.95	0.4694
06:43:08	59.54	152.55	4.7667	0.6782	2.94	0.4676
06:43:38	59.54	152.55	4.7750	0.6790	2.94	0.4687
06:44:38	59.54	152.50	4.7917	0.6805	2.99	0.4760
06:45:08	59.54	152.50	4.8000	0.6812	2.99	0.4757
06:46:08	59.54	152.45	4.8167	0.6827	3.04	0.4824
06:46:38	59.45	152.44	4.8250	0.6835	3.05	0.4839
06:47:08	59.54	152.46	4.8333	0.6842	3.03	0.4817
06:48:08	59.54	152.45	4.8500	0.6857	3.04	0.4834
06:48:38	59.54	152.26	4.8583	0.6865	3.23	0.5087
06:49:08	59.45	149.11	4.8667	0.6872	6.38	0.8045
06:49:38	59.45	147.56	4.8750	0.6880	7.93	0.8990
06:50:08	59.45	146.81	4.8833	0.6887	8.68	0.9385
06:50:38	59.37	146.38	4.8917	0.6895	9.11	0.9596
06:51:08	59.37	146.13	4.9000	0.6902	9.36	0.9711
06:51:38	59.28	145.97	4.9083	0.6909	9.52	0.9785
06:52:08	59.28	145.89	4.9167	0.6917	9.60	0.9823
06:53:08	59.11	145.77	4.9333	0.6931	9.72	0.9876
06:54:08	59.03	145.76	4.9500	0.6946	9.73	0.9880
06:54:38	58.94	145.73	4.9583	0.6953	9.76	0.9894
06:55:38	58.94	145.80	4.9750	0.6968	9.69	0.9862
06:56:08	58.86	145.82	4.9833	0.6975	9.67	0.9856
06:57:08	58.69	145.76	5.0000	0.6990	9.73	0.9883
06:58:08	58.61	145.82	5.0167	0.7004	9.67	0.9855
07:00:08	58.52	145.79	5.0500	0.7033	9.70	0.9866
07:01:08	58.44	145.75	5.0667	0.7047	9.74	0.9885
07:02:08	58.44	145.74	5.0833	0.7061	9.75	0.9891
07:02:38	58.44	145.74	5.0917	0.7069	9.75	0.9891
07:03:08	58.44	145.75	5.1000	0.7076	9.74	0.9884
07:04:08	58.35	145.71	5.1167	0.7090	9.78	0.9903
07:04:38	58.35	145.72	5.1250	0.7097	9.77	0.9899

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
07:05:08	58.35	145.70	5.1333	0.7104	9.79	0.9909
07:06:08	58.35	145.69	5.1500	0.7118	9.80	0.9911
07:07:08	58.27	145.66	5.1667	0.7132	9.83	0.9925
07:08:08	58.27	145.69	5.1833	0.7146	9.80	0.9912
07:10:08	58.18	145.80	5.2167	0.7174	9.69	0.9863
07:11:08	58.27	145.87	5.2333	0.7188	9.62	0.9833
07:12:08	58.18	145.89	5.2500	0.7202	9.60	0.9823
07:13:08	58.18	145.88	5.2667	0.7215	9.61	0.9827
07:14:08	58.18	145.82	5.2833	0.7229	9.67	0.9856
07:14:38	58.18	145.78	5.2917	0.7236	9.71	0.9871
07:15:38	58.18	145.82	5.3083	0.7250	9.67	0.9852
07:16:08	58.18	145.85	5.3167	0.7256	9.64	0.9839
07:16:38	58.18	145.87	5.3250	0.7263	9.62	0.9833
07:17:08	58.18	145.86	5.3333	0.7270	9.63	0.9837
07:18:08	58.18	145.79	5.3500	0.7284	9.70	0.9869
07:19:08	58.18	145.85	5.3667	0.7297	9.64	0.9840
07:19:38	58.27	145.90	5.3750	0.7304	9.59	0.9816
07:20:08	58.18	145.92	5.3833	0.7311	9.57	0.9808
07:20:38	58.18	145.87	5.3917	0.7317	9.62	0.9831
07:21:38	58.18	145.87	5.4083	0.7331	9.62	0.9831
07:22:08	58.18	145.86	5.4167	0.7337	9.63	0.9836
07:24:08	58.27	145.91	5.4500	0.7364	9.58	0.9816
07:26:08	58.18	146.00	5.4833	0.7390	9.49	0.9774
07:28:08	58.18	146.00	5.5167	0.7417	9.49	0.9774
07:28:38	58.18	145.96	5.5250	0.7423	9.53	0.9790
07:29:38	58.18	145.92	5.5417	0.7436	9.57	0.9810
07:31:38	58.18	145.88	5.5750	0.7462	9.61	0.9828
07:32:38	58.18	145.86	5.5917	0.7475	9.63	0.9838
07:33:38	58.18	145.86	5.6083	0.7488	9.63	0.9836
07:34:08	58.27	145.88	5.6167	0.7495	9.61	0.9828
07:35:08	58.18	145.85	5.6333	0.7508	9.64	0.9839
07:37:08	58.27	145.90	5.6667	0.7533	9.59	0.9819
07:38:08	58.27	145.90	5.6833	0.7546	9.59	0.9820
07:38:38	58.18	145.87	5.6917	0.7552	9.62	0.9833
07:39:38	58.18	145.86	5.7083	0.7565	9.63	0.9837
07:40:38	58.27	145.83	5.7250	0.7578	9.66	0.9852
07:42:38	58.18	145.81	5.7583	0.7603	9.68	0.9860
07:43:38	58.27	145.84	5.7750	0.7616	9.65	0.9844
07:44:08	58.18	145.88	5.7833	0.7622	9.61	0.9825
07:44:38	58.18	145.89	5.7917	0.7628	9.60	0.9823
07:45:38	58.27	145.95	5.8083	0.7641	9.54	0.9797
07:46:08	58.27	145.96	5.8167	0.7647	9.53	0.9792
07:47:08	58.18	145.96	5.8333	0.7659	9.53	0.9793
07:48:08	58.18	145.94	5.8500	0.7672	9.55	0.9799
07:48:38	58.27	145.93	5.8583	0.7678	9.56	0.9806
07:49:38	58.27	145.95	5.8750	0.7690	9.54	0.9797
07:50:38	58.27	145.93	5.8917	0.7702	9.56	0.9804
07:51:38	58.27	145.96	5.9083	0.7715	9.53	0.9792
07:52:08	58.18	145.96	5.9167	0.7721	9.53	0.9791
07:53:08	58.27	145.93	5.9333	0.7733	9.56	0.9804
07:53:38	58.27	145.92	5.9417	0.7739	9.57	0.9809
07:55:38	58.27	145.82	5.9750	0.7763	9.67	0.9854
07:56:38	58.27	145.78	5.9917	0.7775	9.71	0.9871
07:57:08	58.27	145.78	6.0000	0.7782	9.71	0.9871
07:58:08	58.27	145.73	6.0167	0.7794	9.76	0.9894
08:00:08	58.27	145.68	6.0500	0.7818	9.82	0.9919
08:02:08	58.27	145.65	6.0833	0.7841	9.84	0.9932
08:02:38	58.27	145.63	6.0917	0.7847	9.86	0.9940
08:03:08	58.27	145.64	6.1000	0.7853	9.85	0.9936
08:05:08	58.27	145.60	6.1333	0.7877	9.89	0.9950
08:07:08	58.27	145.59	6.1667	0.7901	9.90	0.9955
08:08:08	58.18	145.56	6.1833	0.7912	9.93	0.9968

TIME 04-OCT-83	SDT degC	SDF bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
08:09:08	58.18	145.56	6.2000	0.7924	9.93	0.9970
08:13:08	58.18	145.49	6.2667	0.7970	10.00	0.9999
08:13:38	58.18	145.49	6.2750	0.7976	10.00	1.0001
08:14:38	58.18	145.51	6.2917	0.7988	9.98	0.9993
08:15:38	58.18	145.49	6.3083	0.7999	10.00	1.0000
08:17:38	58.18	145.50	6.3417	0.8022	9.99	0.9996
08:19:38	58.27	145.49	6.3750	0.8045	10.00	1.0001
08:21:38	58.27	145.45	6.4083	0.8067	10.04	1.0019
08:23:38	58.27	145.43	6.4417	0.8090	10.06	1.0025
08:25:38	58.27	145.39	6.4750	0.8112	10.10	1.0043
08:26:38	58.27	145.40	6.4917	0.8124	10.09	1.0037
08:27:08	58.18	145.40	6.5000	0.8129	10.09	1.0038
08:28:08	58.27	145.46	6.5167	0.8140	10.03	1.0015
08:32:08	58.27	145.49	6.5833	0.8184	10.00	1.0002
08:32:38	58.27	145.47	6.5917	0.8190	10.02	1.0008
08:33:08	58.27	145.44	6.6000	0.8195	10.05	1.0022
08:34:08	58.27	145.43	6.6167	0.8206	10.06	1.0027
08:34:38	58.27	145.43	6.6250	0.8212	10.06	1.0025
08:35:38	58.18	145.42	6.6417	0.8223	10.07	1.0032
08:36:38	58.27	145.43	6.6583	0.8234	10.06	1.0028
08:37:08	58.27	145.42	6.6667	0.8239	10.07	1.0031
08:37:38	58.27	145.43	6.6750	0.8245	10.06	1.0025
08:39:38	58.27	145.42	6.7083	0.8266	10.07	1.0030
08:40:38	58.27	145.44	6.7250	0.8277	10.05	1.0022
08:41:08	58.27	145.44	6.7333	0.8282	10.05	1.0022
08:43:08	58.27	145.39	6.7667	0.8304	10.10	1.0043
08:45:08	58.27	145.37	6.8000	0.8325	10.12	1.0051
08:45:38	58.27	145.36	6.8083	0.8330	10.13	1.0056
08:46:08	58.27	145.37	6.8167	0.8336	10.12	1.0051
08:48:08	58.27	145.39	6.8500	0.8357	10.10	1.0045
08:50:08	58.27	145.38	6.8833	0.8378	10.11	1.0047
08:50:38	58.27	145.38	6.8917	0.8383	10.11	1.0049
08:51:38	58.27	145.40	6.9083	0.8394	10.09	1.0037
08:52:08	58.27	145.42	6.9167	0.8399	10.07	1.0031
08:54:08	58.27	145.42	6.9500	0.8420	10.07	1.0030
08:56:08	58.27	145.44	6.9833	0.8441	10.05	1.0022
08:56:38	58.27	145.44	6.9917	0.8446	10.05	1.0020
08:57:08	58.27	145.43	7.0000	0.8451	10.06	1.0026
09:01:08	58.27	145.45	7.0667	0.8492	10.04	1.0018
09:03:08	58.27	145.43	7.1000	0.8513	10.06	1.0028
09:05:08	58.27	145.43	7.1333	0.8533	10.06	1.0027
09:06:08	58.27	145.44	7.1500	0.8543	10.05	1.0021
09:07:08	58.18	145.44	7.1667	0.8553	10.05	1.0024
09:08:08	58.35	145.47	7.1833	0.8563	10.02	1.0010
09:08:38	58.27	145.45	7.1917	0.8568	10.04	1.0017
09:09:08	58.27	145.46	7.2000	0.8573	10.03	1.0014
09:09:38	58.27	145.44	7.2083	0.8578	10.05	1.0021
09:10:08	58.27	145.44	7.2167	0.8583	10.05	1.0020
09:12:08	58.35	145.38	7.2500	0.8603	10.11	1.0048
09:13:08	58.27	145.36	7.2667	0.8613	10.13	1.0056
09:15:08	58.35	145.36	7.3000	0.8633	10.13	1.0056
09:16:08	58.27	145.37	7.3167	0.8643	10.12	1.0053
09:16:38	58.27	145.36	7.3250	0.8648	10.13	1.0056
09:18:38	58.35	145.39	7.3583	0.8668	10.10	1.0041
09:19:08	58.27	145.40	7.3667	0.8673	10.09	1.0037
09:21:08	58.35	145.40	7.4000	0.8692	10.09	1.0040
09:22:08	58.35	145.39	7.4167	0.8702	10.10	1.0045
09:22:38	58.27	145.37	7.4250	0.8707	10.12	1.0050
09:23:08	58.27	145.40	7.4333	0.8712	10.09	1.0041
09:24:08	58.27	145.33	7.4500	0.8722	10.16	1.0068
09:25:08	58.35	145.33	7.4667	0.8731	10.16	1.0067
09:25:38	58.27	145.35	7.4750	0.8736	10.14	1.0060

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
09:26:38	58.27	145.35	7.4917	0.8746	10.14	1.0062
09:28:38	58.27	145.42	7.5250	0.8765	10.07	1.0031
09:30:38	58.27	145.45	7.5583	0.8784	10.04	1.0017
09:31:38	58.35	145.47	7.5750	0.8794	10.02	1.0008
09:32:38	58.27	145.46	7.5917	0.8803	10.03	1.0014
09:33:08	58.27	145.45	7.6000	0.8808	10.04	1.0015
09:34:08	58.27	145.49	7.6167	0.8818	10.00	1.0000
09:35:08	58.27	145.49	7.6333	0.8827	10.00	1.0002
09:35:38	58.35	145.49	7.6417	0.8832	10.00	1.0001
09:36:38	58.27	145.53	7.6583	0.8841	9.96	0.9982
09:37:38	58.35	145.56	7.6750	0.8851	9.93	0.9971
09:38:38	58.35	145.61	7.6917	0.8860	9.88	0.9948
09:39:38	58.27	145.63	7.7083	0.8870	9.86	0.9938
09:40:38	58.35	145.62	7.7250	0.8879	9.87	0.9944
09:41:38	58.35	145.55	7.7417	0.8888	9.94	0.9974
09:43:38	58.44	145.37	7.7750	0.8907	10.12	1.0052
09:44:38	58.35	145.28	7.7917	0.8916	10.21	1.0090
09:45:38	58.35	145.27	7.8083	0.8926	10.22	1.0096
09:46:38	58.35	145.28	7.8250	0.8935	10.21	1.0090
09:48:38	58.35	145.40	7.8583	0.8953	10.09	1.0041
09:49:08	58.35	145.41	7.8667	0.8958	10.08	1.0033
09:50:08	58.35	145.43	7.8833	0.8967	10.06	1.0026
09:50:38	58.27	145.43	7.8917	0.8972	10.06	1.0026
09:51:08	58.35	145.46	7.9000	0.8976	10.03	1.0014
09:52:08	58.35	145.44	7.9167	0.8985	10.05	1.0020
09:53:08	58.35	145.45	7.9333	0.8995	10.04	1.0017
09:54:08	58.35	145.42	7.9500	0.9004	10.07	1.0030
09:54:38	58.27	145.42	7.9583	0.9008	10.07	1.0030
09:55:38	58.35	145.42	7.9750	0.9017	10.07	1.0032
09:56:38	58.27	145.44	7.9917	0.9026	10.05	1.0020
09:57:38	58.35	145.45	8.0083	0.9035	10.04	1.0016
09:58:38	58.27	145.42	8.0250	0.9044	10.07	1.0030
09:59:38	58.27	145.42	8.0417	0.9053	10.07	1.0032
10:00:38	58.35	145.44	8.0583	0.9062	10.05	1.0020
10:01:08	58.35	145.45	8.0667	0.9067	10.04	1.0016
10:03:08	58.35	145.44	8.1000	0.9085	10.05	1.0020
10:05:08	58.35	145.46	8.1333	0.9103	10.03	1.0014
10:06:08	58.35	145.48	8.1500	0.9112	10.01	1.0006
10:10:08	58.35	145.43	8.2167	0.9147	10.06	1.0026
10:11:08	58.35	145.43	8.2333	0.9156	10.06	1.0027
10:11:38	58.27	145.41	8.2417	0.9160	10.08	1.0033
10:12:08	58.35	145.43	8.2500	0.9165	10.06	1.0027
10:16:08	58.35	145.42	8.3167	0.9199	10.07	1.0031
10:17:08	58.35	145.45	8.3333	0.9208	10.04	1.0017
10:21:08	58.35	145.48	8.4000	0.9243	10.01	1.0003
10:23:08	58.35	145.45	8.4333	0.9260	10.04	1.0016
10:24:08	58.35	145.47	8.4500	0.9269	10.02	1.0007
10:24:38	58.35	145.49	8.4583	0.9273	10.00	0.9999
10:25:38	58.35	145.49	8.4750	0.9281	10.00	0.9999
10:26:08	58.35	145.50	8.4833	0.9286	9.99	0.9995
10:27:08	58.35	145.48	8.5000	0.9294	10.01	1.0006
10:28:08	58.44	145.49	8.5167	0.9303	10.00	1.0001
10:28:38	58.35	145.47	8.5250	0.9307	10.02	1.0007
10:29:08	58.35	145.49	8.5333	0.9311	10.00	1.0000
10:29:38	58.35	145.47	8.5417	0.9315	10.02	1.0008
10:31:38	58.35	145.48	8.5750	0.9332	10.01	1.0004
10:32:38	58.35	145.47	8.5917	0.9341	10.02	1.0007
10:33:38	58.44	145.49	8.6083	0.9349	10.00	0.9999
10:34:38	58.35	145.47	8.6250	0.9358	10.02	1.0007
10:35:08	58.35	145.48	8.6333	0.9362	10.01	1.0006
10:35:38	58.35	145.50	8.6417	0.9366	9.99	0.9996
10:36:38	58.35	145.49	8.6583	0.9374	10.00	1.0000

TIME 04-OCT-83	SDT degC	SDF bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
10:37:08	58.35	145.49	8.6667	0.9379	10.00	0.9999
10:39:08	58.44	145.47	8.7000	0.9395	10.02	1.0011
10:39:38	58.35	145.47	8.7083	0.9399	10.02	1.0007
10:40:38	58.35	145.44	8.7250	0.9408	10.05	1.0020
10:41:08	58.35	145.44	8.7333	0.9412	10.05	1.0020
10:42:08	58.44	145.43	8.7500	0.9420	10.06	1.0027
10:46:08	58.44	145.47	8.8167	0.9453	10.02	1.0007
10:47:08	58.35	145.46	8.8333	0.9461	10.03	1.0011
10:49:08	58.35	145.49	8.8667	0.9478	10.00	1.0000
10:50:08	58.35	145.46	8.8833	0.9486	10.03	1.0012
10:52:08	58.35	145.44	8.9167	0.9502	10.05	1.0022
10:53:08	58.35	145.46	8.9333	0.9510	10.03	1.0014
10:54:08	58.35	145.51	8.9500	0.9518	9.98	0.9992
10:54:38	58.35	145.54	8.9583	0.9522	9.95	0.9979
10:55:08	58.44	145.53	8.9667	0.9526	9.96	0.9983
10:55:38	58.44	145.50	8.9750	0.9530	9.99	0.9996
10:56:38	58.35	145.52	8.9917	0.9538	9.97	0.9988
10:57:38	58.35	145.51	9.0083	0.9546	9.98	0.9992
10:58:38	58.44	145.48	9.0250	0.9554	10.01	1.0002
10:59:08	58.35	145.47	9.0333	0.9558	10.02	1.0008
11:00:08	58.44	145.49	9.0500	0.9566	10.00	0.9998
11:01:08	58.35	145.48	9.0667	0.9574	10.01	1.0003
11:01:38	58.44	145.41	9.0750	0.9578	10.08	1.0033
11:02:08	58.35	142.65	9.0833	0.9582	12.84	1.1064
11:02:38	58.35	140.42	9.0917	0.9586	15.07	1.1781
11:03:08	58.35	140.02	9.1000	0.9590	15.47	1.1895
11:03:38	58.27	140.34	9.1083	0.9594	15.15	1.1804
11:04:08	58.18	140.50	9.1167	0.9598	14.99	1.1759
11:04:38	58.18	140.26	9.1250	0.9602	15.23	1.1826
11:05:08	58.10	140.28	9.1333	0.9606	15.21	1.1823
11:05:38	58.01	140.17	9.1417	0.9610	15.32	1.1853
11:06:08	57.93	139.96	9.1500	0.9614	15.53	1.1911
11:06:38	57.93	139.81	9.1583	0.9618	15.68	1.1953
11:07:38	57.76	139.66	9.1750	0.9626	15.83	1.1996
11:08:38	57.76	139.58	9.1917	0.9634	15.91	1.2018
11:09:08	57.67	139.54	9.2000	0.9638	15.95	1.2028
11:09:38	57.67	139.53	9.2083	0.9642	15.96	1.2031
11:10:08	57.59	139.50	9.2167	0.9646	15.99	1.2039
11:12:08	57.50	139.32	9.2500	0.9661	16.17	1.2087
11:13:08	57.42	139.21	9.2667	0.9669	16.28	1.2116
11:14:08	57.42	139.16	9.2833	0.9677	16.33	1.2129
11:14:38	57.33	139.13	9.2917	0.9681	16.36	1.2138
11:15:38	57.33	139.12	9.3083	0.9689	16.37	1.2141
11:16:08	57.25	139.11	9.3167	0.9693	16.38	1.2142
11:17:08	57.25	139.08	9.3333	0.9700	16.41	1.2150
11:19:08	57.08	139.07	9.3667	0.9716	16.42	1.2153
11:20:08	57.16	139.08	9.3833	0.9724	16.41	1.2152
11:24:08	56.99	138.99	9.4500	0.9754	16.50	1.2175
11:25:08	57.08	139.00	9.4667	0.9762	16.49	1.2173
11:25:38	56.99	139.01	9.4750	0.9766	16.48	1.2169
11:27:38	56.99	139.02	9.5083	0.9781	16.47	1.2166
11:28:38	56.99	139.04	9.5250	0.9789	16.45	1.2163
11:29:08	56.99	139.05	9.5333	0.9792	16.44	1.2158
11:30:08	56.99	139.03	9.5500	0.9800	16.46	1.2163
11:30:38	56.91	139.04	9.5583	0.9804	16.45	1.2162
11:32:38	56.99	139.01	9.5917	0.9819	16.48	1.2171
11:33:38	56.91	139.02	9.6083	0.9826	16.47	1.2168
11:34:38	56.91	139.01	9.6250	0.9834	16.48	1.2169
11:35:08	56.99	139.01	9.6333	0.9838	16.48	1.2168
11:35:38	56.91	139.03	9.6417	0.9842	16.46	1.2164
11:36:38	56.99	139.04	9.6583	0.9849	16.45	1.2162
11:37:38	56.91	139.02	9.6750	0.9857	16.47	1.2167

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
11:38:08	56.91	139.02	9.6833	0.9860	16.47	1.2166
11:39:08	56.91	139.00	9.7000	0.9868	16.49	1.2173
11:40:08	56.91	139.00	9.7167	0.9875	16.49	1.2173
11:40:38	56.91	138.98	9.7250	0.9879	16.51	1.2178
11:42:38	56.91	138.96	9.7583	0.9894	16.53	1.2182
11:43:38	56.99	138.96	9.7750	0.9901	16.53	1.2183
11:44:38	56.99	138.93	9.7917	0.9909	16.56	1.2192
11:45:38	56.99	138.92	9.8083	0.9916	16.57	1.2194
11:46:38	56.99	138.92	9.8250	0.9923	16.57	1.2192
11:47:38	56.91	138.90	9.8417	0.9931	16.59	1.2197
11:48:38	56.99	138.92	9.8583	0.9938	16.57	1.2194
11:49:38	56.91	138.89	9.8750	0.9945	16.60	1.2200
11:50:38	56.91	138.90	9.8917	0.9953	16.59	1.2197
11:51:38	56.99	138.89	9.9083	0.9960	16.60	1.2202
11:53:38	56.91	138.91	9.9417	0.9975	16.58	1.2197
11:54:38	56.91	138.91	9.9583	0.9982	16.58	1.2196
11:55:08	56.99	138.92	9.9667	0.9985	16.57	1.2192
11:55:38	56.91	138.92	9.9750	0.9989	16.57	1.2194
11:56:08	56.91	138.93	9.9833	0.9993	16.56	1.2190
12:00:08	56.91	138.96	10.0500	1.0022	16.53	1.2184
12:04:08	56.99	138.96	10.1167	1.0050	16.53	1.2182
12:05:08	56.99	138.94	10.1333	1.0058	16.55	1.2189
12:06:08	56.91	138.94	10.1500	1.0065	16.55	1.2189
12:08:08	56.91	138.91	10.1833	1.0079	16.58	1.2197
12:10:08	56.91	138.91	10.2167	1.0093	16.58	1.2196
12:12:08	56.91	138.86	10.2500	1.0107	16.63	1.2209
12:12:38	56.91	138.84	10.2583	1.0111	16.65	1.2214
12:14:38	56.91	138.84	10.2917	1.0125	16.65	1.2213
12:15:08	56.91	138.85	10.3000	1.0128	16.64	1.2213
12:16:08	56.99	138.83	10.3167	1.0135	16.66	1.2216
12:18:08	56.91	138.85	10.3500	1.0149	16.64	1.2210
12:19:08	56.91	138.84	10.3667	1.0156	16.65	1.2214
12:21:08	56.91	138.86	10.4000	1.0170	16.63	1.2209
12:23:08	56.99	138.84	10.4333	1.0184	16.65	1.2215
12:25:08	56.99	138.87	10.4667	1.0198	16.62	1.2207
12:26:08	56.99	138.87	10.4833	1.0205	16.62	1.2207
12:26:38	56.91	138.85	10.4917	1.0208	16.64	1.2212
12:28:38	56.91	138.84	10.5250	1.0222	16.65	1.2215
12:32:38	56.91	138.84	10.5917	1.0250	16.65	1.2213
12:33:38	56.91	138.88	10.6083	1.0256	16.61	1.2204
12:35:38	56.91	138.83	10.6417	1.0270	16.66	1.2217
12:36:38	56.91	138.78	10.6583	1.0277	16.71	1.2228
12:37:08	56.91	138.78	10.6667	1.0280	16.71	1.2230
12:38:08	56.91	138.80	10.6833	1.0287	16.69	1.2223
12:39:08	56.99	138.82	10.7000	1.0294	16.67	1.2221
12:40:08	56.91	138.84	10.7167	1.0301	16.65	1.2214
12:40:38	56.91	138.85	10.7250	1.0304	16.64	1.2211
12:42:38	56.91	138.83	10.7583	1.0317	16.66	1.2216
12:44:38	56.91	138.79	10.7917	1.0331	16.70	1.2228
12:46:38	56.99	138.78	10.8250	1.0344	16.71	1.2231
12:48:38	56.91	138.82	10.8583	1.0358	16.67	1.2220
12:49:08	56.99	138.83	10.8667	1.0361	16.66	1.2216
12:51:08	56.91	138.81	10.9000	1.0374	16.68	1.2222
12:55:08	56.91	138.82	10.9667	1.0401	16.67	1.2221
12:57:08	56.99	138.85	11.0000	1.0414	16.64	1.2213
12:58:08	56.99	138.85	11.0167	1.0421	16.64	1.2211
13:00:08	56.99	138.84	11.0500	1.0434	16.65	1.2214
13:01:08	56.91	138.85	11.0667	1.0440	16.64	1.2212
13:02:08	56.99	138.82	11.0833	1.0447	16.67	1.2219
13:03:08	56.99	138.85	11.1000	1.0453	16.64	1.2213
13:05:08	56.99	138.87	11.1333	1.0466	16.62	1.2206
13:06:08	56.99	138.88	11.1500	1.0473	16.61	1.2203

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
13:08:08	56.99	138.87	11.1833	1.0486	16.62	1.2207
13:10:08	56.99	138.88	11.2167	1.0499	16.61	1.2204
13:11:08	56.99	138.85	11.2333	1.0505	16.64	1.2212
13:13:08	56.99	138.83	11.2667	1.0518	16.66	1.2217
13:14:08	56.99	138.81	11.2833	1.0524	16.68	1.2221
13:15:08	56.99	138.81	11.3000	1.0531	16.68	1.2221
13:15:38	56.99	138.76	11.3083	1.0534	16.73	1.2236
13:16:38	56.99	138.75	11.3250	1.0540	16.74	1.2239
13:17:38	56.99	138.77	11.3417	1.0547	16.72	1.2233
13:18:08	56.99	138.78	11.3500	1.0550	16.71	1.2231
13:19:08	56.99	138.76	11.3667	1.0556	16.73	1.2235
13:19:38	56.99	138.75	11.3750	1.0560	16.74	1.2238
13:20:38	56.99	138.76	11.3917	1.0566	16.73	1.2235
13:22:38	56.99	138.74	11.4250	1.0579	16.75	1.2240
13:23:38	56.99	138.75	11.4417	1.0585	16.74	1.2237
13:27:38	56.99	138.75	11.5083	1.0610	16.74	1.2237
13:31:38	56.99	138.81	11.5750	1.0635	16.68	1.2223
13:33:38	56.99	138.83	11.6083	1.0648	16.66	1.2217
13:34:38	56.91	138.83	11.6250	1.0654	16.66	1.2217
13:35:08	56.99	138.84	11.6333	1.0657	16.65	1.2214
13:39:08	56.99	138.80	11.7000	1.0682	16.69	1.2224
13:41:08	56.99	138.78	11.7333	1.0694	16.71	1.2229
13:42:08	56.99	138.77	11.7500	1.0700	16.72	1.2231
13:42:38	56.99	138.76	11.7583	1.0703	16.73	1.2235
13:43:08	56.99	138.76	11.7667	1.0707	16.73	1.2235
13:44:08	56.99	138.73	11.7833	1.0713	16.76	1.2242
13:46:08	57.08	138.73	11.8167	1.0725	16.76	1.2242
13:47:08	56.99	138.70	11.8333	1.0731	16.79	1.2250
13:49:08	56.99	138.71	11.8667	1.0743	16.78	1.2249
13:50:08	56.91	138.72	11.8833	1.0749	16.77	1.2245
13:50:38	56.99	138.72	11.8917	1.0752	16.77	1.2245
13:51:38	56.99	138.76	11.9083	1.0759	16.73	1.2235
13:52:08	56.91	138.77	11.9167	1.0762	16.72	1.2233
13:53:08	56.99	138.84	11.9333	1.0768	16.65	1.2215
13:55:08	56.99	138.89	11.9667	1.0780	16.60	1.2201
13:56:08	56.99	138.91	11.9833	1.0786	16.58	1.2197
13:57:08	56.91	138.90	12.0000	1.0792	16.59	1.2199
13:59:08	56.99	138.85	12.0333	1.0804	16.64	1.2213
14:00:08	56.99	138.82	12.0500	1.0810	16.67	1.2219
14:01:08	56.99	138.83	12.0667	1.0816	16.66	1.2218
14:01:38	57.08	138.83	12.0750	1.0819	16.66	1.2216
14:02:38	56.99	138.81	12.0917	1.0825	16.68	1.2223
14:04:38	56.99	138.80	12.1250	1.0837	16.69	1.2224
14:06:38	56.99	138.81	12.1583	1.0849	16.68	1.2221
14:07:38	56.99	138.83	12.1750	1.0855	16.66	1.2217
14:11:38	56.99	138.75	12.2417	1.0878	16.74	1.2237
14:13:38	56.99	138.71	12.2750	1.0890	16.78	1.2248
14:14:38	56.99	138.69	12.2917	1.0896	16.80	1.2252
14:15:38	56.99	138.70	12.3083	1.0902	16.79	1.2251
14:19:38	56.99	138.69	12.3750	1.0925	16.80	1.2254
14:20:08	56.99	138.70	12.3833	1.0928	16.79	1.2249
14:22:08	56.91	138.70	12.4167	1.0940	16.79	1.2250
14:22:38	56.99	138.71	12.4250	1.0943	16.78	1.2249
14:23:38	56.91	138.69	12.4417	1.0949	16.80	1.2254
14:25:38	56.99	138.70	12.4750	1.0960	16.79	1.2250
14:27:38	56.99	138.73	12.5083	1.0972	16.76	1.2242
14:28:38	56.99	138.74	12.5250	1.0978	16.75	1.2239
14:29:38	56.99	138.77	12.5417	1.0984	16.72	1.2231
14:31:38	56.99	138.79	12.5750	1.0995	16.70	1.2228
14:35:38	56.99	138.85	12.6417	1.1018	16.64	1.2212
14:37:38	56.99	138.85	12.6750	1.1029	16.64	1.2213
14:38:38	56.99	138.85	12.6917	1.1035	16.64	1.2212

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)
14:39:08	57.08	138.86	12.7000	1.1038	16.63	1.2209
14:41:08	56.99	138.79	12.7333	1.1049	16.70	1.2226
14:41:38	57.08	138.80	12.7417	1.1052	16.69	1.2224
14:42:38	57.08	138.77	12.7583	1.1058	16.72	1.2233
14:46:38	57.08	138.69	12.8250	1.1081	16.80	1.2252
14:48:38	56.99	138.68	12.8583	1.1092	16.81	1.2255
14:50:38	57.08	138.65	12.8917	1.1103	16.84	1.2262
14:51:08	56.99	138.66	12.9000	1.1106	16.83	1.2261
14:52:08	57.08	138.65	12.9167	1.1112	16.84	1.2264
14:54:08	56.99	138.68	12.9500	1.1123	16.81	1.2256
14:55:08	57.08	138.71	12.9667	1.1128	16.78	1.2247
14:57:08	57.08	138.75	13.0000	1.1139	16.74	1.2237
14:59:08	56.99	138.76	13.0333	1.1151	16.73	1.2235
14:59:38	56.99	138.77	13.0417	1.1153	16.72	1.2232
15:01:38	56.99	138.78	13.0750	1.1164	16.71	1.2230
15:02:38	56.99	138.80	13.0917	1.1170	16.69	1.2225

CLOSED IN WELL FOR BUILD UP

[270] T0=04-OCT-83 15:03:08

P0=138.8 FT=008:37:00

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)	L(Horn)
15:03:38	57.08	154.91	0.0083	-2.0792	16.11	1.2070	3.0149
15:04:08	57.08	155.45	0.0167	-1.7782	16.65	1.2214	2.7143
15:05:08	57.33	155.55	0.0333	-1.4771	16.75	1.2241	2.4141
15:07:08	57.67	155.60	0.0667	-1.1761	16.80	1.2252	2.1148
15:09:08	57.84	155.61	0.1000	-1.0000	16.81	1.2256	1.9404
15:17:08	58.10	155.57	0.2333	-0.6320	16.77	1.2245	1.5790
15:25:08	57.93	155.55	0.3667	-0.4357	16.75	1.2240	1.3892
15:29:08	57.84	155.55	0.4333	-0.3632	16.75	1.2240	1.3198
15:33:08	57.67	155.53	0.5000	-0.3010	16.73	1.2235	1.2609
16:37:08	56.23	155.54	1.5667	0.1950	16.74	1.2237	0.8129
16:53:08	56.06	155.52	1.8333	0.2632	16.72	1.2233	0.7559
17:25:08	55.64	155.53	2.3667	0.3741	16.73	1.2236	0.6666
17:57:08	55.38	155.53	2.9000	0.4624	16.73	1.2235	0.5989
18:13:08	55.30	155.54	3.1667	0.5006	16.74	1.2237	0.5707
18:17:08	55.21	155.53	3.2333	0.5097	16.73	1.2234	0.5641
18:21:08	55.21	155.53	3.3000	0.5185	16.73	1.2236	0.5576
18:23:08	55.21	155.53	3.3333	0.5229	16.73	1.2235	0.5545
18:27:08	55.21	155.54	3.4000	0.5315	16.74	1.2238	0.5483
18:43:08	55.13	155.54	3.6667	0.5643	16.74	1.2238	0.5250
18:51:08	54.96	155.53	3.8000	0.5798	16.73	1.2234	0.5142
19:07:08	54.96	155.53	4.0667	0.6092	16.73	1.2236	0.4940
19:15:08	54.87	155.53	4.2000	0.6232	16.73	1.2235	0.4845
19:17:08	54.87	155.52	4.2333	0.6267	16.72	1.2233	0.4822
19:18:08	54.87	155.54	4.2500	0.6284	16.74	1.2237	0.4811
19:26:08	54.78	155.52	4.3833	0.6418	16.72	1.2233	0.4721
19:28:08	54.87	155.54	4.4167	0.6451	16.74	1.2237	0.4700
19:30:08	54.78	155.53	4.4500	0.6484	16.73	1.2234	0.4678
19:38:08	54.78	155.53	4.5833	0.6612	16.73	1.2236	0.4594
19:42:08	54.78	155.54	4.6500	0.6675	16.74	1.2238	0.4553
19:50:08	54.70	155.52	4.7833	0.6797	16.72	1.2232	0.4474
20:54:08	54.53	155.54	5.8500	0.7672	16.74	1.2237	0.3932
21:10:08	54.44	155.54	6.1167	0.7865	16.74	1.2236	0.3818
21:14:08	54.36	155.54	6.1833	0.7912	16.74	1.2238	0.3790
21:30:08	54.36	155.53	6.4500	0.8096	16.73	1.2235	0.3685
21:46:08	54.27	155.54	6.7167	0.8272	16.74	1.2237	0.3585
21:54:08	54.27	155.54	6.8500	0.8357	16.74	1.2237	0.3537
21:56:08	54.27	155.54	6.8833	0.8378	16.74	1.2236	0.3525
21:57:08	54.27	155.53	6.9000	0.8388	16.73	1.2236	0.3519
21:57:38	54.27	155.54	6.9083	0.8394	16.74	1.2238	0.3517
22:13:38	54.19	155.53	7.1750	0.8558	16.73	1.2236	0.3426

[270] T0=04-OCT-83 15:03:00

P0=138.8 FT=000:37:00

page 38

TIME 04-OCT-83	SDT degC	SDP bara	t-t0 HR	L(t-t0)	P-P0 bara	L(P-P0)	L(Horn)
22:21:38	54.19	155.54	7.3083	0.8638	16.74	1.2238	0.3383
22:25:38	54.19	155.54	7.3750	0.8678	16.74	1.2237	0.3361
22:26:38	54.19	155.53	7.3917	0.8687	16.73	1.2236	0.3356
22:27:08	54.19	155.53	7.4000	0.8692	16.73	1.2236	0.3353

[272] START TIME:04-OCT-83 22:28:00

04-OCT-83	SDT degC	SDP bara
22:28:08	54.10	155.47
22:28:38	54.10	155.53
22:44:38	54.19	155.54
22:52:38	54.19	155.54
22:53:38	54.19	155.48
22:57:38	54.10	155.47
22:58:08	54.10	155.42
23:02:08	54.10	155.41
23:02:38	54.02	155.30
23:06:38	53.76	155.27
23:07:08	53.76	155.19
23:07:38	53.76	155.15
23:11:38	53.51	155.13
23:12:38	53.42	155.02
23:16:38	53.17	155.02
23:18:38	53.08	155.03
23:19:38	53.00	155.01
23:20:08	53.00	154.86
23:20:38	53.00	154.67
23:22:38	52.74	153.68
23:23:38	52.40	153.10
23:24:38	51.97	152.49
23:25:38	51.38	151.85
23:26:08	51.03	151.57
23:26:38	50.69	151.35
23:27:08	50.35	151.29
23:28:08	49.75	151.25
23:30:08	48.81	151.26
23:30:38	48.55	151.26
23:31:08	48.38	151.21
23:31:38	48.04	150.90
23:32:38	47.61	150.23
23:34:38	46.07	148.80
23:35:38	45.12	148.05
23:36:08	44.61	147.68
23:36:38	44.09	147.54
23:37:38	43.23	147.51
23:39:38	41.76	147.55
23:40:38	41.16	147.57
23:41:08	40.90	147.44
23:41:38	40.64	147.16
23:42:38	39.86	146.54
23:44:38	38.22	145.27
23:45:38	37.18	144.61
23:46:08	36.58	144.29
23:46:38	35.97	143.99
23:47:08	35.36	143.84
23:48:08	34.14	143.83
23:49:08	33.10	143.84
23:51:08	31.27	143.91
23:51:38	30.92	143.71
23:52:08	30.49	143.45

04-OCT-83	SDT degC	SDF bara
23:52:38	29.70	143.19
23:53:08	28.48	142.91
23:53:38	27.17	142.58
23:54:38	24.80	141.86
23:55:38	22.60	141.16
23:56:38	20.67	140.53
23:57:08	19.78	140.22
23:57:38	18.99	140.08
23:59:38	16.43	140.28
00:01:38	14.48	140.45
00:02:08	14.04	140.51
00:02:38	13.68	140.46
00:03:08	13.33	140.26
00:03:38	12.97	139.98
00:04:08	12.70	138.68
00:04:38	12.53	137.93
00:05:08	12.44	137.76
00:05:38	12.44	137.43
00:06:08	12.35	137.36
00:06:38	12.35	137.23
00:07:38	12.53	137.28
00:08:08	12.53	137.29
00:08:38	12.53	137.29
00:09:08	12.62	137.29
00:09:38	12.62	137.30
00:10:08	12.70	136.03
00:10:38	12.70	96.83
00:11:08	12.62	44.82
00:11:38	12.35	39.18
00:12:08	12.08	39.50
00:12:38	11.82	39.68
00:13:38	11.28	39.90
00:15:38	10.66	40.21

TECHNICAL DATA

GAUGE

Type	: SDP
Transducer module	: 83051
Recorder module	: 83055

OPERATION SET UP

Delay time	: 13 hrs
Scanning rate	: 30 sec
Averaging	: 16 samples
Relative values	: used
Compression algorithm	: used
Compression level	: 8

CALIBRATION DATA

Before job:

Ambiant pressure	: 20	PSIA
Ambiant Temperature	: 21.5	°C

After job:

Ambient pressure	:	PSIA
Ambient temperature	:	°C

Date last calibration	: 15-AUG-83
-----------------------	-------------

02-OCT-83	SDT degC	SDP kPa
17:00:08	47.87	15472.91
17:01:08	47.78	15477.27
17:01:38	47.78	15478.56
17:02:38	47.78	15478.01
17:03:38	47.78	15479.30
17:04:08	47.87	15480.01
17:05:08	47.78	15484.37
17:09:08	47.78	15493.13
17:09:38	47.78	15494.06
17:10:08	47.78	15499.96
17:10:38	47.87	15540.79
17:11:08	47.87	15561.08
17:11:38	47.78	15555.11
17:12:38	47.78	15549.11
17:16:38	47.78	15535.56
17:18:38	47.87	15529.17
17:20:38	47.87	15525.57
17:21:38	47.87	15522.90
17:22:08	47.87	15520.96
17:22:38	47.87	15515.15
17:23:08	47.87	15467.38
17:24:08	47.87	15474.48
17:26:08	47.87	15472.17
17:26:38	47.78	15468.51
17:28:38	47.87	15466.18
17:29:38	47.87	15464.89
17:30:08	47.87	15464.06
17:30:38	47.87	15460.92
17:31:08	47.87	15460.65
17:31:38	47.87	15373.59
17:32:08	47.87	15275.56
17:32:38	47.87	15310.05
17:33:08	47.87	15253.89
17:33:38	47.87	15275.56
17:34:08	47.87	15285.61
17:35:08	47.87	15294.55
17:35:38	47.87	15291.88
17:36:08	47.87	14963.33
17:36:38	47.87	14346.72
17:37:08	47.87	13911.26
17:37:38	47.87	13980.20
17:38:08	47.87	13999.66
17:38:38	47.95	14000.09
17:39:08	47.87	13976.61
17:40:08	47.87	13912.92
17:40:38	47.78	13948.62
17:41:08	47.78	13905.67
17:41:38	47.78	13897.10
17:42:08	47.70	13883.40
17:42:38	47.70	13865.70
17:43:38	47.53	13840.71
17:44:08	47.53	13825.04
17:44:38	47.35	13814.07
17:45:08	47.27	13807.03
17:45:38	47.18	13782.29
17:46:08	47.01	13731.72
17:46:38	46.93	13690.59
17:47:08	46.75	13661.61
17:48:08	46.41	13616.21
17:49:08	46.07	13563.13
17:49:38	45.81	13411.13
17:50:08	45.64	13430.24

02-OCT-83	SDT degC	SDP kPa
17:50:38	45.38	13443.87
17:51:08	45.21	13450.86
17:51:38	45.04	13590.09
17:52:08	44.86	13787.85
17:52:38	44.69	13956.61
17:53:08	44.43	14099.10
17:53:38	44.18	14195.91
17:54:08	44.00	14354.78
17:54:38	43.92	14585.66
17:55:08	43.83	14772.69
17:55:38	43.66	14912.62
17:56:08	43.57	15008.59
17:56:38	43.49	15093.70
17:57:08	43.32	15138.16
17:57:38	43.40	15162.94
17:58:08	43.32	15189.69
17:58:38	43.32	15213.94
17:59:08	43.23	15233.13
18:00:08	43.14	15258.51
18:00:38	43.14	15268.38
18:01:08	43.14	15062.33
18:01:38	43.14	14687.61
18:02:08	43.14	14419.49
18:02:38	43.14	14370.83
18:03:08	43.06	14332.80
18:03:38	43.06	14441.73
18:04:08	43.06	14500.07
18:04:38	42.97	14555.40
18:05:08	42.97	14580.11
18:05:38	42.97	14590.52
18:06:08	42.97	14581.49
18:07:08	42.88	14845.14
18:07:38	42.88	14949.49
18:08:08	42.80	15034.43
18:08:38	42.80	15104.22
18:09:08	42.80	15155.10
18:09:38	42.80	15091.95
18:10:08	42.88	15023.70
18:10:38	42.80	14973.31
18:11:08	42.80	14941.69
18:11:38	42.80	14915.42
18:12:08	42.80	14860.85
18:12:38	42.80	14699.45
18:13:08	42.80	14656.50
18:13:38	42.80	14563.04
18:14:08	42.80	14417.69
18:14:38	42.80	14310.23
18:15:08	42.71	14226.69
18:15:38	42.71	14154.53
18:16:08	42.63	14147.57
18:16:38	42.63	14153.38
18:17:08	42.71	14167.06
18:17:38	42.63	14182.87
18:18:08	42.63	14201.02
18:18:38	42.54	14213.61
18:19:08	42.45	14169.52
18:19:38	42.45	14142.06
18:20:08	42.45	14150.35
18:20:38	42.37	14176.77
18:21:38	42.28	14237.10
18:22:08	42.28	14267.97
18:22:38	42.20	14292.55

02-OCT-83	SDT degC	SDP kPa
18:23:08	42.20	14310.71
18:23:38	42.11	14321.37
18:24:08	42.02	14333.80
18:24:38	41.94	14348.43
18:25:08	41.94	14464.74
18:25:38	41.94	14722.80
18:26:08	41.85	14912.57
18:26:38	41.85	15043.37
18:27:08	41.76	15148.08
18:27:38	41.76	15227.82
18:28:08	41.68	15286.90
18:28:38	41.76	15325.54
18:29:08	41.76	15351.35
18:29:38	41.76	15368.41
18:30:08	41.76	15378.08
18:30:38	41.85	15382.53
18:31:08	41.85	15382.80
18:31:38	41.94	15380.42
18:32:38	42.02	15369.01
18:33:38	42.11	15351.98
18:34:38	42.28	15331.11
18:35:08	42.28	15043.40
18:35:38	42.37	14154.38
18:36:08	42.45	13728.41
18:36:38	42.37	14192.34
18:37:08	42.54	14526.40
18:37:38	42.45	14776.33
18:38:08	42.45	14968.98
18:38:38	42.45	15106.06
18:39:08	42.54	15203.54
18:39:38	42.54	15277.02
18:40:08	42.54	15328.65
18:40:38	42.63	15357.08
18:41:08	42.54	15373.54
18:41:38	42.63	15387.78
18:42:08	42.63	15166.43
18:42:38	42.63	14193.19
18:43:08	42.63	13943.64
18:43:38	42.63	13950.00
18:44:08	42.63	13966.03
18:44:38	42.63	13955.71
18:45:08	42.54	14018.15
18:45:38	42.54	14108.19
18:46:08	42.54	14172.32
18:46:38	42.45	14207.30
18:47:08	42.45	14219.65
18:47:38	42.37	14237.22
18:48:08	42.37	14286.52
18:48:38	42.28	14328.89
18:49:08	42.20	14355.87
18:49:38	42.11	14373.91
18:50:08	42.11	14377.50
18:50:38	41.94	14374.70
18:51:08	41.85	14365.57
18:51:38	41.76	14351.73
18:52:38	41.59	14333.57
18:53:08	41.51	14322.70
18:54:08	41.33	14311.85
18:54:38	41.25	14302.92
18:55:08	41.16	14288.38
18:55:38	41.07	14276.24
18:56:08	40.99	14291.65

02-OCT-83	SDT degC	SDP kPa
18:56:38	40.90	14316.10
18:57:08	40.90	14347.35
18:57:38	40.81	14397.97
18:58:08	40.73	14436.34
18:58:38	40.73	14458.64
18:59:08	40.64	14469.55
18:59:38	40.56	14472.36
19:00:08	40.56	14459.65
19:00:38	40.47	14436.94
19:01:08	40.47	14411.04
19:02:08	40.47	14372.15
19:02:38	40.38	14364.46
19:03:08	40.30	14365.44
19:03:38	40.38	14369.99
19:04:08	40.30	14372.81
19:04:38	40.30	14373.64
19:05:08	40.30	14371.43
19:05:38	40.21	14364.40
19:06:08	40.21	14365.13
19:06:38	40.21	14372.59
19:07:08	40.12	14378.74
19:09:08	40.12	14379.76
19:09:38	40.21	14393.97
19:10:08	40.12	14442.05
19:10:38	40.12	14481.68
19:11:08	40.12	14510.80
19:11:38	40.12	14543.88
19:12:08	40.12	14573.28
19:12:38	40.12	14590.42
19:13:08	40.12	14579.91
19:13:38	40.12	14559.91
19:14:38	40.12	14513.93
19:15:08	40.12	14494.03
19:15:38	40.12	14476.61
19:16:08	40.04	14466.08
19:16:38	40.12	14458.09
19:17:08	40.12	14455.23
19:17:38	40.04	14464.60
19:18:08	40.12	14488.50
19:19:08	40.12	14543.14
19:19:38	40.12	14562.31
19:20:08	40.12	14574.29
19:21:08	40.21	14588.23
19:21:38	40.21	14593.95
19:22:08	40.21	14596.53
19:22:38	40.12	14597.51
19:23:08	40.21	14592.20
19:24:08	40.21	14588.51
19:24:38	40.21	14588.69
19:25:38	40.30	14592.05
19:26:38	40.21	14599.02
19:27:08	40.30	14599.60
19:27:38	40.30	14615.64
19:28:38	40.21	14635.14
19:29:08	40.30	14641.53
19:29:38	40.38	14646.09
19:30:38	40.30	14649.55
19:31:38	40.38	14649.31
19:32:08	40.38	14650.79
19:34:08	40.38	14651.25
19:35:08	40.47	14643.82
19:35:38	40.47	14638.85

02-OCT-83	SDT degC	SDP kPa
19:36:08	40.47	14637.74
19:36:38	40.47	14641.15
19:37:08	40.47	14640.51
19:37:38	40.47	14643.09
19:38:38	40.47	14644.38
19:39:08	40.47	14648.25
19:41:08	40.56	14657.88
19:43:08	40.64	14664.93
19:45:08	40.64	14680.69
19:45:38	40.64	14676.82
19:46:08	40.64	14667.51
19:46:38	40.64	14663.55
19:47:38	40.64	14665.67
19:48:08	40.64	14669.91
19:48:38	40.64	14671.01
19:49:08	40.73	14676.23
19:50:08	40.73	14672.08
19:50:38	40.64	14668.53
19:51:08	40.64	14667.70
19:51:38	40.73	14671.25
19:53:38	40.73	14666.46
19:54:08	40.73	14660.65
19:55:08	40.73	14660.10
19:55:38	40.64	14655.99
19:56:08	40.81	14648.08
19:57:08	40.73	14646.18
19:57:38	40.73	14646.55
19:58:38	40.73	14635.86
19:59:38	40.81	14630.76
20:00:38	40.73	14629.23
20:01:38	40.81	14631.77
20:02:38	40.81	14637.76
20:03:38	40.81	14647.53
20:04:08	40.73	14650.33
20:04:38	40.81	14654.44
20:05:08	40.81	14656.01
20:06:08	40.73	14656.42
20:06:38	40.73	14657.52
20:07:08	40.81	14656.20
20:07:38	40.73	14646.28
20:08:38	40.81	14634.72
20:09:08	40.73	14631.99
20:11:08	40.73	14628.86
20:11:38	40.73	14628.58
20:12:38	40.81	14624.67
20:13:08	40.73	14626.46
20:14:08	40.73	14625.17
20:14:38	40.73	14623.05
20:15:08	40.73	14622.96
20:16:08	40.73	14629.14
20:17:08	40.73	14632.08
20:17:38	40.73	14631.80
20:18:08	40.73	14634.02
20:18:38	40.73	14634.21
20:19:38	40.73	14629.78
20:20:38	40.73	14620.84
20:21:08	40.73	14610.70
20:21:38	40.73	14593.66
20:22:08	40.73	14583.33
20:22:38	40.73	14576.70
20:23:08	40.73	14446.38
20:23:38	40.73	14073.83

02-OCT-83	SDT degC	SDF kPa
20:24:08	40.64	13905.44
20:24:38	40.64	13852.74
20:25:08	40.64	13817.64
20:25:38	40.73	13791.52
20:26:08	40.64	13774.52
20:26:38	40.56	13769.68
20:27:08	40.47	13776.83
20:27:38	40.47	13786.23
20:28:08	40.38	13807.47
20:28:38	40.30	13819.78
20:29:38	40.04	13822.57
20:30:38	39.95	13828.72
20:31:08	39.78	13834.68
20:31:38	39.78	13843.80
20:32:08	39.61	13860.38
20:33:08	39.43	13899.26
20:34:08	39.26	13946.46
20:34:38	39.17	13963.06
20:35:08	39.17	13995.40
20:35:38	39.09	14053.18
20:36:08	39.00	14084.44
20:36:38	39.00	14071.36
20:37:08	39.00	14050.26
20:37:38	38.91	14037.94
20:38:08	38.91	14032.04
20:39:08	38.83	14008.03
20:39:38	38.83	13986.04
20:40:08	38.83	13983.34
20:40:38	38.74	13989.18
20:41:38	38.74	13993.97
20:42:08	38.74	13991.02
20:42:38	38.83	13983.80
20:43:08	38.83	13972.75
20:43:38	38.74	13950.49
20:44:08	38.74	13941.00
20:44:38	38.74	13940.91
20:45:38	38.74	13950.76
20:46:38	38.74	13958.23
20:47:38	38.83	13945.84
20:48:08	38.74	13943.02
20:49:08	38.83	13930.09
20:49:38	38.83	13924.01
20:51:38	38.83	13914.52
20:52:08	38.83	13910.65
20:52:38	38.83	13901.44
20:53:08	38.83	13898.49
20:53:38	38.83	13902.64
20:54:08	38.91	13898.73
20:54:38	38.91	13884.73
20:55:08	38.83	13884.30
20:55:38	38.91	13868.33
20:56:08	38.83	13876.10
20:56:38	38.91	13866.67
20:57:08	38.91	13854.60
20:57:38	38.91	13833.32
20:58:08	38.91	13822.36
20:58:38	38.91	13824.85
20:59:08	38.91	13816.10
20:59:38	38.91	13803.94
21:00:08	38.91	13794.45
21:00:38	39.00	13789.35
21:01:08	38.91	13788.19

02-OCT-83	SDT degC	SDP kPa
21:01:38	38.91	13778.79
21:02:38	39.00	13771.11
21:03:08	38.91	13774.09
21:03:38	39.00	13762.27
21:04:08	39.00	13765.03
21:04:38	39.00	13762.08
21:05:08	38.91	13765.43
21:05:38	39.00	13765.77
21:06:08	39.00	13774.24
21:06:38	39.00	13767.15
21:07:08	39.00	13766.32
21:07:38	38.91	13768.29
21:08:08	38.91	13775.01
21:08:38	39.00	13769.09
21:09:08	39.00	13769.92
21:09:38	39.00	13773.88
21:10:08	39.00	13773.60
21:10:38	39.09	13776.15
21:11:08	39.00	13777.47
21:11:38	39.09	13783.25
21:12:08	39.09	13777.26
21:13:08	39.09	13778.00
21:13:38	39.09	13787.30
21:14:08	39.09	13789.05
21:14:38	39.09	13795.04
21:15:38	39.17	13799.07
21:16:08	39.17	13807.27
21:17:08	39.17	13805.15
21:17:38	39.17	13810.03
21:18:08	39.26	13807.53
21:18:38	39.26	13816.83
21:19:08	39.26	13815.72
21:19:38	39.35	13817.00
21:20:08	39.26	13822.08
21:20:38	39.26	13821.81
21:21:38	39.35	13824.47
21:22:08	39.35	13826.03
21:22:38	39.35	13823.18
21:23:38	39.43	13814.14
21:24:08	39.43	13811.10
21:25:08	39.52	13812.01
21:25:38	39.52	13802.06
21:26:08	39.52	13797.92
21:26:38	39.52	13801.97
21:27:08	39.61	13804.09
21:27:38	39.52	13801.05
21:28:08	39.61	13803.44
21:28:38	39.61	13801.42
21:29:08	39.61	13794.50
21:29:38	39.61	13797.36
21:30:08	39.69	13791.56
21:31:08	39.61	13796.07
21:32:08	39.69	13788.79
21:32:38	39.78	13788.89
21:33:08	39.69	13784.65
21:33:38	39.78	13789.26
21:34:38	39.78	13788.99
21:35:08	39.78	13784.84
21:35:38	39.86	13784.12
21:36:08	39.86	13780.16
21:37:08	39.86	13784.49
21:38:08	39.95	13776.66

02-OCT-83	SDT degC	SDF kPa
21:38:38	39.95	13778.78
21:39:38	39.95	13777.59
21:40:08	39.95	13777.40
21:41:08	40.04	13763.70
21:41:38	40.04	13759.55
21:42:08	40.04	13759.46
21:42:38	40.12	13762.98
21:43:08	40.04	13762.31
21:43:38	40.12	13763.07
21:44:08	40.12	13766.11
21:45:08	40.12	13768.23
21:45:38	40.21	13773.96
21:46:08	40.21	13775.90
21:46:38	40.12	13639.16
21:47:08	40.21	13390.92
21:47:38	40.12	13114.74
21:48:08	40.12	12909.16
21:48:38	40.12	12824.25
21:49:08	40.12	12793.49
21:49:38	39.95	12790.42
21:50:08	39.86	12795.38
21:50:38	39.86	12802.57
21:51:08	39.78	12811.77
21:51:38	39.69	12825.40
21:52:08	39.61	12828.81
21:52:38	39.43	12826.71
21:53:38	39.26	12819.37
21:55:38	39.00	12801.50
21:57:38	38.83	12796.23
21:59:38	38.74	12785.87
22:00:38	38.65	12780.11
22:04:38	38.57	12769.66
22:05:08	38.57	12767.73
22:06:08	38.57	12768.10
22:08:08	38.65	12760.77
22:10:08	38.74	12760.36
22:11:08	38.83	12756.63
22:11:38	38.74	12757.69
22:12:08	38.83	12760.41
22:12:38	38.83	12761.42
22:13:08	38.91	12760.37
22:13:38	38.91	12762.67
22:14:38	39.00	12764.20
22:16:38	39.09	12763.62
22:17:08	39.17	12761.66
22:18:08	39.26	12760.90
22:19:08	39.35	12762.26
22:20:08	39.35	12759.59
22:20:38	39.35	12757.93
22:21:38	39.43	12758.84
22:22:38	39.52	12758.00
22:23:08	39.61	12757.25
22:24:08	39.69	12760.01
22:25:08	39.69	12760.75
22:26:08	39.78	12765.63
22:27:08	39.86	12768.95
22:27:38	39.95	12771.26
22:29:38	40.04	12778.64
22:30:38	40.12	12783.36
22:31:08	40.21	12785.50
22:31:38	40.21	12783.74
22:32:08	40.21	12768.09

02-OCT-83	SDT degC	SDP kPa
22:32:38	40.21	12738.25
22:33:08	40.38	12717.03
22:34:08	40.38	12706.90
22:34:38	40.47	12707.02
22:35:08	40.47	12709.42
22:36:08	40.56	12706.78
22:36:38	40.56	12713.78
22:37:08	40.56	12715.99
22:38:08	40.64	12714.00
22:38:38	40.64	12715.84
22:39:08	40.73	12715.61
22:39:38	40.73	12714.04
22:40:08	40.81	12714.00
22:40:38	40.73	12707.32
22:41:08	40.81	12702.40
22:43:08	40.90	12696.65
22:44:08	40.99	12691.36
22:44:38	40.99	12692.10
22:45:08	41.07	12694.64
22:45:38	41.16	12693.60
22:46:08	41.16	12691.02
22:46:38	41.16	12690.37
22:47:08	41.16	12694.06
22:47:38	41.16	12691.39
22:48:08	41.25	12690.44
22:49:08	41.25	12694.31
22:50:08	41.33	12691.98
22:50:38	41.42	12693.90
22:51:08	41.42	12693.62
22:51:38	41.51	12691.30
22:52:08	41.51	12695.63
22:52:38	41.51	12696.09
22:53:38	41.59	12693.04
22:54:08	41.59	12696.54
22:55:08	41.76	12695.51
22:55:38	41.76	12696.80
22:56:08	41.76	12701.41
22:56:38	41.76	12701.04
22:57:08	41.85	12702.61
22:57:38	41.85	12708.23
22:58:08	41.85	12715.78
22:59:08	41.94	12737.06
22:59:38	41.94	12746.55
23:00:08	42.02	12753.74
23:00:38	42.11	12759.09
23:01:38	42.11	12764.34
23:02:38	42.20	12767.12
23:03:38	42.28	12768.24
23:04:08	42.28	12767.32
23:06:08	42.45	12755.49
23:08:08	42.54	12747.32
23:09:08	42.71	12745.64
23:10:08	42.71	12740.67
23:11:08	42.80	12738.68
23:12:08	42.88	12741.76
23:12:38	42.88	12741.58
23:13:38	43.06	12738.09
23:15:38	43.06	12738.82
23:19:38	43.23	12735.71
23:20:38	43.40	12737.59
23:22:38	43.49	12738.12
23:23:38	43.57	12742.52

02-OCT-83	SDT degC	SDP kPa
23:24:38	43.66	12743.06
23:25:38	43.66	12746.93
23:27:38	43.75	12748.29
23:28:38	43.83	12749.48
23:29:08	43.83	12751.24
23:30:08	43.92	12750.12
23:31:08	44.00	12751.69
23:32:08	44.00	12755.92
23:33:08	44.09	12757.13
23:35:08	44.26	12764.05
23:37:08	44.35	12769.50
23:38:08	44.43	12774.58
23:39:08	44.43	12776.97
23:43:08	44.69	12755.76
23:45:08	44.78	12753.95
23:45:38	44.78	12754.59
23:46:08	44.86	12758.95
23:47:08	44.95	12773.36
23:48:08	44.95	12784.14
23:49:08	45.04	12791.73
23:50:08	45.12	12796.94
23:51:08	45.21	12799.93
23:52:08	45.21	12800.76
23:54:08	45.29	12791.32
23:56:08	45.47	12785.35
23:58:08	45.55	12783.47
23:59:08	45.64	12782.06
00:00:08	45.72	12784.53
00:02:08	45.81	12785.52
00:02:38	45.81	12784.60
00:04:38	45.89	12786.61
00:05:38	45.89	12786.24
00:06:38	46.07	12789.90
00:07:38	46.07	12796.07
00:09:38	46.15	12805.36
00:11:38	46.32	12816.59
00:12:38	46.41	12821.38
00:14:38	46.41	12837.69
00:15:08	46.50	12841.02
00:17:08	46.58	12846.00
00:18:08	46.58	12847.93
00:19:08	46.75	12846.48
00:20:08	46.75	12840.22
00:22:08	46.75	12823.64
00:23:08	46.84	12817.57
00:25:08	47.01	12810.98
00:27:08	47.10	12807.78
00:29:08	47.18	12813.44
00:31:08	47.27	12815.31
00:32:08	47.27	12779.93
00:32:38	47.27	12771.64
00:33:08	47.27	12766.57
00:34:08	47.35	12762.28
00:35:08	47.44	12763.06
00:35:38	47.44	12765.18
00:36:38	47.35	12783.01
00:37:08	47.35	12787.89
00:38:08	47.53	12792.58
00:38:38	47.53	12794.42
00:39:08	47.44	12800.56
00:39:38	47.61	12844.96
00:40:08	47.53	12891.90

03-OCT-83	SDT degC	SDP kPa
00:40:38	47.53	13004.50
00:41:08	47.61	13129.58
00:41:38	47.70	13217.54
00:42:08	47.70	13266.66
00:42:38	47.70	13296.79
00:43:08	47.78	13342.37
00:43:38	47.87	13802.77
00:44:08	48.04	14221.94
00:44:38	48.13	14470.09
00:45:08	48.30	14610.10
00:45:38	48.38	14688.64
00:46:08	48.64	14733.16
00:46:38	48.72	14757.88
00:47:08	48.90	14772.55
00:47:38	49.07	14781.34
00:48:08	49.24	14787.46
00:49:08	49.58	14795.04
00:49:38	49.75	14797.70
00:50:08	49.84	14961.61
00:50:38	50.01	15418.21
00:51:08	50.26	15585.50
00:52:08	50.52	15588.74
00:54:08	50.95	15589.49
01:02:08	51.63	15579.18
01:06:08	51.55	15575.67
01:14:08	51.20	15572.88
01:46:08	49.92	15572.92
01:54:08	49.67	15573.16
01:58:08	49.58	15574.23
01:58:38	49.58	15575.52
01:59:08	49.58	15573.03
02:00:08	49.50	15571.80
02:00:38	49.50	15568.19
02:01:08	49.50	15569.03
02:01:38	49.41	15678.02
02:02:08	49.41	15892.48
02:02:38	49.32	16250.10
02:03:08	49.41	16823.10
02:03:38	49.32	17437.04
02:04:08	49.32	18222.21
02:04:38	49.24	19150.51
02:05:08	49.24	19683.43
02:05:38	49.15	20016.11
02:06:08	49.07	20388.94
02:06:38	49.07	20431.99
02:07:08	48.98	20397.95
02:07:38	48.90	20037.16
02:08:08	48.81	19381.22
02:08:38	48.64	18777.05
02:09:08	48.47	18142.66
02:09:38	48.47	17899.70
02:10:08	48.21	16939.97
02:10:38	47.95	16426.65
02:11:08	47.78	16140.16
02:11:38	47.61	15947.71
02:12:08	47.35	15811.03
02:12:38	47.18	15721.01
02:13:08	46.93	15606.07
02:13:38	46.75	15519.22
02:14:08	46.50	15506.71
02:15:08	46.24	15474.58
02:15:38	46.07	15460.00

03-OCT-83	SDT degC	SDP kPa
02:16:38	45.72	15436.13
02:17:38	45.55	15416.43
02:18:38	45.38	15399.78
02:19:08	45.21	15392.74
02:20:08	45.21	15387.76
02:21:08	44.95	15380.59
02:23:08	44.86	15374.09
02:27:08	44.69	15369.12
02:35:08	44.86	15366.34
02:43:08	45.04	15366.72
02:45:08	45.04	15366.99
02:45:38	45.04	15097.58
02:46:08	45.12	15377.93
02:46:38	45.12	15385.40
02:47:08	45.04	15089.65
02:47:38	45.04	15114.82
02:48:08	45.12	15106.95
02:48:38	45.21	15117.42
02:49:08	45.21	15135.21
02:50:08	45.47	15158.27
02:51:08	45.64	15176.95
02:51:38	45.81	15183.56
02:52:08	45.98	15186.78
02:53:08	46.41	15180.63
02:54:08	46.75	15184.58
02:56:08	47.53	15185.31
02:56:38	47.87	15183.34
02:57:08	48.04	15177.95
02:57:38	48.30	15183.07
02:58:08	48.47	15158.81
02:58:38	48.64	15072.13
02:59:08	48.90	15080.26
02:59:38	49.15	15103.36
03:00:08	49.32	15166.30
03:00:38	49.58	15140.57
03:01:08	49.84	15113.21
03:02:08	50.18	15071.26
03:03:08	50.61	15042.35
03:03:38	50.78	15040.65
03:04:08	50.95	15034.72
03:04:38	51.12	15044.75
03:05:08	51.29	15146.10
03:05:38	51.46	15216.49
03:06:08	51.63	15244.64
03:06:38	51.80	15242.82
03:07:08	51.89	15228.45
03:07:38	51.97	15216.66
03:08:08	52.14	15212.29
03:09:08	52.40	15200.58
03:09:38	52.48	15189.00
03:10:08	52.57	15181.56
03:10:38	52.66	15177.92
03:11:38	52.83	15181.15
03:12:08	52.91	15176.31
03:13:08	53.00	15173.69
03:14:08	53.17	15167.81
03:15:08	53.25	15165.48
03:15:38	53.34	15164.16
03:16:08	53.34	15160.47
03:17:08	53.51	15162.26
03:18:08	53.51	15160.88
03:19:08	53.59	15162.70

03-OCT-83	SDT degC	SDP kPa
03:19:38	53.68	15162.32
03:20:08	53.68	15163.70
03:20:38	53.76	15167.93
03:21:38	53.76	15170.60
03:22:38	53.85	15169.85
03:23:38	53.85	15166.44
03:24:08	53.93	15164.03
03:24:38	53.85	15163.95
03:25:08	53.93	15180.26
03:25:38	54.02	15185.06
03:26:08	53.93	15173.80
03:26:38	54.02	15160.43
03:27:08	54.02	15151.76
03:27:38	54.02	15154.89
03:28:08	54.02	15162.27
03:28:38	54.10	15176.38
03:29:08	54.10	15182.19
03:29:38	54.02	15171.77
03:30:38	54.10	15179.98
03:31:08	54.10	15176.29
03:31:38	54.10	15176.38
03:32:08	54.10	15172.14
03:32:38	54.19	15171.03
03:33:38	54.19	15171.40
03:35:38	54.27	15165.30
03:36:38	54.27	15161.52
03:38:38	54.27	15158.48
03:40:38	54.36	15149.17
03:41:38	54.27	15146.03
03:42:38	54.36	15145.48
03:44:38	54.36	15140.13
03:46:38	54.36	15131.45
03:47:38	54.36	15127.03
03:49:38	54.36	15125.18
03:50:38	54.44	15126.30
03:51:38	54.44	15123.34
03:52:38	54.44	15124.17
03:54:38	54.44	15128.51
03:55:38	54.53	15130.82
03:57:38	54.44	15130.91
03:58:38	54.44	15133.30
03:59:08	54.44	15136.35
03:59:38	54.53	15137.93
04:00:38	54.53	15144.20
04:02:38	54.53	15152.50
04:03:08	54.61	15154.54
04:03:38	54.53	15123.91
04:04:08	54.53	14868.78
04:04:38	54.53	14679.61
04:05:08	54.44	14623.91
04:05:38	54.53	14601.13
04:06:08	54.36	14590.88
04:07:08	54.36	14581.48
04:08:08	54.19	14569.49
04:08:38	54.10	14568.21
04:09:08	54.02	14570.98
04:09:38	54.02	14570.24
04:10:08	53.93	14566.01
04:11:08	53.93	14549.96
04:12:08	53.76	14540.49
04:13:08	53.76	14536.99
04:14:08	53.59	14539.70

03-OCT-83	SDT degC	SDP kPa
04:15:08	53.59	14546.62
04:17:08	53.51	14564.44
04:19:08	53.51	14573.38
04:21:08	53.51	14577.81
04:21:38	53.51	14578.55
04:23:38	53.51	14572.55
04:24:38	53.51	14569.88
04:25:38	53.59	14569.48
04:27:38	53.51	14572.37
04:29:38	53.59	14581.11
04:30:38	53.59	14585.17
04:32:38	53.68	14585.24
04:33:38	53.76	14582.45
04:34:38	53.76	14575.99
04:35:38	53.76	14567.88
04:36:38	53.76	14557.00
04:37:38	53.76	14548.51
04:38:38	53.85	14544.72
04:40:38	53.93	14544.52
04:41:08	53.93	14544.89
04:43:08	54.02	14558.53
04:44:08	53.93	14564.53
04:44:38	53.93	14568.59
04:45:38	54.02	14573.38
04:47:38	54.10	14569.68
04:48:38	54.10	14569.40
04:49:08	54.19	14503.74
04:49:38	54.19	14355.82
04:50:08	54.10	14251.44
04:50:38	54.10	14221.47
04:51:08	54.02	14222.41
04:52:08	54.02	14217.33
04:52:38	54.02	14212.36
04:53:38	54.02	14217.80
04:54:08	53.93	14213.56
04:55:08	53.93	14195.40
04:55:38	53.93	14187.56
04:56:38	53.85	14177.80
04:57:38	53.85	14171.62
04:59:38	53.76	14166.66
05:00:38	53.85	14166.09
05:01:38	53.76	14161.50
05:05:38	53.85	14150.79
05:07:38	53.76	14144.07
05:09:38	53.85	14141.93
05:10:38	53.85	14142.02
05:12:38	53.93	14138.88
05:13:38	53.93	14139.25
05:14:38	53.93	14137.49
05:15:38	54.02	14134.44
05:17:38	54.10	14132.22
05:18:38	54.10	14130.47
05:19:38	54.10	14130.65
05:21:38	54.19	14127.51
05:23:38	54.27	14127.41
05:25:38	54.27	14122.25
05:29:38	54.36	14119.85
05:31:38	54.44	14114.96
05:32:08	54.53	14089.33
05:32:38	54.44	14050.42
05:33:08	54.44	14035.67
05:33:38	54.44	14033.91

03-OCT-83	SDT degC	SDP kPa
05:34:08	54.44	14034.56
05:35:08	54.44	14031.42
05:35:38	54.44	14029.76
05:36:38	54.44	14030.04
05:37:38	54.44	14024.32
05:38:08	54.53	14021.01
05:39:08	54.53	14018.15
05:40:08	54.44	14016.67
05:42:08	54.44	14011.05
05:44:08	54.53	14009.76
05:46:08	54.61	14005.62
05:46:38	54.53	14003.86
05:48:38	54.61	14009.58
05:49:38	54.61	14010.69
05:51:38	54.70	14016.33
05:52:38	54.61	14014.56
05:54:38	54.78	14010.43
05:55:38	54.78	14007.30
05:57:38	54.78	14007.67
05:58:08	54.78	14006.56
05:59:08	54.78	14008.13
06:00:08	54.87	14007.86
06:04:08	54.87	13999.47
06:06:08	54.96	13989.99
06:07:08	54.96	13986.58
06:11:08	54.96	13980.40
06:13:08	54.96	13979.39
06:14:08	55.04	13979.50
06:16:08	55.04	13976.73
06:16:38	55.04	13976.36
06:17:08	55.04	13974.43
06:19:08	55.04	13974.98
06:21:08	55.04	13977.47
06:22:08	55.13	13979.24
06:24:08	55.21	13978.52
06:24:38	55.13	13978.78
06:25:38	55.13	13977.12
06:26:38	55.13	13978.50
06:27:08	55.21	13979.26
06:29:08	55.21	13975.76
06:31:08	55.21	13968.94
06:33:08	55.30	13964.72
06:37:08	55.30	13959.19
06:39:08	55.30	13957.07
06:40:08	55.30	13956.15
06:44:08	55.38	13964.29
06:44:38	55.38	13966.04
06:46:38	55.38	13967.42
06:50:38	55.47	13974.64
06:51:38	55.47	13976.21
06:52:38	55.47	13979.62
06:53:38	55.47	13985.89
06:55:38	55.55	13991.83
06:56:38	55.47	13995.67
06:58:38	55.55	13998.65
06:59:38	55.55	13997.92
07:01:38	55.55	13990.44
07:02:38	55.55	13990.72
07:04:38	55.64	13995.00
07:05:38	55.64	13998.50
07:07:38	55.72	14002.04
07:08:08	55.64	14002.74

03-OCT-83	SDT degC	SDP kPa
07:12:08	55.64	14001.18
07:14:08	55.64	14001.82
07:14:38	55.72	14002.50
07:15:38	55.72	14001.31
07:16:08	55.72	14000.48
07:20:08	55.81	14003.93
07:24:08	55.81	14012.04
07:26:08	55.81	14017.11
07:27:08	55.89	14019.27
07:27:38	55.81	14021.08
07:31:38	55.89	14023.79
07:33:38	55.98	14026.15
07:34:08	55.89	14026.46
07:34:38	55.89	14024.16
07:35:38	55.89	14025.36
07:36:08	55.98	14026.24
07:38:08	55.98	14019.23
07:38:38	55.89	14019.18
07:39:38	55.98	14016.55
07:41:38	55.98	14021.17
07:43:38	55.98	14024.21
07:45:38	55.98	14021.63
07:46:38	55.98	14020.15
07:47:08	55.98	14018.13
07:48:08	56.06	14017.62
07:49:08	55.98	14018.67
07:49:38	55.98	14018.58
07:50:08	55.98	14020.80
07:52:08	56.06	14021.58
07:54:08	56.06	14020.47
07:58:08	56.06	14023.79
08:00:08	56.06	14025.92
08:00:38	56.06	14027.85
08:01:08	56.06	14026.47
08:03:08	56.15	14027.81
08:04:08	56.06	14027.20
08:04:38	56.06	14028.68
08:05:08	56.15	14028.73
08:05:38	56.15	14030.48
08:06:08	56.15	14029.28
08:07:08	56.15	14031.59
08:08:08	56.06	14029.60
08:08:38	56.15	14028.45
08:09:38	56.15	14029.84
08:11:38	56.15	14027.81
08:13:38	56.15	14029.10
08:14:08	56.15	14029.28
08:16:08	56.15	14026.61
08:17:08	56.23	14025.19
08:19:08	56.15	14028.27
08:21:08	56.15	14028.54
08:21:38	56.15	14030.48
08:22:08	56.15	14029.47
08:22:38	56.15	14030.76
08:23:38	56.23	14031.18
08:24:08	56.15	14029.47
08:24:38	56.15	14030.76
08:25:38	56.15	14031.68
08:26:08	56.23	14031.18
08:26:38	56.23	14032.29
08:27:08	56.23	14030.35
08:29:08	56.23	14034.41

03-OCT-83	SDT degC	SDP kPa
08:30:08	56.23	14033.76
08:30:38	56.23	14033.21
08:31:08	56.15	14036.11
08:32:08	56.23	14035.79
08:32:38	56.23	14034.41
08:34:38	56.23	14035.51
08:36:38	56.23	14031.92
08:37:38	56.32	14034.74
08:38:38	56.23	14031.00
08:39:08	56.23	14034.04
08:40:08	56.32	14033.82
08:40:38	56.32	14031.97
08:42:38	56.32	14035.20
08:43:38	56.32	14034.28
08:44:08	56.32	14036.12
08:44:38	56.23	14033.76
08:46:38	56.23	14036.44
08:48:38	56.32	14035.85
08:49:08	56.32	14037.04
08:51:08	56.32	14034.46
08:51:38	56.32	14035.38
08:52:38	56.32	14035.01
08:53:38	56.40	14033.13
08:54:08	56.32	14033.72
08:54:38	56.32	14032.07
08:55:08	56.32	14033.54
08:55:38	56.32	14033.08
08:56:38	56.32	14036.40
08:57:08	56.32	14036.86
08:58:08	56.40	14034.89
08:59:08	56.32	14037.32
08:59:38	56.40	14037.75
09:00:08	56.32	14035.01
09:01:08	56.32	14034.65
09:01:38	56.32	14037.97
09:02:08	56.32	14036.31
09:02:38	56.40	14037.65
09:03:08	56.32	14033.72
09:03:38	56.40	14036.82
09:04:38	56.32	14037.42
09:05:38	56.32	14035.11
09:06:08	56.40	14036.64
09:06:38	56.32	14034.46
09:07:38	56.32	14036.03
09:08:38	56.32	14033.82
09:09:38	56.40	14035.44
09:10:08	56.32	14033.72
09:11:08	56.40	14035.35
09:11:38	56.40	14032.40
09:12:08	56.32	14033.63
09:12:38	56.40	14032.49
09:13:08	56.40	14033.69
09:13:38	56.40	14032.12
09:14:08	56.40	14032.49
09:14:38	56.40	14026.68
09:15:08	56.40	14030.55
09:15:38	56.40	14029.54
09:16:08	56.40	14031.94
09:16:38	56.40	14027.05
09:17:08	56.40	14029.08
09:17:38	56.40	14026.50
09:18:08	56.32	14026.35

03-OCT-83	SDT degC	SDP kPa
09:18:38	56.40	14028.71
09:19:08	56.40	14026.77
09:21:08	56.40	14024.38
09:21:38	56.32	14025.15
09:22:08	56.40	14024.01
09:22:38	56.40	14025.48
09:23:38	56.40	14023.27
09:24:08	56.49	14023.97
09:24:38	56.40	14027.69
09:26:38	56.40	14026.40
09:27:08	56.49	14028.12
09:28:08	56.32	14025.52
09:29:08	56.40	14022.16
09:30:08	56.40	14022.53
09:30:38	56.40	14021.24
09:31:08	56.40	14021.70
09:31:38	56.40	14020.04
09:32:08	56.40	14021.05
09:33:08	56.40	14019.95
09:34:08	56.40	14021.61
09:34:38	56.40	14019.58
09:35:38	56.40	14019.49
09:36:08	56.49	14021.48
09:36:38	56.49	14019.64
09:37:38	56.40	14019.49
09:38:08	56.49	14023.79
09:40:08	56.40	14021.61
09:41:08	56.49	14022.41
09:41:38	56.40	14020.13
09:42:38	56.40	14018.47
09:43:08	56.40	14019.49
09:44:08	56.40	14018.20
09:45:08	56.49	14011.53
09:46:08	56.49	14010.79
09:46:38	56.40	14008.70
09:47:08	56.40	14009.81
09:47:38	56.40	14008.61
09:48:38	56.49	14009.87
09:49:08	56.40	14008.15
09:50:08	56.40	14011.92
09:52:08	56.49	14011.43
09:52:38	56.49	14010.60
09:53:08	56.49	14011.71
09:54:08	56.40	14009.25
09:54:38	56.40	14007.78
09:55:08	56.40	14009.81
09:57:08	56.49	14005.99
09:57:38	56.40	14003.90
09:58:08	56.40	14005.66
09:59:08	56.40	14004.18
09:59:38	56.49	14004.52
10:00:38	56.49	14001.57
10:01:08	56.40	14003.54
10:02:08	56.40	14001.97
10:02:38	56.49	14000.64
10:03:08	56.49	14002.03
10:05:08	56.49	13998.89
10:06:08	56.49	14001.01
10:06:38	56.49	13999.17
10:07:38	56.49	14000.37
10:09:38	56.49	13998.80
10:10:38	56.49	13999.72

03-OCT-83	SDT degC	SDP kPa
10:11:38	56.40	13997.54
10:12:08	56.40	13998.65
10:12:38	56.49	13997.33
10:14:38	56.49	14000.64
10:15:08	56.49	13999.08
10:16:08	56.49	13999.45
10:17:08	56.49	14002.03
10:17:38	56.49	14003.04
10:18:08	56.49	14002.30
10:18:38	56.40	14003.17
10:19:08	56.49	14003.13
10:19:38	56.49	14000.55
10:20:38	56.49	13999.72
10:21:38	56.49	13992.25
10:22:08	56.49	13992.62
10:24:08	56.49	13988.84
10:25:08	56.49	13988.84
10:26:08	56.49	13985.80
10:26:38	56.49	13986.91
10:27:08	56.49	13986.26
10:28:08	56.40	13987.95
10:29:08	56.49	13986.08
10:29:38	56.49	13989.21
10:30:38	56.49	13991.24
10:31:38	56.49	13989.03
10:32:38	56.49	13989.03
10:33:08	56.49	13988.10
10:33:38	56.49	13990.50
10:34:08	56.49	13990.22
10:34:38	56.49	13991.98
10:35:38	56.49	13993.54
10:36:08	56.49	13992.90
10:38:08	56.49	13982.94
10:39:08	56.57	13984.84
10:39:38	56.49	13985.15
10:40:38	56.49	13981.92
10:41:08	56.49	13980.35
10:41:38	56.49	13981.19
10:42:38	56.49	13977.96
10:43:08	56.49	13979.07
10:44:08	56.49	13978.24
10:45:08	56.49	13979.16
10:47:08	56.49	13975.38
10:48:08	56.57	13974.88
10:49:08	56.57	13975.81
10:50:08	56.57	13970.83
10:54:08	56.49	13967.63
10:55:08	56.49	13965.14
10:55:38	56.49	13964.03
10:56:08	56.49	13965.05
10:57:08	56.49	13963.39
10:57:38	56.49	13963.94
10:58:38	56.49	13960.72
11:00:38	56.49	13961.08
11:01:38	56.49	13960.44
11:02:08	56.49	13962.56
11:03:08	56.49	13963.21
11:04:08	56.49	13959.15
11:04:38	56.49	13959.79
11:05:08	56.49	13957.03
11:06:08	56.49	13962.47
11:06:38	56.49	13963.49

03-OCT-83	SDT degC	SDP kPa
11:07:38	56.49	13961.46
11:08:08	56.49	13962.74
11:09:08	56.49	13961.36
11:09:38	56.49	13963.39
11:10:08	56.49	13961.36
11:10:38	56.57	13964.09
11:11:08	56.40	13962.41
11:11:38	56.57	13960.04
11:12:38	56.57	13970.83
11:13:08	56.49	13966.34
11:14:08	56.49	13962.65
11:14:38	56.49	13956.75
11:15:08	56.49	13959.15
11:15:38	56.49	13968.28
11:16:08	56.57	13974.33
11:16:38	56.57	13975.25
11:17:38	56.57	13971.38
11:18:08	56.57	13966.86
11:18:38	56.49	13948.18
11:19:08	56.57	13938.55
11:19:38	56.49	13958.14
11:20:08	56.49	13974.18
11:20:38	56.57	13988.35
11:21:08	56.57	13971.38
11:21:38	56.57	13944.92
11:22:08	56.49	13916.09
11:23:08	56.49	13970.77
11:23:38	56.49	13987.83
11:24:08	56.57	13981.89
11:24:38	56.57	13923.99
11:25:08	56.49	13887.60
11:25:38	56.49	13940.89
11:26:08	56.57	13967.41
11:26:38	56.49	13976.94
11:27:08	56.57	13983.55
11:27:38	56.57	13894.85
11:28:08	56.57	13862.66
11:28:38	56.49	13928.17
11:29:08	56.49	13960.07
11:29:38	56.49	13969.66
11:30:08	56.57	13983.09
11:30:38	56.49	13919.50
11:31:08	56.49	13850.06
11:31:38	56.57	13909.69
11:32:08	56.49	13956.01
11:32:38	56.49	13965.42
11:33:08	56.57	13977.74
11:33:38	56.49	13940.06
11:34:08	56.49	13868.05
11:34:38	56.49	13889.71
11:35:08	56.49	13948.91
11:35:38	56.49	13960.90
11:36:08	56.49	13975.29
11:36:38	56.49	13961.46
11:37:08	56.49	13873.76
11:37:38	56.49	13870.81
11:38:08	56.49	13937.02
11:38:38	56.49	13959.70
11:39:08	56.49	13974.46
11:39:38	56.49	13979.16
11:40:08	56.49	13888.51
11:40:38	56.49	13861.78

03-OCT-83	SDT degC	SDP kPa
11:41:08	56.49	13917.93
11:41:38	56.49	13950.76
11:42:38	56.49	13970.95
11:43:08	56.57	13915.22
11:43:38	56.49	13869.80
11:44:08	56.49	13899.49
11:44:38	56.49	13945.41
11:45:08	56.49	13959.15
11:45:38	56.49	13965.51
11:46:38	56.49	13871.55
11:47:08	56.49	13882.80
11:47:38	56.49	13914.79
11:48:08	56.49	13942.18
11:48:38	56.49	13950.85
11:49:08	56.49	13926.04
11:49:38	56.49	13878.37
11:50:08	56.49	13878.93
11:50:38	56.49	13897.64
11:51:08	56.49	13907.69
11:51:38	56.49	13936.56
11:52:08	56.49	13927.24
11:52:38	56.49	13890.54
11:53:08	56.49	13886.03
11:53:38	56.49	13895.52
11:54:38	56.49	13896.36
11:55:38	56.40	13900.54
11:56:08	56.49	13901.89
11:58:08	56.49	13896.81
11:59:08	56.49	13893.40
12:00:08	56.49	13892.85
12:00:38	56.49	13893.50
12:01:38	56.49	13890.82
12:03:38	56.40	13890.21
12:05:38	56.49	13895.99
12:07:38	56.40	13895.09
12:09:38	56.40	13897.77
12:13:38	56.49	13892.76
12:14:38	56.40	13892.52
12:15:08	56.49	13892.02
12:16:08	56.49	13887.50
12:18:08	56.49	13882.98
12:19:08	56.40	13884.22
12:20:08	56.49	13888.61
12:21:08	56.49	13890.18
12:22:08	56.49	13889.81
12:22:38	56.49	13888.15
12:23:38	56.49	13882.34
12:25:38	56.40	13874.07
12:27:38	56.49	13870.63
12:29:38	56.49	13873.58
12:30:38	56.40	13874.44
12:32:38	56.49	13872.66
12:33:38	56.49	13873.12
12:35:38	56.40	13869.83
12:39:38	56.49	13873.12
12:40:38	56.40	13873.98
12:48:38	56.49	13873.58
12:49:38	56.49	13874.31
12:51:38	56.49	13870.44
12:53:38	56.49	13868.32
12:55:38	56.49	13863.34
12:57:38	56.49	13860.95

03-OCT-83	SDT degC	SDP kPa
12:58:38	56.49	13858.46
12:59:08	56.49	13859.10
13:00:08	56.49	13856.70
13:01:08	56.40	13857.29
13:01:38	56.40	13857.66
13:02:38	56.49	13863.90
13:03:08	56.49	13866.20
13:03:38	56.49	13865.74
13:04:38	56.40	13859.04
13:05:38	56.49	13854.86
13:06:38	56.49	13852.83
13:08:38	56.40	13854.53
13:09:38	56.40	13853.97
13:10:08	56.49	13852.28
13:11:08	56.40	13851.39
13:13:08	56.49	13856.15
13:15:08	56.40	13857.94
13:17:08	56.49	13858.36
13:18:08	56.40	13857.94
13:18:38	56.49	13859.66
13:19:38	56.49	13858.55
13:20:08	56.49	13860.48
13:22:08	56.49	13857.63
13:23:08	56.49	13857.26
13:24:08	56.49	13852.65
13:26:08	56.49	13851.63
13:30:08	56.49	13842.23
13:32:08	56.49	13840.94
13:33:08	56.49	13843.71
13:35:08	56.49	13842.60
13:36:08	56.57	13841.27
13:40:08	56.49	13839.00
13:42:08	56.49	13837.43
13:43:08	56.49	13835.96
13:51:08	56.49	13840.75
13:53:08	56.49	13839.92
13:55:08	56.49	13842.23
13:56:08	56.49	13844.16
13:56:38	56.49	13842.50
13:57:38	56.49	13833.93
13:58:08	56.49	13830.52
13:58:38	56.49	13829.23
13:59:08	56.49	13826.00
13:59:38	56.49	13824.80
14:00:08	56.49	13826.27
14:01:08	56.49	13836.69
14:02:08	56.40	13845.21
14:02:38	56.49	13845.92
14:04:38	56.40	13832.03
14:05:38	56.49	13827.66
14:07:38	56.49	13828.12
14:11:38	56.49	13826.18
14:15:38	56.49	13833.10
14:17:38	56.49	13834.48
14:19:38	56.49	13826.46
14:20:38	56.49	13825.72
14:22:38	56.49	13829.04
14:23:38	56.49	13831.44
14:25:38	56.49	13830.52
14:26:38	56.49	13828.30
14:28:38	56.49	13826.27
14:30:38	56.49	13826.00

03-OCT-83	SDT degC	SDP kPa
14:32:38	56.49	13823.97
14:33:38	56.49	13823.32
14:34:08	56.49	13823.32
14:38:08	56.49	13818.34
14:40:08	56.49	13820.28
14:42:08	56.57	13819.51
14:46:08	56.49	13813.65
14:47:08	56.57	13813.61
14:51:08	56.57	13820.25
14:52:08	56.49	13819.82
14:53:08	56.49	13822.13
14:55:08	56.57	13823.29
14:57:08	56.57	13816.84
15:01:08	56.49	13815.76
15:02:08	56.57	13814.25
15:06:08	56.49	13812.08
15:10:08	56.49	13808.02
15:12:08	56.49	13804.33
15:12:38	56.49	13805.53
15:14:38	56.49	13805.53
15:15:38	56.57	13805.77
15:16:38	56.49	13803.60
15:18:38	56.49	13804.79
15:20:38	56.49	13809.31
15:22:38	56.57	13810.66
15:23:38	56.49	13812.08
15:25:38	56.49	13809.31
15:26:08	56.49	13807.83
15:28:08	56.49	13810.60
15:29:08	56.49	13811.15
15:29:38	56.49	13811.80
15:31:38	56.49	13807.74
15:32:08	56.49	13808.67
15:34:08	56.49	13805.81
15:34:38	56.49	13804.24
15:36:38	56.49	13802.21
15:37:38	56.57	13801.26
15:41:38	56.57	13802.55
15:43:38	56.49	13798.61
15:45:38	56.49	13798.70
15:46:38	56.57	13802.08
15:48:38	56.57	13804.76
15:52:38	56.57	13804.57
15:56:38	56.57	13806.79
15:58:38	56.57	13807.43
15:59:38	56.57	13803.56
16:00:38	56.49	13801.66
16:01:38	56.57	13798.03
16:02:38	56.49	13795.57
16:03:08	56.57	13795.54
16:03:38	56.49	13792.99
16:07:38	56.57	13791.02
16:08:38	56.49	13788.93
16:09:38	56.49	13788.84
16:10:08	56.49	13789.95
16:14:08	56.57	13788.99
16:18:08	56.57	13792.13
16:19:08	56.57	13793.88
16:19:38	56.57	13794.06
16:20:38	56.57	13797.01
16:22:38	56.49	13795.30
16:23:38	56.49	13795.30

03-OCT-83	SDT degC	SDF kPa
16:24:38	56.49	13793.73
16:25:08	56.57	13793.60
16:26:08	56.57	13790.38
16:28:08	56.57	13787.33
16:30:08	56.49	13787.55
16:30:38	56.57	13785.21
16:31:38	56.49	13784.87
16:32:08	56.57	13784.47
16:34:08	56.49	13788.01
16:35:08	56.49	13790.31
16:35:38	56.57	13791.20
16:37:38	56.57	13789.27
16:39:38	56.57	13793.97
16:40:38	56.49	13796.13
16:41:08	56.57	13794.62
16:43:08	56.57	13794.34
16:45:08	56.57	13788.99
16:47:08	56.49	13787.18
16:48:08	56.57	13785.67
16:49:08	56.49	13786.16
16:50:08	56.57	13790.28
16:51:08	56.57	13789.91
16:51:38	56.57	13790.47
16:52:38	56.57	13789.46
16:53:08	56.57	13788.62
16:55:08	56.57	13781.62
16:59:08	56.57	13775.16
17:00:08	56.57	13775.81
17:00:38	56.57	13777.19
17:01:38	56.57	13774.24
17:09:38	56.57	13773.50
17:10:38	56.49	13775.47
17:12:38	56.57	13777.37
17:13:38	56.57	13778.30
17:14:08	56.57	13779.40
17:16:08	56.57	13779.13
17:17:08	56.49	13778.98
17:18:08	56.49	13781.37
17:18:38	56.57	13780.69
17:20:38	56.57	13780.88
17:22:38	56.57	13776.91
17:26:38	56.57	13781.71
17:28:38	56.57	13780.05
17:29:38	56.57	13779.77
17:30:08	56.57	13778.67
17:30:38	56.49	13775.38
17:31:38	56.57	13776.91
17:32:38	56.57	13774.98
17:33:38	56.49	13774.64
17:34:38	56.57	13772.39
17:35:38	56.57	13774.42
17:39:38	56.57	13774.33
17:41:38	56.57	13773.13
17:45:38	56.57	13775.25
17:47:38	56.57	13776.46
17:51:38	56.57	13776.08
17:52:38	56.57	13774.61
17:53:38	56.49	13770.68
17:55:38	56.49	13769.94
17:57:38	56.57	13773.41
17:58:08	56.57	13774.70
18:00:08	56.49	13773.07

03-OCT-83	SDT degC	SDP kPa
18:00:38	56.49	13773.91
18:01:08	56.57	13765.57
18:01:38	56.57	13759.95
18:02:08	56.57	13777.01
18:02:38	56.57	13816.66
18:03:08	56.57	13971.19
18:03:38	56.65	14235.46
18:04:08	56.65	14360.51
18:04:38	56.65	14413.17
18:05:08	56.74	14433.71
18:05:38	56.74	14441.46
18:06:08	56.82	14445.86
18:06:38	56.91	14461.71
18:07:08	56.99	14864.12
18:07:38	57.08	15094.07
18:08:08	57.16	15156.70
18:08:38	57.25	15176.15
18:09:08	57.33	15186.11
18:10:08	57.50	15196.99
18:10:38	57.59	15316.74
18:11:08	57.76	15581.73
18:11:38	57.84	15588.75
18:13:38	58.18	15589.82
18:14:38	58.35	15589.31
18:15:38	58.44	15590.16
18:19:38	58.69	15586.10
18:23:38	58.69	15583.14
18:25:38	58.61	15581.45
18:26:38	58.61	15580.80
18:27:08	58.52	15581.06
18:31:08	58.35	15578.15
19:03:08	56.99	15577.98
20:07:08	55.38	15578.55
21:11:08	54.44	15577.12
21:43:08	54.19	15576.27
21:59:08	54.02	15576.74
22:03:08	53.93	15576.93
22:07:08	54.02	15575.91
22:11:08	53.93	15577.67
22:15:08	53.93	15576.83
22:19:08	53.93	15577.76
22:21:08	53.93	15576.74
22:29:08	53.85	15577.49
22:45:08	53.76	15576.76
22:53:08	53.68	15577.33
23:57:08	53.42	15577.21
23:59:08	53.34	15575.84
00:00:08	53.34	15576.67
00:08:08	53.34	15576.12
00:12:08	53.25	15575.96
00:13:08	53.25	15575.22
00:13:38	53.25	15574.58
00:14:08	53.25	15575.78
01:18:08	53.00	15576.24
01:50:08	52.91	15576.28
01:54:08	52.91	15575.91
01:55:08	53.00	15576.79
01:55:38	52.91	15500.17
01:56:08	52.83	15573.09
01:57:08	52.91	15418.54
01:57:38	52.91	15413.92
01:58:08	52.91	15341.15

04-OCT-83	SDT degC	SDP kPa
01:58:38	53.00	15338.06
01:59:08	53.00	15351.99
01:59:38	53.08	15311.64
02:00:08	53.25	15281.97
02:00:38	53.42	15264.58
02:01:08	53.51	15253.95
02:01:38	53.76	15218.38
02:02:08	54.02	15304.88
02:02:38	54.19	15325.72
02:03:38	54.61	15324.73
02:04:08	54.87	15321.55
02:04:38	54.96	15315.11
02:06:38	55.81	15281.50
02:07:38	56.06	15262.18
02:08:08	56.23	15251.32
02:09:08	56.49	15233.05
02:09:38	56.65	15226.08
02:10:08	56.82	15220.87
02:10:38	56.91	15219.56
02:11:08	56.99	15223.97
02:12:08	57.16	15238.07
02:13:08	57.42	15258.99
02:13:38	57.50	15266.55
02:14:38	57.59	15275.41
02:15:08	57.76	15278.09
02:16:08	57.93	15278.38
02:17:08	58.01	15281.72
02:19:08	58.18	15284.05
02:20:08	58.27	15285.36
02:20:38	58.35	15286.77
02:21:08	58.35	15281.32
02:22:08	58.44	15262.71
02:22:38	58.44	15253.94
02:23:08	58.44	15250.44
02:23:38	58.52	15251.48
02:24:08	58.52	15255.63
02:26:08	58.61	15280.57
02:26:38	58.69	15286.41
02:27:08	58.61	15288.69
02:28:08	58.69	15289.45
02:29:08	58.78	15283.95
02:29:38	58.78	15279.61
02:31:38	58.78	15256.36
02:32:38	58.78	15242.15
02:33:38	58.86	15230.75
02:34:38	58.86	15221.06
02:35:38	58.86	15214.32
02:37:38	58.94	15208.36
02:38:08	58.94	15209.09
02:42:08	59.03	15228.14
02:43:08	59.03	15229.80
02:43:38	58.94	15228.93
02:44:38	59.03	15233.12
02:46:38	59.03	15267.26
02:47:38	59.03	15279.34
02:48:38	59.11	15287.41
02:49:38	59.11	15290.64
02:50:38	59.11	15290.55
02:51:08	59.11	15289.81
02:53:08	59.11	15279.29
02:54:08	59.11	15274.03
02:55:08	59.11	15267.11

04-OCT-83	SDT degC	SDP kPa
02:56:08	59.20	15262.27
02:57:08	59.11	15259.27
02:59:08	59.20	15258.21
02:59:38	59.20	15257.10
03:01:38	59.20	15258.48
03:05:38	59.20	15269.55
03:07:38	59.20	15273.15
03:09:38	59.20	15274.91
03:10:38	59.28	15276.89
03:12:38	59.28	15277.53
03:13:38	59.20	15277.49
03:14:38	59.28	15275.13
03:16:38	59.28	15272.55
03:17:38	59.28	15268.86
03:21:38	59.20	15264.48
03:25:38	59.28	15263.32
03:27:38	59.28	15264.61
03:28:38	59.28	15266.00
03:29:08	59.28	15266.18
03:29:38	59.28	15268.21
03:30:38	59.20	15268.35
03:31:08	59.28	15269.69
03:32:08	59.37	15276.66
03:36:08	59.37	15294.09
03:38:08	59.37	15301.85
03:40:08	59.28	15303.09
03:41:08	59.37	15303.23
03:42:08	59.37	15298.25
03:43:08	59.37	15291.61
03:45:08	59.37	15273.98
03:46:08	59.37	15266.23
03:47:08	59.37	15256.73
03:48:08	59.37	15248.98
03:49:08	59.37	15244.18
03:49:38	59.37	15242.43
03:50:38	59.37	15247.78
03:51:38	59.28	15257.33
03:52:08	59.28	15261.02
03:52:38	59.37	15262.91
03:54:38	59.37	15257.28
03:55:38	59.28	15262.68
03:57:38	59.37	15285.98
03:58:38	59.28	15293.68
04:00:38	59.37	15304.61
04:01:38	59.37	15301.94
04:02:38	59.37	15295.66
04:03:08	59.37	15293.08
04:04:08	59.37	15284.22
04:06:08	59.28	15261.48
04:08:08	59.37	15236.71
04:08:38	59.28	15232.05
04:09:08	59.45	15231.13
04:09:38	59.28	15234.26
04:10:38	59.28	15247.46
04:11:38	59.37	15265.22
04:12:08	59.37	15282.93
04:12:38	59.37	15304.24
04:13:08	59.37	15333.03
04:13:38	59.37	15359.97
04:14:08	59.37	15377.97
04:14:38	59.37	15359.97
04:15:08	59.37	15308.95

04-OCT-83	SDT degC	SDP kPa
04:15:38	59.37	15277.95
04:16:08	59.37	15263.56
04:16:38	59.37	15258.30
04:17:08	59.37	15258.48
04:18:08	59.37	15264.57
04:18:38	59.37	15268.91
04:19:38	59.37	15275.09
04:20:38	59.45	15277.81
04:21:38	59.45	15273.57
04:22:38	59.37	15266.50
04:24:38	59.37	15246.67
04:25:38	59.37	15234.40
04:26:38	59.37	15223.97
04:27:08	59.37	15220.93
04:27:38	59.37	15222.86
04:28:08	59.37	15227.67
04:28:38	59.37	15238.92
04:29:08	59.37	15246.95
04:29:38	59.37	15244.09
04:30:08	59.37	15239.47
04:31:08	59.37	15253.22
04:31:38	59.45	15262.03
04:32:38	59.37	15256.36
04:33:08	59.37	15252.58
04:33:38	59.37	15252.58
04:34:38	59.37	15261.99
04:35:38	59.37	15268.91
04:37:38	59.37	15270.38
04:38:38	59.45	15267.48
04:39:38	59.37	15261.90
04:40:38	59.37	15254.61
04:41:08	59.37	15253.68
04:42:08	59.37	15257.28
04:43:08	59.37	15254.05
04:45:08	59.37	15257.37
04:47:08	59.45	15250.50
04:47:38	59.37	15249.72
04:48:38	59.37	15255.16
04:49:38	59.45	15267.30
04:50:08	59.37	15274.35
04:51:08	59.37	15285.42
04:51:38	59.37	15290.13
04:52:38	59.37	15295.85
04:53:08	59.37	15298.25
04:55:08	59.37	15301.11
04:56:08	59.45	15300.23
04:56:38	59.45	15297.37
04:57:08	59.45	15292.85
04:58:08	59.45	15276.98
04:59:08	59.45	15263.61
04:59:38	59.45	15260.74
05:00:08	59.45	15259.73
05:00:38	59.45	15260.37
05:01:38	59.37	15256.08
05:02:38	59.37	15254.79
05:03:38	59.37	15255.90
05:04:08	59.45	15257.70
05:06:08	59.45	15257.42
05:07:08	59.45	15261.48
05:08:08	59.45	15263.05
05:10:08	59.45	15272.09
05:12:08	59.45	15276.06

04-OCT-83	SDT degC	SDP kPa
05:12:38	59.45	15276.33
05:13:38	59.45	15274.12
05:14:08	59.45	15272.28
05:15:08	59.45	15265.36
05:15:38	59.45	15261.85
05:16:08	59.37	15255.90
05:16:38	59.37	15254.51
05:17:08	59.45	15255.76
05:18:08	59.45	15264.25
05:18:38	59.45	15270.06
05:19:08	59.45	15269.79
05:20:08	59.45	15264.25
05:22:08	59.45	15266.65
05:22:38	59.45	15270.25
05:23:38	59.45	15280.03
05:24:08	59.37	15282.93
05:24:38	59.45	15284.36
05:25:38	59.45	15282.79
05:27:38	59.54	15271.12
05:28:38	59.45	15263.05
05:29:38	59.37	15253.13
05:30:08	59.45	15251.24
05:30:38	59.45	15255.95
05:31:38	59.45	15260.93
05:33:38	59.45	15263.51
05:35:38	59.45	15263.88
05:39:38	59.45	15274.31
05:41:38	59.45	15279.10
05:42:38	59.45	15281.87
05:43:38	59.45	15282.98
05:44:08	59.54	15285.52
05:45:08	59.45	15284.82
05:45:38	59.54	15285.79
05:46:08	59.54	15284.59
05:48:08	59.45	15285.84
05:56:08	59.45	15284.55
05:58:08	59.45	15281.96
06:00:08	59.54	15282.10
06:02:08	59.45	15286.95
06:03:08	59.45	15289.16
06:07:08	59.45	15292.58
06:09:08	59.54	15293.91
06:11:08	59.45	15296.08
06:15:08	59.45	15298.57
06:19:08	59.54	15305.17
06:21:08	59.54	15310.89
06:23:08	59.54	15314.49
06:24:08	59.54	15316.33
06:24:38	59.54	15318.09
06:28:38	59.54	15315.96
06:30:38	59.54	15312.46
06:31:38	59.54	15308.49
06:33:38	59.54	15305.91
06:34:38	59.62	15304.30
06:38:38	59.54	15280.35
06:39:38	59.54	15272.88
06:41:38	59.54	15274.81
06:42:38	59.54	15278.13
06:43:08	59.54	15279.34
06:43:38	59.54	15278.60
06:44:38	59.54	15273.62
06:45:08	59.54	15273.80

04-OCT-83	SDT degC	SDP kPa
06:46:08	59.54	15269.18
06:46:38	59.45	15268.12
06:47:08	59.54	15269.65
06:48:08	59.54	15268.45
06:48:38	59.54	15250.18
06:49:08	59.45	14934.79
06:49:38	59.45	14779.53
06:50:08	59.45	14703.98
06:50:38	59.37	14660.67
06:51:08	59.37	14636.14
06:51:38	59.28	14620.13
06:52:08	59.28	14611.83
06:53:08	59.11	14600.04
06:54:08	59.03	14598.98
06:54:38	58.94	14595.91
06:55:38	58.94	14603.01
06:56:08	58.86	14604.36
06:57:08	58.69	14598.40
06:58:08	58.61	14604.55
07:00:08	58.52	14602.13
07:01:08	58.44	14597.96
07:02:08	58.44	14596.67
07:02:38	58.44	14596.57
07:03:08	58.44	14598.14
07:04:08	58.35	14593.97
07:04:38	58.35	14594.71
07:05:08	58.35	14592.40
07:06:08	58.35	14592.03
07:07:08	58.27	14588.79
07:08:08	58.27	14591.83
07:10:08	58.18	14602.89
07:11:08	58.27	14609.45
07:12:08	58.18	14611.74
07:13:08	58.18	14610.91
07:14:08	58.18	14604.45
07:14:38	58.18	14601.13
07:15:38	58.18	14605.28
07:16:08	58.18	14608.23
07:16:38	58.18	14609.62
07:17:08	58.18	14608.69
07:18:08	58.18	14601.41
07:19:08	58.18	14607.87
07:19:38	58.27	14613.23
07:20:08	58.18	14615.06
07:20:38	58.18	14609.90
07:21:38	58.18	14609.90
07:22:08	58.18	14608.79
07:24:08	58.27	14613.32
07:26:08	58.18	14622.53
07:28:08	58.18	14622.62
07:28:38	58.18	14619.12
07:29:38	58.18	14614.59
07:31:38	58.18	14610.54
07:32:38	58.18	14608.32
07:33:38	58.18	14608.79
07:34:08	58.27	14610.56
07:35:08	58.18	14608.14
07:37:08	58.27	14612.68
07:38:08	58.27	14612.31
07:38:38	58.18	14609.43
07:39:38	58.18	14608.69
07:40:38	58.27	14605.39

04-OCT-83	SDT degC	SDP kPa
07:42:38	58.18	14603.43
07:43:38	58.27	14607.05
07:44:08	58.18	14611.28
07:44:38	58.18	14611.65
07:45:38	58.27	14617.48
07:46:08	58.27	14618.58
07:47:08	58.18	14618.38
07:48:08	58.18	14617.00
07:48:38	58.27	14615.54
07:49:38	58.27	14617.38
07:50:38	58.27	14616.00
07:51:38	58.27	14618.58
07:52:08	58.18	14618.84
07:53:08	58.27	14615.91
07:53:38	58.27	14614.89
07:55:38	58.27	14604.93
07:56:38	58.27	14600.96
07:57:08	58.27	14601.14
07:58:08	58.27	14595.98
08:00:08	58.27	14590.26
08:02:08	58.27	14587.31
08:02:38	58.27	14585.38
08:03:08	58.27	14586.39
08:05:08	58.27	14583.16
08:07:08	58.27	14582.15
08:08:08	58.18	14578.99
08:09:08	58.18	14578.53
08:13:08	58.18	14571.98
08:13:38	58.18	14571.52
08:14:38	58.18	14573.46
08:15:38	58.18	14571.80
08:17:38	58.18	14572.63
08:19:38	58.27	14571.54
08:21:38	58.27	14567.39
08:23:38	58.27	14566.00
08:25:38	58.27	14561.67
08:26:38	58.27	14563.15
08:27:08	58.18	14563.04
08:28:08	58.27	14568.31
08:32:08	58.27	14571.26
08:32:38	58.27	14569.78
08:33:08	58.27	14566.56
08:34:08	58.27	14565.54
08:34:38	58.27	14566.00
08:35:38	58.18	14564.33
08:36:38	58.27	14565.27
08:37:08	58.27	14564.53
08:37:38	58.27	14566.00
08:39:38	58.27	14564.80
08:40:38	58.27	14566.74
08:41:08	58.27	14566.65
08:43:08	58.27	14561.86
08:45:08	58.27	14559.83
08:45:38	58.27	14558.81
08:46:08	58.27	14559.83
08:48:08	58.27	14561.39
08:50:08	58.27	14560.93
08:50:38	58.27	14560.47
08:51:38	58.27	14563.15
08:52:08	58.27	14564.53
08:54:08	58.27	14564.71
08:56:08	58.27	14566.65

04-OCT-83	SDT degC	SDP kPa
08:56:38	58.27	14567.11
08:57:08	58.27	14565.82
09:01:08	58.27	14567.48
09:03:08	58.27	14565.36
09:05:08	58.27	14565.45
09:06:08	58.27	14566.93
09:07:08	58.18	14566.26
09:08:08	58.35	14569.53
09:08:38	58.27	14567.85
09:09:08	58.27	14568.40
09:09:38	58.27	14566.83
09:10:08	58.27	14567.11
09:12:08	58.35	14560.67
09:13:08	58.27	14558.81
09:15:08	58.35	14558.74
09:16:08	58.27	14559.55
09:16:38	58.27	14558.62
09:18:38	58.35	14562.15
09:19:08	58.27	14563.05
09:21:08	58.35	14562.42
09:22:08	58.35	14561.32
09:22:38	58.27	14560.10
09:23:08	58.27	14562.31
09:24:08	58.27	14555.95
09:25:08	58.35	14556.15
09:25:38	58.27	14557.71
09:26:38	58.27	14557.33
09:28:38	58.27	14564.62
09:30:38	58.27	14567.85
09:31:38	58.35	14569.80
09:32:38	58.27	14568.50
09:33:08	58.27	14568.22
09:34:08	58.27	14571.63
09:35:08	58.27	14571.35
09:35:38	58.35	14571.55
09:36:38	58.27	14575.78
09:37:38	58.35	14578.38
09:38:38	58.35	14583.73
09:39:38	58.27	14585.84
09:40:38	58.35	14584.65
09:41:38	58.35	14577.83
09:43:38	58.44	14559.58
09:44:38	58.35	14550.80
09:45:38	58.35	14549.23
09:46:38	58.35	14550.71
09:48:38	58.35	14562.33
09:49:08	58.35	14564.18
09:50:08	58.35	14565.74
09:50:38	58.27	14565.63
09:51:08	58.35	14568.42
09:52:08	58.35	14567.22
09:53:08	58.35	14567.77
09:54:08	58.35	14564.82
09:54:38	58.27	14564.80
09:55:38	58.35	14564.27
09:56:38	58.27	14567.02
09:57:38	58.35	14568.14
09:58:38	58.27	14564.71
09:59:38	58.27	14564.43
10:00:38	58.35	14567.22
10:01:08	58.35	14568.14
10:03:08	58.35	14567.13

04-OCT-83	SDT degC	SDP kPa
10:05:08	58.35	14568.42
10:06:08	58.35	14570.36
10:10:08	58.35	14565.65
10:11:08	58.35	14565.37
10:11:38	58.27	14564.07
10:12:08	58.35	14565.56
10:16:08	58.35	14564.55
10:17:08	58.35	14567.77
10:21:08	58.35	14571.00
10:23:08	58.35	14568.05
10:24:08	58.35	14570.08
10:24:38	58.35	14572.02
10:25:38	58.35	14572.02
10:26:08	58.35	14572.94
10:27:08	58.35	14570.45
10:28:08	58.44	14571.58
10:28:38	58.35	14570.17
10:29:08	58.35	14571.74
10:29:38	58.35	14569.90
10:31:38	58.35	14570.82
10:32:38	58.35	14570.08
10:33:38	58.44	14571.95
10:34:38	58.35	14570.17
10:35:08	58.35	14570.36
10:35:38	58.35	14572.76
10:36:38	58.35	14571.65
10:37:08	58.35	14572.02
10:39:08	58.44	14569.27
10:39:38	58.35	14570.17
10:40:38	58.35	14567.04
10:41:08	58.35	14567.13
10:42:08	58.44	14565.40
10:46:08	58.44	14570.10
10:47:08	58.35	14569.16
10:49:08	58.35	14571.65
10:50:08	58.35	14568.88
10:52:08	58.35	14566.76
10:53:08	58.35	14568.42
10:54:08	58.35	14573.68
10:54:38	58.35	14576.63
10:55:08	58.44	14575.73
10:55:38	58.44	14572.59
10:56:38	58.35	14574.51
10:57:38	58.35	14573.68
10:58:38	58.44	14571.21
10:59:08	58.35	14569.80
11:00:08	58.44	14572.22
11:01:08	58.35	14571.09
11:01:38	58.44	14564.20
11:02:08	58.35	14287.76
11:02:38	58.35	14063.83
11:03:08	58.35	14023.81
11:03:38	58.27	14055.98
11:04:08	58.18	14071.64
11:04:38	58.18	14048.22
11:05:08	58.10	14049.50
11:05:38	58.01	14038.61
11:06:08	57.93	14018.22
11:06:38	57.93	14002.91
11:07:38	57.76	13987.41
11:08:38	57.76	13979.39
11:09:08	57.67	13975.60

04-OCT-83	SDT degC	SDP kPa
11:09:38	57.67	13974.69
11:10:08	57.59	13971.64
11:12:08	57.50	13953.67
11:13:08	57.42	13942.98
11:14:08	57.42	13938.09
11:14:38	57.33	13934.78
11:15:38	57.33	13933.39
11:16:08	57.25	13933.04
11:17:08	57.25	13929.99
11:19:08	57.08	13929.01
11:20:08	57.16	13929.27
11:24:08	56.99	13920.82
11:25:08	57.08	13921.45
11:25:38	56.99	13922.94
11:27:38	56.99	13924.14
11:28:38	56.99	13925.24
11:29:08	56.99	13927.09
11:30:08	56.99	13925.15
11:30:38	56.91	13925.45
11:32:38	56.99	13922.29
11:33:38	56.91	13923.42
11:34:38	56.91	13922.77
11:35:08	56.99	13923.21
11:35:38	56.91	13924.71
11:36:38	56.99	13925.52
11:37:38	56.91	13923.61
11:38:08	56.91	13924.16
11:39:08	56.91	13921.58
11:40:08	56.91	13921.49
11:40:38	56.91	13919.36
11:42:38	56.91	13918.08
11:43:38	56.99	13917.59
11:44:38	56.99	13914.36
11:45:38	56.99	13913.35
11:46:38	56.99	13913.99
11:47:38	56.91	13912.17
11:48:38	56.99	13913.44
11:49:38	56.91	13911.16
11:50:38	56.91	13912.08
11:51:38	56.99	13910.21
11:53:38	56.91	13912.36
11:54:38	56.91	13912.82
11:55:08	56.99	13914.18
11:55:38	56.91	13913.28
11:56:08	56.91	13914.75
12:00:08	56.91	13917.34
12:04:08	56.99	13917.96
12:05:08	56.99	13915.28
12:06:08	56.91	13915.40
12:08:08	56.91	13912.45
12:10:08	56.91	13912.54
12:12:08	56.91	13907.84
12:12:38	56.91	13905.72
12:14:38	56.91	13906.08
12:15:08	56.91	13906.27
12:16:08	56.99	13905.05
12:18:08	56.91	13907.10
12:19:08	56.91	13905.72
12:21:08	56.91	13907.75
12:23:08	56.99	13905.33
12:25:08	56.99	13908.37
12:26:08	56.99	13908.37

04-OCT-83	SDT degC	SDP kPa
12:26:38	56.91	13906.45
12:28:38	56.91	13905.44
12:32:38	56.91	13906.08
12:33:38	56.91	13909.68
12:35:38	56.91	13904.61
12:36:38	56.91	13900.18
12:37:08	56.91	13899.63
12:38:08	56.91	13902.12
12:39:08	56.99	13903.21
12:40:08	56.91	13905.81
12:40:38	56.91	13906.82
12:42:38	56.91	13904.79
12:44:38	56.91	13900.46
12:46:38	56.99	13899.24
12:48:38	56.91	13903.41
12:49:08	56.99	13904.87
12:51:08	56.91	13902.67
12:55:08	56.91	13903.22
12:57:08	56.99	13906.25
12:58:08	56.99	13907.08
13:00:08	56.99	13905.69
13:01:08	56.91	13906.54
13:02:08	56.99	13903.85
13:03:08	56.99	13906.25
13:05:08	56.99	13908.92
13:06:08	56.99	13910.12
13:08:08	56.99	13908.37
13:10:08	56.99	13909.48
13:11:08	56.99	13906.62
13:13:08	56.99	13904.77
13:14:08	56.99	13903.02
13:15:08	56.99	13902.93
13:15:38	56.99	13897.21
13:16:38	56.99	13896.20
13:17:38	56.99	13898.32
13:18:08	56.99	13899.24
13:19:08	56.99	13897.76
13:19:38	56.99	13896.38
13:20:38	56.99	13897.76
13:22:38	56.99	13895.74
13:23:38	56.99	13897.03
13:27:38	56.99	13896.84
13:31:38	56.99	13902.47
13:33:38	56.99	13904.59
13:34:38	56.91	13904.61
13:35:08	56.99	13905.69
13:39:08	56.99	13902.01
13:41:08	56.99	13899.98
13:42:08	56.99	13899.15
13:42:38	56.99	13897.49
13:43:08	56.99	13897.58
13:44:08	56.99	13895.09
13:46:08	57.08	13894.80
13:47:08	56.99	13891.77
13:49:08	56.99	13892.32
13:50:08	56.91	13893.73
13:50:38	56.99	13893.62
13:51:38	56.99	13897.49
13:52:08	56.91	13898.43
13:53:08	56.99	13905.33
13:55:08	56.99	13910.67
13:56:08	56.99	13912.24

04-OCT-83	SDT degC	SDP kPa
13:57:08	56.91	13911.43
13:59:08	56.99	13906.25
14:00:08	56.99	13903.85
14:01:08	56.99	13904.31
14:01:38	57.08	13905.12
14:02:38	56.99	13902.38
14:04:38	56.99	13901.73
14:06:38	56.99	13902.93
14:07:38	56.99	13904.77
14:11:38	56.99	13896.84
14:13:38	56.99	13892.51
14:14:38	56.99	13890.94
14:15:38	56.99	13891.59
14:19:38	56.99	13890.39
14:20:08	56.99	13892.14
14:22:08	56.91	13891.89
14:22:38	56.99	13892.42
14:23:38	56.91	13890.41
14:25:38	56.99	13891.77
14:27:38	56.99	13895.09
14:28:38	56.99	13896.11
14:29:38	56.99	13899.15
14:31:38	56.99	13900.25
14:35:38	56.99	13906.52
14:37:38	56.99	13906.25
14:38:38	56.99	13906.52
14:39:08	57.08	13907.52
14:41:08	56.99	13901.18
14:41:38	57.08	13901.99
14:42:38	57.08	13898.48
14:46:38	57.08	13891.11
14:48:38	56.99	13889.74
14:50:38	57.08	13887.14
14:51:08	56.99	13887.71
14:52:08	57.08	13886.41
14:54:08	56.99	13889.37
14:55:08	57.08	13893.14
14:57:08	57.08	13896.73
14:59:08	56.99	13897.58
14:59:38	56.99	13898.87
15:01:38	56.99	13899.61
15:02:38	56.99	13901.55
15:03:08	56.99	14540.08
15:03:38	57.08	15514.85
15:04:08	57.08	15569.29
15:05:08	57.33	15579.51
15:07:08	57.67	15583.94
15:09:08	57.84	15585.62
15:17:08	58.10	15581.32
15:25:08	57.93	15579.26
15:29:08	57.84	15579.34
15:33:08	57.67	15577.21
16:37:08	56.23	15578.28
16:53:08	56.06	15576.60
17:25:08	55.64	15577.74
17:57:08	55.38	15577.25
18:13:08	55.30	15577.96
18:17:08	55.21	15576.82
18:21:08	55.21	15577.65
18:23:08	55.21	15577.19
18:27:08	55.21	15578.58
18:43:08	55.13	15578.46

04-OCT-83	SDT degC	SDP kPa
18:51:08	54.96	15577.02
19:07:08	54.96	15577.76
19:15:08	54.87	15577.46
19:17:08	54.87	15576.72
19:18:08	54.87	15578.01
19:26:08	54.78	15576.71
19:28:08	54.87	15578.01
19:30:08	54.78	15576.98
19:38:08	54.78	15577.53
19:42:08	54.78	15578.55
19:50:08	54.70	15576.04
20:54:08	54.53	15577.96
21:10:08	54.44	15577.85
21:14:08	54.36	15578.40
21:30:08	54.36	15577.38
21:46:08	54.27	15578.03
21:54:08	54.27	15577.94
21:56:08	54.27	15577.84
21:57:08	54.27	15577.56
21:57:38	54.27	15578.30
22:13:38	54.19	15577.56
22:21:38	54.19	15578.30
22:25:38	54.19	15578.02
22:26:38	54.19	15577.56
22:27:08	54.19	15577.56
22:27:38	54.19	15429.77
22:28:08	54.10	15571.11
22:28:38	54.10	15576.92
22:44:38	54.19	15578.58
22:52:38	54.19	15578.49
22:53:38	54.19	15572.58
22:57:38	54.10	15571.29
22:58:08	54.10	15566.58
23:02:08	54.10	15565.57
23:02:38	54.02	15554.32
23:06:38	53.76	15551.30
23:07:08	53.76	15543.00
23:07:38	53.76	15539.22
23:11:38	53.51	15537.51
23:12:38	53.42	15525.82
23:16:38	53.17	15526.27
23:18:38	53.08	15527.04
23:19:38	53.00	15525.32
23:20:08	53.00	15510.28
23:20:38	53.00	15490.73
23:22:38	52.74	15392.51
23:23:38	52.40	15333.86
23:24:38	51.97	15272.74
23:25:38	51.38	15209.01
23:26:08	51.03	15180.89
23:26:38	50.69	15158.25
23:27:08	50.35	15152.26
23:28:08	49.75	15148.67
23:30:08	48.81	15149.60
23:30:38	48.55	15149.95
23:31:08	48.38	15144.61
23:31:38	48.04	15114.04
23:32:38	47.61	15046.41
23:34:38	46.07	14903.17
23:35:38	45.12	14828.34
23:36:08	44.61	14790.83
23:36:38	44.09	14776.77

04-OCT-83	SDT degC	SDP kPa
23:37:38	43.23	14774.51
23:39:38	41.76	14777.99
23:40:38	41.16	14780.52
23:41:08	40.90	14767.31
23:41:38	40.64	14738.76
23:42:38	39.86	14677.35
23:44:38	38.22	14549.29
23:45:38	37.18	14484.06
23:46:08	36.58	14451.58
23:46:38	35.97	14421.51
23:47:08	35.36	14406.39
23:48:08	34.14	14405.28
23:49:08	33.10	14406.33
23:51:08	31.27	14413.49
23:51:38	30.92	14393.17
23:52:08	30.49	14367.85
23:52:38	29.70	14340.93
23:53:08	28.48	14312.96
23:53:38	27.17	14280.46
23:54:38	24.80	14207.78
23:55:38	22.60	14138.49
23:56:38	20.67	14074.55
23:57:08	19.78	14043.90
23:57:38	18.99	14029.53
23:59:38	16.43	14049.55
00:01:38	14.48	14067.43
00:02:08	14.04	14072.84
00:02:38	13.68	14068.41
00:03:08	13.33	14047.63
00:03:38	12.97	14019.96
00:04:08	12.70	13889.82
00:04:38	12.53	13814.29
00:05:08	12.44	13798.00
00:05:38	12.44	13764.35
00:06:08	12.35	13757.08
00:06:38	12.35	13744.67
00:07:38	12.53	13749.56
00:08:08	12.53	13750.95
00:08:38	12.53	13750.48
00:09:08	12.62	13750.87
00:09:38	12.62	13751.24
00:10:08	12.70	13624.67
00:10:38	12.70	9697.90
00:11:08	12.62	4489.46
00:11:38	12.35	3924.25
00:12:08	12.08	3955.75
00:12:38	11.82	3974.40
00:13:38	11.28	3996.67
00:15:38	10.66	4026.91