

# PROGNOSIS


|   |  |  |  |   |  |
|---|--|--|--|---|--|
| Coord X                      Z ground      - 95<br>Y                              Z RKB.<br>SP 70 line      73    59 59 50<br>Depths datum:<br>Rig :    DEEP    SEA    DRILLER<br>Stopped in: |  | Spudded<br>Started drilling<br>At TD<br>Completed<br>TD Driller<br><div style="text-align: right;">TD Logger</div> |  | Well:<br><b>NE FRIGG</b><br><b>25/1-4</b><br>Country:<br><b>Norway</b><br><b>Offshore</b> |  |
| OPERATOR    ELF NORGE   |  | LICENCE :    024   |  | OWNED BY    PETRONORD   |  |
| TARGETS :<br><br><div style="text-align: center;">Lower Tertiary sands.</div>   |  | RESULTS :  |  |   |  |
| CASINGS Subsea  |  | CORES  |  |   |  |
| 30"    3 joints<br>13 <sup>3</sup> / <sub>8</sub> "    44.0 m<br>9 <sup>5</sup> / <sub>8</sub> "    1900 m  |  |  |  |   |  |
| SHOWS   |  |  |  |   |  |
| TESTS   |  | LOGS   |  | INTERPRETATION  |  |
|   |  |  |  |   |  |

Checked

By



| Depths<br>E ↓ | Litho-<br>section | Formations            | Stages<br>Shows | Descriptions. Obs.                                | Z : RKB |       | Z : Ground<br>or Sea bottom |  | Well:<br>NE Frigg<br>25/1-4 |  |
|---------------|-------------------|-----------------------|-----------------|---|---------|-------|-----------------------------|--|-----------------------------|--|
|               |                   |                       |                 |   |         |       |                             |  |                             |  |
|               |                   | COD<br>MEMBER         |                 |   |         | 3500  |                             |  |                             |  |
| 7800          |                   |                       |                 |   |         | 11600 |                             |  |                             |  |
|               |                   | LOW SD-CCLY<br>MEMBER |                 | 2420<br>Sh gry thin str. sdst and<br>lmst or dol. |         | 11800 |                             |  |                             |  |
| 8000          |                   |                       |                 |   |         |       |                             |  |                             |  |
| 8200          |                   |                       |                 | sdst f calc                                       |         | 12000 |                             |  |                             |  |
| 2500          |                   |                       |                 |   |         |       |                             |  |                             |  |
| 8400          |                   | BASAL SHALE<br>MEMBER |                 | gy silty sh                                       |         | 12200 |                             |  |                             |  |
| 8600          |                   |                       |                 |   |         | 3750  |                             |  |                             |  |
| 8600          |                   |                       |                 | sh gy grn gy v st calc<br>str. dolc ls and sdst   |         | 12400 |                             |  |                             |  |
| 8800          |                   |                       |                 |   |         |       |                             |  |                             |  |
| 8800          |                   | CRETACEOUS            |                 | 2655<br>Chk and chky marl<br>interbeds sdst.      |         | 12600 |                             |  |                             |  |
| 9000          |                   |                       |                 | tr. marl tan brn gn and<br>drk grn.               |         | 12800 |                             |  |                             |  |
| 2750          |                   |                       |                 |   |         |       |                             |  |                             |  |
| 9200          |                   |                       |                 |   |         | 13000 |                             |  |                             |  |
| 9400          |                   |                       |                 |   |         | 4000  |                             |  |                             |  |
| 9600          |                   |                       |                 |   |         | 13200 |                             |  |                             |  |
| 9800          |                   |                       |                 |   |         | 13400 |                             |  |                             |  |
| 3000          |                   |                       |                 |   |         | 13600 |                             |  |                             |  |
| 10000         |                   |                       |                 |   |         | 13800 |                             |  |                             |  |
| 10200         |                   |                       |                 |   |         | 4250  |                             |  |                             |  |
| 10400         |                   |                       |                 |   |         | 14000 |                             |  |                             |  |
| 10600         |                   |                       |                 |   |         | 14200 |                             |  |                             |  |
| 3250          |                   |                       |                 |   |         | 14400 |                             |  |                             |  |
| 10800         |                   |                       |                 |   |         | 14600 |                             |  |                             |  |
| 11000         |                   |                       |                 |   |         | 4500  |                             |  |                             |  |
| 11200         |                   |                       |                 |   |         | 14800 |                             |  |                             |  |
| 11400         |                   |                       |                 |   |         | 15000 |                             |  |                             |  |
|               |                   |                       |                 |   |         | 15200 |                             |  |                             |  |



1:100.000