

SIDE WALL CORES DESCRIPTION		SERVICE COMPANY : SPE
		ASKED : 30
WELL : 25/2-1		RECOVERED : 27
		SHOT :
LICENCE : 026		LOST : 2
		FULL BULLET :
RUN N° : 1	PAGE N° : 1	Elf NORGE A/S
DATE : 22-08-73		

tr : trace - M : medium - G : good CL

N°	DEPTHS Meters	REC	L I T H O L O G Y	Fluorescence	
				Color	CUT
1	1905	0	Lost		
2	1903	1	Shale, soft, light grey, no silty, no calc		
3	1892	1	a/a		
4	1880	1	Shale, brown and green ("apple green")		
5	1865	1	Shale, soft, light grey		
6	1850	1	a/a		
7	1840	1	a/a		
8	1785	1	Shale, light grey, calcareous		
9	1750	1	Shale, grey, no silty, no calc		
10	1715	1	a/a		
11	1655	1	Shale, brownish grey		
12	1595	1	a/a		
13	1545	1	Shale, grey, micromicaceous, w/calcareous joints		
14	1485	1/4	Shale, grey to brownish-grey		
15	1450	1	Shale, grey, micromicaceous		
16	1405	ε	Shale, dark bluish-grey, no calc		
17	1355	1	Shale, dark brownish-grey, slightly calcareous		
18	1300	1	Shale, soft, brown, very calcareous, granular texture		

		SERVICE COMPANY : SPE
		ASKED : 30
		RECOVERED : 26
		SHOT : 30
		LOST : 0
		FULL BULLET : 26
SIDE WALL CORES DESCRIPTION		
WELL : 25/2-1	RUN N° 2	ELF NORGE A/S
LICENCE : 026	PAGE N° 1	
	DATE : 16-09-73	

tr : trace - M : medium - G : good Y.G.

N°	DEPTHS	REC	LITHOLOGY	Fluorescence	
					CUT
1	2730	0	Empty bullet		
2	2711	2/3	Shale, hard, grey, very calcareous		
3	2677	1/5	Limestone, mudstone, grey, chalky		
4	2669	1/3	Sandstone, slightly indurated, greyish, fine to coarse grained, w/ shaly and calcareous cement		
5	26625	0	Empty bullet		
6	2657	0	Mud cake		
7	2653	4/5	Calcareous shale, medium hard, greenish grey		
8	2639	1/10	Sand, friable, greyish, fine to medium grained, subangular, w/ muscovite and black shale inclusions		
9	2585	2/5	a/a		
10	2560	1/2	a/a		
11	2553	2/3	Shale, soft, dark grey, fissile, w/ subvertical slicken side		
12	2535	1	a/a		
13	2515	2/3	a/a		
14	2490	1/2	a/a		
15	2466	1	a/a w/ micas and bituminous joints		
16	2445	1	as per N° 14 above		
17	2425	1	Shale, dark grey to greenish, nodular texture, brownish shaly joints		
18	2407	1	a/a but doubtful depth		

		SERVICE COMPANY	SPE
		ASKED	30
		RECOVERED	27
		SHOT	30
		LOST	1
		FULL BULLET	27
SIDE WALL CORES DESCRIPTION			
WELL	25 / 2 - 1	RUN N°	3
LICENCE	026	PAGE N°	1
		DATE	16-09-73
			Elf NORGE A/S

tr : trace - M : medium - G : good - Y.G.

N°	DEPTHS	REC	LITHOLOGY	Fluorescence	
					CUT
1	2455	1	Shale, dark grey, micromicaceous		
2	2395	0	Empty bullet		
3	2359	1/6	Sand, white, fine to medium, rare micas		
4	2320	2/5	a/a		
5	2265	3/5	a/a		
6	2213	1	Shale, grey, slightly calcareous, fissile, rare light grey sandy interbeds		
7	2200	1/2	Sand, white, fine to medium, subangular, rare glauconite		
8	2187	1/10	Shale, dark grey		
9	2180,5	1/5	Shale, white and grey laminae		
10	2165	1/2	Shale, dark grey and slight-grey, pyritic shaly concretions (tuffitic facies). Sliken side		
11	2150	4/5	Shaly and tuffitic concretions. Many quartz and grey limy nodules		
12	2132	1	Sand, white, fine to medium grained, slightly micaceous and shale grey, "tuffitic facies", very sandy		
13	2119,5	1	Shale, hard, light grey with dark grey, fissile, shale interbeds		
14	2103,5	1	Sand, fine, well sorted, subangular w/grey shale inclusions and joints		
15	2090	1	Grey shale and sand, white, fine, well sorted		
16	2075	2/3	Sand white, fine, well sorted		
17	2063,5	1	a/a with abundant green and brown shale inclusions and interbeds		
18	2053	2/3	Sand, whitish, fine to medium		

