

Cut 18 m
 Recovered: 16,3 m
 Loss: 1,7 m

90,5%

Company: Elf Norge
 Well no: 25/2-1
 Core no: 1.

Date: 03.08.73

Depths: 1950 - 1968 m

| Depths | CO ₂ Co | TEAM | POROS | SHOWS | DIPS | Log | DESCRIPTION |
|--------|--------------------|------|-------|-------|------|-----|--|
| 1950 | | | | | | | <p style="text-align: right;">①</p> <p><u>Sand</u>, greyish, clean, friable, fine to medium grained, subang. to subround.; very coarse grains disseminated through the whole core. Some scattered greenish and rose minerals. Muscovite. Rare <u>clay</u> inclusions, whitish to greenish.</p> |
| 1951 | | | | + | | | |
| 1952 | | | | + | | | |
| 1953 | | | | + | | | |
| 1954 | | | | | | | |
| 1955 | | | | | | | |
| 1956 | | | | | | | |
| 1957 | | | | | | | |
| 1958 | | | | | | | |
| 1959 | | | | | | | |

- excellent reservoir -

+ No fluo, very weak to no cut

None

Cut 18 m
 Recovered 16,3 m
 Loss 1,7 m

90,5%

Company Elf Norge
 Well no 25/2-1
 Core no 1.

Date 03.08.73

Depths: 1950 - 1968 m

| Depths | CO ₂ Ca | FERR | POROS | SHALS | DIPS | Log | DESCRIPTION |
|--------|--------------------|------|-------|-------|------|-----|---|
| 1959 | | | | | | | White kaolinite inclusion. ② |
| 1960 | | | | | | | <u>Shale</u> beige, thin streaks and laminae. <u>Volcanic tuff</u> , grey with white pigments. |
| 1961 | | | | | | | |
| 1962 | | | | | | | <u>Sand</u> A/A . |
| 1963 | | | | | | | |
| 1964 | | | | | | | While Coring : { average penetrating ratio 2 m/h Few minor gas cut. |
| 1965 | | | | | | | |
| 1966 | | | | | | | |
| 1967 | | | | | | | 1966,30 |
| 1968 | | | | | | | |

excellent porosity and permeability

- no cut - no fluo - salty taste - HC smell

Cut 18 m
Recovered 5.8 m
Loss 11.2 m

38 %

Company Elf Norge
Well no 25/2-1
Core no 2

Date 04.09.73
Depth: 1973-1991m

| Depth | Core | SEA | ROSC | SWAY | DIPS | Log | DESCRIPTION |
|-------|------|-----|------|------|------|-----|-------------|
| 1973 | | | | | | | ① |
| 1974 | | | | | | | |
| 1975 | | | | | | | |
| 1976 | | | | | | | |
| 1977 | | | | | | | |
| 1978 | | | | | | | |
| 1979 | | | | | | | |
| 1980 | | | | | | | |
| 1981 | | | | | | | |
| 1982 | | | | | | | |

No shows while coring

Cut 18 m
 Recovered 6,8 m
 Loss 11,2 m

38 %

Company Elf Norge
 Well no 25/2-1
 Core no 2

Date 04.09.73
 Depths 1973-1991m

| Depth | Ca | Fe | Poros | Shale | Sips | Log | DESCRIPTION |
|-------|----|----|-------|-----------------|------|-----------------|--|
| 1982 | | | | Fluo | | X | ② |
| 1983 | | | | Cut ccl 4 | | | |
| 1984 | | | | | | | G/O ? 1984,2m |
| 1985 | | | | bright yellow | | Oil bleeding. | Sand, brownish down to 1987m, then greyish, fine to medium, mod. sorted, subrounded to subangular grains. Mica s and green minerals (Pyroxen, wheathered amphibols ?) Few bituminous shale inclusions, and coarse, rounded, milky quartz grains. |
| 1986 | | | | deep brown | | | |
| 1987 | | | | | | | |
| 1988 | | | | light yellow | | Transition zone | At 1986m, shaly, soft pebble, greenish grey, sandy, slightly calcareous and micaceous. Pigmented-looking (reworked tuffs ?) |
| 1989 | | | | brown | | | |
| 1990 | | | | yellowish spots | | | |
| 1991 | | | | light brown | | | |

-excellent reservoir-