
 *
 *
 *

 * SCHLUMBERGER *
 *
 *

"GLOBAL INTERPRETATION"

COMPANY : NORSE SHELL
 WELL : 31/2-6
 FIELD : BLOCK 31/2
 COUNTRY : NORWAY
 REFERENCE : AB01.14594
 NOGGED : 23-AUG-81
 PROCESSED : 15-JAN-82

Denne rapport
tilhører



L&U DOK. SENTER

L. NR. 20088370048

KODE Well 31/2-6 nr. 19

Returneres etter bruk

```

*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****
*
*
*
*****

```

SCHLUMBERGER

"GLOBAL INTERPRETATION"

```

COMPANY : NORSE SHELL
WELL : 31/2-6
FIELD : BLOCK 31/2
COUNTRY : NORWAY
REFERENCE : A8J1.14594
LOGGED : 23-AUG-81
PROCESSED : 15-JAN-82

```


DEPTH	PHI	VCL	SXU	SM	MHG G/C3	VSND	VLIM	VDOL	VSM1	VSM2	VSM3
1752.0	15.8	31.0	100.	100.	2.75	34.1			13.1		
1751.1	11.1	53.8	100.	100.	2.77	26.8			18.5		
1750.0	7.4	21.7	100.	95.	2.73	38.4			15.1		
1748.9	27.7	10.9	100.	100.	2.71	45.8			12.1		
1748.0	27.8	12.8	100.	100.	2.69	49.8			11.1		
1747.0	30.6	18.5	100.	100.	2.69	50.7			11.8		
1746.0	30.9	4.8	100.	100.	2.67	50.7			19.0		
1745.1	29.2	11.8	100.	100.	2.70	47.0			12.0		
1743.0	29.7	6.8	100.	100.	2.69	51.6			11.3		
1741.9	29.3	7.3	100.	100.	2.69	51.1			12.0		
1741.0	31.6	17.3	100.	100.	2.68	56.6			12.0		
1739.0	28.7	9.7	100.	100.	2.71	43.4			18.0		
1737.0	15.4		100.	100.	2.72	43.2			12.0		
1737.1	27.5	55.8	100.	100.	2.70	53.5	71.2		21.0		
1736.0	17.3	19.5	100.	100.	2.73	16.9			21.4		
1735.1	17.3		97.	91.	2.70	40.9			28.3		
1733.0	10.7		100.	100.	2.68	60.9			14.6		
1732.9	30.7		100.	100.	2.70	54.1			17.4		
1731.0	19.2	11.3	100.	100.	2.77	24.3			22.4		
1730.0	17.3	30.6	94.	97.	2.77	24.3			23.4		
1729.0	11.8	37.5	94.	92.	2.76	28.2			23.4		
1728.1	11.3	33.9	95.	93.	2.75	22.3			23.4		
1727.0	13.8	37.6	95.	95.	2.77	25.2			23.8		
1725.9	13.3	30.9	94.	92.	2.77	25.0			23.0		
1725.0	14.6	29.5	98.	95.	2.75	30.9			14.0		
1723.0	14.7		100.	100.	2.68	57.9			13.4		
1722.0	5.3	50.2	100.	97.	2.68	14.0			13.8		
1721.1	7.9	52.3	94.	88.	2.79	17.3			24.6		
1720.0	7.5	52.3	94.	92.	2.79	15.4			23.5		
1719.1	10.9	41.1	95.	95.	2.74	24.5			23.4		
1718.0	12.0	22.9	93.	92.	2.74	35.7			21.4		
1716.9	15.0	35.1	92.	88.	2.76	27.7			14.0		
1716.0	17.2	27.8	97.	90.	2.75	32.6			14.6		
1715.0	21.2		100.	100.	2.72	11.8			10.0		
1713.0	29.7		100.	100.	2.68	54.9			10.7		
1712.1	27.5		100.	100.	2.67	58.9			12.8		
1711.0	27.5	45.0	100.	100.	2.75	38.7			16.3		
1710.9	27.5		100.	100.	2.69	65.5			15.6		
1709.0	10.0	43.5	91.	91.	2.77	23.9			22.4		
1707.9	12.5	53.2	95.	90.	2.76	28.1			27.0		
1707.0	15.7	29.2	90.	90.	2.76	28.1			20.1		
1705.1	11.2	37.1	92.	92.	2.78	24.7			20.1		
1705.1	12.9	37.1	90.	90.	2.77	24.7			25.3		
1703.0	15.7	50.8	92.	92.	2.78	24.6			25.0		

DEPTH	PHI %	VCL %	SXU %	SW %	KHG G/C3	VSND %	VLM %	VOOL %	VSH1 %	VSM2 %	VSM3 %
1703.1	16.5	29.8	93.	94.	2.76	28.3			25.4		
1702.0	18.1	49.8	89.	89.	2.79	15.8			26.3		
1700.9	11.0	43.9	85.	82.	2.78	21.4			23.8		
1699.0	10.5	47.4	100.	100.	2.79	19.6			19.9		
1698.0	29.2	49.0	94.	94.	2.69	50.6			20.9		
1697.0	15.0	28.7	92.	88.	2.75	21.4			22.0		
1696.1	10.7	1.9	100.	100.	2.69	33.3			23.0		
1695.0	7.3	35.8	100.	100.	2.71	43.5			18.6		
1693.9	23.9	35.2	93.	93.	2.79	18.3			26.5		
1691.9	11.0	43.6	93.	93.	2.78	19.3			23.2		
1691.0	11.3	41.2	90.	90.	2.78	22.3			23.2		
1690.0	12.4	37.6	90.	90.	2.77	25.7			24.3		
1689.0	13.7	38.2	90.	90.	2.77	24.7			23.9		
1688.0	11.6	40.3	100.	100.	2.77	25.2			21.6		
1687.1		31.5	100.	100.	2.74	45.9			19.9		
1686.0	4.6	42.4	100.	100.	2.76	33.0			22.1		
1684.9	5.1	50.4	93.	93.	2.80	12.5			23.7		
1684.0	5.6	57.4	92.	92.	2.80	13.0			23.7		
1683.0	0.1	19.7	87.	87.	2.79	19.7			23.5		
1682.0	9.6	43.2	94.	88.	2.77	24.0			23.2		
1681.0	8.3	27.3	97.	87.	2.74	40.0			23.2		
1680.1	8.3	50.7	87.	87.	2.79	17.8			23.2		
1679.0	10.8	13.0	85.	85.	2.77	27.1			21.8		
1678.1	6.5	50.2	89.	89.	2.79	19.5			21.9		
1677.0	10.0	35.8	91.	91.	2.78	21.6			21.4		
1675.9	13.7	20.9	86.	86.	2.75	38.0			21.4		
1675.0	21.6	1.9	100.	100.	2.72	41.5			18.5		
1674.0	24.0		94.	94.	2.69	51.5			19.5		
1673.0	17.8	17.0	91.	91.	2.72	47.5			17.6		
1672.0	4.8	50.7	100.	100.	2.80	11.9			17.7		
1671.1	11.1	28.7	99.	94.	2.75	31.9			32.3		
1670.0	11.2	34.6	99.	94.	2.77	24.3			25.9		
1669.0	8.5	48.1	99.	89.	2.79	17.6			26.5		
1668.0	8.0	48.7	99.	89.	2.79	16.4			26.5		
1667.0	8.2	48.1	99.	88.	2.79	16.1			25.6		
1666.0	9.3	34.7	99.	94.	2.80	13.4			25.6		
1665.0	7.7	34.6	99.	92.	2.79	16.8			25.7		
1664.1	9.1	47.5	99.	88.	2.78	20.4			23.0		
1663.1	8.8	47.2	99.	90.	2.78	21.2			23.1		
1662.1	9.4	34.7	97.	91.	2.80	14.3			24.1		
1661.0	7.2	52.7	97.	91.	2.79	17.5			22.6		
1659.7	13.6	51.9	100.	100.	2.74	20.7			24.5		
1659.0	13.6	24.0	96.	96.	2.71	37.1			24.6		
1658.0	15.3	31.5	100.	100.	2.71	50.0			31.7		
1657.0	11.7	31.5	86.	86.	2.75	34.0			19.9		
1656.0	15.7	37.0	100.	100.	2.76	24.1			19.2		
1655.1	20.5		95.	95.	2.76	50.1			24.4		
1654.0	16.6	16.1	100.	100.	2.75	20.1			20.1		

53.9

DEPTH	PHI	VCL	SXO	SW	RHG	VSND	VLIM	VDOL	VSM1	VSM2	VSM3
↓	%	%	%	%	G/C3	%	%	%	%	%	%
1652.9	7.1		100.	100.	2.72	12.8	81.8		11.2		
1652.0	22.8		95.	93.	2.71	47.8	56.8		18.8		
1650.9	26.5	14.9	100.	99.	2.70	51.6			10.0		
1650.0	29.5	17.9	100.	98.	2.69	54.8			11.0		
1649.0	31.4		100.	100.	2.68	37.9			12.9		
1648.1	29.5	4.8	100.	100.	2.70	63.1	44.9		18.8		
1647.0	3.8	4.7	100.	99.	2.67	50.8			7.9		
1646.1	26.1	13.9	100.	100.	2.70	7.0			9.4		
1645.0	4.9	39.0	100.	100.	2.77	57.0	46.7		7.3		
1643.9	16.8		100.	100.	2.71	57.0			11.8		
1642.0	31.1		100.	100.	2.68	58.0			11.4		
1641.0	31.0		100.	100.	2.67	57.4			11.5		
1640.0	30.5		100.	100.	2.67	1.6			13.9		
1639.1	25.0		100.	98.	2.68	17.9	49.8		12.6		
1638.0	21.5	14.5	100.	97.	2.70	17.3	68.4		9.0		
1636.9	7.6	30.7	99.	100.	2.74	47.3	34.7		16.5		
1634.2	24.1	5.6	100.	100.	2.70	53.0			13.4		
1631.0	30.3		100.	100.	2.69	56.5			14.2		
1633.0	30.5		100.	100.	2.64	35.5			14.7		
1632.1	34.2		100.	100.	2.68	39.3			19.5		
1631.0	34.2		99.	92.	2.71	42.5			20.9		
1630.1	21.1		99.	95.	2.73	34.3			23.7		
1629.0	17.5		100.	94.	2.74	24.4			20.0		
1627.9	18.7		100.	100.	2.77	28.6			17.4		
1626.0	14.4		100.	100.	2.76	32.0			23.7		
1625.0	16.4	33.2	100.	100.	2.75	40.5			19.0		
1624.0	21.7	18.3	100.	100.	2.73	44.0			15.0		
1623.1	25.3	16.2	100.	100.	2.71	54.6			13.0		
1622.0	30.4		100.	100.	2.68	54.7			15.0		
1621.1	36.0	1.9	100.	100.	2.66	57.4			13.0		
1620.0	29.1	4.0	100.	100.	2.69	55.4			15.8		
1618.0	30.3		100.	100.	2.68	60.5			11.6		
1616.0	31.0		100.	100.	2.68	57.1			14.6		
1615.0	31.1		100.	100.	2.68	54.0			14.1		
1614.0	27.9		100.	100.	2.67	43.0			12.9		
1613.0	30.5		100.	100.	2.66	71.9			14.8		
1612.1	27.9		100.	100.	2.68	60.4			14.5		
1611.0	17.3	23.2	100.	100.	2.74	37.7			20.0		
1610.0	32.3		100.	100.	2.66	51.6			15.8		
1609.0	32.3		100.	100.	2.68	60.4			14.5		
1608.0	19.2	6.0	100.	100.	2.68	29.7			17.4		
1607.0	15.1	25.9	100.	100.	2.69	38.8			15.5		
1606.1	22.3	12.3	99.	93.	2.73	29.8			17.1		
1605.1	14.7	30.5	99.	86.	2.76	25.7			17.1		
1604.0	14.6	20.7	100.	99.	2.72	47.3			17.2		

DEPTH	PHI	VCL	SXO	SW	RHG	VSND	VLJM	VDOL	VSM1	VSM2	VSM3
ft	%	%	%	%	G/C3	%	%	%	%	%	%
1507.9	32.2		84.	57.	2.67	58.9			8.9		
1507.0	31.7		100.	100.	2.68	78.6			19.0		
1501.0	32.1	1	71.	58.	2.68	54.9			13.0		
1500.0	28.8	5.6	100.	100.	2.69	52.8			12.0		
1504.0	31.7		98.	98.	2.67	57.7			10.0		
1505.1	30.6	6.5	99.	92.	2.69	53.1			9.0		
1507.0	11.1	39.0	97.	77.	2.74	41.6			10.4		
1505.9	11.8	52.1	97.	73.	2.78	24.7			11.8		
1505.0	21.0	23.5	54.	73.	2.72	44.7			10.8		
1504.0	19.6		100.	100.	2.66	73.4			17.0		
1503.0	28.3	3.5	100.	100.	2.67	60.5			7.9		
1502.0	25.1	12.4	99.	94.	2.70	51.7			9.3		
1501.1	26.9	11.6	100.	100.	2.70	52.9			10.2		
1500.0	32.8	22.3	34.	79.	2.67	46.3			17.2		
1509.1	23.8	5.0	87.	81.	2.69	49.4			7.3		
1508.0	28.1	5.8	80.	77.	2.68	55.5			10.8		
1507.9	17.5	32.3	29.	80.	2.73	43.4			9.1		
1506.0	17.4		100.	100.	2.67	73.1			11.1		
1505.0	32.5	0.0	94.	81.	2.69	49.4			9.1		
1504.0	27.3	10.1	100.	100.	2.69	54.2			11.3		
1503.0	21.1	28.0	99.	94.	2.72	35.3			18.3		
1502.1	29.6	18.1	97.	73.	2.69	37.8			5.5		
1501.0	23.9	21.7	87.	77.	2.71	46.0			4.2		
1509.9	13.8	49.3	87.	77.	2.75	37.5			6.2		
1509.0	15.0	33.7	73.	32.	2.72	44.3			2.2		
1507.9	19.5	35.9	67.	24.	2.74	39.8			3.1		
1507.0	18.3	17.7	77.	17.	2.72	38.9			3.1		
1506.0	21.4	29.3	85.	19.	2.72	49.9			4.6		
1505.1	25.6	16.1	77.	12.	2.69	53.3			6.7		
1504.0	30.9	19.3	81.	10.	2.68	51.0			6.7		
1503.1	30.2	19.2	80.	10.	2.69	51.1			7.4		
1502.0	28.5	13.7	80.	19.	2.69	62.7			7.4		
1501.0	31.7		55.	7.	2.69	60.2			9.4		
1500.0	33.9		47.	0.	2.67	60.5			7.0		
1500.0	32.9		44.	0.	2.67	59.4			7.0		
1500.0	33.6		40.	9.	2.67	60.6			8.1		
1500.1	32.7	1	55.	7.	2.67	59.1			6.3		
1500.1	30.3	1	77.	0.	2.66	63.1			6.3		
1503.0	27.3	2	87.	0.	2.66	62.2			6.6		
1503.0	31.5		65.	0.	2.66	62.2			6.6		
1501.9	27.1		92.	4.	2.67	66.4			8.5		
1501.0	25.5		93.	11.	2.67	66.2			7.2		
1501.0	25.5		95.	11.	2.68	76.5			7.1		
1500.1	23.0	8.9	73.	17.	2.66	70.4			7.0		
1500.0	17.0		25.	4.	2.67	60.2			6.7		
1500.0	30.0	5.1	90.	8.	2.69	58.0			7.0		
1500.0	30.5		58.	3.	2.69	67.4			7.0		
1500.0	30.5	1.0	58.	5.	2.67	67.4			7.0		
1500.0	30.2		40.	2.	2.66	60.2			5.6		

DEPTH	PHI	VCL	SXU	SW	RHG	VSND	VLIM	VPOL	VSM1	VSM2	VSM3
	%	%	%	%	G/C3	%	%	%	%	%	%
1553.0	32.5		50.	3.	2.60	61.6			5.9		
1552.0	33.7		39.	3.	2.66	60.18			6.2		
1551.0	33.1		37.	3.	2.67	61.5			6.2		
1550.0	30.2	3.1	33.	4.	2.68	52.9			6.6		
1549.0	32.7	1.7	34.	11.	2.66	62.64			5.4		
1548.0	32.2		34.	17.	2.67	61.3			6.8		
1547.0	31.8		33.	3.	2.70	50.3			6.7		
1546.0	26.0	11.0	31.	15.	2.74	35.5			14.8		
1545.0	22.5	25.2	74.	25.	2.72	41.5			16.8		
1544.0	23.0	16.9	73.	25.	2.71	41.5			17.6		
1543.0	29.5	19.9	62.	18.	2.72	44.5			15.0		
1542.0	25.1	13.2	62.	17.	2.70	44.5			15.0		
1541.0	30.8	18.5	70.	17.	2.71	44.5			15.0		
1540.0	30.0	10.1	61.	10.	2.70	45.0			15.0		
1539.0	32.1	6.3	71.	11.	2.70	48.0			15.0		
1538.0	32.1	6.2	72.	11.	2.69	51.9			13.0		
1537.0	33.0	2.8	69.	7.	2.68	52.4			12.0		
1536.0	33.0	.1	61.	5.	2.68	52.8			12.0		
1535.0	35.0		55.	3.	2.68	52.8			11.0		
1534.0	35.0		55.	3.	2.68	52.8			11.0		
1533.0	35.0		55.	3.	2.68	52.8			11.0		
1532.0	31.7		63.	2.	2.67	57.0			11.0		
1531.0	32.8		63.	2.	2.67	57.0			11.0		
1530.0	31.3		43.	2.	2.65	55.0			11.0		
1529.0	31.3		45.	4.	2.67	57.0			11.0		
1528.0	33.5		47.	2.	2.67	59.1			11.0		
1527.0	32.3		47.	2.	2.67	59.1			11.0		
1526.0	32.7		47.	2.	2.67	59.1			11.0		
1525.0	29.8		39.	4.	2.69	54.7			11.0		
1524.0	10.1	29.3	81.	14.	2.71	54.7			11.0		
1523.0	32.0		61.	4.	2.67	59.1			11.0		
1522.0	31.1		51.	3.	2.67	59.1			11.0		
1521.0	32.2		53.	2.	2.67	59.1			11.0		
1520.0	31.0		51.	2.	2.67	59.1			11.0		
1519.0	30.5		51.	2.	2.67	59.1			11.0		
1518.0	30.5		51.	2.	2.67	59.1			11.0		
1517.0	17.6	35.4	61.	7.	2.70	45.0			17.0		
1516.0	21.1	28.7	74.	27.	2.75	33.0			17.0		
1515.0	22.3	27.2	74.	17.	2.74	34.9			17.0		
1514.0	25.1	20.8	65.	15.	2.70	47.3			17.0		
1513.0	31.0		65.	19.	2.68	55.7			17.0		
1512.0	33.1		47.	3.	2.73	37.4			17.0		
1511.0	23.0	23.4	69.	10.	2.73	37.4			17.0		
1510.0	23.0	23.4	69.	10.	2.73	37.4			17.0		
1509.0	24.7	20.0	44.	16.	2.69	41.8			17.0		
1508.0	30.1	17.5	51.	7.	2.72	41.8			17.0		
1507.0	31.0	17.5	45.	9.	2.70	48.1			17.0		
1506.0	17.3	35.0	71.	21.	2.76	27.2			17.0		
1505.0	17.0	34.0	71.	24.	2.77	25.7			17.0		

DEPTH	PHI	VCL	SXU	SW	RHG	VSND	VLIM	VDOL	VSM1	VSM2	VSM3
	%	%	%	%	G/C3	%	%	%	%	%	%
1503.0	16.4	29.5	76.	24.	2.75	33.3	18.7				
1502.1	18.9	34.9	71.	21.	2.76	28.1	18.3				
1501.0	19.0	33.6	70.	22.	2.75	30.2	17.3				
1500.1	18.5	31.8	52.	20.	2.74	34.8	14.9				
1499.0	15.5	55.6	77.	18.	2.78	23.4	11.1				
1497.9	33.4	3.2	39.	6.	2.68	53.2	10.3				
1497.0	30.3	9.6	62.	10.	2.71	42.8	17.3				
1496.0	29.4	7.0	69.	12.	2.71	44.9	18.7				
1495.0	20.5	2.3	63.	10.	2.71	43.6	18.7				
1494.0	30.0	.2	75.	19.	2.69	51.1	18.7				
1493.1	20.5	.1	50.	7.	2.67	62.5	18.0				