

Denne rapport
tilhører



L&U DOK. SENTER


L. NR. 12885040051

KODE Well 31/3-3 nr. 7

Returneres etter bruk

SAGA PETROLEUM A.S.
CORE GAMMA SURFACE LOG
AND
CORE GAMMA SPEC. LOG

WELL: 31/3-3
CORE: 1-7



GECO
GEOPHYSICAL COMPANY
OF NORWAY A-S

ARKIVERSEMPLAR

PERUR SENTRALARKIVET

L. nr. 12885040051

Well TROLL

Mott 25 JAN. 1985

Kode


Opp

Avsl. Gnr.	Date	Sign	Avsl. Gnr.	Date	Sign



SAGA PETROLEUM A.S.
CORE GAMMA SURFACE LOG
AND
CORE GAMMA SPEC. LOG

WELL: 31/3-3
CORE: 1-7



GECO

laboratory

COMPANY SAGA PETROLEUM A.S. FIELD TROLL FILE _____

WELL 31/3-3 COUNTY _____ DATE DEC. 1984

LOCATION _____ STATE _____ ELEV. _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Geco laboratories and its officers and employees.

VERTICAL SCALE : 1 : 200


CORE NO.	DEPTH METER	CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR)	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
		GAMMA RAY RADIATION INCREASE VOLTAGE INTEGRATING TIME COUNTS PER MINUTE →	POTASSIUM	URANIUM	THORIUM
	1580.0				
	83.0				
	86.0				
	89.0				
	92.0				
	1595.0				
	1764.0				
	67.0				
	70.0				
	73.0				
	76.0				
	79.0				
	82.0				
	85.0				
	88.0				
	91.0				
	94.0				
	97.0				
	1800.0				
	03.0				
	06.0				
	1809.0				

LOGGED INTERVALS:

CORE NO. 1: 1580.00-1596.00

CORE NO. 2: 1764.00-1782.05

CORE NO. 3: 1782.05-1810.00



GECO

laboratory

COMPANY SAGA PETROLEUM A.S. FIELD SNORRE FILE _____
WELL 3173-3 COUNTY _____ DATE DEC. 1984
LOCATION _____ STATE _____ ELEV. _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Geco laboratories and its officers and employees.


VERTICAL SCALE : 1 : 200

CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR) GAMMA RAY RADIATION INCREASE VOLTAGE → INTEGRATING TIME COUNTS PER MINUTE	DEPTH METER	CORE - GAMMA SPEC. - LOG POTASSIUM	CORE - GAMMA SPEC. - LOG URANIUM	CORE - GAMMA SPEC. - LOG THORIUM
	1810.0			
	15.0			
C	16.0			
O	19.0			
R	22.0			
E	25.0			
N	28.0			
O.	31.0			
4	34.0			
	37.0			
	40.0			
	43.0			
C	46.0			
O	49.0			
R	52.0			
E	55.0			
N	1858.0			
O.				
5				

LOGGED INTERVALS:

CORE NO. 4: 1810.00-1837.50

CORE NO. 5: 1837.50-1858.96



GECO

laboratory

COMPANY SAGA PETROLEUM A.S. FIELD TROLL FILE _____

WELL 31/3-3 COUNTY _____ DATE DEC. 1984

LOCATION _____ STATE _____ ELEV. _____

CORE GRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Geco laboratories and its officers and employees.

VERTICAL SCALE: 1 : 200

CORE NO.	CORE - GAMMA SURFACE - LOG (PATENT APPLIED FOR)	DEPTH METER	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG	CORE - GAMMA SPEC. - LOG
	GAMMA RAY RADIATION INCREASE VOLTAGE INTEGRATING TIME COUNTS PER MINUTE		POTASSIUM	URANIUM	THORIUM
6		1861.0			
		64.0			
		67.0			
		70.0			
		73.0			
		76.0			
		79.0			
		82.0			
		85.0			
		88.0			
7		91.0			
		94.0			
		97.0			
		1900.0			
		03.0			
	06.0				
	09.0				
	12.0				
	1915.0				
LOGGED INTERVALS:					
	CORE NO. 6: 1861.00-1888.50				
	CORE NO. 7: 1888.50-1916.47				