

Denne rapport
tilhører



UND DOK.SENTER

L.NR. 92083069

KODE well 30/2-1 nr 21

Returneres etter bruk

sperry-sun international, inc.

**Pressure Survey Report
For**

STATOIL

WELL NO: 30/2 - 1

DATE: 22 September 1982

TEST NO: DST 1 RUN 1

GAUGE NO'S: 0054 AND 0051




(A Sperry-Sun Company)

Precision Instruments / Professional Service

NL Sperry-Sun, Inc.
PRESSURE/TEMP. Vs TIME PLOT

25 SEPT 1982
MRPG-1348-NOR
MKIII 0851-1858
08811C


STATOIL
30/2-1
WILDCAT
OFFSHORE NORWAY



TEMPERATURE
Scale 1 inch = 5 (deg F)

PRESSURE
Scale 1 inch = 522 (PSIG)

REAL TIME
Scale 1 inch = 8 hours



STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (INITIAL FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	705.846	137.4	11:26	23/ 9/82 OPEN LPR VALVE
0.033	624.353	137.4	11:28	
0.067	645.637	137.4	11:30	WELL OPENED TO FLOW
0.133	672.603	137.4	11:34	ON 32/64" ADJ. CHOKE AT 11:35
0.167	552.227	137.4	11:36	END OF INITIAL FLOW PERIOD

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (INITIAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	552.227	137.4	11:36	23/ 9/82 WELL SHUT-IN AT CHOKE CLOSE LPR VALVE
0.033	677.381	137.4	11:38	
0.067	677.412	137.4	11:40	
0.100	677.412	137.4	11:42	
0.133	677.412	137.4	11:44	
0.167	677.443	137.4	11:46	
0.200	677.412	137.4	11:48	
0.233	677.443	137.4	11:50	
0.267	677.443	137.4	11:52	
0.300	677.251	137.9	11:54	
0.333	677.251	137.9	11:56	
0.367	677.312	137.9	11:58	
0.400	677.312	137.9	12: 0	
0.433	677.312	137.9	12: 2	
0.467	677.312	137.9	12: 4	
0.500	677.343	137.9	12: 6	
0.533	677.312	137.9	12: 8	
0.567	677.343	137.9	12:10	
0.600	677.343	137.9	12:12	
0.633	677.343	137.9	12:14	
0.667	677.374	137.9	12:16	
0.700	677.405	137.9	12:18	
0.733	677.436	137.9	12:20	
0.767	677.343	137.9	12:22	
0.800	677.343	137.9	12:24	
0.833	677.343	137.9	12:26	
0.867	677.343	137.9	12:28	
0.900	677.343	137.9	12:30	
0.933	677.374	137.9	12:32	
0.967	677.374	137.9	12:34	
1.000	677.374	137.9	12:36	
1.033	677.405	137.9	12:38	
1.067	677.251	137.9	12:40	
1.100	677.343	137.9	12:42	END OF INITIAL BUILD-UP

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	677.343	137.9	12:42	23/ 9/82 OPEN LPR VALVE
0.033	555.967	137.9	12:44	WELL OPENED TO FLOW
0.067	553.753	137.9	12:46	ON 28/64" ADJ. CHOKE AT 12:43
0.100	551.755	137.9	12:48	
0.133	541.151	137.9	12:50	
0.167	595.180	137.9	12:52	
0.200	549.050	137.9	12:54	CHANGE TO 32/64" FIXED CHOKE
0.233	574.400	138.4	12:56	
0.267	581.811	138.4	12:58	
0.300	582.764	138.4	13: 0	
0.333	582.347	138.9	13: 2	
0.367	582.316	138.9	13: 4	
0.400	583.761	138.9	13: 6	
0.433	583.669	138.9	13: 8	
0.467	584.468	138.9	13:10	
0.500	584.561	138.9	13:12	
0.533	585.913	138.9	13:14	
0.567	586.744	138.9	13:16	
0.600	587.236	138.9	13:18	
0.633	587.820	138.9	13:20	
0.667	588.127	138.9	13:22	
0.700	588.773	138.9	13:24	
0.733	589.788	138.9	13:26	
0.767	589.634	138.9	13:28	
0.800	589.573	138.9	13:30	
0.833	590.372	138.9	13:32	
0.867	591.572	138.9	13:34	
0.900	591.848	138.9	13:36	
0.933	591.233	138.9	13:38	
0.967	591.110	138.9	13:40	
1.000	592.894	138.9	13:42	
1.033	593.017	138.9	13:44	
1.067	592.986	138.9	13:46	
1.100	592.874	139.4	13:48	
1.133	593.366	139.4	13:50	
1.167	594.012	139.4	13:52	
1.200	594.165	139.4	13:54	
1.233	594.750	139.4	13:56	
1.267	594.719	139.4	13:58	
1.300	595.242	139.4	14: 0	
1.333	594.750	139.4	14: 2	
1.367	594.657	139.4	14: 4	
1.400	594.903	139.4	14: 6	
1.433	594.719	139.4	14: 8	
1.467	595.057	139.4	14:10	
1.500	595.365	139.4	14:12	
1.533	595.826	139.4	14:14	
1.567	595.774	139.9	14:16	
1.600	595.282	139.9	14:18	
1.633	595.682	139.9	14:20	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
1.667	595.313	139.9	14:22	23/ 9/82
1.700	595.836	139.9	14:24	
1.733	595.928	139.9	14:26	
1.767	595.897	139.9	14:28	
1.800	595.866	139.9	14:30	
1.833	595.651	139.9	14:32	
1.867	595.713	139.9	14:34	
1.900	596.143	139.9	14:36	
1.933	596.666	139.9	14:38	
1.967	596.912	139.9	14:40	
2.000	596.574	139.9	14:42	
2.033	589.811	139.9	14:44	
2.067	588.520	139.9	14:46	
2.100	588.089	139.9	14:48	
2.133	592.608	139.9	14:50	
2.167	596.174	139.9	14:52	
2.200	596.819	139.9	14:54	
2.233	596.358	139.9	14:56	
2.267	597.527	139.9	14:58	
2.300	597.250	139.9	15: 0	
2.333	596.942	139.9	15: 2	
2.367	597.281	139.9	15: 4	
2.400	596.328	139.9	15: 6	
2.433	595.866	139.9	15: 8	
2.467	595.836	139.9	15:10	
2.500	595.928	139.9	15:12	
2.533	594.514	139.9	15:14	
2.567	589.257	139.9	15:16	
2.633	588.930	140.4	15:20	
2.667	588.562	140.4	15:22	
2.700	589.023	140.4	15:24	
2.733	589.361	140.4	15:26	
2.767	589.729	140.4	15:28	
2.800	590.068	140.4	15:30	
2.833	589.576	140.4	15:32	
2.867	589.545	140.4	15:34	
2.900	588.715	140.4	15:36	
2.933	588.254	140.4	15:38	
2.967	588.654	140.4	15:40	
3.000	588.131	140.4	15:42	
3.033	587.793	140.4	15:44	
3.067	587.425	140.4	15:46	
3.100	587.375	140.9	15:48	
3.133	587.252	140.9	15:50	
3.167	587.252	140.9	15:52	
3.200	585.562	140.9	15:54	
3.233	585.101	140.9	15:56	
3.267	585.224	140.9	15:58	
3.300	585.224	140.9	16: 0	
3.333	585.347	140.9	16: 2	

FLOWING THROUGH SEPERATOR

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
3.367	585.623	140.9	16: 4	23/ 9/82
3.400	585.316	140.9	16: 6	
3.433	586.269	140.9	16: 8	
3.467	586.545	140.9	16:10	
3.500	586.484	140.9	16:12	
3.533	586.514	140.9	16:14	
3.567	586.514	140.9	16:16	
3.600	586.607	140.9	16:18	
3.633	586.422	140.9	16:20	
3.667	586.238	140.9	16:22	
3.700	585.942	141.4	16:24	
3.767	585.666	141.4	16:28	
3.800	585.267	141.4	16:30	
3.833	585.052	141.4	16:32	
3.867	584.959	141.4	16:34	
3.900	584.929	141.4	16:36	
3.933	585.021	141.4	16:38	
3.967	584.898	141.4	16:40	
4.000	585.052	141.4	16:42	
4.033	584.990	141.4	16:44	
4.067	585.267	141.4	16:46	
4.100	585.297	141.4	16:48	
4.133	585.297	141.4	16:50	
4.167	585.635	141.4	16:52	
4.200	585.297	141.4	16:54	
4.233	585.082	141.4	16:56	
4.267	584.990	141.4	16:58	
4.300	585.113	141.4	17: 0	
4.333	584.990	141.4	17: 2	
4.367	584.744	141.4	17: 4	
4.400	584.376	141.4	17: 6	
4.433	584.222	141.4	17: 8	
4.467	587.325	141.4	17:10	
4.500	587.755	141.4	17:12	
4.533	587.325	141.4	17:14	
4.567	587.478	141.4	17:16	
4.600	587.509	141.4	17:18	
4.633	587.202	141.4	17:20	
4.667	587.171	141.4	17:22	
4.700	588.461	141.4	17:24	
4.733	588.400	141.4	17:26	
4.767	588.461	141.4	17:28	
4.800	588.584	141.4	17:30	
4.833	588.523	141.4	17:32	
4.867	588.492	141.4	17:34	
4.900	590.366	141.4	17:36	
4.933	591.134	141.4	17:38	
4.967	591.594	141.4	17:40	
5.000	591.687	141.4	17:42	
5.033	590.335	141.4	17:44	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
5.067	589.505	141.4	17:46	23/ 9/82
5.100	589.290	141.4	17:48	
5.133	589.168	141.4	17:50	
5.167	589.075	141.4	17:52	
5.200	589.137	141.4	17:54	
5.233	589.014	141.4	17:56	
5.267	589.106	141.4	17:58	
5.300	588.983	141.4	18: 0	
5.333	589.045	141.4	18: 2	
5.367	589.075	141.4	18: 4	
5.400	588.922	141.4	18: 6	
5.433	588.799	141.4	18: 8	
5.467	588.768	141.4	18:10	
5.500	588.523	141.4	18:12	
5.533	588.645	141.4	18:14	
5.567	588.553	141.4	18:16	
5.600	588.430	141.4	18:18	
5.633	588.307	141.4	18:20	
5.667	588.246	141.4	18:22	
5.700	588.062	141.4	18:24	
5.733	588.062	141.4	18:26	
5.767	587.877	141.4	18:28	
5.800	587.970	141.4	18:30	
5.833	588.031	141.4	18:32	
5.867	588.031	141.4	18:34	
5.900	587.785	141.4	18:36	
5.933	587.601	141.4	18:38	
5.967	587.386	141.4	18:40	
6.000	587.601	141.4	18:42	
6.033	587.447	141.4	18:44	
6.067	587.386	141.4	18:46	
6.100	587.294	141.4	18:48	
6.133	587.110	141.4	18:50	
6.167	586.987	141.4	18:52	
6.200	587.017	141.4	18:54	
6.233	587.048	141.4	18:56	
6.267	586.987	141.4	18:58	
6.300	586.895	141.4	19: 0	
6.333	586.956	141.4	19: 2	
6.367	587.048	141.4	19: 4	
6.400	586.864	141.4	19: 6	
6.433	586.507	141.9	19: 8	
6.467	586.127	141.4	19:10	
6.500	585.677	141.9	19:12	
6.533	585.677	141.9	19:14	
6.567	585.555	141.9	19:16	
6.600	585.125	141.9	19:18	
6.633	585.278	141.9	19:20	
6.667	585.340	141.9	19:22	
6.700	585.340	141.9	19:24	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
6.733	585.340	141.9	19:26	23/ 9/82
6.767	585.186	141.9	19:28	
6.800	585.186	141.9	19:30	
6.833	585.370	141.9	19:32	
6.867	585.493	141.9	19:34	
6.900	585.432	141.9	19:36	
6.933	585.462	141.9	19:38	
6.967	585.493	141.9	19:40	
7.000	585.401	141.9	19:42	
7.033	585.247	141.9	19:44	
7.067	585.033	141.9	19:46	
7.100	584.971	141.9	19:48	
7.133	585.002	141.9	19:50	
7.167	584.910	141.9	19:52	
7.200	584.940	141.9	19:54	
7.233	584.695	141.9	19:56	
7.267	584.603	141.9	19:58	
7.300	584.756	141.9	20: 0	
7.333	584.480	141.9	20: 2	
7.367	584.357	141.9	20: 4	
7.400	584.480	141.9	20: 6	
7.433	584.326	141.9	20: 8	
7.467	584.111	141.9	20:10	
7.500	584.203	141.9	20:12	
7.533	584.111	141.9	20:14	
7.567	583.896	141.9	20:16	
7.600	583.804	141.9	20:18	
7.633	583.804	141.9	20:20	
7.667	583.958	141.9	20:22	
7.700	583.988	141.9	20:24	
7.733	583.743	141.9	20:26	
7.767	583.743	141.9	20:28	
7.800	583.681	141.9	20:30	
7.833	583.589	141.9	20:32	
7.900	583.712	141.9	20:36	
7.933	583.804	141.9	20:38	
7.967	583.559	141.9	20:40	
8.000	583.344	141.9	20:42	
8.033	583.344	141.9	20:44	
8.067	583.159	141.9	20:46	
8.100	583.037	141.9	20:48	
8.133	582.944	141.9	20:50	
8.167	582.883	141.9	20:52	
8.200	582.975	141.9	20:54	
8.233	582.791	141.9	20:56	
8.267	582.699	141.9	20:58	
8.300	582.760	141.9	21: 0	
8.333	582.668	141.9	21: 2	
8.367	582.607	141.9	21: 4	
8.400	582.453	141.9	21: 6	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
8.433	582.361	141.9	21: 8	23/ 9/82
8.467	582.576	141.9	21:10	
8.500	582.453	141.9	21:12	
8.533	582.392	141.9	21:14	
8.567	582.361	141.9	21:16	
8.600	582.207	141.9	21:18	
8.633	581.992	141.9	21:20	
8.667	581.931	141.9	21:22	
8.700	582.177	141.9	21:24	
8.733	582.054	141.9	21:26	
8.767	582.054	141.9	21:28	
8.800	581.808	141.9	21:30	
8.833	581.747	141.9	21:32	
8.867	581.685	141.9	21:34	
8.900	581.655	141.9	21:36	
8.933	581.440	141.9	21:38	
8.967	581.348	141.9	21:40	
9.000	581.348	141.9	21:42	
9.033	581.409	141.9	21:44	
9.067	581.409	141.9	21:46	
9.100	581.256	141.9	21:48	
9.133	581.256	141.9	21:50	
9.167	581.470	141.9	21:52	
9.200	581.685	141.9	21:54	
9.233	582.207	141.9	21:56	
9.267	582.791	141.9	21:58	
9.300	583.282	141.9	22: 0	
9.333	583.497	141.9	22: 2	
9.367	583.927	141.9	22: 4	
9.400	583.773	141.9	22: 6	
9.433	583.589	141.9	22: 8	
9.467	583.651	141.9	22:10	
9.500	583.436	141.9	22:12	
9.533	583.098	141.9	22:14	
9.567	582.883	141.9	22:16	
9.600	582.791	141.9	22:18	
9.633	582.453	141.9	22:20	
9.667	582.637	141.9	22:22	
9.700	582.607	141.9	22:24	
9.733	582.607	141.9	22:26	
9.767	582.791	141.9	22:28	
9.800	582.422	141.9	22:30	
9.833	582.054	141.9	22:32	
9.867	582.085	141.9	22:34	
9.900	581.992	141.9	22:36	
9.933	584.173	141.9	22:38	
9.967	584.633	141.9	22:40	
10.000	584.756	141.9	22:42	
10.033	584.756	141.9	22:44	
10.067	584.203	141.9	22:46	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR


DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
10.100	584.142	141.9	22:48	23/ 9/82
10.167	583.620	141.9	22:52	
10.200	583.589	141.9	22:54	
10.233	583.159	141.9	22:56	
10.267	583.251	141.9	22:58	
10.300	583.436	141.9	23: 0	
10.333	583.190	141.9	23: 2	
10.367	582.852	141.9	23: 4	
10.400	582.944	141.9	23: 6	
10.433	583.344	141.9	23: 8	
10.467	583.559	141.9	23:10	
10.500	583.405	141.9	23:12	
10.533	583.405	141.9	23:14	
10.600	583.251	141.9	23:18	
10.633	583.098	141.9	23:20	
10.667	585.217	141.9	23:22	
10.700	585.493	141.9	23:24	
10.733	585.555	141.9	23:26	
10.767	585.524	141.9	23:28	
10.800	585.493	141.9	23:30	
10.833	585.309	141.9	23:32	
10.867	585.155	141.9	23:34	
10.900	585.002	141.9	23:36	
10.967	584.910	141.9	23:40	
11.000	585.555	141.9	23:42	
11.033	585.831	141.9	23:44	
11.067	585.923	141.9	23:46	
11.100	585.985	141.9	23:48	
11.133	585.831	141.9	23:50	
11.167	585.708	141.9	23:52	
11.200	585.985	141.9	23:54	
11.233	585.739	141.9	23:56	
11.300	585.708	141.9	0: 0	24/ 9/82 END OF FINAL FLOW PERIOD

STATOIL
30/2-1
WILDCAT
OFFSHORE NORWAY

NL Sperry-Sun, Inc. HORNER PLOT

25 SEPT 1982
MRPG-1348-NOR
MKIII 8051-1856
DOB11C




$(T+dT)/dT$ T = 11.316667 hours

NL Sperry-Sun, Inc.
HORNER PLOT

STATOIL
38/2-1
WILDCAT
OFFSHORE NORWAY

25 SEPT 1982
MRPG-1346-NOR
MK111 0051-1058
D0811C



Scale: 1 inch = 10 (PSIG)
PRESSURE


T = 11.316667 hours

$IP/(IP+1)$

NL Sperry-Sun Int. Inc.
LOG(dp) Vs LOG(dt) PLOT

STATOIL
WILLOCAT
30/2-1
25 SEPT 1982


DST 1 RUN 1
MKIII 0051-1956
FINAL BUILD-UP PERIOD



DELTA TIME

PLOT SECTION 1

DST 1 RUN 1
MKII 0051-1958
FINAL BUILD-UP PERIOD
(CONTINUED)



STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	585.708	141.9	0: 0	24/ 9/82 WELL SHUT-IN AT CHOKE
0.033	624.572	141.9	0: 2	AT 00:02
0.067	673.651	141.9	0: 4	
0.100	674.051	141.9	0: 6	
0.133	674.451	141.9	0: 8	CLOSE APR-M AND LPR VALVES
0.167	674.444	142.4	0:10	
0.200	674.597	142.4	0:12	
0.233	674.720	142.4	0:14	
0.267	674.813	142.4	0:16	
0.300	674.936	142.4	0:18	
0.333	674.836	142.9	0:20	
0.367	674.928	142.9	0:22	
0.400	675.020	142.9	0:24	
0.433	675.051	142.9	0:26	
0.467	675.143	142.9	0:28	
0.500	675.205	142.9	0:30	
0.533	675.235	142.9	0:32	
0.567	675.297	142.9	0:34	
0.600	675.328	142.9	0:36	
0.633	675.328	142.9	0:38	
0.667	675.197	143.4	0:40	
0.700	675.420	142.9	0:42	
0.733	675.481	142.9	0:44	
0.767	675.481	142.9	0:46	
0.800	675.481	142.9	0:48	
0.833	675.481	142.9	0:50	
0.867	675.481	142.9	0:52	
0.900	675.512	142.9	0:54	
0.933	675.512	142.9	0:56	
0.967	675.543	142.9	0:58	
1.000	675.543	142.9	1: 0	
1.033	675.543	142.9	1: 2	
1.067	675.543	142.9	1: 4	
1.100	675.543	142.9	1: 6	
1.133	675.543	142.9	1: 8	
1.167	675.543	142.9	1:10	
1.200	675.512	142.9	1:12	
1.233	675.512	142.9	1:14	
1.267	675.481	142.9	1:16	
1.300	675.512	142.9	1:18	
1.333	675.543	142.9	1:20	
1.367	675.543	142.9	1:22	
1.400	675.481	142.9	1:24	
1.433	675.736	142.4	1:26	
1.467	675.705	142.4	1:28	
1.500	675.736	142.4	1:30	
1.533	675.705	142.4	1:32	
1.567	675.705	142.4	1:34	
1.600	675.674	142.4	1:36	
1.633	675.674	142.4	1:38	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
1.667	675.643	142.4	1:40	24/ 9/82
1.700	675.643	142.4	1:42	
1.733	675.643	142.4	1:44	
1.767	675.643	142.4	1:46	
1.800	675.643	142.4	1:48	
1.833	675.643	142.4	1:50	
1.867	675.674	142.4	1:52	
1.900	675.674	142.4	1:54	
1.933	675.643	142.4	1:56	
1.967	675.867	141.9	1:58	
2.000	675.836	141.9	2: 0	
2.033	675.867	141.9	2: 2	
2.067	675.836	141.9	2: 4	
2.100	675.836	141.9	2: 6	
2.133	675.836	141.9	2: 8	
2.167	675.805	141.9	2:10	
2.233	675.805	141.9	2:14	
2.267	675.805	141.9	2:16	
2.300	675.805	141.9	2:18	
2.333	675.805	141.9	2:20	
2.367	675.805	141.9	2:22	
2.400	675.805	141.9	2:24	
2.433	675.805	141.9	2:26	
2.467	675.967	141.4	2:28	
2.500	675.967	141.4	2:30	
2.533	675.967	141.4	2:32	
2.567	675.936	141.4	2:34	
2.600	675.967	141.4	2:36	
2.633	675.967	141.4	2:38	
2.667	675.967	141.4	2:40	
2.700	675.936	141.4	2:42	
2.733	675.936	141.4	2:44	
2.767	675.936	141.4	2:46	
2.800	675.905	141.4	2:48	
2.833	675.936	141.4	2:50	
2.867	675.936	141.4	2:52	
2.900	675.905	141.4	2:54	
2.933	675.936	141.4	2:56	
2.967	675.905	141.4	2:58	
3.000	675.905	141.4	3: 0	
3.033	675.875	141.4	3: 2	
3.067	675.875	141.4	3: 4	
3.100	675.844	141.4	3: 6	
3.133	675.844	141.4	3: 8	
3.167	675.875	141.4	3:10	
3.200	675.875	141.4	3:12	
3.233	675.875	141.4	3:14	
3.267	675.875	141.4	3:16	
3.300	676.067	140.9	3:18	
3.333	676.067	140.9	3:20	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
3.367	676.036	140.9	3:22	24/ 9/82
3.400	676.067	140.9	3:24	
3.433	676.067	140.9	3:26	
3.467	676.036	140.9	3:28	
3.500	676.036	140.9	3:30	
3.533	676.005	140.9	3:32	
3.567	676.036	140.9	3:34	
3.600	676.005	140.9	3:36	
3.633	676.005	140.9	3:38	
3.667	676.005	140.9	3:40	
3.700	676.036	140.9	3:42	
3.733	676.036	140.9	3:44	
3.767	676.036	140.9	3:46	
3.800	676.036	140.9	3:48	
3.833	676.005	140.9	3:50	
3.867	676.005	140.9	3:52	
3.900	676.005	140.9	3:54	
3.933	676.005	140.9	3:56	
3.967	676.005	140.9	3:58	
4.000	676.005	140.9	4: 0	
4.033	676.005	140.9	4: 2	
4.067	676.005	140.9	4: 4	
4.100	676.005	140.9	4: 6	
4.133	676.005	140.9	4: 8	
4.167	676.005	140.9	4:10	
4.200	676.005	140.9	4:12	
4.233	676.005	140.9	4:14	
4.267	676.005	140.9	4:16	
4.300	676.005	140.9	4:18	
4.333	676.005	140.9	4:20	
4.367	676.005	140.9	4:22	
4.400	676.005	140.9	4:24	
4.433	676.005	140.9	4:26	
4.467	676.005	140.9	4:28	
4.500	676.005	140.9	4:30	
4.533	676.005	140.9	4:32	
4.567	676.005	140.9	4:34	
4.600	676.005	140.9	4:36	
4.633	676.005	140.9	4:38	
4.667	676.005	140.9	4:40	
4.700	676.005	140.9	4:42	
4.733	676.198	140.4	4:44	
4.767	676.198	140.4	4:46	
4.800	676.198	140.4	4:48	
4.833	676.229	140.4	4:50	
4.867	676.198	140.4	4:52	
4.900	676.198	140.4	4:54	
4.933	676.229	140.4	4:56	
4.967	676.198	140.4	4:58	
5.000	676.198	140.4	5: 0	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME
5.033	676.198	140.4	5: 2 24/ 9/82
5.067	676.198	140.4	5: 4
5.100	676.198	140.4	5: 6
5.133	676.198	140.4	5: 8
5.167	676.229	140.4	5:10
5.200	676.198	140.4	5:12
5.233	676.198	140.4	5:14
5.267	676.198	140.4	5:16
5.300	676.198	140.4	5:18
5.333	676.198	140.4	5:20
5.367	676.198	140.4	5:22
5.400	676.198	140.4	5:24
5.433	676.229	140.4	5:26
5.467	676.198	140.4	5:28
5.500	676.229	140.4	5:30
5.533	676.229	140.4	5:32
5.567	676.198	140.4	5:34
5.600	676.198	140.4	5:36
5.633	676.198	140.4	5:38
5.667	676.198	140.4	5:40
5.700	676.198	140.4	5:42
5.733	676.229	140.4	5:44
5.767	676.229	140.4	5:46
5.800	676.229	140.4	5:48
5.833	676.229	140.4	5:50
5.867	676.259	140.4	5:52
5.900	676.259	140.4	5:54
5.933	676.259	140.4	5:56
5.967	676.259	140.4	5:58
6.000	676.259	140.4	6: 0
6.033	676.259	140.4	6: 2
6.067	676.290	140.4	6: 4
6.100	676.259	140.4	6: 6
6.133	676.229	140.4	6: 8
6.167	676.259	140.4	6:10
6.200	676.259	140.4	6:12
6.233	676.259	140.4	6:14
6.267	676.259	140.4	6:16
6.300	676.259	140.4	6:18
6.333	676.259	140.4	6:20
6.367	676.259	140.4	6:22
6.400	676.259	140.4	6:24
6.433	676.259	140.4	6:26
6.467	676.259	140.4	6:28
6.500	676.259	140.4	6:30
6.533	676.259	140.4	6:32
6.567	676.259	140.4	6:34
6.600	676.259	140.4	6:36
6.633	676.259	140.4	6:38
6.667	676.290	140.4	6:40

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
6.700	676.259	140.4	6:42	24/ 9/82
6.733	676.259	140.4	6:44	
6.767	676.259	140.4	6:46	
6.800	676.259	140.4	6:48	
6.833	676.259	140.4	6:50	
6.867	676.259	140.4	6:52	
6.900	676.259	140.4	6:54	
6.933	676.259	140.4	6:56	
6.967	676.259	140.4	6:58	
7.000	676.259	140.4	7: 0	
7.033	676.259	140.4	7: 2	
7.067	676.290	140.4	7: 4	
7.100	676.259	140.4	7: 6	
7.133	676.259	140.4	7: 8	
7.167	676.259	140.4	7:10	
7.200	676.259	140.4	7:12	
7.233	676.259	140.4	7:14	
7.267	676.259	140.4	7:16	
7.300	676.290	140.4	7:18	
7.333	676.290	140.4	7:20	
7.367	676.321	140.4	7:22	
7.400	676.290	140.4	7:24	
7.433	676.290	140.4	7:26	
7.467	676.290	140.4	7:28	
7.500	676.290	140.4	7:30	
7.533	676.321	140.4	7:32	
7.567	676.290	140.4	7:34	
7.600	676.513	139.9	7:36	
7.633	676.513	139.9	7:38	
7.667	676.513	139.9	7:40	
7.700	676.513	139.9	7:42	
7.733	676.513	139.9	7:44	
7.767	676.513	139.9	7:46	
7.800	676.544	139.9	7:48	
7.833	676.544	139.9	7:50	
7.867	676.513	139.9	7:52	
7.900	676.513	139.9	7:54	
7.933	676.513	139.9	7:56	
7.967	676.544	139.9	7:58	
8.000	676.513	139.9	8: 0	
8.033	676.513	139.9	8: 2	
8.067	676.513	139.9	8: 4	
8.100	676.513	139.9	8: 6	
8.133	676.513	139.9	8: 8	
8.167	676.513	139.9	8:10	
8.200	676.513	139.9	8:12	
8.233	676.513	139.9	8:14	
8.267	676.544	139.9	8:16	
8.300	676.513	139.9	8:18	
8.333	676.544	139.9	8:20	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
8.367	676.513	139.9	8:22	24/ 9/82
8.400	676.513	139.9	8:24	
8.433	676.513	139.9	8:26	
8.467	676.544	139.9	8:28	
8.500	676.513	139.9	8:30	
8.533	676.544	139.9	8:32	
8.567	676.544	139.9	8:34	
8.600	676.544	139.9	8:36	
8.633	676.513	139.9	8:38	
8.667	676.544	139.9	8:40	
8.700	676.513	139.9	8:42	
8.733	676.513	139.9	8:44	
8.767	676.513	139.9	8:46	
8.800	676.513	139.9	8:48	
8.833	676.544	139.9	8:50	
8.867	676.544	139.9	8:52	
8.900	676.544	139.9	8:54	
8.933	676.544	139.9	8:56	
8.967	676.544	139.9	8:58	
9.000	676.544	139.9	9: 0	
9.033	676.544	139.9	9: 2	
9.067	676.544	139.9	9: 4	
9.100	676.544	139.9	9: 6	
9.133	676.575	139.9	9: 8	
9.167	676.575	139.9	9:10	
9.200	676.575	139.9	9:12	
9.233	676.575	139.9	9:14	
9.267	676.575	139.9	9:16	
9.300	676.575	139.9	9:18	
9.333	676.575	139.9	9:20	
9.367	676.575	139.9	9:22	
9.400	676.575	139.9	9:24	
9.433	676.575	139.9	9:26	
9.467	676.575	139.9	9:28	
9.500	676.606	139.9	9:30	
9.533	676.575	139.9	9:32	
9.567	676.513	139.9	9:34	
9.600	676.544	139.9	9:36	
9.633	676.544	139.9	9:38	
9.667	676.544	139.9	9:40	
9.700	676.544	139.9	9:42	
9.733	676.544	139.9	9:44	
9.767	676.544	139.9	9:46	
9.800	676.544	139.9	9:48	
9.833	676.544	139.9	9:50	
9.867	676.544	139.9	9:52	
9.900	676.544	139.9	9:54	
9.933	676.544	139.9	9:56	
9.967	676.544	139.9	9:58	
10.000	676.544	139.9	10: 0	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
10.033	676.575	139.9	10: 2	24/ 9/82
10.067	676.544	139.9	10: 4	
10.100	676.544	139.9	10: 6	
10.133	676.544	139.9	10: 8	
10.167	676.544	139.9	10:10	
10.200	676.544	139.9	10:12	
10.233	676.575	139.9	10:14	
10.267	676.544	139.9	10:16	
10.300	676.544	139.9	10:18	
10.333	676.544	139.9	10:20	
10.367	676.575	139.9	10:22	
10.400	676.544	139.9	10:24	
10.433	676.544	139.9	10:26	
10.467	676.544	139.9	10:28	
10.500	676.575	139.9	10:30	
10.533	676.544	139.9	10:32	
10.567	676.544	139.9	10:34	
10.600	676.575	139.9	10:36	
10.633	676.575	139.9	10:38	
10.667	676.575	139.9	10:40	
10.700	676.575	139.9	10:42	
10.733	676.575	139.9	10:44	
10.767	676.575	139.9	10:46	
10.800	676.575	139.9	10:48	
10.833	676.575	139.9	10:50	
10.867	676.575	139.9	10:52	
10.900	676.575	139.9	10:54	
10.933	676.575	139.9	10:56	
10.967	676.575	139.9	10:58	
11.000	676.575	139.9	11: 0	
11.033	676.575	139.9	11: 2	
11.067	676.575	139.9	11: 4	
11.100	676.575	139.9	11: 6	
11.133	676.575	139.9	11: 8	
11.167	676.606	139.9	11:10	
11.200	676.606	139.9	11:12	
11.233	676.575	139.9	11:14	
11.267	676.575	139.9	11:16	
11.300	676.575	139.9	11:18	
11.333	676.606	139.9	11:20	
11.367	676.575	139.9	11:22	
11.400	676.575	139.9	11:24	
11.433	676.575	139.9	11:26	
11.467	676.606	139.9	11:28	
11.500	676.606	139.9	11:30	
11.533	676.606	139.9	11:32	
11.567	676.606	139.9	11:34	
11.600	676.606	139.9	11:36	
11.633	676.606	139.9	11:38	
11.667	676.606	139.9	11:40	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME.	
11.700	676.606	139.9	11:42	24/ 9/82
11.733	676.606	139.9	11:44	
11.767	676.606	139.9	11:46	
11.800	676.606	139.9	11:48	
11.833	676.606	139.9	11:50	
11.867	676.606	139.9	11:52	
11.900	676.606	139.9	11:54	
11.933	676.606	139.9	11:56	
11.967	676.606	139.9	11:58	
12.000	676.606	139.9	12: 0	
12.033	676.636	139.9	12: 2	
12.067	676.606	139.9	12: 4	
12.100	676.606	139.9	12: 6	
12.133	676.606	139.9	12: 8	
12.167	676.636	139.9	12:10	
12.200	676.606	139.9	12:12	
12.233	676.606	139.9	12:14	
12.267	676.636	139.9	12:16	
12.300	676.636	139.9	12:18	
12.333	676.636	139.9	12:20	
12.367	676.636	139.9	12:22	
12.400	676.636	139.9	12:24	
12.433	676.636	139.9	12:26	
12.467	676.636	139.9	12:28	
12.500	676.636	139.9	12:30	
12.533	676.636	139.9	12:32	
12.567	676.636	139.9	12:34	
12.600	676.636	139.9	12:36	
12.633	676.636	139.9	12:38	
12.667	676.636	139.9	12:40	
12.700	676.636	139.9	12:42	
12.733	676.636	139.9	12:44	
12.767	676.636	139.9	12:46	
12.800	676.636	139.9	12:48	
12.833	676.636	139.9	12:50	
12.867	676.667	139.9	12:52	
12.900	676.667	139.9	12:54	
12.933	676.667	139.9	12:56	
12.967	676.636	139.9	12:58	
13.000	676.636	139.9	13: 0	
13.033	676.636	139.9	13: 2	
13.067	676.636	139.9	13: 4	
13.100	676.636	139.9	13: 6	
13.133	676.667	139.9	13: 8	
13.167	676.636	139.9	13:10	
13.200	676.667	139.9	13:12	
13.233	676.667	139.9	13:14	
13.267	676.667	139.9	13:16	
13.300	676.667	139.9	13:18	
13.333	676.667	139.9	13:20	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
13.367	676.698	139.9	13:22	24/ 9/82
13.400	676.667	139.9	13:24	
13.433	676.667	139.9	13:26	
13.467	676.667	139.9	13:28	
13.500	676.698	139.9	13:30	
13.533	676.698	139.9	13:32	
13.567	676.667	139.9	13:34	
13.600	676.667	139.9	13:36	
13.633	676.698	139.9	13:38	
13.667	676.698	139.9	13:40	
13.700	676.667	139.9	13:42	
13.733	676.667	139.9	13:44	
13.767	676.698	139.9	13:46	
13.800	676.698	139.9	13:48	
13.833	676.698	139.9	13:50	
13.867	676.698	139.9	13:52	
13.900	676.698	139.9	13:54	
13.933	676.667	139.9	13:56	
13.967	676.667	139.9	13:58	
14.000	676.698	139.9	14: 0	
14.033	676.698	139.9	14: 2	
14.067	676.698	139.9	14: 4	
14.100	676.698	139.9	14: 6	
14.133	676.698	139.9	14: 8	
14.167	676.698	139.9	14:10	
14.200	676.698	139.9	14:12	
14.233	676.698	139.9	14:14	
14.267	676.698	139.9	14:16	
14.300	676.698	139.9	14:18	
14.333	676.698	139.9	14:20	
14.367	676.729	139.9	14:22	
14.400	676.729	139.9	14:24	
14.433	676.698	139.9	14:26	
14.467	676.698	139.9	14:28	
14.500	676.698	139.9	14:30	
14.533	676.698	139.9	14:32	
14.567	676.729	139.9	14:34	
14.600	676.698	139.9	14:36	
14.633	676.729	139.9	14:38	
14.700	676.698	139.9	14:42	
14.733	676.729	139.9	14:44	
14.767	676.729	139.9	14:46	
14.800	676.729	139.9	14:48	
14.833	676.729	139.9	14:50	
14.867	676.729	139.9	14:52	
14.900	676.729	139.9	14:54	
14.933	676.729	139.9	14:56	
14.967	676.729	139.9	14:58	
15.000	676.729	139.9	15: 0	
15.033	676.729	139.9	15: 2	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
15.067	676.729	139.9	15: 4	24/ 9/82
15.100	676.729	139.9	15: 6	
15.133	676.729	139.9	15: 8	
15.167	676.729	139.9	15:10	
15.200	676.729	139.9	15:12	
15.233	676.729	139.9	15:14	
15.267	676.729	139.9	15:16	
15.300	676.760	139.9	15:18	
15.333	676.729	139.9	15:20	
15.367	676.729	139.9	15:22	
15.400	676.729	139.9	15:24	
15.433	676.760	139.9	15:26	
15.467	676.729	139.9	15:28	
15.500	676.729	139.9	15:30	
15.533	676.729	139.9	15:32	
15.567	676.760	139.9	15:34	
15.600	676.760	139.9	15:36	
15.633	676.729	139.9	15:38	
15.667	676.729	139.9	15:40	
15.700	676.760	139.9	15:42	
15.733	676.760	139.9	15:44	
15.767	676.760	139.9	15:46	
15.800	676.760	139.9	15:48	
15.833	676.760	139.9	15:50	
15.867	676.760	139.9	15:52	
15.900	676.790	139.9	15:54	
15.933	676.790	139.9	15:56	
15.967	676.790	139.9	15:58	
16.000	676.760	139.9	16: 0	
16.033	676.760	139.9	16: 2	
16.067	676.760	139.9	16: 4	
16.100	676.760	139.9	16: 6	
16.133	676.760	139.9	16: 8	
16.167	676.760	139.9	16:10	
16.200	676.760	139.9	16:12	
16.233	676.790	139.9	16:14	
16.267	676.790	139.9	16:16	
16.300	676.760	139.9	16:18	
16.333	676.760	139.9	16:20	
16.367	676.760	139.9	16:22	
16.400	676.790	139.9	16:24	
16.433	676.760	139.9	16:26	
16.467	676.790	139.9	16:28	
16.500	676.760	139.9	16:30	
16.533	676.760	139.9	16:32	
16.567	676.790	139.9	16:34	
16.600	676.790	139.9	16:36	
16.633	676.790	139.9	16:38	
16.667	676.790	139.9	16:40	
16.700	676.790	139.9	16:42	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
16.733	676.790	139.9	16:44	24/ 9/82
16.767	676.790	139.9	16:46	
16.800	676.790	139.9	16:48	
16.833	676.790	139.9	16:50	
16.867	676.790	139.9	16:52	
16.900	676.790	139.9	16:54	
16.933	676.790	139.9	16:56	
16.967	676.790	139.9	16:58	
17.000	676.790	139.9	17: 0	
17.033	676.790	139.9	17: 2	
17.067	676.821	139.9	17: 4	
17.100	676.790	139.9	17: 6	
17.133	676.790	139.9	17: 8	
17.167	676.790	139.9	17:10	
17.200	676.821	139.9	17:12	
17.233	676.790	139.9	17:14	
17.267	676.790	139.9	17:16	
17.300	676.821	139.9	17:18	
17.333	676.821	139.9	17:20	
17.367	676.821	139.9	17:22	
17.400	676.821	139.9	17:24	
17.433	676.852	139.9	17:26	
17.467	676.821	139.9	17:28	
17.500	676.821	139.9	17:30	
17.533	676.852	139.9	17:32	
17.567	676.821	139.9	17:34	
17.600	676.852	139.9	17:36	
17.633	676.852	139.9	17:38	
17.667	676.821	139.9	17:40	
17.700	676.852	139.9	17:42	
17.733	676.852	139.9	17:44	
17.767	676.852	139.9	17:46	
17.800	676.852	139.9	17:48	
17.833	676.852	139.9	17:50	
17.867	676.821	139.9	17:52	
17.900	676.852	139.9	17:54	
17.933	676.821	139.9	17:56	
17.967	676.883	139.9	17:58	
18.000	676.852	139.9	18: 0	
18.033	676.852	139.9	18: 2	
18.067	676.852	139.9	18: 4	
18.100	676.852	139.9	18: 6	
18.133	676.852	139.9	18: 8	
18.167	676.852	139.9	18:10	
18.200	676.852	139.9	18:12	
18.233	676.883	139.9	18:14	
18.267	676.852	139.9	18:16	
18.300	676.852	139.9	18:18	
18.333	676.852	139.9	18:20	
18.367	676.852	139.9	18:22	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
18.400	676.852	139.9	18:24	24/ 9/82
18.433	676.852	139.9	18:26	
18.467	676.852	139.9	18:28	
18.500	676.852	139.9	18:30	
18.533	676.852	139.9	18:32	
18.600	676.852	139.9	18:36	
18.633	676.852	139.9	18:38	
18.667	676.852	139.9	18:40	
18.700	676.852	139.9	18:42	
18.733	676.883	139.9	18:44	
18.767	676.852	139.9	18:46	
18.833	676.852	139.9	18:50	
18.867	676.852	139.9	18:52	
18.900	676.883	139.9	18:54	
18.933	676.883	139.9	18:56	
18.967	676.883	139.9	18:58	
19.000	676.914	139.9	19: 0	
19.033	676.883	139.9	19: 2	
19.067	676.883	139.9	19: 4	
19.100	676.914	139.9	19: 6	
19.133	676.883	139.9	19: 8	
19.167	676.883	139.9	19:10	
19.200	676.883	139.9	19:12	
19.233	676.852	139.9	19:14	
19.267	676.883	139.9	19:16	
19.300	676.852	139.9	19:18	
19.333	676.883	139.9	19:20	
19.367	676.883	139.9	19:22	
19.400	676.883	139.9	19:24	
19.433	676.883	139.9	19:26	
19.467	676.883	139.9	19:28	
19.500	676.883	139.9	19:30	
19.533	676.883	139.9	19:32	
19.600	676.914	139.9	19:36	
19.633	676.914	139.9	19:38	
19.667	676.914	139.9	19:40	
19.700	676.914	139.9	19:42	
19.733	676.914	139.9	19:44	
19.767	676.914	139.9	19:46	
19.800	676.914	139.9	19:48	
19.833	676.914	139.9	19:50	
19.867	676.914	139.9	19:52	
19.900	676.914	139.9	19:54	
19.933	676.914	139.9	19:56	
19.967	676.914	139.9	19:58	
20.000	676.914	139.9	20: 0	
20.033	676.914	139.9	20: 2	
20.067	676.944	139.9	20: 4	
20.100	676.944	139.9	20: 6	
20.133	676.914	139.9	20: 8	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
20.167	676.914	139.9	20:10	24/ 9/82
20.200	676.914	139.9	20:12	
20.233	676.914	139.9	20:14	
20.267	676.914	139.9	20:16	
20.333	676.944	139.9	20:20	
20.367	676.944	139.9	20:22	
20.400	676.944	139.9	20:24	
20.433	676.944	139.9	20:26	
20.467	676.944	139.9	20:28	
20.500	676.944	139.9	20:30	
20.533	676.944	139.9	20:32	
20.567	676.944	139.9	20:34	
20.600	676.944	139.9	20:36	
20.633	676.944	139.9	20:38	
20.667	676.944	139.9	20:40	
20.733	676.944	139.9	20:44	
20.767	676.944	139.9	20:46	
20.800	676.944	139.9	20:48	
20.833	676.944	139.9	20:50	
20.867	676.944	139.9	20:52	
20.900	676.944	139.9	20:54	
20.933	676.944	139.9	20:56	
20.967	676.944	139.9	20:58	
21.000	676.975	139.9	21: 0	
21.033	676.975	139.9	21: 2	
21.100	676.975	139.9	21: 6	
21.133	676.944	139.9	21: 8	
21.167	676.975	139.9	21:10	
21.200	676.975	139.9	21:12	
21.233	676.944	139.9	21:14	
21.267	676.975	139.9	21:16	
21.300	676.944	139.9	21:18	
21.333	676.944	139.9	21:20	
21.400	676.975	139.9	21:24	
21.433	676.975	139.9	21:26	
21.467	676.975	139.9	21:28	
21.500	676.975	139.9	21:30	
21.533	676.975	139.9	21:32	
21.567	676.975	139.9	21:34	
21.600	676.975	139.9	21:36	
21.633	676.975	139.9	21:38	
21.667	676.975	139.9	21:40	
21.700	676.975	139.9	21:42	
21.733	676.975	139.9	21:44	
21.767	676.975	139.9	21:46	
21.800	677.006	139.9	21:48	
21.833	676.975	139.9	21:50	
21.867	676.975	139.9	21:52	
21.900	676.975	139.9	21:54	
21.933	676.975	139.9	21:56	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
22.000	677.006	139.9	22: 0	24/ 9/82
22.033	676.975	139.9	22: 2	
22.067	676.975	139.9	22: 4	
22.100	677.006	139.9	22: 6	
22.167	676.975	139.9	22:10	
22.200	676.975	139.9	22:12	
22.233	676.975	139.9	22:14	
22.267	676.975	139.9	22:16	
22.300	677.006	139.9	22:18	
22.333	677.006	139.9	22:20	
22.367	677.006	139.9	22:22	
22.400	677.006	139.9	22:24	
22.533	677.006	139.9	22:32	
22.567	677.037	139.9	22:34	
22.600	677.006	139.9	22:36	
22.633	677.006	139.9	22:38	
22.667	677.006	139.9	22:40	
22.700	677.006	139.9	22:42	
22.733	677.006	139.9	22:44	
22.767	677.006	139.9	22:46	
22.800	677.006	139.9	22:48	
22.833	677.006	139.9	22:50	
22.867	677.006	139.9	22:52	
22.933	677.006	139.9	22:56	
23.000	677.037	139.9	23: 0	
23.033	677.006	139.9	23: 2	
23.067	677.006	139.9	23: 4	
23.133	677.006	139.9	23: 8	
23.167	677.006	139.9	23:10	
23.200	677.037	139.9	23:12	
23.233	677.037	139.9	23:14	
23.267	677.037	139.9	23:16	
23.300	677.037	139.9	23:18	
23.333	677.037	139.9	23:20	
23.367	677.037	139.9	23:22	
23.400	677.037	139.9	23:24	
23.433	677.037	139.9	23:26	
23.467	677.037	139.9	23:28	
23.500	677.037	139.9	23:30	
23.533	677.037	139.9	23:32	
23.600	677.037	139.9	23:36	
23.667	677.037	139.9	23:40	
23.733	677.037	139.9	23:44	
23.767	677.037	139.9	23:46	
23.800	677.037	139.9	23:48	
23.833	677.068	139.9	23:50	
23.867	677.037	139.9	23:52	
23.900	677.037	139.9	23:54	
23.933	677.037	139.9	23:56	
23.967	677.037	139.9	23:58	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1, GAUGE 0051, SENSING DEPTH 3785.80 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
24.000	677.037	139.9	0: 0	25/ 9/82
24.033	677.068	139.9	0: 2	
24.067	677.068	139.9	0: 4	
24.100	677.068	139.9	0: 6	
24.133	677.098	139.9	0: 8	
24.167	677.068	139.9	0:10	
24.200	677.068	139.9	0:12	
24.233	677.068	139.9	0:14	
24.267	677.068	139.9	0:16	
24.300	677.098	139.9	0:18	
24.333	677.098	139.9	0:20	
24.367	677.098	139.9	0:22	
24.400	677.098	139.9	0:24	
24.433	677.068	139.9	0:26	
24.467	677.098	139.9	0:28	
24.500	677.098	139.9	0:30	
24.533	677.068	139.9	0:32	
24.567	677.098	139.9	0:34	
24.600	677.068	139.9	0:36	
24.633	677.068	139.9	0:38	
24.667	677.098	139.9	0:40	
24.700	677.068	139.9	0:42	
24.733	677.068	139.9	0:44	
24.767	677.098	139.9	0:46	
24.800	677.098	139.9	0:48	
24.867	677.098	139.9	0:52	
24.900	677.098	139.9	0:54	
24.933	677.098	139.9	0:56	
24.967	677.098	139.9	0:58	
25.000	677.098	139.9	1: 0	
25.033	677.098	139.9	1: 2	

END OF FINAL BUILD-UP



PRESSURE TEST DATA SUMMARY

COMPANY: STATOIL DATE: 20 Septembe
 FIELD: WILD CAT WELL NO: 30/2 - 1 JOB NO: MRPG-1348-NOR
 TEST TYPE: DST TEST NO: 1 RUN NO: 1 MAX B.H.T. 147.5
 PERFORATION INTERVAL: 3785 - 3792 METRES ZONE: _____

	TOP	MIDDLE	BOTTOM
GAUGE TYPE/NO.	<u>MK III 0054</u>	<u>MK III 0051</u>	<u>MK I 0130</u>
PRESSURE SENSING DEPTH	<u>3783.22 M.</u>	<u>3785.80 M.</u>	<u>3788.63 M.</u>
ELEMENT SIZE	<u>10 K</u>	<u>10 K</u>	<u>12 K</u>
TIME MODE	<u>4 MIN.</u>	<u>2 MIN.</u>	<u>4 MIN.</u>
BATTERY TYPE	<u>SILVER OXIDE</u>	<u>SILVER OXIDE</u>	<u>SILVER OXIDE</u>

EVENT	SURFACE TIMES & DATES		TEMP. °C	XP
GAUGES IN STRING	09:18	20.09.82		
GAUGES RESTARTED/ RE-RUN	00:42	21.09.82		
GAUGES RESTARTED - 0054	02:25	22.09.82		
0051	02:27	"		
0130	02:31	"		
GAUGES IN STRING , RIH	02:42	"		
OPEN LPR VALVE	11:25	23.09.82	138.9	
OPEN CHOKE MANIFOLD ON				
32/64" ADJ CHOKE	11:35	"	138.9	
WELL SHUT IN AT CHOKE	11:36	"	138.9	
CLOSE LPR VALVE	11:37	"	138.9	
OPEN LPR VALVE	12:40	"	141.4	
OPEN CHOKE MANIFOLD TO				
28/64" ADJ CHOKE	12:43	"	141.4	
CHANGE TO 32/64" FIXED CHOKE	12:54	"	141.4	
SWITCH FLOW THROUGH SEPERATOR	14:50	"	145.5	
WELL SHUT IN AT CHOKE	00:02	24.09.82	147.0	
CLOSE APR-M AND LPR VALVES	00:08	"	147.5	
END OF BUILD-UP PERIOD	01:02	25.09.82	141.4	
GAUGES OUT OF STRING	18:15	"		

NOTE! GAUGE 0130 GAVE ERRATIC DATA DURING THE FLOW PERIOD.


M.R.P.G. PRESSURES ARE RELATIVE TO GAUGE CLOCK TIMES.

S.P.G. PRESSURES ARE RELATIVE TO TIME GRADIENT CALCULATED FROM SURFACE TIMES.

25 SEPT 1982
MRPG-1348-NOR
MK1111 00154-1850
00016C

NL Sperry-Sun, Inc. PRESSURE/TEMP. VS TIME PLOT


STATOIL
38/2-1
WILDCAT
OFFSHORE NORWAY



TEMPERATURE
Scaler 1 inch = 5 (deg. F)

PRESSURE
Scaler 1 inch = 500 (PSI)

REAL TIME
Scaler 1 inch = 8 hours



10/ 1/82

SPERRY-SUN INTERNATIONAL INC.
MAGNETIC RECORDING PRESSURE GAUGE REPORT

PAGE: 1

STATOIL
WILDCAT
30/2-1

OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (INITIAL FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	705.157	138.9	11:23	23/ 9/82 OPEN LPR VALVE
0.067	620.559	138.9	11:27	WELL OPENED TO FLOW
0.133	654.437	138.9	11:31	ON 32/64" ADJ. CHOKE AT 11:35
0.200	501.911	138.9	11:35	END OF INITIAL FLOW PERIOD

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (INITIAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	501.911	138.9	11:35	23/ 9/82 WELL SHUT-IN AT CHOKE
0.067	676.660	138.9	11:39	AT 11:36
0.133	676.564	139.4	11:43	
0.200	676.587	139.9	11:47	
0.267	676.677	139.9	11:51	
0.333	676.700	140.4	11:55	
0.400	676.663	140.9	11:59	
0.467	676.722	140.9	12: 3	
0.533	676.752	140.9	12: 7	
0.600	676.656	141.4	12:11	
0.667	676.686	141.4	12:15	
0.733	676.775	141.4	12:19	
0.800	676.686	141.4	12:23	
0.867	676.715	141.4	12:27	
0.933	676.715	141.4	12:31	
1.000	676.715	141.4	12:35	
1.067	676.715	141.4	12:39	END OF INITIAL BUILD-UP

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	676.715	141.4	12:39	23/ 9/82 OPEN LPR VALVE
0.067	559.990	141.4	12:43	WELL OPENED TO FLOW
0.133	551.275	140.9	12:47	ON 28/64" ADJ. CHOKE AT 12:43
0.200	594.276	140.9	12:51	
0.267	566.847	141.4	12:55	CHANGE TO 32/64" FIXED CHOKE
0.333	577.134	141.9	12:59	
0.400	581.185	142.4	13: 3	
0.467	582.860	142.9	13: 7	
0.533	583.958	142.9	13:11	
0.600	585.840	143.4	13:15	
0.667	587.010	143.9	13:19	
0.733	588.078	143.9	13:23	
0.800	588.938	143.9	13:27	
0.867	589.780	144.4	13:31	
0.933	591.204	144.4	13:35	
1.000	590.611	144.4	13:39	
1.067	592.331	144.4	13:43	
1.133	591.689	144.9	13:47	
1.200	593.498	144.9	13:51	
1.267	594.507	144.9	13:55	
1.333	593.884	144.9	13:59	
1.400	594.507	144.9	14: 3	
1.467	594.566	144.9	14: 7	
1.533	595.071	144.9	14:11	
1.600	595.456	144.9	14:15	
1.667	595.199	145.5	14:19	
1.733	594.458	145.5	14:23	
1.800	595.436	145.5	14:27	
1.867	595.703	145.5	14:31	
1.933	594.902	145.5	14:35	
2.000	596.326	145.5	14:39	
2.067	590.721	145.5	14:43	
2.133	587.726	145.5	14:47	
2.200	595.229	145.5	14:51	FLOWING THROUGH SEPERATOR
2.267	596.356	145.5	14:55	
2.333	596.860	145.5	14:59	
2.400	596.504	145.5	15: 3	
2.467	595.792	145.5	15: 7	
2.533	595.229	145.5	15:11	
2.600	589.120	145.5	15:15	
2.667	588.360	146.0	15:19	
2.733	588.093	146.0	15:23	
2.800	589.220	146.0	15:27	
2.867	589.457	146.0	15:31	
2.933	588.538	146.0	15:35	
3.000	587.560	146.0	15:39	
3.067	587.441	146.0	15:43	
3.133	586.997	146.0	15:47	
3.200	586.493	146.0	15:51	
3.267	584.744	146.0	15:55	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
3.333	584.684	146.0	15:59	23/ 9/82
3.400	584.981	146.0	16: 3	
3.467	584.684	146.0	16: 7	
3.533	586.078	146.0	16:11	
3.600	586.078	146.0	16:15	
3.667	586.018	146.0	16:19	
3.733	585.574	146.0	16:23	
3.800	585.426	146.0	16:27	
3.867	584.684	146.0	16:31	
3.933	584.477	146.0	16:35	
4.000	584.489	146.5	16:39	
4.067	584.519	146.5	16:43	
4.133	584.696	146.5	16:47	
4.200	585.082	146.5	16:51	
4.267	584.548	146.5	16:55	
4.333	584.548	146.5	16:59	
4.400	584.400	146.5	17: 3	
4.467	584.015	146.5	17: 7	
4.533	587.245	146.5	17:11	
4.600	586.741	146.5	17:15	
4.667	586.771	146.5	17:19	
4.733	586.889	146.5	17:23	
4.800	587.927	146.5	17:27	
4.867	588.105	146.5	17:31	
4.933	588.964	146.5	17:35	
5.000	590.683	146.5	17:39	
5.067	590.357	146.5	17:43	
5.133	588.786	146.5	17:47	
5.200	588.490	146.5	17:51	
5.267	588.519	146.5	17:55	
5.333	588.519	146.5	17:59	
5.400	588.519	146.5	18: 3	
5.467	588.312	146.5	18: 7	
5.533	588.075	146.5	18:11	
5.667	587.838	146.5	18:19	
5.733	587.601	146.5	18:23	
5.800	587.364	146.5	18:27	
5.867	587.423	146.5	18:31	
5.933	587.215	146.5	18:35	
6.000	586.830	146.5	18:39	
6.067	586.919	146.5	18:43	
6.133	586.771	146.5	18:47	
6.200	586.445	146.5	18:51	
6.267	586.445	146.5	18:55	
6.333	586.326	146.5	18:59	
6.400	586.326	146.5	19: 3	
6.467	586.089	146.5	19: 7	
6.533	585.348	146.5	19:11	
6.600	585.171	146.5	19:15	
6.667	584.785	146.5	19:19	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (SECOND FLOW PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
6.733	584.845	146.5	19:23	23/ 9/82
6.800	584.785	146.5	19:27	
6.867	584.874	146.5	19:31	
6.933	584.993	146.5	19:35	
7.000	585.052	146.5	19:39	
7.067	584.845	146.5	19:43	
7.133	584.489	146.5	19:47	
7.200	584.459	146.5	19:51	
7.267	584.252	146.5	19:55	
7.333	584.281	146.5	19:59	
7.400	583.867	146.5	20: 3	
7.467	583.849	147.0	20: 7	
7.533	583.612	147.0	20:11	
7.600	583.434	147.0	20:15	
7.667	583.227	147.0	20:19	
7.733	583.493	147.0	20:23	
7.800	583.138	147.0	20:27	
7.867	583.019	147.0	20:31	
7.933	582.990	147.0	20:35	
8.000	583.108	147.0	20:39	
8.067	582.901	147.0	20:43	
8.133	582.486	147.0	20:47	
8.200	582.338	147.0	20:51	
8.267	582.279	147.0	20:55	
8.333	582.160	147.0	20:59	
8.400	582.071	147.0	21: 3	
8.467	581.982	147.0	21: 7	
8.533	581.982	147.0	21:11	
8.600	581.775	147.0	21:15	
8.667	581.538	147.0	21:19	
8.733	581.597	147.0	21:23	
8.800	581.508	147.0	21:27	
8.867	581.182	147.0	21:31	
8.933	581.123	147.0	21:35	
9.000	580.857	147.0	21:39	
9.067	580.827	147.0	21:43	
9.133	580.738	147.0	21:47	
9.200	580.768	147.0	21:51	
9.267	581.242	147.0	21:55	
9.333	582.456	147.0	21:59	
9.400	583.375	147.0	22: 3	
9.467	583.286	147.0	22: 7	
9.533	583.049	147.0	22:11	
9.600	582.456	147.0	22:15	
9.667	582.012	147.0	22:19	
9.733	581.953	147.0	22:23	
9.800	582.101	147.0	22:27	
9.867	581.627	147.0	22:31	
9.933	581.331	147.0	22:35	
10.000	584.175	147.0	22:39	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (SECOND FLOW PERIOD)


DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
10.067	584.323	147.0	22:43	23/ 9/82
10.133	583.642	147.0	22:47	
10.200	582.990	147.0	22:51	
10.267	582.960	147.0	22:55	
10.333	582.753	147.0	22:59	
10.400	582.397	147.0	23: 3	
10.467	582.782	147.0	23: 7	
10.533	582.871	147.0	23:11	
10.600	582.812	147.0	23:15	
10.667	582.723	147.0	23:19	
10.733	584.886	147.0	23:23	
10.800	585.034	147.0	23:27	
10.867	584.738	147.0	23:31	
10.933	584.530	147.0	23:35	
11.000	584.175	147.0	23:39	
11.067	584.975	147.0	23:43	
11.133	585.390	147.0	23:47	
11.200	585.153	147.0	23:51	
11.267	585.271	147.0	23:55	
11.333	585.241	147.0	23:59	

END OF FINAL FLOW PERIOD

NL Sperry-Sun, Inc.
HORNER PLOT

25 SEPT 1982
MRPG-1348-NOR
MK111 8854-1858
D8819C

STATOIL
39/2-1
WILDCAT
OFFSHORE NORWAY



Scale: 1 Inch = 12 (PSIG)


T = 11.316667 hours
IP/(IP+I)



NL Sperry-Sun Int. Inc.
LOG(dp) Vs LOG(dt) PLOT

STATOIL
WILDCAT
30/2-1
25 SEPT 1982

DST 1 RUN 1
MKIII 0054-1950
FINAL BUILD-UP PERIOD




DELTA TIME

PLOT SECTION 1




HEWLETT
PACKARD

DST 1 RUN 1
MKIII 0054-1950
FINAL BUILD-UP PERIOD
(CONTINUED)



DELTA TIME

PLOT SECTION 2



HEWLETT
PACKARD

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
0.000	585.241	147.0	23:59	23/ 9/82 WELL SHUT-IN AT CHOKE
0.067	672.504	147.0	0: 3	24/ 9/82 AT 00:02
0.133	673.714	147.5	0: 7	CLOSE APR-M AND LPR VALVES
0.200	673.982	147.5	0:11	
0.267	674.100	147.5	0:15	
0.333	674.316	147.0	0:19	
0.400	674.375	147.0	0:23	
0.467	674.435	147.0	0:27	
0.533	674.524	147.0	0:31	
0.600	674.553	147.0	0:35	
0.667	674.680	146.5	0:39	
0.733	674.709	146.5	0:43	
0.800	674.739	146.5	0:47	
0.867	674.769	146.5	0:51	
0.933	674.769	146.5	0:55	
1.000	674.769	146.5	0:59	
1.067	674.895	146.0	1: 3	
1.133	674.895	146.0	1: 7	
1.200	674.895	146.0	1:11	
1.267	674.925	146.0	1:15	
1.333	674.925	146.0	1:19	
1.400	674.925	146.0	1:23	
1.467	674.925	146.0	1:27	
1.533	675.022	145.5	1:31	
1.600	675.022	145.5	1:35	
1.667	675.051	145.5	1:39	
1.733	675.051	145.5	1:43	
1.800	675.022	145.5	1:47	
1.867	675.022	145.5	1:51	
1.933	675.051	145.5	1:55	
2.000	675.118	144.9	1:59	
2.067	675.118	144.9	2: 3	
2.133	675.118	144.9	2: 7	
2.200	675.148	144.9	2:11	
2.267	675.118	144.9	2:15	
2.333	675.148	144.9	2:19	
2.400	675.148	144.9	2:23	
2.467	675.148	144.9	2:27	
2.600	675.244	144.4	2:35	
2.667	675.244	144.4	2:39	
2.733	675.215	144.4	2:43	
2.800	675.244	144.4	2:47	
2.867	675.215	144.4	2:51	
2.933	675.215	144.4	2:55	
3.000	675.244	144.4	2:59	
3.067	675.244	144.4	3: 3	
3.133	675.215	144.4	3: 7	
3.200	675.215	144.4	3:11	
3.267	675.244	144.4	3:15	
3.333	675.215	144.4	3:19	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
3.400	675.311	143.9	3:23	24/ 9/82
3.467	675.311	143.9	3:27	
3.533	675.341	143.9	3:31	
3.600	675.311	143.9	3:35	
3.667	675.341	143.9	3:39	
3.733	675.311	143.9	3:43	
3.800	675.311	143.9	3:47	
3.867	675.341	143.9	3:51	
3.933	675.311	143.9	3:55	
4.067	675.311	143.9	4: 3	
4.133	675.311	143.9	4: 7	
4.200	675.311	143.9	4:11	
4.267	675.341	143.9	4:15	
4.333	675.311	143.9	4:19	
4.400	675.311	143.9	4:23	
4.467	675.437	143.4	4:27	
4.533	675.437	143.4	4:31	
4.600	675.437	143.4	4:35	
4.667	675.408	143.4	4:39	
4.733	675.408	143.4	4:43	
4.800	675.408	143.4	4:47	
4.867	675.408	143.4	4:51	
4.933	675.408	143.4	4:55	
5.000	675.408	143.4	4:59	
5.067	675.408	143.4	5: 3	
5.133	675.437	143.4	5: 7	
5.200	675.408	143.4	5:11	
5.267	675.437	143.4	5:15	
5.333	675.437	143.4	5:19	
5.400	675.408	143.4	5:23	
5.467	675.437	143.4	5:27	
5.600	675.408	143.4	5:35	
5.667	675.408	143.4	5:39	
5.733	675.437	143.4	5:43	
5.800	675.408	143.4	5:47	
5.867	675.408	143.4	5:51	
5.933	675.504	142.9	5:55	
6.000	675.504	142.9	5:59	
6.067	675.504	142.9	6: 3	
6.133	675.534	142.9	6: 7	
6.200	675.534	142.9	6:11	
6.267	675.534	142.9	6:15	
6.333	675.534	142.9	6:19	
6.400	675.504	142.9	6:23	
6.467	675.534	142.9	6:27	
6.533	675.504	142.9	6:31	
6.600	675.534	142.9	6:35	
6.667	675.534	142.9	6:39	
6.733	675.504	142.9	6:43	
6.800	675.534	142.9	6:47	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
6.867	675.504	142.9	6:51	24/ 9/82
6.933	675.534	142.9	6:55	
7.000	675.534	142.9	6:59	
7.067	675.534	142.9	7: 3	
7.133	675.534	142.9	7: 7	
7.200	675.534	142.9	7:11	
7.267	675.534	142.9	7:15	
7.333	675.534	142.9	7:19	
7.400	675.534	142.9	7:23	
7.467	675.534	142.9	7:27	
7.533	675.534	142.9	7:31	
7.600	675.534	142.9	7:35	
7.667	675.534	142.9	7:39	
7.733	675.534	142.9	7:43	
7.800	675.534	142.9	7:47	
7.867	675.534	142.9	7:51	
7.933	675.534	142.9	7:55	
8.000	675.534	142.9	7:59	
8.067	675.630	142.4	8: 3	
8.133	675.630	142.4	8: 7	
8.200	675.630	142.4	8:11	
8.267	675.630	142.4	8:15	
8.333	675.630	142.4	8:19	
8.400	675.630	142.4	8:23	
8.467	675.630	142.4	8:27	
8.600	675.630	142.4	8:35	
8.667	675.630	142.4	8:39	
8.733	675.630	142.4	8:43	
8.800	675.630	142.4	8:47	
8.867	675.630	142.4	8:51	
8.933	675.630	142.4	8:55	
9.000	675.630	142.4	8:59	
9.067	675.660	142.4	9: 3	
9.133	675.630	142.4	9: 7	
9.200	675.630	142.4	9:11	
9.267	675.630	142.4	9:15	
9.333	675.630	142.4	9:19	
9.400	675.660	142.4	9:23	
9.467	675.660	142.4	9:27	
9.533	675.630	142.4	9:31	
9.600	675.660	142.4	9:35	
9.667	675.630	142.4	9:39	
9.733	675.630	142.4	9:43	
9.800	675.660	142.4	9:47	
9.867	675.660	142.4	9:51	
9.933	675.660	142.4	9:55	
10.000	675.660	142.4	9:59	
10.067	675.660	142.4	10: 3	
10.133	675.660	142.4	10: 7	
10.200	675.660	142.4	10:11	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
10.267	675.660	142.4	10:15	24/ 9/82
10.333	675.660	142.4	10:19	
10.400	675.660	142.4	10:23	
10.467	675.660	142.4	10:27	
10.533	675.660	142.4	10:31	
10.600	675.660	142.4	10:35	
10.667	675.660	142.4	10:39	
10.733	675.660	142.4	10:43	
10.800	675.660	142.4	10:47	
10.867	675.660	142.4	10:51	
10.933	675.660	142.4	10:55	
11.000	675.660	142.4	10:59	
11.067	675.660	142.4	11: 3	
11.133	675.660	142.4	11: 7	
11.200	675.660	142.4	11:11	
11.267	675.689	142.4	11:15	
11.333	675.689	142.4	11:19	
11.400	675.660	142.4	11:23	
11.467	675.689	142.4	11:27	
11.533	675.660	142.4	11:31	
11.600	675.660	142.4	11:35	
11.667	675.756	141.9	11:39	
11.733	675.756	141.9	11:43	
11.800	675.786	141.9	11:47	
11.867	675.756	141.9	11:51	
11.933	675.756	141.9	11:55	
12.000	675.786	141.9	11:59	
12.067	675.786	141.9	12: 3	
12.133	675.786	141.9	12: 7	
12.200	675.786	141.9	12:11	
12.267	675.786	141.9	12:15	
12.333	675.786	141.9	12:19	
12.400	675.786	141.9	12:23	
12.467	675.786	141.9	12:27	
12.533	675.786	141.9	12:31	
12.600	675.786	141.9	12:35	
12.667	675.786	141.9	12:39	
12.733	675.786	141.9	12:43	
12.800	675.786	141.9	12:47	
12.867	675.786	141.9	12:51	
12.933	675.786	141.9	12:55	
13.000	675.786	141.9	12:59	
13.067	675.786	141.9	13: 3	
13.133	675.786	141.9	13: 7	
13.200	675.786	141.9	13:11	
13.267	675.786	141.9	13:15	
13.333	675.786	141.9	13:19	
13.400	675.815	141.9	13:23	
13.467	675.786	141.9	13:27	
13.533	675.786	141.9	13:31	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
13.600	675.786	141.9	13:35	24/ 9/82
13.667	675.815	141.9	13:39	
13.733	675.786	141.9	13:43	
13.800	675.815	141.9	13:47	
13.867	675.786	141.9	13:51	
13.933	675.786	141.9	13:55	
14.000	675.786	141.9	13:59	
14.067	675.786	141.9	14: 3	
14.133	675.815	141.9	14: 7	
14.200	675.815	141.9	14:11	
14.267	675.786	141.9	14:15	
14.333	675.815	141.9	14:19	
14.400	675.815	141.9	14:23	
14.467	675.815	141.9	14:27	
14.600	675.815	141.9	14:35	
14.667	675.815	141.9	14:39	
14.733	675.815	141.9	14:43	
14.800	675.815	141.9	14:47	
14.867	675.815	141.9	14:51	
14.933	675.815	141.9	14:55	
15.000	675.815	141.9	14:59	
15.067	675.815	141.9	15: 3	
15.133	675.815	141.9	15: 7	
15.200	675.845	141.9	15:11	
15.267	675.815	141.9	15:15	
15.333	675.815	141.9	15:19	
15.400	675.815	141.9	15:23	
15.467	675.815	141.9	15:27	
15.533	675.815	141.9	15:31	
15.600	675.815	141.9	15:35	
15.667	675.815	141.9	15:39	
15.733	675.845	141.9	15:43	
15.800	675.815	141.9	15:47	
15.867	675.845	141.9	15:51	
15.933	675.845	141.9	15:55	
16.067	675.815	141.9	16: 3	
16.133	675.845	141.9	16: 7	
16.200	675.815	141.9	16:11	
16.267	675.845	141.9	16:15	
16.333	675.845	141.9	16:19	
16.400	675.845	141.9	16:23	
16.467	675.845	141.9	16:27	
16.533	675.845	141.9	16:31	
16.600	675.845	141.9	16:35	
16.667	675.845	141.9	16:39	
16.733	675.845	141.9	16:43	
16.800	675.845	141.9	16:47	
16.867	675.845	141.9	16:51	
16.933	675.845	141.9	16:55	
17.000	675.845	141.9	16:59	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
17.067	675.845	141.9	17: 3	24/ 9/82
17.133	675.845	141.9	17: 7	
17.200	675.845	141.9	17:11	
17.267	675.845	141.9	17:15	
17.333	675.845	141.9	17:19	
17.400	675.845	141.9	17:23	
17.467	675.845	141.9	17:27	
17.600	675.845	141.9	17:35	
17.667	675.845	141.9	17:39	
17.733	675.845	141.9	17:43	
17.800	675.845	141.9	17:47	
17.867	675.845	141.9	17:51	
17.933	675.845	141.9	17:55	
18.000	675.845	141.9	17:59	
18.067	675.845	141.9	18: 3	
18.133	675.845	141.9	18: 7	
18.200	675.845	141.9	18:11	
18.267	675.845	141.9	18:15	
18.333	675.875	141.9	18:19	
18.400	675.875	141.9	18:23	
18.467	675.875	141.9	18:27	
18.533	675.845	141.9	18:31	
18.600	675.875	141.9	18:35	
18.667	675.845	141.9	18:39	
18.733	675.845	141.9	18:43	
18.800	675.845	141.9	18:47	
18.867	675.875	141.9	18:51	
18.933	675.875	141.9	18:55	
19.000	675.875	141.9	18:59	
19.067	675.845	141.9	19: 3	
19.133	675.845	141.9	19: 7	
19.200	675.845	141.9	19:11	
19.267	675.875	141.9	19:15	
19.333	675.875	141.9	19:19	
19.400	675.875	141.9	19:23	
19.467	675.875	141.9	19:27	
19.533	675.875	141.9	19:31	
19.600	675.875	141.9	19:35	
19.667	675.875	141.9	19:39	
19.733	675.875	141.9	19:43	
19.800	675.875	141.9	19:47	
19.867	675.875	141.9	19:51	
19.933	675.875	141.9	19:55	
20.000	675.875	141.9	19:59	
20.067	675.875	141.9	20: 3	
20.133	675.875	141.9	20: 7	
20.200	675.971	141.4	20:11	
20.267	675.875	141.9	20:15	
20.333	675.971	141.4	20:19	
20.400	675.971	141.4	20:23	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
20.467	675.971	141.4	20:27	24/ 9/82
20.600	676.001	141.4	20:35	
20.667	675.971	141.4	20:39	
20.733	675.971	141.4	20:43	
20.800	675.971	141.4	20:47	
20.867	675.971	141.4	20:51	
20.933	675.971	141.4	20:55	
21.000	676.001	141.4	20:59	
21.067	676.001	141.4	21: 3	
21.133	675.971	141.4	21: 7	
21.200	675.971	141.4	21:11	
21.267	675.971	141.4	21:15	
21.333	676.001	141.4	21:19	
21.400	676.001	141.4	21:23	
21.467	675.971	141.4	21:27	
21.533	676.001	141.4	21:31	
21.600	675.971	141.4	21:35	
21.667	675.971	141.4	21:39	
21.733	675.971	141.4	21:43	
21.800	676.001	141.4	21:47	
21.867	676.001	141.4	21:51	
21.933	676.001	141.4	21:55	
22.000	675.971	141.4	21:59	
22.067	676.001	141.4	22: 3	
22.133	676.001	141.4	22: 7	
22.200	675.971	141.4	22:11	
22.267	676.001	141.4	22:15	
22.333	675.971	141.4	22:19	
22.400	676.001	141.4	22:23	
22.467	676.001	141.4	22:27	
22.533	676.001	141.4	22:31	
22.600	676.001	141.4	22:35	
22.667	676.001	141.4	22:39	
22.733	676.001	141.4	22:43	
22.800	676.001	141.4	22:47	
22.867	676.001	141.4	22:51	
22.933	676.001	141.4	22:55	
23.000	676.001	141.4	22:59	
23.067	676.001	141.4	23: 3	
23.133	676.001	141.4	23: 7	
23.200	676.001	141.4	23:11	
23.267	676.001	141.4	23:15	
23.333	676.001	141.4	23:19	
23.400	676.001	141.4	23:23	
23.467	676.001	141.4	23:27	
23.533	676.001	141.4	23:31	
23.600	676.001	141.4	23:35	
23.667	676.001	141.4	23:39	
23.733	676.001	141.4	23:43	
23.800	676.001	141.4	23:47	

STATOIL
WILDCAT
30/2-1OFFSHORE NORWAY
22 SEPTEMBER 1982
MRPG-1348-NOR

DST 1, RUN 1. GAUGE 0054, SENSING DEPTH 3783.22 M. (FINAL BUILD-UP PERIOD)

DELTA TIME HOURS	ABS PRESSURE (BARS)	TEMP. DEG C	TIME	
23.867	676.031	141.4	23:51	24/ 9/82
23.933	676.001	141.4	23:55	
24.000	676.001	141.4	23:59	
24.067	676.001	141.4	0: 3	25/ 9/82
24.133	676.001	141.4	0: 7	
24.200	676.001	141.4	0:11	
24.267	676.031	141.4	0:15	
24.333	676.001	141.4	0:19	
24.400	676.001	141.4	0:23	
24.467	676.031	141.4	0:27	
24.533	676.001	141.4	0:31	
24.600	676.001	141.4	0:35	
24.667	676.031	141.4	0:39	
24.733	676.031	141.4	0:43	
24.800	676.001	141.4	0:47	
24.867	676.031	141.4	0:51	
24.933	676.031	141.4	0:55	
25.000	676.031	141.4	0:59	

END OF FINAL BUILD-UP