



Copy No /

RESEARCH CENTRE

SUNBURY - ON - THAMES

MIDDLESEX

EXPLORATION LIBRARY
NOCS 6507/10-1 W. 25

ID: 38175

EXPLORATION AND PRODUCTION DIVISION

GCB/27/83

FEBRUARY 1983

GEOCHEMISTRY BRANCH

GEOCHEMICAL ANALYSIS OF FOUR JURASSIC CORE PIECES

FROM THE WELL 6507/10-1, HALTENBANKEN AREA,

OFFSHORE NORWAY

by

H.E. Ward

Work By:

R.F. Woodhouse
P.M.H. Harrington
C.N. Maile

Approved By:

S.W. Richardson

This document is the property of THE BRITISH PETROLEUM COMPANY p.l.c. and is classified as CONFIDENTIAL. The contents should be disclosed only to those directly concerned with the project and must not be reproduced in whole or part without prior consent in writing of BP Research Centre.

Memorandum



To Dr A.M. Spencer, BPPD Norway

From S.W. Richardson, Manager, Geochemistry Branch

Our ref GCB/27/83

Date 8th March, 1983

Your ref

Subject GEOCHEMICAL ANALYSIS OF FOUR JURASSIC CORE PIECES FROM THE WELL 6507/10-1, HALTENBANKEN AREA, OFFSHORE NORWAY.

This follow-up study on hydrocarbons extracted from 2 Jurassic sandstone members is inconclusive. The small quantities extracted suggest a local derivation; also the maturity of the extracts is similar to that expected for locally derived oil. However, neither sample correlates to the major potential sources analysed in this well (ie Kimmeridge and Coal Formation), suggesting a remote source or local generation from mid-lower Jurassic mudstones which do not have potential to source major amounts of hydrocarbons.

A third alternative is that these traces could be contaminant, from handling or preservation of the samples.

Our best estimate then is that these are not shows from a major migration route.

S.W. Richardson
Ext 677

SWR/JFN

DATA BANK SUMMARY SHEET

Coordinates of area and/or wells described.

65° 13' 10.78"N 7° 14' 01.01"E

Country/Area:

OFFSHORE NORWAY (NORTH OF 62°)

Basin(s):

HALTENBANKEN

Stratigraphic range covered:

MIDDLE AND LOWER JURASSIC

Report does/~~does not~~ contain significant well data.

Keywords:

CONTENTS

	<u>PAGE No.</u>
1. INTRODUCTION	1
2. RESULTS AND DISCUSSION	2
3. REFERENCES	2

FIGS 1 - 3

TABLES 1 - 3

1. INTRODUCTION

Four core pieces from the Norwegian well 6507/10-1 were analysed to determine whether or not hydrocarbons have migrated up-dip. Two samples were selected from the Mid Jurassic sandstone unit (special seal) and two from the Lower Jurassic sandstone unit (see Table 1 for sample list). The samples were exhaustively extracted using dichloromethane and the products analysed.

2. RESULTS AND DISCUSSION

The Mid Jurassic cores yielded very small amounts of extract (TSE = 0.001 - 0.003 %wt) and the n-alkane distributions obtained were dominated by an unidentified contaminant (figs 1 and 2). These hydrocarbons are believed not to represent residual migrated oil.

The Lower Jurassic cores also yielded low amounts of extract (TSE = 0.001 - 0.007 %wt). The n-alkane distributions (figs 3 and 4) of the two extracts are similar apart from the lower concentration of light components in core 2/2, which may have been lost during sample preparation. Although the very low extract amounts would not normally suggest residual staining as a result of migration, hydrocarbons are present and GCMS data suggest the material is mature. The carbon isotope value of $\delta^{13}C = -26.8\%$ rules out the local Kimmeridgian as a possible source of this material and the relatively low pristane content appears to exclude the Lower Coal Unit (Ref 1). In view of the low amounts of material extracted and the apparent lack of correlation with source rocks within the well, three possibilities could account for the presence of hydrocarbons in core 2:-

1. Indigenous, locally sourced hydrocarbons from adjacent mudstones.
2. Migration from an unidentified source.
3. Contamination.

At present, there are insufficient data to establish which of these is applicable. The results indicate the section penetrated is not on a significant migration pathway. The possibility of an oil migration route in close lateral proximity cannot be discounted or proved.

3. REFERENCES

- (1) Ward, H.E. and Woodhouse, R.F. 1983, GCB/19/83

TABLE 1

Sample	Depth m	Stratigraphy	Lithological Description
Core 1/1	2880.5-2880.78 <i>= 2.0m below top SST</i>	Mid Jurassic Sandstone	Silver-grey sandstone, friable, a few black carbonaceous patches and light mica grains. Quartz grains sub-rounded with occasional coarser angular grains.
Core 1/2	2880.89-2881.14	Mid Jurassic Sandstone	Dark brown sandstone, very friable, small dark carbonaceous fragments and occasional mica grains. Quartz better sorted, more rounded and finer than core 1/1
Core 2/1	3080.73-3080.88 <i>20cm below top SST</i>	Lower Jurassic Sandstone	Brown-white sandstone, very friable, coarse grained, sub-angular quartz grains set in calcareous matrix
Core 2/2	3080.88-3081.0	Lower Jurassic Sandstone	Pale brown sandstone, very friable coarse grained quartz grains more rounded and uniform in size than core 2/1. Calcareous matrix.

TABLE 2

Sample	TSE %wt	SAC %wt	$\delta^{13}\text{C}$ %
Core 1/1	0.001	41.3	-27.8
Core 1/2	0.003	41.7	
Core 2/1	0.007	42.4	-26.8
Core 2/2	0.001	20.7	


TABLE 3

MOLECULAR PARAMETERS GC/MS ANALYSIS

Parameter Code	Core 1/1 Ratio	Core 2/1 Ratio
H1	0.56	0.55
H2	0.38	0.48
H3	0.92	0.86
H6	0.44	0.37
S1	0.43	0.47
S2	0.47	0.45
S3	29.1:21.7:49.0	33.3:25.3:41.3




SAMPLE: CORE 1/1



SAMPLE: CORE 2/2



SAMPLE: CORE 1/2



SAMPLE: CORE 2/1

GEOCHEMISTRY BRANCH, BP SUNBURY

SAC FRACTION GAS CHROMATOGRAMS

MID MASS CHROMATOGRAMS

DATA: 5154 #1

SCANS 1500 TO 4200


02/11/83 13:07:00

CALI: CAL3AUG82 #4

SAMPLE: NOCS 6507/10-1 2880M DNZ

CONDS.: 70/3-120 AT 10C/MIN-280/19 AT 3C/MIN

RANGE: G 1.4850 LABEL: N 0.10.0 QUAN: A 2, 2.0 J 0 BASE: U 20, 3



MID MASS CHROMATOGRAMS

DATA: 5153 #1

SCANS 1380 TO 4200

02/11/83 9:06:00

CALI: CAL3AUG82 #4

SAMPLE: NOCS 6507/10-1 3075M DNZ

CONDS.: 70/3->120 AT 10C/MIN->280/19 AT 3C/MIN

RANGE: G 1.4860 LABEL: N 0.10.0 QUAN: A. 2, 2.0 J 0 BASE: U 20, 3

