



General information

Survey name	OD0904
Legal basis	Petroleumsforskriften jf Ressursforskriften
NPDID for survey	7086
Factmaps - new window	link to map
Status	Avlyst
Area	Barentshavet
Market available	Nei
Category	Elektromagnetisk undersøkelse
Main type	Elektromagnetisk undersøkelse
Sub type	3D
Company - responsible	Oljedirektoratet
Source type	Elektromagnetisk kilde
Number of sources	1
Source size	250 - 300 meter (lengde)
Active source volume	ca. 120kW (effekt)
Sensor type	Noder
Numbers of sensors	ca. 60
Sensor length [m]	Ikke kjent
Sensor width [m]	
Start date - planned	29.06.2009
Start date	
Completed date - planned	10.08.2009
Completed date	
Total length [cdp km]	0
Total length [boat km]	
Net area - actual 3D/4D [km2]	

Last updates

Date	Type of update	Information
23.06.2009	Status	Avlyst
29.05.2009	Status	Under behandling

Licences

Type of licence	Licence name
Undersøkelsestillatelse	353

Company the acquisition is done for



Company name
Oljedirektoratet

Company doing the acquisition

Company name
Oljedirektoratet

Data format

Type data	Format	Medium	Comment
Andre type data	Ikke kjent	Ikke kjent	

Vessel

Vessel Name	Type of vessel	Phone number	IMO-number	Call signal	Nation
Kommandor Calum	Ikke kjent	Ikke kjent		GAAM	UK

Fishery expert

From date	To date	Name	Phone number
-----------	---------	------	--------------

Coordinates -including turnarea (gross), datum: ED50

Area in degrees and decimal minutes.

Point number	NS degrees	NS minutes (decimal)		EW degrees	EW minutes (decimal)	
1	67	53.20	N	12	38.01	E
2	67	53.51	N	12	34.34	E
3	67	53.51	N	12	34.34	E
4	67	53.51	N	12	34.34	E
5	67	53.51	N	12	34.34	E
6	67	53.51	N	12	34.34	E
7	67	53.51	N	12	34.34	E
8	67	53.51	N	12	34.34	E
9	68	5.68	N	12	42.31	E
10	68	18.32	N	12	5.49	E
11	68	18.32	N	12	5.49	E
12	68	18.32	N	12	5.49	E
13	68	18.32	N	12	5.49	E
14	68	18.32	N	12	5.49	E
15	68	18.32	N	12	5.49	E
16	68	18.32	N	12	5.49	E
17	68	18.32	N	12	5.49	E



18	68	18.32	N	12	5.49	E
19	68	18.99	N	12	7.15	E
20	68	18.99	N	12	7.15	E
21	68	18.99	N	12	7.15	E
22	68	7.17	N	12	43.29	E
23	68	17.05	N	12	50.68	E
24	68	17.05	N	12	50.68	E
25	68	17.05	N	12	50.68	E
26	68	17.05	N	12	50.68	E
27	68	16.79	N	12	53.40	E
28	68	16.79	N	12	53.40	E
29	68	16.79	N	12	53.40	E
30	68	16.79	N	12	53.40	E
31	68	16.79	N	12	53.40	E
32	68	16.79	N	12	53.40	E
33	68	16.79	N	12	53.40	E
34	68	6.07	N	12	46.59	E
35	68	3.03	N	12	55.81	E
36	68	3.03	N	12	55.81	E
37	68	3.03	N	12	55.81	E
38	68	3.03	N	12	55.81	E
39	68	3.03	N	12	55.81	E
40	68	3.03	N	12	55.81	E
41	68	3.03	N	12	55.81	E
42	68	1.94	N	12	54.32	E
43	68	1.94	N	12	54.32	E
44	68	1.94	N	12	54.32	E
45	68	1.94	N	12	54.32	E
46	68	4.76	N	12	45.59	E
47	67	53.20	N	12	38.01	E
48	67	53.20	N	12	38.01	E
49	67	53.20	N	12	38.01	E

Coordinates - alternativ display - including turnarea (gross), datum: ED50

Area (the same as above) in degrees, minutes and decimal seconds.

Point number	NS degrees	NS minutes	NS seconds		EW degrees	EW minutes	EW seconds	
1	67	53	12.20	N	12	38	0.62	E
2	67	53	30.81	N	12	34	20.27	E
3	67	53	30.81	N	12	34	20.26	E
4	67	53	30.82	N	12	34	20.25	E



5	67	53	30.83	N	12	34	20.24	E
6	67	53	30.84	N	12	34	20.24	E
7	67	53	30.85	N	12	34	20.24	E
8	67	53	30.87	N	12	34	20.25	E
9	68	5	40.58	N	12	42	18.30	E
10	68	18	19.08	N	12	5	29.33	E
11	68	18	19.09	N	12	5	29.32	E
12	68	18	19.09	N	12	5	29.31	E
13	68	18	19.10	N	12	5	29.30	E
14	68	18	19.11	N	12	5	29.30	E
15	68	18	19.12	N	12	5	29.30	E
16	68	18	19.13	N	12	5	29.30	E
17	68	18	19.14	N	12	5	29.31	E
18	68	18	19.15	N	12	5	29.32	E
19	68	18	59.69	N	12	7	9.08	E
20	68	18	59.69	N	12	7	9.10	E
21	68	18	59.69	N	12	7	9.11	E
22	68	7	10.34	N	12	43	17.42	E
23	68	17	2.99	N	12	50	40.67	E
24	68	17	2.99	N	12	50	40.68	E
25	68	17	3.00	N	12	50	40.69	E
26	68	17	3.00	N	12	50	40.70	E
27	68	16	47.46	N	12	53	24.02	E
28	68	16	47.46	N	12	53	24.03	E
29	68	16	47.45	N	12	53	24.04	E
30	68	16	47.44	N	12	53	24.05	E
31	68	16	47.43	N	12	53	24.05	E
32	68	16	47.42	N	12	53	24.05	E
33	68	16	47.40	N	12	53	24.05	E
34	68	6	4.36	N	12	46	35.17	E
35	68	3	1.79	N	12	55	48.48	E
36	68	3	1.78	N	12	55	48.49	E
37	68	3	1.77	N	12	55	48.50	E
38	68	3	1.76	N	12	55	48.51	E
39	68	3	1.75	N	12	55	48.50	E
40	68	3	1.73	N	12	55	48.50	E
41	68	3	1.72	N	12	55	48.49	E
42	68	1	56.16	N	12	54	19.39	E
43	68	1	56.16	N	12	54	19.38	E
44	68	1	56.16	N	12	54	19.37	E
45	68	1	56.16	N	12	54	19.36	E
46	68	4	45.62	N	12	45	35.29	E
47	67	53	12.22	N	12	38	0.66	E



48	67	53	12.21	N	12	38	0.65	E
49	67	53	12.20	N	12	38	0.64	E