



General information

Survey name	SPE14003
Legal basis	Petroleumsforskriften jf Ressursforskriften
NPDID for survey	8147
Factmaps - new window	link to map
Status	Avlyst
Area	
Market available	Ja
Category	Seismisk undersøkelse
Main type	Ordinær seismisk undersøkelse
Sub type	2D
Company - responsible	Spectrum ASA
Source type	Seismisk kilde
Number of sources	1
Source size	4320 cu in
Active source volume	2000 psi
Sensor type	Kabler
Numbers of sensors	1
Sensor length [m]	8100
Sensor width [m]	
Start date - planned	01.10.2014
Start date	
Completed date - planned	31.12.2014
Completed date	
Total length [boat km]	
Net area - actual 3D/4D [km2]	

Last updates

Date	Type of update	Information
06.10.2014	Status	Avlyst
29.08.2014	Status	Under behandling

Licences

Type of licence	Licence name
Undersøkelsestillatelse	490

Company the acquisition is done for

Company name
Spectrum ASA

**Company doing the acquisition**

Company name
Spectrum ASA

Data format

Type data	Format	Medium	Comment
Andre type data	Ikke kjent	Ikke kjent	

Vessel

Vessel Name	Type of vessel	Phone number	IMO-number	Call signal	Nation
Kommandor Calum	Hovedfartøy (innsamlingsfartøy)	Ikke kjent		GAAM	UK

Fishery expert

From date	To date	Name	Phone number
-----------	---------	------	--------------

Coordinates -including turnarea (gross), datum: ED50

Area in degrees and decimal minutes.

Point number	NS degrees	NS minutes (decimal)		EW degrees	EW minutes (decimal)	
1	56	5.20	N	3	15.00	E
2	56	35.70	N	2	36.80	E
3	56	35.70	N	2	36.80	E
4	57	54.30	N	1	57.90	E
5	58	25.80	N	1	29.00	E
6	58	25.80	N	1	29.00	E
7	58	25.80	N	1	29.00	E
8	58	25.80	N	1	29.00	E
9	59	17.40	N	1	42.70	E
10	59	17.40	N	1	42.70	E
11	59	53.44	N	2	4.38	E
12	59	30.00	N	1	50.19	E
13	59	30.00	N	1	50.19	E
14	59	30.00	N	1	50.19	E
15	59	30.00	N	1	50.19	E
16	59	30.00	N	1	50.19	E
17	59	30.00	N	1	50.19	E
18	59	30.00	N	1	50.19	E



19	59	30.00	N	1	50.19	E
20	59	30.00	N	1	50.19	E
21	61	21.40	N	1	47.40	E
22	62	30.00	N	1	0.23	E
23	62	30.00	N	1	0.23	E
24	62	30.00	N	1	0.23	E
25	62	30.00	N	1	0.23	E
26	62	30.00	N	1	0.23	E
27	62	30.00	N	1	0.23	E
28	62	30.00	N	1	0.23	E
29	62	30.00	N	4	16.00	E
30	62	30.00	N	4	16.00	E
31	62	30.00	N	4	16.00	E
32	62	14.00	N	4	40.00	E
33	62	14.00	N	4	40.00	E
34	62	14.00	N	4	40.00	E
35	62	14.00	N	4	40.00	E
36	61	60.00	N	4	40.00	E
37	61	60.00	N	4	40.00	E
38	61	60.00	N	4	40.00	E
39	61	60.00	N	4	40.00	E
40	61	60.00	N	4	40.00	E
41	61	60.00	N	4	40.00	E
42	61	60.00	N	4	20.00	E
43	61	0.00	N	4	20.00	E
44	61	0.00	N	4	26.00	E
45	61	0.00	N	4	26.00	E
46	61	0.00	N	4	26.00	E
47	61	0.00	N	4	26.00	E
48	61	60.00	N	4	26.00	E
49	60	60.00	N	4	26.00	E
50	60	30.00	N	4	26.00	E
51	60	30.00	N	4	26.00	E
52	60	30.00	N	4	26.00	E
53	60	30.00	N	4	26.00	E
54	60	30.00	N	4	26.00	E
55	60	30.00	N	4	26.00	E
56	60	30.00	N	4	20.00	E
57	60	15.00	N	4	20.00	E
58	60	15.00	N	4	20.00	E
59	60	15.00	N	4	20.00	E
60	59	0.00	N	3	40.00	E
61	59	0.00	N	4	0.00	E



62	59	0.00	N	4	0.00	E
63	59	0.00	N	4	0.00	E
64	58	60.00	N	4	0.00	E
65	58	60.00	N	4	0.00	E
66	58	30.00	N	4	0.00	E
67	58	30.00	N	4	20.00	E
68	58	30.00	N	4	20.00	E
69	58	30.00	N	4	20.00	E
70	58	30.00	N	4	20.00	E
71	58	30.00	N	4	20.00	E
72	58	15.00	N	4	20.00	E
73	58	15.00	N	4	40.00	E
74	58	15.00	N	4	40.00	E
75	58	15.00	N	4	40.00	E
76	58	15.00	N	4	40.00	E
77	58	15.00	N	4	40.00	E
78	58	0.00	N	4	40.00	E
79	58	0.00	N	5	0.00	E
80	58	0.00	N	5	0.00	E
81	58	0.00	N	5	0.00	E
82	58	0.00	N	5	0.00	E
83	58	0.00	N	5	0.00	E
84	57	60.00	N	5	0.00	E
85	57	45.00	N	5	0.00	E
86	57	45.00	N	5	40.00	E
87	57	45.00	N	5	40.00	E
88	57	45.00	N	5	40.00	E
89	57	45.00	N	5	40.00	E
90	57	45.00	N	5	40.00	E
91	57	30.00	N	5	40.00	E
92	57	30.00	N	7	0.00	E
93	57	30.00	N	7	0.00	E
94	57	30.00	N	7	0.00	E
95	57	30.00	N	7	0.00	E
96	57	30.00	N	7	0.00	E
97	57	30.00	N	7	0.00	E
98	57	11.70	N	7	0.00	E
99	57	11.70	N	7	0.00	E
100	57	11.70	N	7	0.00	E
101	57	11.70	N	7	0.00	E
102	57	11.70	N	7	0.00	E
103	56	49.01	N	5	45.00	E
104	56	15.00	N	3	48.71	E



105	56	5.20	N	3	15.00	E
106	56	5.20	N	3	15.00	E
107	56	5.20	N	3	15.00	E

Coordinates - alternativ display - including turnarea (gross), datum: ED50

Area (the same as above) in degrees, minutes and decimal seconds.

Point number	NS degrees	NS minutes	NS seconds		EW degrees	EW minutes	EW seconds	
1	56	5	11.94	N	3	15	0.11	E
2	56	35	41.94	N	2	36	48.09	E
3	56	35	41.95	N	2	36	48.08	E
4	57	54	17.94	N	1	57	54.05	E
5	58	25	47.93	N	1	29	0.03	E
6	58	25	47.94	N	1	29	0.03	E
7	58	25	47.95	N	1	29	0.02	E
8	58	25	47.96	N	1	29	0.02	E
9	59	17	23.97	N	1	42	41.99	E
10	59	17	23.98	N	1	42	42.00	E
11	59	53	26.32	N	2	4	22.95	E
12	59	29	59.94	N	1	50	11.29	E
13	59	29	59.93	N	1	50	11.28	E
14	59	29	59.93	N	1	50	11.27	E
15	59	29	59.92	N	1	50	11.26	E
16	59	29	59.92	N	1	50	11.25	E
17	59	29	59.93	N	1	50	11.24	E
18	59	29	59.94	N	1	50	11.23	E
19	59	29	59.95	N	1	50	11.23	E
20	59	29	59.96	N	1	50	11.22	E
21	61	21	23.95	N	1	47	23.91	E
22	62	29	59.93	N	1	0	14.05	E
23	62	29	59.94	N	1	0	14.05	E
24	62	29	59.96	N	1	0	14.05	E
25	62	29	59.97	N	1	0	14.05	E
26	62	29	59.98	N	1	0	14.06	E
27	62	29	59.99	N	1	0	14.07	E
28	62	29	59.99	N	1	0	14.08	E
29	62	30	0.02	N	4	15	59.90	E
30	62	30	0.02	N	4	15	59.91	E
31	62	30	0.01	N	4	15	59.92	E
32	62	14	0.02	N	4	39	59.93	E
33	62	14	0.01	N	4	39	59.94	E



34	62	14	0.00	N	4	39	59.95	E
35	62	13	59.99	N	4	39	59.95	E
36	61	59	59.99	N	4	39	59.96	E
37	61	59	59.98	N	4	39	59.96	E
38	61	59	59.97	N	4	39	59.95	E
39	61	59	59.96	N	4	39	59.95	E
40	61	59	59.95	N	4	39	59.94	E
41	61	59	59.95	N	4	39	59.92	E
42	61	59	59.95	N	4	19	59.96	E
43	61	0	0.02	N	4	20	0.00	E
44	61	0	0.02	N	4	25	59.96	E
45	61	0	0.02	N	4	25	59.97	E
46	61	0	0.02	N	4	25	59.98	E
47	61	0	0.01	N	4	25	59.99	E
48	61	60	0.00	N	4	26	0.00	E
49	60	59	59.98	N	4	26	0.00	E
50	60	29	59.98	N	4	26	0.02	E
51	60	29	59.97	N	4	26	0.02	E
52	60	29	59.96	N	4	26	0.01	E
53	60	29	59.96	N	4	26	0.00	E
54	60	29	59.95	N	4	25	59.99	E
55	60	29	59.95	N	4	25	59.98	E
56	60	29	59.95	N	4	20	0.02	E
57	60	14	59.98	N	4	20	0.03	E
58	60	14	59.97	N	4	20	0.03	E
59	60	14	59.97	N	4	20	0.02	E
60	59	0	0.01	N	3	40	0.10	E
61	59	0	0.02	N	4	0	0.04	E
62	59	0	0.01	N	4	0	0.05	E
63	59	0	0.01	N	4	0	0.06	E
64	58	59	59.99	N	4	0	0.07	E
65	58	59	59.98	N	4	0	0.07	E
66	58	30	0.02	N	4	0	0.09	E
67	58	30	0.02	N	4	20	0.06	E
68	58	30	0.02	N	4	20	0.07	E
69	58	30	0.01	N	4	20	0.08	E
70	58	30	0.00	N	4	20	0.09	E
71	58	29	59.98	N	4	20	0.09	E
72	58	15	0.02	N	4	20	0.10	E
73	58	15	0.02	N	4	40	0.06	E
74	58	15	0.02	N	4	40	0.08	E
75	58	15	0.01	N	4	40	0.09	E
76	58	15	0.00	N	4	40	0.10	E



77	58	14	59.99	N	4	40	0.10	E
78	58	0	0.02	N	4	40	0.11	E
79	58	0	0.02	N	5	0	0.07	E
80	58	0	0.02	N	5	0	0.08	E
81	58	0	0.02	N	5	0	0.09	E
82	58	0	0.01	N	5	0	0.10	E
83	58	0	0.00	N	5	0	0.11	E
84	57	59	59.99	N	5	0	0.11	E
85	57	45	0.02	N	5	0	0.12	E
86	57	45	0.03	N	5	40	0.08	E
87	57	45	0.03	N	5	40	0.09	E
88	57	45	0.02	N	5	40	0.11	E
89	57	45	0.01	N	5	40	0.11	E
90	57	44	59.99	N	5	40	0.12	E
91	57	30	0.03	N	5	40	0.13	E
92	57	30	0.04	N	7	0	0.09	E
93	57	30	0.04	N	7	0	0.10	E
94	57	30	0.04	N	7	0	0.11	E
95	57	30	0.03	N	7	0	0.12	E
96	57	30	0.02	N	7	0	0.12	E
97	57	30	0.01	N	7	0	0.13	E
98	57	11	41.92	N	7	0	0.14	E
99	57	11	41.90	N	7	0	0.13	E
100	57	11	41.89	N	7	0	0.13	E
101	57	11	41.89	N	7	0	0.12	E
102	57	11	41.88	N	7	0	0.11	E
103	56	49	0.68	N	5	45	0.12	E
104	56	14	59.94	N	3	48	42.85	E
105	56	5	11.94	N	3	15	0.14	E
106	56	5	11.93	N	3	15	0.13	E
107	56	5	11.94	N	3	15	0.12	E