



General information

Survey name	OMV20301
Legal basis	Petroleumsforskriften jf Ressursforskriften
NPDID for survey	9161
Factmaps - new window	link to map
Status	Avlyst
Area	Norskehavet
Market available	Ja
Category	Seismisk undersøkelse
Main type	Borestedundersøkelse
Sub type	2D
Company - responsible	OMV (Norge) AS
Source type	Seismisk kilde
Number of sources	3
Source size	250 in3
Active source volume	2000 psi (140 bar)
Sensor type	Ikke relevant
Numbers of sensors	20
Sensor length [m]	317
Sensor width [m]	
Start date - planned	16.07.2020
Start date	
Completed date - planned	17.07.2020
Completed date	
Total length [boat km]	
Net area - actual 3D/4D [km2]	

Last updates

Date	Type of update	Information
16.07.2020	Melding - avlystmelding	The planned "walkaway VSP" has been cancelled due to no need for the data.
16.07.2020	Melding - endringsmelding	Endring av dato skyldes forsinkelser i forbindelse med annen datainnsamling.
15.07.2020	Status	Avlyst
11.07.2020	Status	Planlagt



10.07.2020	Høringskommentar Fiskeridirektoratet	Vi forutsetter at undersøkelsen utføres med den største aktsomhet, uten å være til hinder for fiskeriaktiviteten i området som nevnt over. Det oppfordres til at den fiskerikyndige blir delaktig tidlig i den operative planleggingsfasen av undersøkelsen, og at det etableres kontakt med Kystvaktsentralen/Kystvakt for å orientere seg om fiskeriaktivitet og stående fiskeredskap i området. Undersøkelsen må stanses eller endres på kort varsel dersom det oppstår konflikter med fiskeriene. Vi ber om at navn på fiskerikyndig meldes inn før undersøkelsens oppstart.
07.07.2020	Høringskommentar Havforskningsinstituttet	Havforskningsinstituttet har ingen merknader til den planlagte undersøkelsen. Vurderingen er gjort med hensyn til aktive gytefelt og konsentrerte gytevandringar for aktuelle fiskebestander (påvirkningsavstand 5 nmi).
03.07.2020	Status	Under behandling

Licences

Type of licence	Licence name
Utvinningstillatelse	644

Company the acquisition is done for

Company name
OMV (Norge) AS

Company doing the acquisition

Company name
Schlumberger Information Solutions AS

Data format

Type data	Format	Medium	Comment
Seismiske data	SEG-D	USB-HDD	Ikke kjent

Vessel

Vessel Name	Type of vessel	Phone number	IMO-number	Call signal	Nation
-------------	----------------	--------------	------------	-------------	--------

Fishery expert

From date	To date	Name	Phone number
-----------	---------	------	--------------

**Coordinates -including turnarea (gross), datum: ED50**

Area in degrees and decimal minutes.

Point number	NS degrees	NS minutes (decimal)		EW degrees	EW minutes (decimal)	
1	65	7.58	N	6	25.92	E
2	65	9.81	N	6	14.34	E
3	65	9.81	N	6	14.34	E
4	65	9.81	N	6	14.34	E
5	65	9.81	N	6	14.34	E
6	65	9.81	N	6	14.34	E
7	65	9.81	N	6	14.34	E
8	65	9.81	N	6	14.34	E
9	65	9.81	N	6	14.34	E
10	65	9.81	N	6	14.35	E
11	65	8.72	N	6	20.32	E
12	65	9.38	N	6	17.05	E
13	65	9.38	N	6	17.05	E
14	65	9.38	N	6	17.05	E
15	65	9.38	N	6	17.05	E
16	65	9.38	N	6	17.05	E
17	65	9.38	N	6	17.05	E
18	65	9.38	N	6	17.05	E
19	65	9.38	N	6	17.05	E
20	65	9.38	N	6	17.05	E
21	65	8.05	N	6	23.97	E
22	65	8.05	N	6	23.98	E
23	65	8.05	N	6	23.98	E
24	65	8.05	N	6	23.98	E
25	65	8.05	N	6	23.98	E
26	65	8.05	N	6	23.98	E
27	65	8.05	N	6	23.98	E
28	65	8.05	N	6	23.97	E
29	65	8.05	N	6	23.97	E
30	65	8.70	N	6	20.44	E
31	65	7.58	N	6	25.92	E
32	65	7.58	N	6	25.92	E
33	65	7.58	N	6	25.92	E
34	65	7.58	N	6	25.92	E
35	65	7.58	N	6	25.92	E
36	65	7.58	N	6	25.92	E
37	65	7.58	N	6	25.92	E



38	65	7.58	N	6	25.92	E
----	----	------	---	---	-------	---

Coordinates - alternativ display - including turnarea (gross), datum: ED50

Area (the same as above) in degrees, minutes and decimal seconds.

Point number	NS degrees	NS minutes	NS seconds		EW degrees	EW minutes	EW seconds	
1	65	7	34.98	N	6	25	55.05	E
2	65	9	48.66	N	6	14	20.69	E
3	65	9	48.66	N	6	14	20.68	E
4	65	9	48.67	N	6	14	20.67	E
5	65	9	48.68	N	6	14	20.66	E
6	65	9	48.70	N	6	14	20.66	E
7	65	9	48.71	N	6	14	20.67	E
8	65	9	48.72	N	6	14	20.68	E
9	65	9	48.73	N	6	14	20.69	E
10	65	9	48.73	N	6	14	20.71	E
11	65	8	43.18	N	6	20	19.03	E
12	65	9	22.92	N	6	17	3.24	E
13	65	9	22.92	N	6	17	3.23	E
14	65	9	22.93	N	6	17	3.22	E
15	65	9	22.94	N	6	17	3.21	E
16	65	9	22.96	N	6	17	3.21	E
17	65	9	22.97	N	6	17	3.22	E
18	65	9	22.98	N	6	17	3.23	E
19	65	9	22.99	N	6	17	3.24	E
20	65	9	22.99	N	6	17	3.26	E
21	65	8	3.04	N	6	23	58.49	E
22	65	8	3.03	N	6	23	58.50	E
23	65	8	3.02	N	6	23	58.51	E
24	65	8	3.01	N	6	23	58.51	E
25	65	8	2.99	N	6	23	58.51	E
26	65	8	2.98	N	6	23	58.51	E
27	65	8	2.97	N	6	23	58.50	E
28	65	8	2.96	N	6	23	58.49	E
29	65	8	2.96	N	6	23	58.47	E
30	65	8	41.75	N	6	20	26.43	E
31	65	7	35.06	N	6	25	55.07	E
32	65	7	35.05	N	6	25	55.08	E
33	65	7	35.04	N	6	25	55.09	E
34	65	7	35.03	N	6	25	55.09	E
35	65	7	35.01	N	6	25	55.09	E



36	65	7	35.00	N	6	25	55.09	E
37	65	7	34.99	N	6	25	55.08	E
38	65	7	34.98	N	6	25	55.07	E