

**General information**

Wellbore name	33/9-M-2 H
Type	DEVELOPMENT
Purpose	PRODUCTION
Status	PLUGGED
Multilateral	NO
Factmaps in new window	link
Main area	NORTH SEA
Field	STATFJORD ØST
Discovery	33/9-7 Statfjord Øst
Well name	33/9-M-2
Production licence	037
Drilling operator	Den norske stats oljeselskap a.s
Drill permit	831-P
Drilling facility	TREASURE PROSPEC
Production facility	STATFJORD ØST M
Drilling days	34
Entered date	17.07.1993
Completed date	16.09.1993
Release date	16.09.1995
Predrilled entry date	10.07.1993
Plugged date	11.01.2001
Predrilled completion date	12.07.1993
Purpose - planned	PRODUCTION
Content	OIL
Discovery wellbore	NO
1st level with HC, age	MIDDLE JURASSIC
Kelly bushing elevation [m]	22.0
Water depth [m]	196.0
Total depth (MD) [m RKB]	4330.0
Final vertical depth (TVD) [m RKB]	2631.0
Geodetic datum	ED50
NS degrees	61° 20' 28.52" N
EW degrees	1° 59' 59.63" E
NS UTM [m]	6801370.71
EW UTM [m]	446488.64
UTM zone	31
NPDID wellbore	2155

**Cores at the Norwegian Offshore Directorate**

Core sample number	Core sample - top depth	Core sample - bottom depth	Core sample depth - uom
1	4008.0	4011.5	[m]
2	4013.0	4015.5	[m]
3	4015.5	4020.0	[m]
4	4020.0	4030.6	[m]
5	4031.0	4058.5	[m]
6	4058.5	4087.1	[m]

Total core sample length [m]	77.2
Cores available for sampling?	YES

Oil samples at the Norwegian Offshore Directorate

Test type	Bottle number	Top depth MD [m]	Bottom depth MD [m]	Fluid type	Test time	Samples available
DST		0.00	0.00			YES
PROD	TEST1	0.00	0.00	OIL	27.07.1994 - 00:00	YES

Palynological slides at the Norwegian Offshore Directorate

Sample depth	Depth unit	Sample type	Laboratory
3980.0	[m]	DC	RRI
3986.0	[m]	DC	RRI
3989.0	[m]	DC	RRI
3992.0	[m]	DC	RRI
3998.0	[m]	DC	RRI
4001.0	[m]	DC	RRI
4004.0	[m]	DC	RRI
4008.0	[m]	DC	RRI
4009.5	[m]	DC	RRI
4010.5	[m]	DC	RRI
4013.5	[m]	DC	RRI





4014.5	[m]	DC	RRI
4016.0	[m]	DC	RRI
4019.0	[m]	DC	RRI
4023.0	[m]	DC	RRI
4025.0	[m]	DC	RRI
4030.0	[m]	DC	RRI
4094.0	[m]	DC	RRI
4109.0	[m]	DC	RRI
4115.0	[m]	DC	RRI
4148.0	[m]	DC	RRI
4208.0	[m]	DC	RRI
4220.0	[m]	DC	RRI
4229.0	[m]	DC	RRI
4238.0	[m]	DC	RRI
4247.0	[m]	DC	RRI
4250.0	[m]	DC	RRI
4253.0	[m]	DC	RRI
4256.0	[m]	DC	RRI
4265.0	[m]	DC	RRI
4280.0	[m]	DC	RRI
4292.0	[m]	DC	RRI
4304.0	[m]	DC	RRI
4310.0	[m]	DC	RRI
4330.0	[m]	DC	RRI
5100.0	[m]	DC	RRI
5106.0	[m]	DC	RRI
5112.0	[m]	DC	RRI
5118.0	[m]	DC	RRI
5124.0	[m]	DC	RRI
5130.0	[m]	DC	RRI
5136.0	[m]	DC	RRI
5142.0	[m]	DC	RRI
5148.0	[m]	DC	RRI
5160.0	[m]	DC	RRI
5166.0	[m]	DC	RRI
5172.0	[m]	DC	RRI
5178.0	[m]	DC	RRI
5184.0	[m]	DC	RRI
5196.0	[m]	DC	RRI
5202.0	[m]	DC	RRI
5208.0	[m]	DC	RRI



5214.0	[m]	DC	RRI
5220.0	[m]	DC	RRI