

**General information**

Wellbore name	33/9-E-4 H
Type	DEVELOPMENT
Purpose	PRODUCTION
Status	PLUGGED
Multilateral	NO
Factmaps in new window	link
Main area	NORTH SEA
Field	STATFJORD NORD
Discovery	33/9-8 Statfjord Nord
Well name	33/9-E-4
Production licence	037
Drilling operator	Den norske stats oljeselskap a.s
Drill permit	1197-P
Drilling facility	TREASURE PROSPEC
Production facility	STATFJORD NORD E
Drilling days	104
Entered date	21.09.1994
Completed date	03.01.1997
Release date	03.01.1999
Predrilled entry date	16.09.1994
Plugged date	13.03.2022
Predrilled completion date	18.09.1994
Purpose - planned	PRODUCTION
Content	OIL
Discovery wellbore	NO
Kelly bushing elevation [m]	22.0
Water depth [m]	265.0
Total depth (MD) [m RKB]	2938.0
Final vertical depth (TVD) [m RKB]	2638.3
Geodetic datum	ED50
NS degrees	61° 26' 3.01" N
EW degrees	1° 55' 30.23" E
NS UTM [m]	6811783.58
EW UTM [m]	442655.34
UTM zone	31
NPDID wellbore	2419

**Palynological slides at the Norwegian Offshore Directorate**

Sample depth	Depth unit	Sample type	Laboratory
2635.0	[m]	DC	UOS
2950.0	[m]	DC	UOS
2960.0	[m]	DC	UOS
2970.0	[m]	DC	UOS
2980.0	[m]	DC	UOS
2990.0	[m]	DC	UOS
3000.0	[m]	DC	UOS
3010.0	[m]	DC	UOS
3020.0	[m]	DC	UOS
3025.0	[m]	DC	UOS
3030.0	[m]	DC	UOS
3040.0	[m]	DC	UOS
3050.0	[m]	DC	UOS
3060.0	[m]	DC	UOS
3070.0	[m]	DC	UOS
3080.0	[m]	DC	UOS
3090.0	[m]	DC	UOS
3110.0	[m]	DC	UOS
3130.0	[m]	DC	UOS
3150.0	[m]	DC	UOS
3160.0	[m]	DC	UOS
3170.0	[m]	DC	UOS
3190.0	[m]	DC	UOS
3205.0	[m]	DC	UOS
3230.0	[m]	DC	UOS
3250.0	[m]	DC	UOS
3260.0	[m]	DC	UOS
3280.0	[m]	DC	UOS
3300.0	[m]	DC	UOS
3320.0	[m]	DC	UOS
3330.0	[m]	DC	UOS
3340.0	[m]	DC	UOS
3350.0	[m]	DC	UOS
3360.0	[m]	DC	UOS
3370.0	[m]	DC	UOS
3400.0	[m]	DC	UOS



3410.0	[m]	DC	UOS
3435.0	[m]	DC	UOS
3450.0	[m]	DC	UOS
3470.0	[m]	DC	UOS
3490.0	[m]	DC	UOS
3500.0	[m]	DC	UOS
3510.0	[m]	DC	UOS
3520.0	[m]	DC	UOS
3530.0	[m]	DC	UOS
3540.0	[m]	DC	UOS
3550.0	[m]	DC	UOS
3560.0	[m]	DC	UOS
3570.0	[m]	DC	UOS
3580.0	[m]	DC	UOS
3590.0	[m]	DC	UOS
3600.0	[m]	DC	UOS
3610.0	[m]	DC	UOS
3620.0	[m]	DC	UOS
3630.0	[m]	DC	UOS
3640.0	[m]	DC	UOS
3650.0	[m]	DC	UOS
3880.0	[m]	DC	UOS
3900.0	[m]	DC	UOS
3910.0	[m]	DC	UOS
3915.0	[m]	DC	UOS
3935.0	[m]	DC	UOS
3955.0	[m]	DC	UOS
3970.0	[m]	DC	UOS
3985.0	[m]	DC	UOS
4000.0	[m]	DC	UOS
4010.0	[m]	DC	UOS
4020.0	[m]	DC	UOS
4030.0	[m]	DC	UOS
4040.0	[m]	DC	UOS
4050.0	[m]	DC	UOS
4060.0	[m]	DC	UOS
4070.0	[m]	DC	UOS
4080.0	[m]	DC	UOS
4090.0	[m]	DC	UOS
4100.0	[m]	DC	UOS
4110.0	[m]	DC	UOS



4120.0	[m]	DC	UOS
4130.0	[m]	DC	UOS
4140.0	[m]	DC	UOS
4150.0	[m]	DC	UOS
4160.0	[m]	DC	UOS
4180.0	[m]	DC	UOS
4190.0	[m]	DC	UOS
4200.0	[m]	DC	UOS
4215.0	[m]	DC	UOS
4230.0	[m]	DC	UOS
4250.0	[m]	DC	UOS
4265.0	[m]	DC	UOS
4280.0	[m]	DC	UOS
4300.0	[m]	DC	UOS