



General information





Wellbore name	2/4-14 R2
Type	EXPLORATION
Purpose	WILDCAT
Status	P&A
Factmaps in new window	link to map
Main area	NORTH SEA
Well name	2/4-14
Seismic location	LINJE NS-5-235 & SP585
Production licence	146
Drilling operator	Saga Petroleum ASA
Drill permit	593-L3
Drilling facility	TREASURE SAGA
Drilling days	9
Entered date	06.04.1990
Completed date	14.04.1990
Plugged and abandon date	14.04.1990
Release date	14.04.1992
Publication date	13.12.2005
Purpose - planned	WILDCAT
Reentry	YES
Reentry activity	PLUGGING
Content	SHOWS
Discovery wellbore	NO
1st level with HC, age	EARLY CRETACEOUS
1st level with HC, formation	MANDAL FM
Kelly bushing elevation [m]	26.0
Water depth [m]	68.0
Total depth (MD) [m RKB]	4734.0
Final vertical depth (TVD) [m RKB]	4733.0
Maximum inclination [°]	2.2
Oldest penetrated age	EARLY CRETACEOUS
Oldest penetrated formation	MANDAL FM
Geodetic datum	ED50
NS degrees	56° 41' 5.26" N
EW degrees	3° 8' 43.08" E
NS UTM [m]	6282449.13
EW UTM [m]	508901.59
UTM zone	31
NPDID wellbore	1548



Wellbore history

General

Well 2/4-14 R was designed to re-establish full well control of the uncontrolled flow in well 2/4-14 by using both well 2/4-14 R and 2/4-15 S. Well 2/4-14 R2 is a result of the final completion of the blow out.

Operations and results

The re-entry 2/4-14 R2 was performed with the semi-submersible installation Treasure Saga. Operations started on 6 April 1990, after the jack up installation Neddrill Trigon had suspended the hole and left location. Riser and LMRP was run and cement was drilled inside the 13 3/8" casing. The casing was cut at 169 m, the hole cleaned and a Baker PIP packer was set at 165 m in a second attempt. A leak in the 20" casing was observed between the wellhead and the packer. A balanced cement plug was set from 158 to 133 m. The 20" and 30" casings were cut at 99.5 m. A channel through the cement between 20" and 30" casing was observed. A cement plug was set from 99 m to the seafloor.

The well bore was permanently abandoned on 14 April 1990 as a junked well.

Testing

No drill stem test was performed.

Lithostratigraphy

Top depth [mMD RKB]	Lithostrat. unit
94	NORDLAND GP
1766	HORDALAND GP
3142	ROGALAND GP
3142	BALDER FM
3162	SELE FM
3176	LISTA FM
3217	VIDAR FM
3262	LISTA FM
3307	VÅLE FM
3318	SHETLAND GP
3318	EKOFISK FM
3443	TOR FM
4010	HOD FM
4542	BLODØKS FM
4561	HIDRA FM
4634	CROMER KNOLL GP



4634	RØDBY FM
4654	ÅSGARD FM
4702	TYNE GP
4702	MANDAL FM
4729	UNDEFINED GP

Documents - reported by the production licence (period for duty of secrecy expired)

Document name	Document format	Document size [MB]
1548_2_4_14_R2_COMPLETION_REPORT	pdf	40.13

