



Generell informasjon

Brønnbane navn	24/6-3
Type	EXPLORATION
Formål	APPRAISAL
Status	JUNKED
Faktakart i nytt vindu	lenke til kart
Hovedområde	NORTH SEA
Felt	ALVHEIM
Funn	24/6-2 Alvheim
Brønn navn	24/6-3
Seismisk lokalisering	line 484 & trace 4798- NH9601
Utvinningstillatelse	088 BS
Boreoperatør	Marathon Petroleum Norge AS
Boretillatelse	1054-L
Boreinnretning	DEEPSEA BERGEN
Boredager	5
Borestart	18.04.2003
Boreslutt	22.04.2003
Frigitt dato	22.04.2005
Publiseringsdato	22.04.2005
Opprinnelig formål	APPRAISAL
Gjenåpnet	NO
Innhold	NOT APPLICABLE
Funnbrønnbane	NO
Avstand, boredekk - midlere havflate [m]	23.0
Vanndybde ved midlere havflate [m]	121.0
Totalt målt dybde (MD) [m RKB]	253.0
Totalt vertikalt dybde (TVD) [m RKB]	253.0
Eldste penetrerte alder	PLIOCENE
Eldste penetrerte formasjon	NORDLAND GP
Geodetisk datum	ED50
NS grader	59° 34' 44.57" N
ØV grader	1° 54' 47.45" E
NS UTM [m]	6605187.76
ØV UTM [m]	438610.00
UTM sone	31
NPDID for brønnbanen	4728



Brønnhistorie

General

Well 24/6-3 was designed to appraise the Kameleon 24/6-2 discovery made in 1998. The well objectives were: to verify the field wide extent of fluid and gas contacts, eliminate geologic risk associated with the Boa structure, provide additional time-depth control, provide gas, oil and water samples, and to test local stratigraphic control of the T57 shale horizon.

Operations and results

Well 24/6-3 was spudded with the semi-submersible installation Deepsea Bergen on 18 April 2003. Drilling of the 17 1/2" section was terminated at 253 m when the BHA became stuck in hole. Despite repeated attempts to free-off the BHA, the drill string was severed and the well temporarily abandoned for re-spud (well 24/6-4) some 20 m to the west of the original location. The well was permanently abandoned as a junk well after drilling of 24/6-4 was completed.

Testing

No drill stem test was performed.

Litostratigrafi

Topp Dyb [mMD RKB]	Litostrat. enhet
144	NORDLAND GP

Boreslam

Dybde MD [m]	Egenvekt, slam [g/cm3]	Viskositet, slam [mPa.s]	Fløtegrense [Pa]	Type slam	Dato, måling
155	1.05	20.0		VISCOUS PILL	
206	1.05	20.0		VISCOUS PILL	