



Generell informasjon





Brønnbane navn	7227/11-1 A
Type	EXPLORATION
Formål	WILDCAT
Status	P&A
Pressemelding	lenke til pressemelding
Faktakart i nytt vindu	lenke til kart
Hovedområde	BARENTS SEA
Brønn navn	7227/11-1
Seismisk lokalisering	ST0309-inline3419 & crossline2990
Utvinningstillatelse	202
Boreoperatør	Statoil ASA (old)
Boretillatelse	1109-L
Boreinnretning	EIRIK RAUDE
Boredager	29
Borestart	24.02.2006
Boreslutt	24.03.2006
Frigitt dato	24.03.2008
Publiseringsdato	15.08.2008
Opprinnelig formål	WILDCAT
Gjenåpnet	NO
Innhold	SHOWS
Funnbrønnbane	NO
Avstand, boredekk - midlere havflate [m]	25.0
Vanndybde ved midlere havflate [m]	236.5
Totalt målt dybde (MD) [m RKB]	3446.0
Totalt vertikalt dybde (TVD) [m RKB]	3198.0
Maks inklinasjon [°]	53.8
Temperatur ved bunn av brønnbanen [°C]	68
Eldste penetrerte alder	EARLY PERMIAN
Eldste penetrerte formasjon	ØRN FM
Geodetisk datum	ED50
NS grader	72° 14' 22.18" N
ØV grader	27° 22' 14.89" E
NS UTM [m]	8015904.21
ØV UTM [m]	512625.20
UTM sone	35
NPDID for brønnbanen	5287



Brønnhistorie

General

Well 7227/11-1 S is located in the Nordkapp Basin in the Barents Sea. The well was designed deviated to avoid a salt-diapir. The objective was to prove hydrocarbons in the Late Triassic Carnian reservoir sandstone in the Kap Toscana Group. As Permian strata appeared where the Triassic sequence was prognosed, the side track 7227/11-1 A was drilled in order to hit the target.

Operations and results

Well 7227/11-1 S was spudded with the semi-submersible installation Eirik Raude on 13 January 2006 and drilled to TD at 2590 m (2294 m TVD RKB) in Permian evaporite of the Ørn Formation. No shallow gas was expected, but since this was a new area a 9 7/8" pilot hole was drilled. Some hole problems were experienced while opening up the pilot to 26", otherwise operations went without significant problems. The well was drilled with seawater and hi-vis pills down to 725 m, with Sildril mud from 725 m to 1574 m, and with salt-saturated KCl mud from 1574 m to TD.

The observed stratigraphy was somewhat different from the prognosis. The Cretaceous sequence was thinner than expected and the Jurassic sequence came in shallower because of this. Where Triassic strata were prognosed, Permian strata were encountered. Consequently the Triassic targets were not found.

Well 7227/11-1 S was plugged back and abandoned on 22 February 2006. Sidetrack 7227/11-1 A was drilled in order to reach the Triassic targets. The Permian strata encountered in 7227/11-1 S were believed to be large allochthonous blocks intruded into younger strata via halokinesis, and the Triassic targets were prognosed to be located underneath these Permian strata. The well 7227/11-1 A was kicked off on 24 February 2006 below the 13 3/8" casing shoe at 1160 m and drilled to a total depth of 3446 m (3197.6 m TVD RKB), giving the same result as 7227/11-1 S with TD set in evaporite of Permian age. No hydrocarbon indications were observed in the wells 7227/11-1 S and 7227/11-1 A. Except for one gas peak of 43.55 % total gas at 2299 in Permian halite in 7227/11-1S, the gas readings were very low throughout both wells.

No cores were cut and no wire line fluid samples were taken.

Well 7227/11-1 A was permanently abandoned on 24 March 2006. Both well bores are characterized as dry.

Testing

No drill stem test was performed.

Borekaks i Sokkeldirektoratet

Borekaksprøve, topp dybde [m]	Borekaksprøve, bunn dybde [m]
1159.00	3443.00

Borekaks tilgjengelig for prøvetaking?	YES
--	-----



Litostratigrafi

Topp Dyb [mMD RKB]	Litostrat. enhet
262	ADVENTDALEN GP
262	KOLMULE FM
1091	HEKKINGEN FM
1142	KAPP TOSCANA GP
1142	STØ FM
1166	NORDMELA FM
1190	TUBÅEN FM
1201	GIPSDALEN GP
1201	ØRN FM

Logger

Type logg	Topp dyp for logg [m]	Bunn dyp for logg [m]
MWD - AUTOTRACK G3 ONTRACK	1093	3446
PEX FMI-DIP DSI	1108	2283
PEX FMI-DIP DSI	2289	3243
VSP	1105	3243

Foringsrør og formasjonsstyrketester

Type utforing	Utforing diam. [tommer]	Utforing dybde [m]	Brønnbane diam. [tommer]	Brønnbane dyp [m]	LOT/FIT slam eqv. [g/cm3]	Type formasjonstest
INTERM.	9 5/8	2289.0	12 1/4	3446.0	1.80	LOT

Boreslam

Dybde MD [m]	Egenvekt, slam [g/cm3]	Viskositet, slam [mPa.s]	Flytegrense [Pa]	Type slam	Dato, måling
1229	1.50	30.0		KCL/POLYMER	
2087	1.50	28.0		KCL/POLYMER	
2290	1.50	25.0		KCL/POLYMER	
2721	1.50	24.0		KCL/POLYMER 1	
3135	1.50	31.0		KCL/POLYMER 1	
3446	1.50	25.0		KCL/POLYMER 1	
3448	1.50	25.0		KCL/POLYMER 1	

